

**CHANGE CITY OF LICENSE/
MINOR CHANGE APPLICATION
BROADCAST SOUTH, LLC
WVOH-FM RADIO STATION
CH 228C2 - 93.5 MHZ - 40.0 KW
NICHOLLS, GEORGIA
October 2008**

EXHIBIT B

The proposed WVOH-FM antenna location will be shortspaced to one other FM station: WPEZ, Channel 229C1, Jeffersonville, Georgia. The relevant distance between the facilities is shown on Exhibit B1. BSL proposes to use the provisions of §73.215 of the Commission's rules to address this shortspace. The effective radiated power of WVOH-FM will be reduced to comply with §73.215(e) of the Commission's rules.

Exhibit B2 specifically demonstrates that there will be no prohibited overlap between the proposed WVOH-FM and WPEZ. The contours of WPEZ are based on their license values as this facility is authorized pursuant to §73.215 of the rules. Attached as Exhibits B3 and B4 are the tabulated distances to the protected and interfering contours, along the pertinent arcs, of the proposed WVOH-FM and WPEZ. Further, attached as Exhibit B5 are the tabulated and protected contours of the proposed facility, in ten degree increments. Again, there is no prohibited overlap between the facilities.


**CHANGE CITY OF LICENSE/
MINOR CHANGE APPLICATION
BROADCAST SOUTH, LLC
WVOH-FM RADIO STATION
CH 228C2 - 93.5 MHZ - 40.0 KW
NICHOLLS, GEORGIA
October 2008**

EXHIBIT B1

Clearance Study for WVOH-FM Nicholls, Georgia
Using Proposed Site as Reference

REFERENCE				CLASS = C2		DISPLAY DATES	
31 38 46.0 N.				Current	Spacings to 3rd Adj.	DATA	10-24-08
82 44 06.0 W.				Channel 228 - 93.5 MHz		SEARCH	10-24-08
Call	Channel	Location	Azi	Dist	FCC	Margin	
	Lat.	Lng.	Ant	Power	HAAT		
WVOH-FM	LIC 228C3	Hazlehurst	GA 34.5	28.04	177.0	-148.96	
	31 51 15.0	82 34 00.0	C 25.000 kW		96 M		
	Broadcast South, Llc		BLH-20010502AAV				
* WPEZ	LIC-N 229C1	Jeffersonville	GA 327.9	145.48	158.0	-12.52	
	32 45 12.0	83 33 46.0	NCX 100.000 kW		207 M		
	Cumulus Licensing Llc		BLH-20020529ABR				
WAJQ-FM	LIC 282A	Alma	GA 103.5	18.43	15.0	3.43	
	31 36 26.0	82 32 46.0	CN 4.500 kW		113 M		
	Blueberry Broadcasting Com		BLH-19990330KB				
AL7080	VAC 229C3	St. Simons Island	GA 110.3	125.48	117.0	8.48	
	31 14 54.0	81 29 57.0	25.000 kW		100 M		
	Nancy C. Harper		RM-10365				
AL9613	VAC 228A	Morgan	GA 266.6	177.36	166.0	11.36	
	31 32 15.0	84 35 58.0	6.000 kW		100 M		
	Donald F And Jerry E. Whit		RM-10420				
WFDZ	CP -N 228A	Perry	FL 206.2	186.82	166.0	20.82	
	30 08 00.0	83 35 45.0	NCX 6.000 kW		77 M		
	Dockins Telecommunications		BNPH-20070301ACG				
1163374	APP 228A	Perry	FL 205.1	188.17	166.0	22.17	
	30 06 27.8	83 33 59.5	6.000 kW		100 M		
	Bulldog Broadcasting Llc		BSFH-20061107AEZ				
1179908	APP 226A	Pineview	GA 300.5	80.71	55.0	25.71	
	32 00 44.0	83 28 19.0	6.000 kW		100 M		
	Georgia Eagle Broadcasting		BSFH-20061213ANX				
1218300	RSV 226A	Rochelle	GA 300.5	80.71	55.0	25.71	
	32 00 44.0	83 28 19.0	6.000 kW		100 M		
	Georgia Eagle Broadcasting						
AU7058463	VAC 226A	Pineview	GA 300.5	80.71	55.0	25.71	
	32 00 44.0	83 28 19.0	6.000 kW		100 M		
	Data+corp		RM-10347				

* Note: This shortage is addressed pursuant to §73.215. See Exhibit B for details.



**CHANGE CITY OF LICENSE/
MINOR CHANGE APPLICATION
BROADCAST SOUTH, LLC
WVOH-FM RADIO STATION
CH 228C2 - 93.5 MHZ - 40.0 KW
NICHOLLS, GEORGIA
October 2008**

EXHIBIT B3

WVOH-FM _ Proposed
Channel = 228C2
Max ERP = 40 kW
RCAMSL = 221.1 M
N. Lat = 31 38 46
W. Lng = 82 44 06

WPEZ - BLH-20020529ABR
Channel = 229C1
Max ERP = 100 kW
RCAMSL = 321 M
N. Lat = 32 45 12
W. Lng = 83 33 46

Protected
60 dBu

Interfering
54 dBu

30 second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
312.0	040.0000	0144.4	049.4	155.3	100.0000	0205.5	098.7	53.0
313.0	040.0000	0145.2	049.5	154.9	100.0000	0205.5	098.3	53.1
314.0	040.0000	0145.7	049.6	154.4	100.0000	0205.3	097.9	53.2
315.0	040.0000	0146.0	049.7	154.0	100.0000	0205.3	097.6	53.3
316.0	040.0000	0146.1	049.7	153.5	100.0000	0205.6	097.3	53.4
317.0	040.0000	0146.2	049.7	153.0	100.0000	0205.6	097.0	53.5
318.0	040.0000	0146.3	049.7	152.5	100.0000	0205.6	096.8	53.6
319.0	040.0000	0146.2	049.7	152.0	100.0000	0206.2	096.6	53.6
320.0	040.0000	0145.9	049.6	151.5	100.0000	0206.7	096.4	53.7
321.0	040.0000	0145.7	049.6	151.0	100.0000	0206.7	096.3	53.7
322.0	040.0000	0145.5	049.6	150.5	100.0000	0207.0	096.2	53.8
323.0	040.0000	0145.5	049.6	150.0	100.0000	0207.0	096.1	53.8
324.0	040.0000	0145.5	049.6	149.5	100.0000	0207.2	096.0	53.8
325.0	040.0000	0145.5	049.6	148.9	100.0000	0207.2	095.9	53.9
326.0	040.0000	0145.5	049.6	148.4	100.0000	0207.1	095.9	53.9
327.0	040.0000	0145.5	049.6	147.9	100.0000	0207.1	095.8	53.9
328.0	040.0000	0145.5	049.6	147.4	100.0000	0206.6	095.8	53.9
329.0	040.0000	0145.5	049.6	146.9	100.0000	0206.6	095.8	53.9
330.0	040.0000	0145.5	049.6	146.4	100.0000	0206.0	095.9	53.8
331.0	040.0000	0145.6	049.6	145.8	100.0000	0206.0	095.9	53.8
332.0	040.0000	0146.0	049.7	145.3	100.0000	0205.5	096.0	53.8
333.0	040.0000	0146.6	049.7	144.8	100.0000	0205.5	096.0	53.8
334.0	040.0000	0147.3	049.8	144.3	100.0000	0205.3	096.0	53.8
335.0	040.0000	0148.0	049.9	143.8	100.0000	0205.3	096.1	53.7
336.0	040.0000	0148.6	050.0	143.2	100.0000	0205.4	096.2	53.7
337.0	040.0000	0149.0	050.1	142.7	100.0000	0205.4	096.4	53.7
338.0	040.0000	0149.3	050.1	142.2	100.0000	0205.5	096.5	53.6
339.0	040.0000	0149.4	050.1	141.7	100.0000	0205.5	096.8	53.5
340.0	040.0000	0149.6	050.1	141.2	100.0000	0205.2	097.0	53.5
341.0	040.0000	0149.8	050.2	140.7	100.0000	0205.2	097.3	53.4
342.0	040.0000	0150.3	050.2	140.2	100.0000	0204.6	097.5	53.3
343.0	040.0000	0151.0	050.3	139.7	100.0000	0204.6	097.8	53.2
344.0	040.0000	0151.9	050.4	139.2	100.0000	0203.6	098.0	53.1
345.0	040.0000	0152.8	050.6	138.7	100.0000	0203.6	098.3	53.0

**CHANGE CITY OF LICENSE/
MINOR CHANGE APPLICATION
BROADCAST SOUTH, LLC
WVOH-FM RADIO STATION
CH 228C2 - 93.5 MHZ - 40.0 KW
NICHOLLS, GEORGIA
October 2008**

EXHIBIT B4

WPEZ - BLH-20020529ABR
Channel = 229C1
Max ERP = 100 kW
RCAMSL = 321 M
N. Lat = 32 45 12
W. Lng = 83 33 46

WVOH-FM - Proposed
Channel = 228C2
Max ERP = 40 kW
RCAMSL = 221.1 M
N. Lat = 31 38 46
W. Lng = 82 44 06

Protected
60 dBu

Interfering
54 dBu

30 second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
133.0	100.0000	0198.7	063.7	338.4	040.0000	0149.3	085.4	50.8
134.0	100.0000	0199.1	063.7	337.8	040.0000	0149.3	084.9	50.9
135.0	100.0000	0199.7	063.8	337.1	040.0000	0149.0	084.5	51.1
136.0	100.0000	0200.4	063.8	336.4	040.0000	0148.6	084.0	51.2
137.0	100.0000	0201.2	063.9	335.7	040.0000	0148.6	083.6	51.3
138.0	100.0000	0202.4	064.0	335.0	040.0000	0148.0	083.1	51.4
139.0	100.0000	0203.6	064.1	334.3	040.0000	0147.3	082.7	51.5
140.0	100.0000	0204.6	064.2	333.5	040.0000	0147.3	082.3	51.6
141.0	100.0000	0205.2	064.3	332.8	040.0000	0146.6	082.0	51.7
142.0	100.0000	0205.5	064.3	332.0	040.0000	0146.0	081.8	51.7
143.0	100.0000	0205.4	064.3	331.3	040.0000	0145.6	081.6	51.8
144.0	100.0000	0205.3	064.3	330.5	040.0000	0145.5	081.5	51.8
145.0	100.0000	0205.5	064.3	329.7	040.0000	0145.5	081.4	51.8
146.0	100.0000	0206.0	064.4	328.9	040.0000	0145.5	081.3	51.9
147.0	100.0000	0206.6	064.4	328.1	040.0000	0145.5	081.2	51.9
148.0	100.0000	0207.1	064.5	327.3	040.0000	0145.5	081.1	51.9
149.0	100.0000	0207.2	064.5	326.5	040.0000	0145.5	081.2	51.9
150.0	100.0000	0207.0	064.5	325.7	040.0000	0145.5	081.2	51.9
151.0	100.0000	0206.7	064.4	325.0	040.0000	0145.5	081.4	51.8
152.0	100.0000	0206.2	064.4	324.2	040.0000	0145.5	081.6	51.8
153.0	100.0000	0205.6	064.3	323.4	040.0000	0145.5	081.8	51.7
154.0	100.0000	0205.3	064.3	322.7	040.0000	0145.5	082.0	51.6
155.0	100.0000	0205.5	064.3	321.9	040.0000	0145.5	082.3	51.6
156.0	100.0000	0206.3	064.4	321.1	040.0000	0145.7	082.5	51.5
157.0	100.0000	0207.6	064.5	320.3	040.0000	0145.9	082.7	51.5
158.0	100.0000	0209.5	064.7	319.6	040.0000	0145.9	082.8	51.4
159.0	100.0000	0212.1	064.9	318.8	040.0000	0146.2	083.0	51.4
160.0	100.0000	0215.1	065.2	318.0	040.0000	0146.3	083.1	51.3
161.0	100.0000	0218.6	065.5	317.2	040.0000	0146.2	083.3	51.3
162.0	100.0000	0222.1	065.9	316.4	040.0000	0146.1	083.5	51.2
163.0	100.0000	0225.1	066.1	315.6	040.0000	0146.1	083.8	51.1
164.0	100.0000	0227.3	066.3	314.8	040.0000	0146.0	084.2	51.0
165.0	100.0000	0228.6	066.4	314.1	040.0000	0145.7	084.7	50.9
166.0	100.0000	0229.5	066.5	313.4	040.0000	0145.2	085.2	50.7
167.0	100.0000	0230.2	066.6	312.8	040.0000	0145.2	085.8	50.5
168.0	100.0000	0230.9	066.6	312.1	040.0000	0144.4	086.4	50.3
169.0	100.0000	0231.7	066.7	311.5	040.0000	0143.8	087.1	50.1

**CHANGE CITY OF LICENSE/
MINOR CHANGE APPLICATION
BROADCAST SOUTH, LLC
WVOH-FM RADIO STATION
CH 228C2 - 93.5 MHZ - 40.0 KW
NICHOLLS, GEORGIA
October 2008**

EXHIBIT B5

Predicted contour:

N. Lat. = 31 38 46.0 - Tabulated Protected and Interfering Contour Data
W. Lng. = 82 44 06.0 - WVOH-FM Radio Station - Nicholls, Georgia

HAAT and Distance to Contour - FCC Method - NGDC 30 Second terrain database

Azi.	HAAT	ERP kW	dBk	Field	60-F5	40-F1	54-F1	100-F1
000	154.7	40.0000	16.02	1.000	50.81	133.43	75.70	5.72
010	151.4	40.0000	16.02	1.000	50.38	132.98	75.21	5.65
020	147.6	40.0000	16.02	1.000	49.88	132.47	74.64	5.58
030	149.4	40.0000	16.02	1.000	50.12	132.72	74.91	5.62
040	148.9	40.0000	16.02	1.000	50.05	132.65	74.84	5.61
050	149.1	40.0000	16.02	1.000	50.08	132.68	74.86	5.61
060	148.3	40.0000	16.02	1.000	49.97	132.57	74.74	5.60
070	148.6	40.0000	16.02	1.000	50.01	132.61	74.79	5.60
080	147.6	40.0000	16.02	1.000	49.88	132.48	74.64	5.58
090	146.2	40.0000	16.02	1.000	49.68	132.28	74.42	5.56
100	146.0	40.0000	16.02	1.000	49.66	132.25	74.39	5.55
110	149.6	40.0000	16.02	1.000	50.14	132.74	74.93	5.62
120	154.3	40.0000	16.02	1.000	50.77	133.39	75.65	5.71
130	155.8	40.0000	16.02	1.000	50.95	133.58	75.87	5.74
140	158.9	40.0000	16.02	1.000	51.35	134.00	76.33	5.79
150	157.7	40.0000	16.02	1.000	51.20	133.84	76.15	5.77
160	156.1	40.0000	16.02	1.000	50.98	133.61	75.91	5.74
170	154.1	40.0000	16.02	1.000	50.74	133.35	75.62	5.70
180	159.3	40.0000	16.02	1.000	51.40	134.05	76.39	5.80
190	162.2	40.0000	16.02	1.000	51.74	134.43	76.79	5.85
200	161.4	40.0000	16.02	1.000	51.65	134.33	76.69	5.84
210	152.6	40.0000	16.02	1.000	50.54	133.15	75.39	5.68
220	148.7	40.0000	16.02	1.000	50.02	132.63	74.81	5.60
230	144.9	40.0000	16.02	1.000	49.51	132.11	74.22	5.53
240	142.1	40.0000	16.02	1.000	49.12	131.72	73.78	5.48
250	141.4	40.0000	16.02	1.000	49.02	131.62	73.67	5.46
260	141.1	40.0000	16.02	1.000	48.97	131.57	73.62	5.46
270	140.6	40.0000	16.02	1.000	48.90	131.50	73.54	5.45
280	143.9	40.0000	16.02	1.000	49.36	131.96	74.06	5.51
290	140.8	40.0000	16.02	1.000	48.94	131.54	73.58	5.45
300	139.1	40.0000	16.02	1.000	48.69	131.29	73.30	5.42
310	143.2	40.0000	16.02	1.000	49.27	131.87	73.96	5.50
320	145.8	40.0000	16.02	1.000	49.63	132.23	74.36	5.55
330	145.4	40.0000	16.02	1.000	49.57	132.17	74.30	5.54
340	149.5	40.0000	16.02	1.000	50.12	132.73	74.92	5.62
350	154.0	40.0000	16.02	1.000	50.72	133.34	75.60	5.70

AMSL= 221.1 M