

## Allocation Study

### Compliance with 47 C.F.R. 73.207

The proposed facility meets all minimum distance separation requirements with regard to co-channel, first, second, or third adjacent channel stations, and those separated by 53/54 channels.

REFERENCE		CLASS = C2 Int = B	DISPLAY DATES
47 32 35.0 N.		Current	DATA 03-30-15
122 06 25.0 W.		Spacings to 3rd Adj.	SEARCH 03-30-15
----- Channel 283 - 104.5 MHz -----			

Call	Channel	Location	Azi	Dist	FCC	Margin
KMCQ	LIC-D 283C2	Covington	WA 0.0	0.00	189.5	-189.5
CHHR-FM	PRO -D 282C	Vancouver	BC 343.0	210.80	208.5	2.3
CHHR-FM	USE -D 282C	Vancouver	BC 343.0	210.99	208.5	2.5
KDUX-FM	LIC 284C2	Hoquiam	WA 241.7	140.35	129.5	10.9
KKRV	LIC 284C2	Wenatchee	WA 92.2	142.80	129.5	13.3
KMNT	LIC 282C3	Chehalis	WA 213.6	131.46	116.5	15.0
AL5614	RSV-A 285C3	Eatonville	WA 185.1	78.61	55.5	23.1
KKBW	LIC-Z 285C3	Eatonville	WA 188.3	78.99	55.5	23.5
KAFE	LIC-D 281C	Bellingham	WA 337.0	137.76	104.5	33.3
NEW	CP -D 285A	Sequim	WA 308.0	95.16	54.5	40.7

-----  
Reference station has protected zone issue: Canada  
RSV-R = reserved - needs protection, RSV-A = allocation.  
All separation margins include rounding