


Proposed 60 dBu is within the land area of the WNVM 60 dBu
New Life Broadcasting, Inc.

Coverage Study - USGS 03 SEC
02-18-2014



N. Lat. = 181836.0 W. Lng. = 654741.0
 HAAT and Distance to Contour,
 FCC, FM 2-10 Mi, 51 pts Method - USGS 03 SEC

Proposed 60 dBu Fill-in Contour

Azi.	AV EL	HAAT	ERP kw	dBk	Field	60-F5
000	32.2	1002.8	0.0761	-11.18	0.873	31.34
030	50.6	984.4	0.0219	-16.60	0.468	21.85
060	81.4	953.6	0.0001	-40.46	0.030	2.08
090	212.0	823.0	0.0001	-40.46	0.030	2.07
120	248.4	786.6	0.0001	-40.46	0.030	2.07
150	286.8	748.2	0.0001	-40.46	0.030	2.06
180	200.8	834.2	0.0001	-40.46	0.030	2.07
210	341.7	693.3	0.0001	-40.46	0.030	2.06
240	448.6	586.4	0.0001	-40.46	0.030	2.03
270	303.9	731.1	0.0090	-20.46	0.300	14.53
300	93.4	941.6	0.0571	-12.44	0.756	28.02
330	34.2	1000.8	0.0987	-10.06	0.993	33.71

Ave E1= 194.49 M HAAT= 840.51 M AMSL= 1035

N. Lat. = 181649.3 W. Lng. = 660635.0
 HAAT and Distance to Contour,
 FCC, FM 2-10 Mi, 51 pts Method - USGS 03 SEC

Primary for Fill-in Translator

WNVM, New Life Broadcasting, Inc., BMLH20120710ACQ

Azi.	AV EL	HAAT	ERP kw	dBk	Field	60-F5
000	64.8	487.7	3.0000	4.77	1.000	49.68
010	64.2	488.3	3.0000	4.77	1.000	49.71
020	69.2	483.3	3.0000	4.77	1.000	49.43
030	71.5	481.0	3.0000	4.77	1.000	49.30
040	105.8	446.7	3.0000	4.77	1.000	47.44
050	118.9	433.6	3.0000	4.77	1.000	46.75
060	105.6	446.9	3.0000	4.77	1.000	47.45
070	94.1	458.4	3.0000	4.77	1.000	48.07
080	157.6	394.9	3.0000	4.77	1.000	44.79
090	120.1	432.4	3.0000	4.77	1.000	46.68
100	130.0	422.5	3.0000	4.77	1.000	46.17
110	133.8	418.7	3.0000	4.77	1.000	45.98
120	101.8	450.7	3.0000	4.77	1.000	47.65
130	140.5	412.0	3.0000	4.77	1.000	45.64
140	162.9	389.6	3.0000	4.77	1.000	44.53
150	184.2	368.3	3.0000	4.77	1.000	43.49
160	296.9	255.6	3.0000	4.77	1.000	37.17
170	407.3	145.2	3.0000	4.77	1.000	28.46
180	406.7	145.8	3.0000	4.77	1.000	28.51
190	406.5	146.0	3.0000	4.77	1.000	28.53
200	409.4	143.1	3.0000	4.77	1.000	28.27
210	420.9	131.6	3.0000	4.77	1.000	27.27
220	430.0	122.5	3.0000	4.77	1.000	26.49
230	404.0	148.5	3.0000	4.77	1.000	28.75
240	342.6	209.9	3.0000	4.77	1.000	34.03
250	380.1	172.4	3.0000	4.77	1.000	30.86
260	463.5	89.0	3.0000	4.77	1.000	22.89
270	380.8	171.7	3.0000	4.77	1.000	30.80
280	234.2	318.3	3.0000	4.77	1.000	40.78
290	181.6	370.9	3.0000	4.77	1.000	43.63
300	139.4	413.1	3.0000	4.77	1.000	45.69
310	105.3	447.2	3.0000	4.77	1.000	47.46
320	89.2	463.3	3.0000	4.77	1.000	48.33
330	80.4	472.1	3.0000	4.77	1.000	48.81
340	66.8	485.7	3.0000	4.77	1.000	49.57
350	76.5	476.0	3.0000	4.77	1.000	49.03

Ave E1= 209.64 M HAAT= 342.86 M AMSL= 552.5 M