

AMENDMENT TO BNPED-20071015AAM
COLQUITT COMMUNITY RADIO, INC.
NEW FM RADIO STATION
CH 217A - 91.3 MHZ - 5.5 kW (DA)
MOULTRIE, GEORGIA
October 2008

EXHIBIT A

Non-Commercial Allocation Analysis & Section 73.509 Study

Because of its operating channel, the proposed New FM facility at Moultrie, Georgia could potentially impact other authorized or proposed non-commercial stations operating on co- or adjacent FM channels. The detailed list of stations reviewed as potentially impacted by Channel 217A at Moultrie, Georgia is shown on Exhibit A1. The three closest (nearby) stations/facilities reviewed in detail are WFSQ, Channel 218C1, Tallahassee, Florida; WJTG, Channel 217C1, Fort Valley, Georgia; and WABR Channel 216C2, Tifton, Georgia.¹ The provisions of §73.509 of the rules will be met by specifying less than maximum Class A facilities and using a directional antenna system.

Section 73.509 Analysis

Exhibit A2 specifically demonstrates that there will be no prohibited overlap between the proposed New FM and WFSQ, WJTG, or WABR. Attached as Exhibits A3 through A8 are the tabulated distances to the protected and interfering contours, along pertinent arcs, of the proposed New FM, WFSQ, WJTG, and WABR. As indicated, there is no prohibited overlap of contours

1) The remainder of the facilities listed on Exhibit A1 were reviewed and found to be in compliance with §73.509 of the Commission's rules. WCTV and WABW-TV are addressed in Exhibit B.

between these facilities. As such, this proposal is in compliance with §73.509 of the rules. Attached as Exhibit A9 is a tabulation of the proposed New FM protected and interfering contours.

Commercial §73.207 review and I.F. Issues

The nearest station operating on a frequency either 53 or 54 channels removed from this instant proposal is the licensed transmitter site of WNUQ, Channel 271A, Sylvester, Georgia. The WNUQ site is located on a bearing of 351.9° at a distance of 35.04 kilometers from the proposed New FM site. Pursuant to §73.207 of the rules, the New FM facility must be a minimum of 10.0 kilometers from the WNUQ site. The New FM site is located more than 25.0 kilometers farther than the required distance. Therefore, this proposal does not impact any intermediate frequency stations.

AMENDMENT TO BNPED-20071015AAM
COLQUITT COMMUNITY RADIO, INC.
NEW FM RADIO STATION
CH 217A - 91.3 MHZ - 5.5 kW (DA)
MOULTRIE, GEORGIA
October 2008

EXHIBIT A1

Interference Study for New FM Station Moultrie, Georgia
Using Proposed Site as Reference

REFERENCE		CH# 217A - 91.3 MHz, Pwr= 5.5 kW, HAAT= 100.1 M, COR= 192 M						DISPLAY DATES		
31 12 54.0 N.		Average Protected F(50-50)= 27.8 km						DATA 10-09-08		
83 47 13.0 W.		Standard Directional						SEARCH 10-09-08		
CH CITY	CALL	TYPE ANT STATE	AZI. <--	DIST FILE #	LAT. LNG.	Pwr (kW) HAAT (M)	INT (km) COR (M)	PRO (km) LICENSEE	*IN* (Overlap in km)	*OUT*
217A Moultrie	1204039	APP DVX GA	0.0 0.0	0.00 BNPED20071015AAM	31 12 54.0 83 47 13.0	5.500 100	39.7 192	11.6 Colquitt Community Radio,	-51.10*	-50.52*
217C3 Pavo	1208584	APP DCX GA	135.6 315.6	23.98 BNPED20071015AHD	31 03 39.0 83 36 38.0	17.250 83	92.6 148	27.8 Calvary Chapel Of Thomasvi	-88.98*<	-68.41*<
06Z3C WCTV Thomasville		LI HY GA	193.6 13.6	62.15 BLCT19870630KF	30 40 13.0 83 56 26.0	97.700 619	11.8 667	128.6 Gray Television Licensee,	174.0R	-78.2M
217C3 Quitman	1199624	APP DVX GA	143.4 323.5	38.44 BNPED20071019AIZ	30 56 13.3 83 32 46.4	10.400 69	90.3 128	27.0 Catholic Radio Network, In	-74.07*<	-58.17<
06 3E WABW-TV Pelham		AP HY GA	253.6 73.5	31.55 BMPEDT20080619AKP	31 08 05.0 84 06 16.0	10.500 379	9.9 462	85.2 Georgia Public Telecommuni	174.0R	-63.5M
217A Moultrie	1210254	APP CX GA	0.0 0.0	0.00 BNPED20071019ALP	31 12 54.0 83 47 13.0	0.600 21	30.1 116	8.9 B. Jordan Communications C	-41.45*<	-47.85*<
217A Morven	1208771	APP CX GA	138.9 319.0	41.03 BNPED20071012AOV	30 56 11.0 83 30 14.0	0.800 81	50.9 140	14.4 Augusta Radio Fellowship I	-30.96*<	-39.98<
06 3E WABW-TV Pelham		CP DHN GA	253.6 73.5	31.55 BPEDT20080327AAM	31 08 05.0 84 06 16.0	0.520 169	9.9 253	39.8 Georgia Public Telecommuni	174.0R	-18.1M
217A Lakeland	1210735	APP VX GA	103.8 284.2	70.18 BNPED20071012AII	31 03 46.2 83 04 21.4	3.500 27	56.4 85	13.7 God's Final Call & Warning	-0.96<	6.29
218C1 WFSQ Tallahassee		LIC CX FL	219.8 39.4	123.40 BLED20030912ABG	30 21 31.0 84 36 38.0	86.000 224	95.0 250	64.4 Florida State University	0.02	15.32
217C1 WJTG Fort Valley		LIC CN GA	357.5 177.5	163.80 BLED19890228KA	32 41 27.0 83 51 45.0	100.000 140	152.0 275	56.1 Family Life Broadcasting,	0.36	68.48
216C2 WABR Tifton		LIC DCN GA	38.3 218.5	39.21 BLED19880211KC	31 29 30.0 83 31 49.0	30.000 76	27.0 172	18.4 Georgia Public Telecommuni	0.48	3.69
215A Pelham	1202586	APP CX GA	250.4 70.2	30.53 BNPED20071012AQD	31 07 21.0 84 05 19.0	1.000 65	1.6 148	14.3 The Positive Radio Network	3.55	13.84
215A Pelham	1214537	APP DCX GA	253.6 73.5	31.55 BNPED20071019BAV	31 08 05.0 84 06 16.0	0.310 198	1.2 282	19.2 Georgia Public Telecommuni	5.55	9.97
216C1 WUJC St. Marks		CP DEX FL	185.9 5.9	77.99 BPED20070108ACC	30 30 55.0 83 52 17.0	100.000 119	40.5 172	26.6 Calvary Chapel Of Twin Fal	8.69	6.99
214A WFSL Thomasville		LIC CX GA	203.9 23.8	45.91 BLED20030206ACF	30 50 12.0 83 58 57.0	0.250 47	1.1 110	7.4 Florida State University B	15.61	35.66
216A Mimsville	1198042	APP CX GA	276.4 96.0	70.58 BNPED20071015ADM	31 17 00.0 84 31 25.0	4.500 42	25.8 91	17.5 Tbta Ministries	24.05	22.56

Terrain database is NGDC 30 SEC, R= 73.215 qualifying spacings or FCC minimum spacings in KM, M= Margin in KM
Contour distances are on direct line to and from reference station. Reference Zone = 2, Co to 3rd adjacent.
Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, _= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)
***affixed to 'IN' or 'OUT' values = site inside protected contour.
"<" = Contour Overlap

* - These applications remain mutually exclusive with the original CCR application. As such they are not considered a limitation.

NEW Moultrie GA - BNPED20071015AAM

Latitude: 31-12-54 N / Longitude: 083-47-13 W

ERP: 5.50 kW / Channel: 217 / 91.3 MHz

AMSL Height: 192.0 m - Horiz. Pattern: Directional

WJTG Fort Valley GA - BLED19890228KA

Latitude: 32-41-27 N / Longitude: 083-51-45 W

ERP: 100.00 kW / Channel: 217 / 91.3 MHz

AMSL Height: 275.0 m - Horiz. Pattern: Omni

WFSQ Tallahassee FL - BLED20030912ABG

Latitude: 30-21-31 N / Longitude: 084-36-38 W

ERP: 86.00 kW / Channel: 218 / 91.5 MHz

AMSL Height: 250.0 m - Horiz. Pattern: Omni

60 dBu (50/50)

54 dBu (50/10)

40 dBu (50/10)

GRAHAM BROCK, INC.

BROADCAST TECHNICAL CONSULTANTS

WABR Tifton GA - BLED19880211KC

Latitude: 31-29-30 N / Longitude: 083-31-49 W

ERP: 30.00 kW / Channel: 216 / 91.1 MHz

AMSL Height: 172.0 m - Horiz. Pattern: Directional

Scale 1:1,250,000

0 10 20 30 km

Columbia
State Communications LLC ©

EXHIBIT A2
AMENDMENT TO BNPED-20071015AAM
COLQUITT COMMUNITY RADIO, INC.
NEW NCFM RADIO STATION
CH 217A - 91.3 MHz - 5.5 kW - DA
MOULTRIE, GEORGIA
October 2008

AMENDMENT TO BNPED-20071015AAM
COLQUITT COMMUNITY RADIO, INC.
NEW FM RADIO STATION
CH 217A - 91.3 MHZ - 5.5 kW (DA)
MOULTRIE, GEORGIA
October 2008

EXHIBIT A3

NEW FM - Proposed
Channel = 217A
Max ERP = 5.5 kW
RCAMSL = 192 M
N. Lat = 31 12 54.0
W. Lng = 83 47 13.0

WFSQ - BLED-20030912ABG
Channel = 218C1
Max ERP = 86 kW
RCAMSL = 250 M
N. Lat = 30 21 31
W. Lng = 84 36 38

Protected
60 dBu

Interfering
54 dBu

30 second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
198.0	005.4561	0112.5	029.2	045.8	086.0000	0221.0	096.9	53.4
199.0	005.4506	0112.7	029.3	045.6	086.0000	0221.0	096.7	53.5
200.0	005.4451	0112.9	029.3	045.3	086.0000	0221.9	096.4	53.6
201.0	005.4309	0113.2	029.3	045.0	086.0000	0221.9	096.2	53.6
202.0	005.4167	0113.3	029.3	044.7	086.0000	0221.9	096.0	53.7
203.0	005.4025	0113.2	029.2	044.5	086.0000	0222.2	095.8	53.8
204.0	005.3884	0112.9	029.2	044.2	086.0000	0222.2	095.7	53.8
205.0	005.3742	0112.5	029.1	043.9	086.0000	0222.2	095.6	53.8
206.0	005.3601	0112.1	029.1	043.6	086.0000	0222.2	095.5	53.9
207.0	005.3460	0111.4	029.0	043.3	086.0000	0222.0	095.4	53.9
208.0	005.3319	0110.8	028.9	043.0	086.0000	0222.0	095.4	53.9
209.0	005.3178	0110.4	028.8	042.7	086.0000	0222.0	095.3	53.9
210.0	005.3038	0110.2	028.8	042.4	086.0000	0221.6	095.2	53.9
211.0	005.2919	0110.1	028.8	042.1	086.0000	0221.6	095.1	53.9
212.0	005.2800	0110.1	028.7	041.8	086.0000	0221.6	095.1	54.0
213.0	005.2682	0110.0	028.7	041.5	086.0000	0221.4	095.0	54.0
214.0	005.2564	0109.6	028.7	041.2	086.0000	0221.4	095.0	54.0
215.0	005.2445	0109.1	028.6	040.9	086.0000	0221.4	095.0	54.0
216.0	005.2327	0108.7	028.5	040.5	086.0000	0221.4	095.0	54.0
217.0	005.2209	0108.4	028.5	040.2	086.0000	0221.6	095.0	54.0
218.0	005.2092	0108.2	028.4	039.9	086.0000	0221.6	095.0	54.0
219.0	005.1974	0108.2	028.4	039.6	086.0000	0221.6	095.0	54.0
220.0	005.1856	0108.0	028.4	039.4	086.0000	0222.0	095.1	54.0
221.0	005.1654	0107.6	028.3	039.1	086.0000	0222.0	095.2	54.0
222.0	005.1451	0106.9	028.2	038.8	086.0000	0222.0	095.3	53.9
223.0	005.1249	0106.2	028.1	038.5	086.0000	0222.5	095.4	53.9
224.0	005.1048	0105.5	028.0	038.2	086.0000	0222.5	095.6	53.8
225.0	005.0847	0105.0	027.9	037.9	086.0000	0222.5	095.7	53.8
226.0	005.0646	0104.8	027.8	037.6	086.0000	0222.5	095.8	53.8
227.0	005.0445	0104.7	027.8	037.3	086.0000	0222.8	095.9	53.7
228.0	005.0245	0104.7	027.8	037.1	086.0000	0222.8	096.0	53.7
229.0	005.0046	0104.5	027.7	036.8	086.0000	0222.8	096.2	53.7
230.0	004.9847	0104.2	027.7	036.5	086.0000	0222.8	096.3	53.6
231.0	004.9366	0103.8	027.6	036.2	086.0000	0222.9	096.6	53.6
232.0	004.8888	0103.3	027.4	036.0	086.0000	0222.9	096.8	53.5
233.0	004.8412	0102.9	027.3	035.7	086.0000	0222.9	097.0	53.4
234.0	004.7938	0102.6	027.2	035.5	086.0000	0222.8	097.3	53.3
235.0	004.7467	0102.3	027.1	035.2	086.0000	0222.8	097.5	53.3

AMENDMENT TO BNPED-20071015AAM
COLQUITT COMMUNITY RADIO, INC.
NEW FM RADIO STATION
CH 217A - 91.3 MHZ - 5.5 kW (DA)
MOULTRIE, GEORGIA
October 2008

EXHIBIT A4

WFSQ - BLED-20030912ABG
Channel = 218C1
Max ERP = 86 kW
RCAMSL = 250 M
N. Lat = 30 21 31
W. Lng = 84 36 38

NEW FM - Proposed
Channel = 217A
Max ERP = 5.5 kW
RCAMSL = 192 M
N. Lat = 31 12 54.0
W. Lng = 83 47 13.0

Protected
60 dBu

Interfering
54 dBu

30 second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
015.0	086.0000	0219.7	064.2	242.1	004.3700	0100.3	070.2	43.3
016.0	086.0000	0220.3	064.2	241.4	004.4127	0100.1	069.4	43.6
017.0	086.0000	0221.1	064.3	240.8	004.4565	0100.1	068.5	43.9
018.0	086.0000	0221.8	064.4	240.2	004.5028	0100.2	067.7	44.2
019.0	086.0000	0222.6	064.4	239.5	004.5384	0100.6	066.9	44.5
020.0	086.0000	0223.5	064.5	238.8	004.5709	0100.6	066.1	44.7
021.0	086.0000	0224.2	064.6	238.0	004.6053	0101.1	065.4	45.0
022.0	086.0000	0224.4	064.6	237.2	004.6424	0101.6	064.7	45.3
023.0	086.0000	0224.1	064.6	236.4	004.6817	0102.0	064.1	45.5
024.0	086.0000	0224.2	064.6	235.5	004.7216	0102.0	063.5	45.8
025.0	086.0000	0225.0	064.7	234.7	004.7617	0102.3	062.9	46.0
026.0	086.0000	0226.0	064.7	233.8	004.8027	0102.6	062.2	46.3
027.0	086.0000	0226.8	064.8	232.9	004.8457	0102.9	061.7	46.5
028.0	086.0000	0227.1	064.8	232.0	004.8909	0103.3	061.2	46.8
029.0	086.0000	0226.7	064.8	231.0	004.9385	0103.8	060.8	47.0
030.0	086.0000	0225.8	064.7	229.9	004.9860	0104.2	060.4	47.2
031.0	086.0000	0224.8	064.6	228.9	005.0068	0104.5	060.2	47.3
032.0	086.0000	0223.8	064.6	227.8	005.0278	0104.7	059.9	47.4
033.0	086.0000	0223.1	064.5	226.8	005.0490	0104.7	059.7	47.5
034.0	086.0000	0222.8	064.5	225.7	005.0703	0104.8	059.5	47.6
035.0	086.0000	0222.8	064.5	224.6	005.0918	0105.0	059.3	47.7
036.0	086.0000	0222.9	064.5	223.6	005.1135	0105.5	059.1	47.9
037.0	086.0000	0222.8	064.5	222.5	005.1354	0106.9	059.0	48.0
038.0	086.0000	0222.5	064.4	221.4	005.1575	0107.6	058.9	48.1
039.0	086.0000	0222.0	064.4	220.3	005.1796	0108.0	058.9	48.1
040.0	086.0000	0221.6	064.4	219.2	005.1950	0108.2	058.9	48.1
041.0	086.0000	0221.4	064.3	218.1	005.2078	0108.2	059.0	48.1
042.0	086.0000	0221.6	064.4	217.0	005.2206	0108.4	059.1	48.1
043.0	086.0000	0222.0	064.4	215.9	005.2334	0108.7	059.1	48.1
044.0	086.0000	0222.2	064.4	214.9	005.2461	0109.1	059.3	48.1
045.0	086.0000	0221.9	064.4	213.8	005.2587	0109.6	059.5	48.1
046.0	086.0000	0221.0	064.3	212.8	005.2709	0110.0	059.8	48.0
047.0	086.0000	0219.7	064.2	211.8	005.2829	0110.1	060.2	47.9
048.0	086.0000	0218.4	064.1	210.8	005.2946	0110.1	060.6	47.7
049.0	086.0000	0217.2	064.0	209.8	005.3064	0110.2	061.1	47.6
050.0	086.0000	0216.3	063.9	208.9	005.3198	0110.4	061.6	47.4
051.0	086.0000	0215.6	063.8	207.9	005.3329	0110.8	062.0	47.3
052.0	086.0000	0215.0	063.8	207.0	005.3457	0111.4	062.5	47.2
053.0	086.0000	0214.6	063.7	206.1	005.3583	0112.1	063.1	47.1
054.0	086.0000	0214.3	063.7	205.3	005.3707	0112.5	063.6	46.9
055.0	086.0000	0214.3	063.7	204.4	005.3829	0112.9	064.2	46.8

AMENDMENT TO BNPED-20071015AAM
COLQUITT COMMUNITY RADIO, INC.
NEW FM RADIO STATION
CH 217A - 91.3 MHZ - 5.5 kW (DA)
MOULTRIE, GEORGIA
October 2008

EXHIBIT A5

NEW FM - Proposed
Channel = 217A
Max ERP = 5.5 kW
RCAMSL = 192 M
N. Lat = 31 12 54.0
W. Lng = 83 47 13.0

WJTG - BLED-19890228KA
Channel = 217C1
Max ERP = 100 kW
RCAMSL = 275 M
N. Lat = 32 41 27
W. Lng = 83 51 45

Protected
60 dBu

Interfering
40 dBu

30 second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
328.0	000.2652	0097.9	012.9	179.9	100.0000	0132.8	152.7	39.9
329.0	000.2585	0097.2	012.8	179.8	100.0000	0132.8	152.7	39.9
330.0	000.2519	0096.4	012.7	179.7	100.0000	0132.8	152.7	39.9
331.0	000.2479	0095.5	012.6	179.6	100.0000	0132.8	152.7	39.9
332.0	000.2439	0094.5	012.4	179.5	100.0000	0132.8	152.7	39.9
333.0	000.2400	0093.4	012.3	179.4	100.0000	0133.3	152.7	39.9
334.0	000.2361	0092.1	012.2	179.3	100.0000	0133.3	152.7	39.9
335.0	000.2323	0090.7	012.1	179.2	100.0000	0133.3	152.7	39.9
336.0	000.2284	0089.5	011.9	179.1	100.0000	0133.3	152.8	39.9
337.0	000.2246	0088.9	011.9	179.1	100.0000	0133.3	152.8	39.9
338.0	000.2209	0088.9	011.8	179.0	100.0000	0133.3	152.7	39.9
339.0	000.2171	0089.1	011.8	178.9	100.0000	0133.3	152.7	39.9
340.0	000.2134	0089.4	011.7	178.8	100.0000	0133.3	152.6	39.9
341.0	000.2119	0089.5	011.7	178.7	100.0000	0133.3	152.6	39.9
342.0	000.2104	0089.5	011.7	178.7	100.0000	0133.3	152.6	39.9
343.0	000.2089	0089.5	011.7	178.6	100.0000	0133.3	152.5	39.9
344.0	000.2074	0089.6	011.7	178.5	100.0000	0133.3	152.5	39.9
345.0	000.2059	0089.9	011.7	178.4	100.0000	0133.5	152.4	39.9
346.0	000.2044	0090.3	011.7	178.4	100.0000	0133.5	152.4	39.9
347.0	000.2030	0090.8	011.7	178.3	100.0000	0133.5	152.3	40.0
348.0	000.2015	0091.3	011.7	178.2	100.0000	0133.5	152.3	40.0
349.0	000.2000	0091.7	011.7	178.1	100.0000	0133.5	152.2	40.0
350.0	000.1985	0092.1	011.7	178.1	100.0000	0133.5	152.2	40.0
351.0	000.1965	0092.4	011.7	178.0	100.0000	0133.5	152.2	40.0
352.0	000.1944	0092.4	011.7	177.9	100.0000	0133.5	152.2	40.0
353.0	000.1923	0092.3	011.6	177.8	100.0000	0133.5	152.2	40.0
354.0	000.1903	0092.1	011.6	177.8	100.0000	0133.5	152.2	40.0
355.0	000.1882	0092.1	011.6	177.7	100.0000	0133.5	152.3	40.0
356.0	000.1862	0092.2	011.5	177.6	100.0000	0133.5	152.3	40.0
357.0	000.1842	0092.0	011.5	177.5	100.0000	0133.5	152.3	40.0
358.0	000.1822	0092.0	011.5	177.5	100.0000	0132.5	152.3	39.9
359.0	000.1802	0091.9	011.4	177.4	100.0000	0132.5	152.4	39.9
000.0	000.1782	0091.9	011.4	177.3	100.0000	0132.5	152.4	39.9
001.0	000.1778	0091.8	011.4	177.2	100.0000	0132.5	152.4	39.9
002.0	000.1774	0091.5	011.4	177.2	100.0000	0132.5	152.5	39.9

AMENDMENT TO BNPED-20071015AAM
COLQUITT COMMUNITY RADIO, INC.
NEW FM RADIO STATION
CH 217A - 91.3 MHZ - 5.5 kW (DA)
MOULTRIE, GEORGIA
October 2008

EXHIBIT A5 (continued)

NEW FM - Proposed
Channel = 217A
Max ERP = 5.5 kW
RCAMSL = 192 M
N. Lat = 31 12 54.0
W. Lng = 83 47 13.0

WJTG - BLED-19890228KA
Channel = 217C1
Max ERP = 100 kW
RCAMSL = 275 M
N. Lat = 32 41 27
W. Lng = 83 51 45

Protected
60 dBu

Interfering
40 dBu

30 second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
003.0	000.1770	0090.8	011.3	177.1	100.0000	0132.5	152.5	39.9
004.0	000.1766	0090.3	011.3	177.0	100.0000	0132.5	152.6	39.9
005.0	000.1762	0090.0	011.2	176.9	100.0000	0132.5	152.7	39.9
006.0	000.1758	0090.0	011.2	176.9	100.0000	0132.5	152.7	39.9
007.0	000.1754	0090.4	011.3	176.8	100.0000	0132.5	152.7	39.9
008.0	000.1750	0090.9	011.3	176.7	100.0000	0132.5	152.7	39.9
009.0	000.1747	0091.3	011.3	176.6	100.0000	0132.5	152.7	39.9
010.0	000.1743	0091.8	011.3	176.6	100.0000	0132.5	152.8	39.9
011.0	000.1743	0092.1	011.3	176.5	100.0000	0132.5	152.8	39.9
012.0	000.1743	0092.2	011.3	176.4	100.0000	0131.8	152.8	39.8
013.0	000.1743	0092.2	011.3	176.4	100.0000	0131.8	152.9	39.8
014.0	000.1743	0092.3	011.4	176.3	100.0000	0131.8	153.0	39.8
015.0	000.1743	0093.0	011.4	176.2	100.0000	0131.8	153.0	39.8
016.0	000.1743	0094.1	011.5	176.1	100.0000	0131.8	153.0	39.8
017.0	000.1743	0095.0	011.5	176.1	100.0000	0131.8	153.0	39.8
018.0	000.1743	0095.5	011.5	176.0	100.0000	0131.8	153.0	39.8
019.0	000.1743	0095.8	011.6	175.9	100.0000	0131.8	153.1	39.8
020.0	000.1743	0096.1	011.6	175.8	100.0000	0131.8	153.2	39.8
021.0	000.1743	0096.2	011.6	175.8	100.0000	0131.8	153.3	39.8
022.0	000.1743	0096.2	011.6	175.7	100.0000	0131.8	153.3	39.8
023.0	000.1743	0096.3	011.6	175.6	100.0000	0131.8	153.4	39.7
024.0	000.1743	0096.4	011.6	175.6	100.0000	0131.8	153.5	39.7
025.0	000.1743	0096.5	011.6	175.5	100.0000	0131.5	153.6	39.7
026.0	000.1743	0096.5	011.6	175.4	100.0000	0131.5	153.7	39.7
027.0	000.1743	0096.4	011.6	175.4	100.0000	0131.5	153.8	39.7
028.0	000.1743	0096.2	011.6	175.3	100.0000	0131.5	153.9	39.6

AMENDMENT TO BNPED-20071015AAM
COLQUITT COMMUNITY RADIO, INC.
NEW FM RADIO STATION
CH 217A - 91.3 MHZ - 5.5 kW (DA)
MOULTRIE, GEORGIA
October 2008

EXHIBIT A6

WJTG - BLED19890228KA
Channel = 217C1
Max ERP = 100 kW
RCAMSL = 275 M
N. Lat = 32 41 27
W. Lng = 83 51 45

NEW FM - Proposed
Channel = 217A
Max ERP = 5.5 kW
RCAMSL = 192 M
N. Lat = 31 12 54.0
W. Lng = 83 47 13.0

Protected
60 dBu

Interfering
40 dBu

30 second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
155.0	100.0000	0140.9	057.2	008.6	000.1748	0091.3	113.1	18.3
156.0	100.0000	0139.2	057.0	008.1	000.1750	0090.9	112.7	18.3
157.0	100.0000	0137.8	056.8	007.6	000.1752	0090.9	112.4	18.4
158.0	100.0000	0136.7	056.6	007.1	000.1754	0090.4	112.0	18.4
159.0	100.0000	0135.7	056.5	006.7	000.1756	0090.4	111.7	18.5
160.0	100.0000	0135.0	056.4	006.2	000.1758	0090.0	111.3	18.6
161.0	100.0000	0134.4	056.3	005.7	000.1759	0090.0	110.9	18.6
162.0	100.0000	0134.1	056.3	005.3	000.1761	0090.0	110.6	18.7
163.0	100.0000	0133.9	056.2	004.8	000.1763	0090.0	110.2	18.8
164.0	100.0000	0133.7	056.2	004.3	000.1765	0090.3	109.9	18.9
165.0	100.0000	0133.4	056.2	003.8	000.1767	0090.3	109.6	18.9
166.0	100.0000	0133.0	056.1	003.3	000.1769	0090.8	109.4	19.0
167.0	100.0000	0132.6	056.1	002.8	000.1771	0090.8	109.2	19.0
168.0	100.0000	0132.5	056.0	002.3	000.1773	0091.5	108.9	19.1
169.0	100.0000	0132.1	056.0	001.8	000.1775	0091.5	108.7	19.2
170.0	100.0000	0131.8	055.9	001.3	000.1777	0091.8	108.6	19.2
171.0	100.0000	0131.6	055.9	000.8	000.1779	0091.8	108.4	19.2
172.0	100.0000	0131.6	055.9	000.3	000.1781	0091.9	108.3	19.3
173.0	100.0000	0131.4	055.9	359.8	000.1786	0091.9	108.2	19.3
174.0	100.0000	0131.3	055.9	359.3	000.1796	0091.9	108.1	19.3
175.0	100.0000	0131.5	055.9	358.8	000.1806	0091.9	108.0	19.4
176.0	100.0000	0131.8	055.9	358.3	000.1816	0092.0	107.9	19.4
177.0	100.0000	0132.5	056.0	357.8	000.1826	0092.0	107.8	19.5
178.0	100.0000	0133.5	056.2	357.3	000.1837	0092.0	107.6	19.5
179.0	100.0000	0133.3	056.2	356.7	000.1847	0092.0	107.7	19.5
180.0	100.0000	0132.8	056.1	356.2	000.1857	0092.2	107.8	19.6
181.0	100.0000	0132.3	056.0	355.7	000.1868	0092.2	107.9	19.5
182.0	100.0000	0131.8	055.9	355.2	000.1878	0092.1	108.1	19.5
183.0	100.0000	0131.6	055.9	354.7	000.1888	0092.1	108.3	19.5
184.0	100.0000	0130.7	055.8	354.2	000.1898	0092.1	108.5	19.5
185.0	100.0000	0129.4	055.6	353.7	000.1908	0092.1	108.9	19.5
186.0	100.0000	0128.3	055.4	353.3	000.1918	0092.3	109.3	19.4
187.0	100.0000	0127.4	055.3	352.8	000.1928	0092.3	109.6	19.4
188.0	100.0000	0126.6	055.2	352.3	000.1937	0092.4	110.0	19.3
189.0	100.0000	0126.1	055.1	351.9	000.1947	0092.4	110.3	19.3
190.0	100.0000	0125.8	055.1	351.4	000.1956	0092.4	110.7	19.2
191.0	100.0000	0125.5	055.0	350.9	000.1966	0092.4	111.0	19.2
192.0	100.0000	0125.4	055.0	350.5	000.1975	0092.1	111.4	19.1
193.0	100.0000	0125.5	055.0	350.0	000.1985	0092.1	111.7	19.1
194.0	100.0000	0125.6	055.1	349.6	000.1992	0092.1	112.1	19.0
195.0	100.0000	0125.9	055.1	349.1	000.1998	0091.7	112.5	19.0

AMENDMENT TO BNPED-20071015AAM
COLQUITT COMMUNITY RADIO, INC.
NEW FM RADIO STATION
CH 217A - 91.3 MHZ - 5.5 kW (DA)
MOULTRIE, GEORGIA

October 2008

EXHIBIT A7

NEW FM - Proposed
Channel = 217A
Max ERP = 5.5 kW
RCAMSL = 192 M
N. Lat = 31 12 54.0
W. Lng = 83 47 13.0

WABR - BLED-19880211KC
Channel = 216C2
Max ERP = 30 kW
RCAMSL = 172 M
N. Lat = 31 29 30
W. Lng = 83 31 49

Protected
60 dBu

Interfering
54 dBu

30 second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
015.0	000.1743	0093.0	011.4	227.4	002.6239	0067.6	029.1	53.6
016.0	000.1743	0094.1	011.5	227.1	002.5977	0067.6	029.0	53.6
017.0	000.1743	0095.0	011.5	226.8	002.5696	0067.6	028.8	53.7
018.0	000.1743	0095.5	011.5	226.5	002.5388	0067.6	028.7	53.7
019.0	000.1743	0095.8	011.6	226.2	002.5062	0067.7	028.6	53.7
020.0	000.1743	0096.1	011.6	225.8	002.4729	0067.7	028.5	53.7
021.0	000.1743	0096.2	011.6	225.5	002.4386	0068.3	028.4	53.8
022.0	000.1743	0096.2	011.6	225.1	002.4037	0068.3	028.3	53.8
023.0	000.1743	0096.3	011.6	224.7	002.3689	0068.3	028.2	53.8
024.0	000.1743	0096.4	011.6	224.3	002.3337	0069.2	028.1	53.8
025.0	000.1743	0096.5	011.6	224.0	002.2983	0069.2	028.1	53.8
026.0	000.1743	0096.5	011.6	223.6	002.2626	0069.2	028.0	53.8
027.0	000.1743	0096.4	011.6	223.2	002.2264	0070.1	027.9	53.9
028.0	000.1743	0096.2	011.6	222.8	002.1902	0070.1	027.9	53.8
029.0	000.1743	0096.1	011.6	222.4	002.1542	0070.7	027.9	53.9
030.0	000.1743	0096.3	011.6	222.0	002.1188	0070.7	027.8	53.8
031.0	000.1743	0096.6	011.6	221.6	002.0839	0070.7	027.7	53.8
032.0	000.1743	0097.1	011.6	221.2	002.0489	0071.0	027.7	53.8
033.0	000.1743	0097.6	011.7	220.7	002.0139	0071.0	027.6	53.7
034.0	000.1743	0098.1	011.7	220.3	001.9788	0071.0	027.6	53.7
035.0	000.1743	0098.4	011.7	219.9	001.9507	0071.0	027.5	53.7
036.0	000.1743	0098.5	011.7	219.5	001.9507	0071.1	027.5	53.7
037.0	000.1743	0098.4	011.7	219.1	001.9507	0071.1	027.5	53.7
038.0	000.1743	0098.3	011.7	218.6	001.9507	0071.1	027.5	53.7
039.0	000.1743	0098.1	011.7	218.2	001.9507	0071.2	027.5	53.7
040.0	000.1743	0098.1	011.7	217.8	001.9507	0071.2	027.5	53.7
041.0	000.1743	0098.0	011.7	217.4	001.9507	0071.3	027.5	53.7
042.0	000.1743	0097.8	011.7	216.9	001.9507	0071.3	027.6	53.7
043.0	000.1743	0097.7	011.7	216.5	001.9507	0071.3	027.6	53.7
044.0	000.1743	0097.7	011.7	216.1	001.9507	0071.2	027.6	53.6
045.0	000.1743	0097.8	011.7	215.7	001.9507	0071.2	027.6	53.6
046.0	000.1743	0098.0	011.7	215.3	001.9507	0071.0	027.7	53.6
047.0	000.1743	0098.1	011.7	214.9	001.9507	0071.0	027.7	53.6
048.0	000.1743	0098.2	011.7	214.4	001.9507	0070.8	027.7	53.5
049.0	000.1743	0098.2	011.7	214.0	001.9507	0070.8	027.8	53.5
050.0	000.1743	0098.3	011.7	213.6	001.9507	0070.8	027.8	53.5
051.0	000.1743	0098.5	011.7	213.2	001.9507	0070.7	027.9	53.4
052.0	000.1743	0098.7	011.7	212.8	001.9507	0070.7	027.9	53.4
053.0	000.1743	0098.9	011.7	212.4	001.9507	0070.8	028.0	53.4
054.0	000.1743	0099.1	011.7	212.0	001.9507	0070.8	028.1	53.3
055.0	000.1743	0099.4	011.8	211.6	001.9507	0070.8	028.1	53.3

AMENDMENT TO BNPED-20071015AAM
COLQUITT COMMUNITY RADIO, INC.
NEW FM RADIO STATION
CH 217A - 91.3 MHZ - 5.5 kW (DA)
MOULTRIE, GEORGIA
October 2008

EXHIBIT A7 (continued)

NEW FM - Proposed
Channel = 217A
Max ERP = 5.5 kW
RCAMSL = 192 M
N. Lat = 31 12 54.0
W. Lng = 83 47 13.0

WABR - BLED-19880211KC
Channel = 216C2
Max ERP = 30 kW
RCAMSL = 172 M
N. Lat = 31 29 30
W. Lng = 83 31 49

Protected
60 dBu

Interfering
54 dBu

30 second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
056.0	000.1743	0099.7	011.8	211.2	001.9507	0071.5	028.2	53.3
057.0	000.1743	0100.0	011.8	210.8	001.9507	0071.5	028.3	53.3
058.0	000.1743	0100.1	011.8	210.5	001.9507	0072.7	028.4	53.4
059.0	000.1743	0100.1	011.8	210.1	001.9507	0072.7	028.5	53.3
060.0	000.1743	0100.1	011.8	209.7	001.9735	0072.7	028.6	53.3
061.0	000.1743	0100.3	011.8	209.4	002.0041	0073.9	028.7	53.5
062.0	000.1743	0100.4	011.8	209.0	002.0343	0073.9	028.8	53.5
063.0	000.1743	0100.4	011.8	208.7	002.0641	0073.9	028.9	53.5
064.0	000.1743	0100.5	011.8	208.3	002.0936	0074.8	029.0	53.5
065.0	000.1743	0100.7	011.8	208.0	002.1233	0074.8	029.1	53.5
066.0	000.1743	0101.1	011.9	207.6	002.1536	0074.8	029.2	53.5
067.0	000.1743	0101.5	011.9	207.3	002.1841	0075.3	029.3	53.6
068.0	000.1743	0101.8	011.9	207.0	002.2134	0075.3	029.4	53.6
069.0	000.1743	0101.8	011.9	206.7	002.2407	0075.3	029.6	53.6
070.0	000.1743	0101.8	011.9	206.4	002.2667	0075.5	029.7	53.6
071.0	000.1784	0101.5	011.9	206.0	002.2992	0075.5	029.8	53.6
072.0	000.1826	0101.1	012.0	205.7	002.3300	0075.5	029.9	53.6
073.0	000.1868	0100.5	012.0	205.4	002.3590	0075.8	030.1	53.6
074.0	000.1911	0100.0	012.1	205.1	002.3892	0075.8	030.2	53.6
075.0	000.1954	0100.1	012.1	204.7	002.4229	0075.8	030.3	53.6
076.0	000.1998	0100.5	012.2	204.3	002.4587	0076.3	030.4	53.6
077.0	000.2042	0100.9	012.3	203.9	002.4942	0076.3	030.6	53.6
078.0	000.2087	0101.1	012.4	203.6	002.5278	0076.3	030.7	53.6
079.0	000.2132	0101.1	012.4	203.3	002.5592	0077.0	030.8	53.7
080.0	000.2178	0101.2	012.5	202.9	002.5906	0077.0	031.0	53.6
081.0	000.2233	0101.2	012.6	202.6	002.6238	0077.0	031.1	53.6
082.0	000.2289	0101.3	012.7	202.3	002.6564	0077.4	031.3	53.7
083.0	000.2345	0101.4	012.8	201.9	002.6888	0077.4	031.4	53.6
084.0	000.2402	0101.5	012.8	201.6	002.7204	0077.4	031.6	53.6
085.0	000.2460	0101.7	012.9	201.3	002.7528	0077.3	031.7	53.6
086.0	000.2519	0102.0	013.0	201.0	002.7855	0077.3	031.9	53.5
087.0	000.2578	0102.2	013.1	200.6	002.8172	0077.3	032.1	53.5
088.0	000.2638	0102.5	013.2	200.3	002.8481	0077.1	032.2	53.5
089.0	000.2698	0102.6	013.3	200.1	002.8776	0077.1	032.4	53.4
090.0	000.2760	0102.7	013.4	199.8	002.9162	0077.1	032.6	53.4

AMENDMENT TO BNPED-20071015AAM
COLQUITT COMMUNITY RADIO, INC.
NEW FM RADIO STATION
CH 217A - 91.3 MHZ - 5.5 kW (DA)
MOULTRIE, GEORGIA
October 2008

EXHIBIT A8

WABR - BLED-19880211KC
Channel = 216C2
Max ERP = 30 kW
RCAMSL = 172 M
N. Lat = 31 29 30
W. Lng = 83 31 49

NEW FM - Proposed
Channel = 217A
Max ERP = 5.5 kW
RCAMSL = 192 M
N. Lat = 31 12 54.0
W. Lng = 83 47 13.0

Protected
60 dBu

Interfering
54 dBu

30 second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
188.0	005.0430	0083.0	024.9	073.9	000.1907	0100.0	021.8	50.8
189.0	004.8000	0083.2	024.7	072.8	000.1861	0100.5	021.5	50.9
190.0	004.5630	0083.4	024.4	071.7	000.1814	0101.1	021.3	51.1
191.0	004.3777	0083.2	024.2	070.6	000.1766	0101.5	021.0	51.2
192.0	004.1963	0082.6	023.9	069.2	000.1743	0101.8	020.8	51.3
193.0	004.0187	0081.6	023.5	067.7	000.1743	0101.8	020.7	51.4
194.0	003.8449	0080.2	023.1	066.1	000.1743	0101.1	020.6	51.4
195.0	003.6750	0078.8	022.6	064.5	000.1743	0100.5	020.6	51.4
196.0	003.5089	0077.9	022.3	063.0	000.1743	0100.4	020.5	51.4
197.0	003.3467	0077.6	022.0	061.7	000.1743	0100.4	020.4	51.5
198.0	003.1883	0077.5	021.7	060.3	000.1743	0100.1	020.4	51.5
199.0	003.0337	0077.2	021.4	059.0	000.1743	0100.1	020.4	51.5
200.0	002.8830	0077.1	021.1	057.7	000.1743	0100.1	020.3	51.5
201.0	002.7816	0077.3	021.0	056.6	000.1743	0100.0	020.2	51.6
202.0	002.6820	0077.4	020.8	055.5	000.1743	0099.4	020.2	51.6
203.0	002.5843	0077.0	020.6	054.2	000.1743	0099.1	020.2	51.6
204.0	002.4883	0076.3	020.3	053.0	000.1743	0098.9	020.2	51.5
205.0	002.3942	0075.8	020.0	051.7	000.1743	0098.7	020.3	51.4
206.0	002.3019	0075.5	019.8	050.6	000.1743	0098.5	020.3	51.4
207.0	002.2114	0075.3	019.6	049.4	000.1743	0098.2	020.4	51.3
208.0	002.1227	0074.8	019.3	048.3	000.1743	0098.2	020.5	51.2
209.0	002.0358	0073.9	019.0	047.1	000.1743	0098.1	020.7	51.0
210.0	001.9507	0072.7	018.6	046.0	000.1743	0098.0	021.0	50.8
211.0	001.9507	0071.5	018.5	045.0	000.1743	0097.8	021.0	50.8
212.0	001.9507	0070.8	018.4	044.1	000.1743	0097.7	021.1	50.7
213.0	001.9507	0070.7	018.4	043.2	000.1743	0097.7	021.0	50.8
214.0	001.9507	0070.8	018.4	042.4	000.1743	0097.8	020.9	50.8
215.0	001.9507	0071.0	018.4	041.5	000.1743	0098.0	020.9	50.9
216.0	001.9507	0071.2	018.4	040.6	000.1743	0098.0	020.8	50.9
217.0	001.9507	0071.3	018.4	039.7	000.1743	0098.1	020.8	51.0
218.0	001.9507	0071.2	018.4	038.9	000.1743	0098.1	020.8	51.0
219.0	001.9507	0071.1	018.4	038.0	000.1743	0098.3	020.8	51.0
220.0	001.9507	0071.0	018.4	037.1	000.1743	0098.4	020.8	51.0
221.0	002.0358	0071.0	018.6	036.2	000.1743	0098.5	020.6	51.1
222.0	002.1227	0070.7	018.8	035.2	000.1743	0098.4	020.5	51.2
223.0	002.2114	0070.1	018.9	034.3	000.1743	0098.1	020.4	51.3
224.0	002.3019	0069.2	019.0	033.3	000.1743	0097.6	020.4	51.2
225.0	002.3942	0068.3	019.0	032.4	000.1743	0097.1	020.4	51.2

AMENDMENT TO BNPED-20071015AAM
COLQUITT COMMUNITY RADIO, INC.
NEW FM RADIO STATION
CH 217A - 91.3 MHZ - 5.5 kW (DA)
MOULTRIE, GEORGIA
October 2008

EXHIBIT A9

Predicted contour:

N. Lat. = 31 12 54.0 - Tabulated Protected and Interfering Contour Data
W. Lng. = 83 47 13.0 - New FM Station - Moultrie, Georgia

HAAT and Distance to Contour - FCC Method - NGDC 30 SEC									
Azi.	AV EL	HAAT	ERP kW	dBk	Field	100-F1	60-F5	54-F1	40-F1
000	100.1	91.9	0.1782	-7.49	0.180	0.94	11.39	16.50	38.93
010	99.9	92.1	0.1743	-7.59	0.178	0.93	11.34	16.40	38.74
020	95.7	96.3	0.1743	-7.59	0.178	0.93	11.58	16.88	39.64
030	95.6	96.4	0.1743	-7.59	0.178	0.93	11.59	16.89	39.67
040	93.8	98.2	0.1743	-7.59	0.178	0.93	11.69	17.09	40.04
050	93.6	98.4	0.1743	-7.59	0.178	0.93	11.70	17.11	40.08
060	91.7	100.3	0.1743	-7.59	0.178	0.93	11.81	17.32	40.46
070	89.9	102.1	0.1743	-7.59	0.178	0.93	11.91	17.51	40.81
080	90.8	101.2	0.2178	-6.62	0.199	1.04	12.51	18.60	42.99
090	89.2	102.8	0.2760	-5.59	0.224	1.17	13.36	20.04	45.88
100	87.2	104.8	0.3465	-4.60	0.251	1.31	14.29	21.53	48.85
110	83.2	108.8	0.4374	-3.59	0.282	1.47	15.52	23.32	52.19
120	82.3	109.7	0.6321	-1.99	0.339	1.61	17.31	25.66	56.49
130	80.2	111.8	0.9981	-0.01	0.426	1.67	19.71	29.02	62.32
140	85.8	106.2	1.5508	1.91	0.531	1.90	21.40	31.67	67.34
150	83.1	108.9	2.4249	3.85	0.664	2.20	24.02	36.21	74.32
160	78.1	113.9	3.7981	5.80	0.831	2.54	27.10	41.44	81.93
170	85.7	106.3	5.5000	7.40	1.000	2.75	28.54	44.00	86.34
180	89.4	102.6	5.5000	7.40	1.000	2.72	28.08	43.31	85.74
190	79.9	112.1	5.5000	7.40	1.000	2.81	29.25	45.03	87.30
200	78.9	113.1	5.4451	7.36	0.995	2.82	29.29	45.09	87.30
210	81.7	110.3	5.3038	7.25	0.982	2.77	28.79	44.33	86.44
220	84.0	108.0	5.1856	7.15	0.971	2.73	28.38	43.69	85.72
230	87.8	104.2	4.9847	6.98	0.952	2.66	27.67	42.58	84.48
240	92.0	100.0	4.5146	6.55	0.906	2.54	26.55	40.73	82.23
250	93.4	98.6	3.8347	5.84	0.835	2.42	25.43	38.78	79.44
260	91.8	100.2	2.9874	4.75	0.737	2.27	24.22	36.63	75.89
270	95.8	96.2	2.1760	3.38	0.629	2.04	22.07	32.84	70.34
280	97.5	94.5	1.4929	1.74	0.521	1.81	19.98	29.38	64.49
290	95.7	96.3	0.9656	-0.15	0.419	1.58	18.05	26.61	59.11
300	94.8	97.2	0.6209	-2.07	0.336	1.61	16.05	23.98	54.07
310	95.9	96.1	0.4251	-3.72	0.278	1.45	14.39	21.64	49.48
320	88.8	103.2	0.3221	-4.92	0.242	1.26	13.91	20.94	47.71
330	95.7	96.3	0.2519	-5.99	0.214	1.11	12.65	18.81	43.55
340	102.8	89.2	0.2134	-6.71	0.197	1.02	11.72	17.10	40.18
350	100.4	91.6	0.1986	-7.02	0.190	0.99	11.67	17.02	39.99

AMSL= 192 M