

WQRI BLED20080918AAD

NEW.C

Channel = 202A
 Max ERP = 0.8 kW
 RCAMSL = 42 M
 N. Lat. 41 38 54.0
 W. Lng. 71 15 34.0
 Protected
 60 dBu

Channel = 202B1
 Max ERP = 6.5 kW
 RCAMSL = 97 M
 N. Lat. 41 40 57.0
 W. Lng. 70 21 17.0
 Interfering
 40 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)	IX (km)
080.0	000.8000	-0000.3	009.6	268.4	001.8778	0070.7	065.9	39.02	
081.0	000.8000	-0000.7	009.6	268.3	001.8914	0070.7	065.9	39.06	
082.0	000.8000	-0000.8	009.6	268.1	001.9050	0070.7	065.9	39.09	
083.0	000.8000	-0000.5	009.6	268.0	001.9188	0070.7	065.9	39.13	
084.0	000.8000	-0000.2	009.6	267.8	001.9326	0070.7	065.8	39.16	
085.0	000.8000	0000.3	009.6	267.7	001.9465	0070.7	065.8	39.20	
086.0	000.8000	0000.5	009.6	267.5	001.9604	0070.7	065.8	39.23	
087.0	000.8000	0000.5	009.6	267.4	001.9744	0070.7	065.8	39.26	
088.0	000.8000	0000.4	009.6	267.2	001.9885	0070.7	065.8	39.29	
089.0	000.8000	0000.8	009.6	267.1	002.0026	0070.7	065.8	39.32	
090.0	000.8000	0001.0	009.6	266.9	002.0167	0070.7	065.8	39.35	
091.0	000.8000	0001.2	009.6	266.8	002.0309	0070.8	065.9	39.38	
092.0	000.8000	0001.3	009.6	266.7	002.0451	0070.8	065.9	39.40	
093.0	000.8000	0001.5	009.6	266.5	002.0593	0070.9	065.9	39.44	
094.0	000.8000	0001.5	009.6	266.4	002.0735	0071.0	065.9	39.47	
095.0	000.8000	0001.5	009.6	266.2	002.0877	0071.1	065.9	39.50	
096.0	000.8000	0001.6	009.6	266.1	002.1019	0071.3	066.0	39.53	
097.0	000.8000	0001.6	009.6	265.9	002.1161	0071.4	066.0	39.56	
098.0	000.8000	0001.2	009.6	265.8	002.1303	0071.6	066.0	39.59	
099.0	000.8000	0001.0	009.6	265.6	002.1445	0071.7	066.1	39.62	
100.0	000.8000	0000.7	009.6	265.5	002.1586	0071.8	066.1	39.64	
101.0	000.8000	0000.3	009.6	265.4	002.1727	0071.9	066.2	39.66	
102.0	000.8000	0000.0	009.6	265.2	002.1867	0072.0	066.2	39.68	
103.0	000.8000	-0000.2	009.6	265.1	002.2007	0072.1	066.3	39.70	
104.0	000.8000	-0000.2	009.6	264.9	002.2147	0072.1	066.3	39.72	
105.0	000.8000	-0000.3	009.6	264.8	002.2285	0072.2	066.4	39.74	
106.0	000.8000	-0000.4	009.6	264.7	002.2423	0072.3	066.4	39.75	
107.0	000.8000	-0000.6	009.6	264.5	002.2560	0072.4	066.5	39.77	
108.0	000.8000	-0000.8	009.6	264.4	002.2696	0072.5	066.6	39.78	
109.0	000.8000	-0000.9	009.6	264.3	002.2832	0072.6	066.6	39.79	
110.0	000.8000	-0000.9	009.6	264.1	002.2966	0072.7	066.7	39.81	
111.0	000.8000	-0000.5	009.6	264.0	002.3099	0072.8	066.8	39.82	
112.0	000.8000	0000.1	009.6	263.9	002.3231	0072.8	066.9	39.83	
113.0	000.8000	0000.8	009.6	263.8	002.3362	0072.9	067.0	39.83	
114.0	000.8000	0001.5	009.6	263.6	002.3492	0073.0	067.0	39.84	
115.0	000.8000	0002.1	009.6	263.5	002.3620	0073.1	067.1	39.85	
116.0	000.8000	0002.6	009.6	263.4	002.3748	0073.2	067.2	39.85	
117.0	000.8000	0002.8	009.6	263.3	002.3873	0073.3	067.3	39.86	
118.0	000.8000	0002.8	009.6	263.2	002.3997	0073.4	067.4	39.86	
119.0	000.8000	0003.2	009.6	263.0	002.4119	0073.5	067.5	39.86	
120.0	000.8000	0004.1	009.6	262.9	002.4240	0073.6	067.6	39.86<-	
121.0	000.8000	0005.4	009.6	262.8	002.4359	0073.7	067.7	39.86	
122.0	000.8000	0007.1	009.6	262.7	002.4477	0073.8	067.8	39.86	
123.0	000.8000	0008.8	009.6	262.6	002.4592	0073.9	067.9	39.85	
124.0	000.8000	0010.8	009.6	262.5	002.4706	0074.0	068.0	39.85	
125.0	000.8000	0012.9	009.6	262.4	002.4818	0074.1	068.1	39.84	
126.0	000.8000	0015.1	009.6	262.3	002.4928	0074.1	068.3	39.84	
127.0	000.8000	0017.5	009.6	262.2	002.5036	0074.2	068.4	39.83	
128.0	000.8000	0019.9	009.6	262.1	002.5142	0074.3	068.5	39.82	
129.0	000.8000	0021.9	009.6	262.0	002.5246	0074.4	068.6	39.81	
130.0	000.8000	0023.4	009.6	261.9	002.5347	0074.5	068.7	39.80	
131.0	000.8000	0024.2	009.6	261.8	002.5447	0074.5	068.9	39.78	
132.0	000.8000	0024.5	009.6	261.7	002.5544	0074.6	069.0	39.77	
133.0	000.8000	0024.4	009.6	261.6	002.5639	0074.7	069.1	39.75	
134.0	000.8000	0023.6	009.6	261.5	002.5732	0074.7	069.3	39.74	

135.0	000.8000	0022.1	009.6		261.5	002.5822	0074.8	069.4	39.72
136.0	000.8000	0020.8	009.6		261.4	002.5911	0074.9	069.5	39.70
137.0	000.8000	0020.6	009.6		261.3	002.5996	0074.9	069.7	39.68
138.0	000.8000	0021.5	009.6		261.2	002.6080	0075.0	069.8	39.66
139.0	000.8000	0023.1	009.6		261.2	002.6161	0075.1	070.0	39.64
140.0	000.8000	0024.8	009.6		261.1	002.6239	0075.1	070.1	39.62
141.0	000.8000	0026.5	009.6		261.0	002.6315	0075.2	070.3	39.59
142.0	000.8000	0027.9	009.6		260.9	002.6389	0075.2	070.4	39.57
143.0	000.8000	0029.0	009.6		260.9	002.6460	0075.3	070.5	39.54
144.0	000.8000	0029.7	009.6		260.8	002.6528	0075.3	070.7	39.52
145.0	000.8000	0030.2	009.6		260.7	002.6612	0075.4	070.8	39.50
146.0	000.8000	0030.6	009.7		260.6	002.6728	0075.4	071.0	39.49
---	-----	-----	-----		-----	-----	-----	-----	-----