


EXHIBIT 28.2

CONTOUR PROTECTION TOWARDS KJNZ (present facilities)



MUNN-REESE, INC.
Broadcast Engineering Consultants
Coldwater, MI 49036

EXHIBIT 28.2

CONTOUR PROTECTION TOWARDS KJNZ (present facilities)

07-05-2001 03 Sec. Terrain Data

KRGN proposed
Channel = 275C1
Max ERP = 100 kW
RCAMSL = 1162 M
N. Lat = 351539
W. Lng = 1015252

KJNZ (max facilities)
Channel = 278C2
Max ERP = 50 kW
RCAMSL = 1366 M
N. Lat = 34 52 10
W. Lng = 102 34 47

Protected
60 dBu

Interfering
100 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
220.0	100.0000	0044.3	036.9	069.1	050.0000	0172.1	042.9	67.7
221.0	100.0000	0044.9	037.1	068.4	050.0000	0170.8	042.4	67.9
222.0	100.0000	0046.0	037.5	067.9	050.0000	0170.8	041.7	68.2
223.0	100.0000	0047.2	038.0	067.4	050.0000	0169.4	041.0	68.4
224.0	100.0000	0048.5	038.5	066.8	050.0000	0169.4	040.3	68.8
225.0	100.0000	0049.4	038.8	066.1	050.0000	0167.9	039.8	68.9
226.0	100.0000	0049.6	038.9	065.2	050.0000	0166.4	039.4	69.0
227.0	100.0000	0049.4	038.8	064.2	050.0000	0164.8	039.3	69.0
228.0	100.0000	0048.7	038.5	063.2	050.0000	0163.3	039.4	68.9
229.0	100.0000	0048.6	038.5	062.2	050.0000	0161.7	039.2	68.9
230.0	100.0000	0049.1	038.7	061.3	050.0000	0160.3	038.9	69.0
231.0	100.0000	0049.1	038.7	060.3	050.0000	0158.9	038.8	69.0
232.0	100.0000	0049.4	038.8	059.3	050.0000	0157.5	038.6	69.0
233.0	100.0000	0049.9	039.0	058.4	050.0000	0156.2	038.3	69.0
234.0	100.0000	0050.3	039.1	057.4	050.0000	0154.9	038.1	69.1
235.0	100.0000	0050.7	039.3	056.3	050.0000	0153.7	037.9	69.1
236.0	100.0000	0050.6	039.2	055.3	050.0000	0152.6	038.0	69.0
237.0	100.0000	0049.6	038.9	054.3	050.0000	0151.3	038.3	68.8
238.0	100.0000	0049.0	038.6	053.3	050.0000	0149.9	038.6	68.6
239.0	100.0000	0049.2	038.7	052.3	050.0000	0148.3	038.6	68.5
240.0	100.0000	0050.0	039.0	051.2	050.0000	0146.9	038.4	68.5
241.0	100.0000	0051.6	039.6	050.1	050.0000	0145.6	037.9	68.6
242.0	100.0000	0054.7	040.6	048.7	050.0000	0144.1	037.1	69.0
243.0	100.0000	0056.3	041.1	047.5	050.0000	0141.8	036.8	69.0
244.0	100.0000	0055.1	040.7	046.6	050.0000	0141.8	037.3	68.7
245.0	100.0000	0053.0	040.0	045.8	050.0000	0140.9	038.2	68.3
246.0	100.0000	0050.6	039.2	045.3	050.0000	0140.1	039.2	67.7
247.0	100.0000	0049.7	038.9	044.5	050.0000	0140.1	039.7	67.5
248.0	100.0000	0049.5	038.8	043.7	050.0000	0139.3	040.1	67.3
249.0	100.0000	0049.6	038.8	042.8	050.0000	0138.3	040.3	67.1
250.0	100.0000	0050.8	039.3	041.6	050.0000	0137.2	040.3	67.1
251.0	100.0000	0053.4	040.2	040.1	050.0000	0134.5	039.8	67.1
252.0	100.0000	0056.2	041.0	038.6	050.0000	0133.6	039.5	67.2
253.0	100.0000	0057.4	041.4	037.5	050.0000	0132.2	039.6	67.1
254.0	100.0000	0058.8	041.8	036.3	050.0000	0131.6	039.7	67.0
255.0	100.0000	0060.2	042.2	035.1	050.0000	0131.1	039.9	66.9

EXHIBIT 28.2

CONTOUR PROTECTION TOWARDS KJNZ (present facilities)

07-05-2001 03 Sec. Terrain Data

KJNZ (max facilities)
 Channel = 278C2
 Max ERP = 50 kW
 RCAMSL = 1366 M
 N. Lat = 34 52 10
 W. Lng = 102 34 47

KRGN proposed
 Channel = 275C1
 Max ERP = 100 kW
 RCAMSL = 1162 M
 N. Lat = 351539
 W. Lng = 1015252

Protected
 60 dBu

Interfering
 100 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
040.0	050.0000	0134.5	050.1	260.9	100.0000	0059.9	031.8	67.0
041.0	050.0000	0135.8	050.2	259.9	100.0000	0058.5	031.1	67.2
042.0	050.0000	0137.2	050.4	258.8	100.0000	0058.2	030.4	67.5
043.0	050.0000	0138.3	050.6	257.6	100.0000	0059.3	029.8	68.0
044.0	050.0000	0139.3	050.7	256.3	100.0000	0060.8	029.2	68.5
045.0	050.0000	0140.1	050.8	254.9	100.0000	0060.2	028.6	68.7
046.0	050.0000	0140.9	051.0	253.4	100.0000	0057.4	028.1	68.7
047.0	050.0000	0141.8	051.1	251.9	100.0000	0056.2	027.6	68.8
048.0	050.0000	0142.9	051.2	250.3	100.0000	0050.8	027.1	68.2
049.0	050.0000	0144.1	051.4	248.6	100.0000	0049.6	026.6	68.3
050.0	050.0000	0145.6	051.6	246.9	100.0000	0049.7	026.2	68.6
051.0	050.0000	0146.9	051.8	245.1	100.0000	0053.0	025.8	69.5
052.0	050.0000	0148.3	052.0	243.2	100.0000	0056.3	025.4	70.3
053.0	050.0000	0149.9	052.2	241.2	100.0000	0051.6	025.0	69.8
054.0	050.0000	0151.3	052.4	239.2	100.0000	0049.2	024.7	69.5
055.0	050.0000	0152.6	052.5	237.1	100.0000	0049.6	024.5	69.8
056.0	050.0000	0153.7	052.7	234.9	100.0000	0050.7	024.4	70.1
057.0	050.0000	0154.9	052.8	232.8	100.0000	0049.9	024.2	70.0
058.0	050.0000	0156.2	053.0	230.5	100.0000	0049.1	024.2	69.9
059.0	050.0000	0157.5	053.2	228.3	100.0000	0048.7	024.2	69.9
060.0	050.0000	0158.9	053.3	226.1	100.0000	0049.6	024.2	70.0
061.0	050.0000	0160.3	053.5	223.9	100.0000	0048.5	024.3	69.7
062.0	050.0000	0161.7	053.7	221.6	100.0000	0046.0	024.4	69.2
063.0	050.0000	0163.3	053.9	219.5	100.0000	0044.1	024.6	68.6
064.0	050.0000	0164.8	054.0	217.3	100.0000	0044.6	024.8	68.6
065.0	050.0000	0166.4	054.2	215.2	100.0000	0043.5	025.1	68.2
066.0	050.0000	0167.9	054.4	213.2	100.0000	0043.0	025.5	67.8
067.0	050.0000	0169.4	054.5	211.2	100.0000	0043.9	025.9	67.7
068.0	050.0000	0170.8	054.7	209.4	100.0000	0045.8	026.3	67.8
069.0	050.0000	0172.1	054.8	207.6	100.0000	0046.9	026.8	67.7
070.0	050.0000	0173.4	055.0	205.9	100.0000	0047.0	027.4	67.3
071.0	050.0000	0174.5	055.1	204.4	100.0000	0045.9	028.0	66.8
072.0	050.0000	0175.6	055.2	202.9	100.0000	0044.9	028.6	66.2
073.0	050.0000	0176.1	055.2	201.6	100.0000	0044.2	029.4	65.7
074.0	050.0000	0176.6	055.3	200.4	100.0000	0043.8	030.1	65.2
075.0	050.0000	0177.3	055.3	199.3	100.0000	0044.0	030.8	64.9