

MARCH 2008

EXHIBIT E-5.08

PROPOSED KRCM
VOICE BROADCASTING, INC.
1380 kHz 10 kW DA-D
SHENANDOAH, TEXAS

FIELD STRENGTH MEASUREMENTS - DATA -
KWWJ Baytown, Texas, 1360 kHz, 5 kW DA

RADIAL 304 DEGREE

DISTANCE (km)	N-DA (mV/m)	TIME (CST)	DATE YEAR: 2004
0.70	1440	1731	6-12
0.86	1000	1728	6-12
1.96	420	1724	6-12
3.85	190	1715	6-12
4.72	140	1712	6-12
6.38	110	1707	6-12
9.64	59	1631	6-12
13.00	49	1623	6-12
14.50	28	1618	6-12
16.20	32	1613	6-12
20.60	14	1602	6-12
22.30	12	1556	6-12
24.00	8.4	1550	6-12
27.20	4.1	1542	6-12
31.90	2.8	1525	6-12
33.40	1.9	1515	6-12
37.00	2.8	1506	6-12
40.80	1.0	1437	6-12
42.40	1.8	1430	6-12
43.60	2.5	1419	6-12
48.00	1.8	1403	6-12
51.50	1.3	1346	6-12
55.00	1.1	1324	6-12
59.40	0.98	1314	6-12

MARCH 2008


EXHIBIT E-5.09

PROPOSED KRCM
VOICE BROADCASTING, INC.
1380 kHz 10 kW DA-D
SHENANDOAH, TEXAS

FIELD STRENGTH MEASUREMENTS - DATA -
KWWJ Baytown, Texas, 1360 kHz, 5 kW DA

RADIAL 324 DEGREE

DISTANCE (km)	N-DA (mV/m)	TIME (CST)	DATE YEAR: 2004
0.50	1560	1035	6-11
0.72	1360	1038	6-11
0.74	890	1042	6-11
1.20	490	1046	6-11
2.98	230	1110	6-11
3.83	120	1129	6-11
5.20	140	1135	6-11
7.75	65	1150	6-11
12.30	34	1204	6-11
14.50	26	1212	6-11
16.90	16	1219	6-11
20.80	8.9	1227	6-11
22.60	14	1235	6-11
24.20	11	1243	6-11
26.90	5.4	1249	6-11
28.50	4.8	1254	6-11
32.60	2.5	1305	6-11
43.20	0.74	1327	6-11
46.70	0.77	1350	6-11
49.80	0.66	1409	6-11
52.60	0.66	1416	6-11
59.00	0.37	1530	6-11



MARCH 2008

EXHIBIT E-5.10

PROPOSED KRCM
VOICE BROADCASTING, INC.
1380 kHz 10 kW DA-D
SHENANDOAH, TEXAS

FIELD STRENGTH MEASUREMENTS - DATA -
KWWJ Baytown, Texas, 1360 kHz, 5 kW DA

RADIAL 344 DEGREE

DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE YEAR: 2004
0.70	1400	0908	12- 5
0.92	940	0913	12- 5
1.77	490	1319	12- 5
3.08	210	1324	12- 5
3.41	208	1339	12- 5
4.83	108	1346	12- 5
5.90	120	1354	12- 5
7.25	82	1359	12- 5
8.60	60	1404	12- 5
9.73	52	1411	12- 5
11.50	32	1423	12- 5
13.30	11	1439	12- 5
15.80	11	1451	12- 5
18.50	6.8	1505	12- 5
26.00	4.4	1535	12- 5
29.30	3.6	1411	12- 7
31.10	2.9	1419	12- 7
34.90	1.6	1440	12- 7
38.10	1.6	1450	12- 7
41.10	1.3	1511	12- 7
44.40	0.90	1518	12- 7
45.70	0.64	1524	12- 7
52.80	0.69	1544	12- 7
55.30	0.52	1559	12- 7
56.70	0.47	1606	12- 7

