

Exhibit 15 Daytime Allocation Study

HDAM.EXE Copyright 2003, Hatfield & Dawson, LLC Version 4.53

SEARCH PARAMETERS AM Database Date: 20080421
Frequency Range: 770 to 830 kHz
Latitude: N 58-18-5
Longitude: W 134-26-26
Search Radius: 1,000 km

Call Status	City St Co	FCC File No.	Freq Mode	Power(kW) Hrs Cls	Latitude Longitude	Bearing deg-True	Distance kilometers
KCHU LIC	VALDEZ AK US	BL19910123AB	770 ND1	9.700 UNL A	N 61-06-40 W 146-15-39	300.3	731.16
KCAM LIC	GLENNALLEN AK US	BL	790 ND1	5.000 UNL B	N 62-06-52 W 145-32-07	309.4	743.38
KINY LIC	JUNEAU AK US	BL19971015KH	800 ND1	10.000 DAY B	N 58-18-05 W 134-26-26	0.0	0.00
KINY LIC	JUNEAU AK US	BL19971015KH	800 ND1	7.800 NITE B	N 58-18-05 W 134-26-26	0.0	0.00
NEW CP	KNIK-FAIRVIEW AK US	BNP0050118ADY	800 DA2	45.000 DAY B	N 61-29-03 W 149-45-52	299.0	921.84
NEW CP	KNIK-FAIRVIEW AK US	BNP0050118ADY	800 DA2	45.000 NITE B	N 61-29-03 W 149-45-52	299.0	921.84
NEW	HAZLETON BC CA		830 DAN	10.000 DAY B	N 55-13-00 W 127-32-00	126.2	542.31
NEW	HAZLETON BC CA		830 DAN	10.000 NITE B	N 55-13-00 W 127-32-00	126.2	542.31

Exhibit 15-2 **Tabulation of Azimuths, Fields & Conductivities**

JOB ID. CODE: JUNEAU, AK D L

Call letters: KINY

Coordinates: N 58 18 5 W 134 26 26

Frequency: 800 kHz Dielectric constant: 15.0

Azimuth	Radiation (mV/m at one km)	Ground Conductivity Data: Region conductivity in mS/m followed by distance in km to the end of region. E - map data; M - measurement data.						
.0	944.81	2.0E	91.0	1.0E	189.1	2.0E	800.0	
5.0	944.81	2.0E	78.5	1.0E	189.6	2.0E	800.0	
10.0	944.81	2.0E	65.6	1.0E	192.4	2.0E	800.0	
15.0	944.81	2.0E	63.4	1.0E	196.9	2.0E	800.0	
20.0	944.81	2.0E	62.0	1.0E	203.1	2.0E	800.0	
25.0	944.81	2.0E	61.1	1.0E	211.3	2.0E	800.0	
30.0	944.81	2.0E	60.7	1.0E	222.1	2.0E	800.0	
35.0	944.81	2.0E	60.8	1.0E	235.8	2.0E	800.0	
40.0	944.81	2.0E	61.3	1.0E	253.5	2.0E	800.0	
45.0	944.81	2.0E	61.4	1.0E	276.3	2.0E	800.0	
50.0	944.81	2.0E	61.2	1.0E	306.1	2.0E	800.0	
55.0	944.81	2.0E	61.5	1.0E	348.3	2.0E	800.0	
60.0	944.81	2.0E	62.3	1.0E	376.9	10.0E	415.3	2.0E 800.0
65.0	944.81	2.0E	63.6	1.0E	402.6	10.0E	523.6	2.0E 800.0
70.0	944.81	2.0E	65.4	1.0E	451.3	10.0E	759.8	2.0E 800.0
75.0	944.81	2.0E	67.9	1.0E	510.6	10.0E	800.0	
80.0	944.81	2.0E	62.0	1.0E	549.4	10.0E	800.0	
85.0	944.81	2.0E	64.7	1.0E	574.4	10.0E	800.0	
90.0	944.81	2.0E	68.2	1.0E	603.3	10.0E	800.0	
95.0	944.81	2.0E	72.8	1.0E	647.0	10.0E	712.4	10.0E 800.0
100.0	944.81	2.0E	78.6	1.0E	612.0	1.0E	714.7	10.0E 800.0
105.0	944.81	2.0E	86.1	1.0E	558.1	1.0E	800.0	
110.0	944.81	2.0E	94.1	1.0E	520.2	1.0E	800.0	
115.0	944.81	2.0E	104.4	1.0E	495.5	1.0E	759.4	2.0E 800.0

Hatfield & Dawson Consulting Engineers

120.0	944.81	2.0E	118.3	1.0E	477.6	1.0E	745.5	2.0E	800.0
125.0	944.81	2.0E	137.6	1.0E	465.9	1.0E	739.0	2.0E	800.0
130.0	944.81	2.0E	166.0	1.0E	459.8	1.0E	749.1	2.0E	800.0
135.0	944.81	2.0E	180.7	1.0E	192.1	2.0E	204.7	1.0E	267.1
		2.0E	390.0	1.0E	457.3	1.0E	800.0		
140.0	944.81	2.0E	434.8	1.0E	458.3	1.0E	800.0		
145.0	944.81	2.0E	472.7	1.0E	534.2	5000.0E	546.0	1.0E	713.9
		5000.0E	739.5	1.0E	755.9	5000.0E	763.8	1.0E	790.4
		5000.0E	795.7	1.0E	800.0				
150.0	944.81	2.0E	800.0						
155.0	944.81	2.0E	800.0						
160.0	944.81	2.0E	495.2	2.0E	520.4	5000.0E	800.0		
165.0	944.81	2.0E	475.5	2.0E	485.7	5000.0E	488.0	2.0E	580.9
		5000.0E	587.4	2.0E	603.8	5000.0E	606.1	2.0E	625.6
		5000.0E	800.0						
170.0	944.81	2.0E	800.0						
175.0	944.81	2.0E	800.0						
180.0	944.81	2.0E	800.0						
185.0	944.81	2.0E	800.0						
190.0	944.81	2.0E	800.0						
195.0	944.81	2.0E	800.0						
200.0	944.81	2.0E	800.0						
205.0	944.81	2.0E	800.0						
210.0	944.81	2.0E	800.0						
215.0	944.81	2.0E	800.0						
220.0	944.81	2.0E	800.0						
225.0	944.81	2.0E	800.0						
230.0	944.81	2.0E	800.0						
235.0	944.81	2.0E	800.0						
240.0	944.81	2.0E	800.0						
245.0	944.81	2.0E	800.0						
250.0	944.81	2.0E	800.0						
255.0	944.81	2.0E	800.0						
260.0	944.81	2.0E	800.0						
265.0	944.81	2.0E	800.0						

Hatfield & Dawson Consulting Engineers

270.0	944.81	2.0E	800.0						
275.0	944.81	2.0E	800.0						
280.0	944.81	2.0E	800.0						
285.0	944.81	2.0E	800.0						
290.0	944.81	2.0E	800.0						
295.0	944.81	2.0E	186.6	1.0E	193.5	2.0E	800.0		
300.0	944.81	2.0E	175.5	1.0E	205.5	2.0E	800.0		
305.0	944.81	2.0E	166.8	1.0E	254.2	2.0E	404.1	2.0E	438.7
		2.0E	800.0						
310.0	944.81	2.0E	159.1	1.0E	301.6	2.0E	308.9	2.0E	332.9
		2.0E	370.9	2.0E	463.1	2.0E	800.0		
315.0	944.81	2.0E	157.5	1.0E	275.5	2.0E	494.4	2.0E	800.0
320.0	944.81	2.0E	169.1	1.0E	253.1	2.0E	534.6	2.0E	800.0
325.0	944.81	2.0E	168.4	1.0E	235.7	2.0E	586.7	2.0E	800.0
330.0	944.81	2.0E	174.4	1.0E	222.1	2.0E	655.4	2.0E	800.0
335.0	944.81	2.0E	171.1	1.0E	211.5	2.0E	748.7	2.0E	800.0
340.0	944.81	2.0E	174.1	1.0E	203.4	2.0E	880.6		
345.0	944.81	2.0E	157.3	1.0E	197.3	2.0E	1078.1		
350.0	944.81	2.0E	109.3	1.0E	193.0	2.0E	800.0		
355.0	944.81	2.0E	101.1	1.0E	190.3	2.0E	800.0		

Hatfield & Dawson Consulting Engineers