

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.159/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #2G1

Proposed International Allocation Contour Tabulation

North Latitude: 27° 19' 19"
West Longitude: 82° 24' 27"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in kms: Contour levels in mV/m.			Azimuth	Radiation (mV/m at one km)	Distances to Contours in kms: Contour levels in mV/m.		
		.500	.025	.005			.500	.025	.005
0.0	327.59	43.93	158.53	268.39	180.0	156.07	31.56	473.01	700.68
5.0	300.50	42.26	153.54	259.95	185.0	137.47	29.83	489.84	639.61
10.0	272.18	40.42	145.61	242.49	190.0	124.05	42.03	497.21	642.54
15.0	243.12	38.43	136.02	226.78	195.0	118.88	64.81	527.58	677.02
20.0	214.02	36.31	128.69	216.75	200.0	123.88	89.58	577.75	803.63
25.0	185.83	34.10	121.83	206.71	205.0	138.42	115.93	610.11	909.19
30.0	159.95	31.91	114.95	196.54	210.0	159.95	144.49	645.32	945.07
35.0	138.42	29.92	108.41	186.82	215.0	185.83	172.21	679.79	858.42
40.0	123.88	28.49	103.26	179.22	220.0	214.02	197.77	710.36	901.01
45.0	118.88	27.97	100.86	175.93	225.0	243.12	220.39	737.73	944.01
50.0	124.05	28.50	101.62	177.61	230.0	272.18	240.10	761.12	1038.10
55.0	137.47	29.83	104.72	182.97	235.0	300.50	256.92	780.68	1084.64
60.0	156.07	31.56	109.06	193.98	240.0	327.59	270.77	797.27	1102.00
65.0	177.21	33.39	113.77	207.64	245.0	353.08	282.34	811.02	1115.73
70.0	199.07	35.16	117.95	231.65	250.0	376.69	291.06	821.48	1126.41
75.0	220.48	36.79	121.84	245.70	255.0	398.24	297.51	829.14	1134.42
80.0	240.68	38.26	125.38	253.68	260.0	417.59	301.63	834.24	1139.80
85.0	259.16	39.55	129.54	259.69	265.0	434.67	302.85	836.55	1142.32
90.0	275.59	40.65	145.84	305.88	270.0	449.43	301.32	835.89	1141.84
95.0	289.75	41.57	175.62	395.95	275.0	461.88	296.54	831.79	1137.88
100.0	301.48	42.32	178.62	392.05	280.0	472.01	287.86	823.64	1129.83
105.0	310.69	42.90	180.83	387.99	285.0	479.86	274.29	810.46	1103.04
110.0	317.30	43.31	182.43	383.14	290.0	485.44	254.58	748.58	890.90
115.0	321.28	43.55	183.69	377.25	295.0	488.78	232.91	741.17	864.26
120.0	322.61	43.63	184.19	365.61	300.0	489.89	210.26	710.85	818.21
125.0	321.28	43.55	183.97	349.92	305.0	488.78	180.83	618.09	730.40
130.0	317.30	43.31	183.02	340.23	310.0	485.44	143.11	572.96	668.78
135.0	310.69	42.90	181.34	314.17	315.0	479.86	95.31	424.68	520.27
140.0	301.48	42.32	178.88	301.56	320.0	472.01	51.86	404.91	500.16
145.0	289.75	41.57	175.63	301.24	325.0	461.88	51.34	383.18	484.03
150.0	275.59	40.65	171.53	360.98	330.0	449.43	50.71	379.64	484.71
155.0	259.16	39.55	183.03	478.47	335.0	434.67	49.94	353.77	459.21
160.0	240.68	38.26	272.04	531.28	340.0	417.59	49.03	284.83	387.48
165.0	220.48	36.79	266.18	523.31	345.0	398.24	47.99	241.39	349.52
170.0	199.07	35.16	357.44	544.10	350.0	376.69	46.79	182.64	294.96
175.0	177.21	33.39	433.10	636.19	355.0	353.08	45.44	162.95	274.20

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL

SRQ RADIO, LLC

WSRQ AM RADIO STATION

has: 1220 kHz - 0.159/1.0 kW - DA2

req: 1220 kHz - 0.039/1.0 kW - DA2

SARASOTA, FLORIDA

November 2008

EXHIBIT #2G2

Proposed Site R-2 Ground Conductivity Tabulation

North Latitude: 27' 19' 19"
West Longitude: 82' 24' 27"

Conductivity Database Used: R2 (Region 2)

Ground Conductivity Data:												
Azimuth	Region conductivity in mS/m followed by distance in km to the end of region. E - map data; M - measurement data.											
0.0	4.0E	286.9	2.0E	366.6	4.0E	622.3	2.0E	650.6	4.0E	810.8	2.0E	994.9
5.0	4.0E	241.5	2.0E	325.3	4.0E	620.8	2.0E	723.6	4.0E	826.9	2.0E	1300.0
10.0	4.0E	133.8	2.0E	203.5	4.0E	239.0	2.0E	296.0	4.0E	729.1	2.0E	807.0
15.0	4.0E	108.6	2.0E	283.0	4.0E	341.2	8.0E	363.5	5000.0E	523.0	8.0E	596.0
20.0	4.0E	98.6	2.0E	285.0	4.0E	300.8	8.0E	314.1	5000.0E	624.3	4.0E	844.8
25.0	4.0E	92.1	2.0E	280.3	5000.0E	785.7	4.0E	997.5	2.0E	1270.5	5000.0E	1300.0
30.0	4.0E	87.1	2.0E	256.0	5000.0E	935.3	4.0E	1129.3	5000.0E	1154.1	4.0E	1179.0
35.0	4.0E	81.9	2.0E	245.7	5000.0E	1300.0						
40.0	4.0E	76.9	2.0E	235.5	5000.0E	1300.0						
45.0	4.0E	73.1	2.0E	231.9	5000.0E	1300.0						
50.0	4.0E	70.0	2.0E	198.3	8.0E	228.4	5000.0E	1300.0				
55.0	4.0E	67.2	2.0E	183.8	8.0E	224.2	5000.0E	1300.0				
60.0	4.0E	65.1	2.0E	176.4	8.0E	206.0	5000.0E	1300.0				
65.0	4.0E	63.6	2.0E	172.5	8.0E	202.7	5000.0E	1300.0				
70.0	4.0E	60.9	2.0E	170.0	8.0E	201.3	5000.0E	1300.0				
75.0	4.0E	58.9	2.0E	170.4	8.0E	204.0	5000.0E	1300.0				
80.0	4.0E	57.5	2.0E	173.1	8.0E	207.6	5000.0E	1300.0				
85.0	4.0E	56.4	8.0E	58.8	2.0E	177.9	8.0E	212.5	5000.0E	1300.0		
90.0	4.0E	54.6	8.0E	91.4	2.0E	176.7	8.0E	218.8	5000.0E	1300.0		
95.0	4.0E	53.4	8.0E	227.2	5000.0E	1300.0						
100.0	4.0E	52.6	8.0E	235.5	5000.0E	1300.0						
105.0	4.0E	52.3	8.0E	242.5	5000.0E	1300.0						
110.0	4.0E	51.9	8.0E	249.3	5000.0E	1300.0						
115.0	4.0E	50.9	8.0E	256.0	5000.0E	1300.0						
120.0	4.0E	50.3	8.0E	265.1	5000.0E	1300.0						
125.0	4.0E	50.2	8.0E	275.7	5000.0E	1300.0						
130.0	4.0E	50.4	8.0E	281.1	5000.0E	1248.7	10.0E	1300.0				
135.0	4.0E	51.0	8.0E	297.4	5000.0E	960.4	10.0E	984.3	5000.0E	995.0	10.0E	998.1
140.0	4.0E	52.0	8.0E	305.1	5000.0E	757.4	3.0E	764.8	5000.0E	776.3	3.0E	794.6
145.0	4.0E	53.4	8.0E	295.2	5000.0E	667.2	10.0E	730.5	3.0E	779.2	10.0E	892.7
150.0	4.0E	55.3	8.0E	212.0	5000.0E	252.5	8.0E	285.0	5000.0E	624.3	10.0E	729.6
155.0	4.0E	57.8	8.0E	113.8	5000.0E	137.3	8.0E	187.1	5000.0E	535.6	10.0E	643.5
	3.0E	692.6	5000.0E	1080.1	3.0E	1127.7	10.0E	1133.1	5000.0E	1142.5	30.0E	1145.0
160.0	4.0E	60.2	8.0E	108.6	5000.0E	498.3	10.0E	596.6	6.0E	634.7	5000.0E	1300.0
165.0	4.0E	63.3	8.0E	103.1	5000.0E	475.3	3.0E	477.0	5000.0E	492.6	3.0E	494.2
	10.0E	522.8	3.0E	550.7	6.0E	581.1	20.0E	591.1	1.0E	605.0	5000.0E	1300.0
170.0	4.0E	65.1	5000.0E	470.4	3.0E	493.1	10.0E	529.5	20.0E	547.5	1.0E	565.2
	20.0E	580.6	5000.0E	1300.0								
175.0	4.0E	47.5	5000.0E	463.4	20.0E	485.0	10.0E	511.1	20.0E	518.6	5000.0E	543.7
	20.0E	562.4	5000.0E	1300.0								
180.0	4.0E	37.6	5000.0E	467.3	20.0E	481.1	10.0E	516.7	5000.0E	1300.0		
185.0	4.0E	31.3	5000.0E	479.8	10.0E	529.4	5000.0E	601.8	3.0E	637.9	5000.0E	638.9
	10.0E	653.7	5000.0E	1300.0								
190.0	4.0E	27.0	5000.0E	488.0	3.0E	511.8	10.0E	576.2	5000.0E	1298.7	10.0E	1300.0
195.0	4.0E	23.9	5000.0E	521.2	3.0E	555.8	10.0E	593.3	5000.0E	1300.0		
200.0	4.0E	21.7	5000.0E	580.0	10.0E	603.7	5000.0E	619.3	10.0E	634.3	5000.0E	1300.0

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.159/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #2G2 (Continued)

Ground Conductivity Data:									
Region conductivity in mS/m followed by distance in km									
to the end of region. E - map data; M - measurement data.									
Azimuth									
205.0	4.0E	20.3	5000.0E	1300.0					
210.0	4.0E	19.2	5000.0E	1242.4	10.0E	1265.4	5000.0E	1267.0	10.0E 1285.2
215.0	4.0E	18.4	5000.0E	802.3	2.0E	811.0	5000.0E	813.3	2.0E 1082.5
	15.0E	1239.9	6.0E	1243.5	10.0E	1254.1	6.0E	1264.4	10.0E 1300.0
220.0	4.0E	17.7	5000.0E	835.7	5.0E	895.7	3.0E	1043.4	2.0E 1116.4
225.0	4.0E	17.3	5000.0E	888.9	5.0E	911.9	3.0E	1058.4	2.0E 1300.0
230.0	4.0E	16.9	5000.0E	1023.7	2.0E	1072.9	6.0E	1085.9	5000.0E 1300.0
235.0	4.0E	16.7	5000.0E	1300.0					
240.0	4.0E	16.7	5000.0E	1300.0					
245.0	4.0E	16.8	5000.0E	1300.0					
250.0	4.0E	17.0	5000.0E	1300.0					
255.0	4.0E	17.3	5000.0E	1300.0					
260.0	4.0E	17.8	5000.0E	1300.0					
265.0	4.0E	18.4	5000.0E	1300.0					
270.0	4.0E	19.3	5000.0E	1300.0					
275.0	4.0E	20.4	5000.0E	1300.0					
280.0	4.0E	21.8	5000.0E	1300.0					
285.0	4.0E	23.7	5000.0E	835.2	15.0E	846.2	5000.0E	1183.4	30.0E 1300.0
290.0	4.0E	26.1	5000.0E	712.6	15.0E	724.3	5000.0E	727.9	15.0E 1004.4
	30.0E	1057.0	8.0E	1289.3	4.0E	1300.0			8.0E 1049.9
295.0	4.0E	28.6	5000.0E	719.0	15.0E	755.6	5000.0E	775.1	2.0E 872.2
	8.0E	1068.9	15.0E	1136.7	8.0E	1237.1	4.0E	1300.0	4.0E 909.3
300.0	4.0E	31.2	5000.0E	696.5	2.0E	787.3	4.0E	903.3	8.0E 1063.6
305.0	4.0E	34.6	5000.0E	587.2	1.0E	634.9	2.0E	644.3	5000.0E 658.6
	4.0E	912.7	8.0E	1104.4	4.0E	1300.0			2.0E 797.5
310.0	4.0E	39.1	5000.0E	540.3	1.0E	674.0	2.0E	810.6	4.0E 922.2
315.0	4.0E	45.4	5000.0E	367.8	1.0E	623.1	8.0E	690.9	2.0E 940.8
320.0	4.0E	54.7	5000.0E	357.5	1.0E	533.2	4.0E	576.1	8.0E 717.2
325.0	4.0E	71.9	5000.0E	352.5	1.0E	443.2	4.0E	599.4	8.0E 688.6
330.0	4.0E	78.2	5000.0E	354.8	2.0E	365.8	1.0E	394.8	2.0E 441.6
	8.0E	662.8	4.0E	838.4	2.0E	874.6	4.0E	1218.7	8.0E 1300.0
335.0	4.0E	86.3	5000.0E	330.9	2.0E	425.1	4.0E	679.4	2.0E 777.0
340.0	4.0E	98.5	5000.0E	248.9	4.0E	289.6	2.0E	432.9	4.0E 662.5
345.0	4.0E	115.4	5000.0E	213.6	4.0E	298.0	2.0E	457.8	4.0E 681.3
350.0	4.0E	151.6	5000.0E	174.5	4.0E	301.7	2.0E	466.5	4.0E 745.6
355.0	4.0E	299.5	2.0E	417.5	4.0E	786.0	2.0E	1239.3	8.0E 1300.0

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.159/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #2G3

Proposed Domestic Allocation Contour Tabulation

North Latitude: 27° 19' 19"
West Longitude: 82° 24' 27"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :				
		Contour levels in mV/m.				
		25.000	5.000	.500	.250	.025
0.0	327.59	6.25	15.35	43.19	66.57	160.20
5.0	300.50	5.92	14.71	41.59	56.29	147.23
10.0	272.18	5.55	13.99	39.84	53.91	138.49
15.0	243.12	5.15	13.22	37.93	51.31	129.87
20.0	214.02	4.72	12.37	35.88	48.53	122.65
25.0	185.83	4.28	11.49	33.74	45.63	115.49
30.0	159.95	3.85	10.59	31.61	42.74	108.57
35.0	138.42	3.46	9.78	29.68	40.13	102.37
40.0	123.88	3.19	9.19	28.27	38.24	97.52
45.0	118.88	3.09	8.97	27.76	37.56	95.26
50.0	124.05	3.19	9.19	28.28	38.26	95.90
55.0	137.47	3.44	9.74	29.59	40.01	98.68
60.0	156.07	3.78	10.45	31.27	42.29	102.67
65.0	177.21	4.14	11.20	33.05	44.69	106.98
70.0	199.07	4.49	11.91	34.77	47.02	111.06
75.0	220.48	4.82	12.57	36.35	49.17	114.88
80.0	240.68	5.11	13.15	37.76	51.09	118.31
85.0	259.16	5.37	13.65	39.00	52.77	122.96
90.0	275.59	5.59	14.08	40.06	55.25	138.97
95.0	289.75	5.78	14.44	40.94	57.32	170.35
100.0	301.48	5.93	14.73	41.65	58.93	173.26
105.0	310.69	6.05	14.95	42.20	60.10	175.43
110.0	317.30	6.13	15.11	42.59	60.85	176.88
115.0	321.28	6.18	15.20	42.82	61.53	177.98
120.0	322.61	6.19	15.23	42.90	61.83	178.41
125.0	321.28	6.18	15.20	42.82	61.75	178.19
130.0	317.30	6.13	15.11	42.59	61.31	177.34
135.0	310.69	6.05	14.95	42.20	61.46	176.78
140.0	301.48	5.93	14.73	41.65	62.07	176.59
145.0	289.75	5.78	14.44	40.94	66.74	180.76
150.0	275.59	5.59	14.08	40.06	69.16	184.18
155.0	259.16	5.37	13.65	39.00	52.77	312.71
160.0	240.68	5.11	13.15	37.76	51.09	410.60
165.0	220.48	4.82	12.57	36.35	49.17	407.79
170.0	199.07	4.49	11.91	34.77	47.02	437.05
175.0	177.21	4.14	11.20	33.05	75.48	475.01

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.159/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #2G3 (Continued)

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :				
		Contour levels in mV/m.				
		25.000	5.000	.500	.250	.025
180.0	156.07	3.78	10.45	31.27	101.59	497.95
185.0	137.47	3.44	9.74	29.59	121.56	514.12
190.0	124.05	3.19	9.19	54.23	149.59	539.06
195.0	118.88	3.09	8.97	78.56	172.69	561.06
200.0	123.88	3.19	9.19	103.84	199.16	588.60
205.0	138.42	3.46	9.78	131.94	229.97	622.73
210.0	159.95	3.85	10.59	160.92	262.34	659.21
215.0	185.83	4.28	11.49	188.77	293.15	693.85
220.0	214.02	4.72	12.37	214.20	321.11	724.94
225.0	243.12	5.15	13.22	236.79	345.79	752.24
230.0	272.18	5.55	18.52	256.61	367.37	776.43
235.0	300.50	5.92	25.52	273.82	385.94	796.55
240.0	327.59	6.25	31.57	288.69	401.72	813.88
245.0	353.08	6.56	36.72	301.19	415.19	828.78
250.0	376.69	6.83	40.98	311.94	426.75	841.46
255.0	398.24	7.07	44.38	320.63	435.98	851.71
260.0	417.59	7.28	46.90	327.61	443.41	859.79
265.0	434.67	7.46	48.47	333.01	449.17	866.04
270.0	449.43	7.61	49.06	336.79	453.24	870.50
275.0	461.88	7.73	48.51	338.65	455.57	873.12
280.0	472.01	7.84	46.63	338.70	455.85	873.76
285.0	479.86	7.91	43.17	336.69	453.95	872.19
290.0	485.44	7.97	37.64	332.19	449.52	778.53
295.0	488.78	8.00	29.34	324.50	441.87	812.25
300.0	489.89	8.01	18.61	289.84	407.23	747.30
305.0	488.78	8.00	18.59	201.15	318.53	628.94
310.0	485.44	7.97	18.53	181.13	298.46	583.46
315.0	479.86	7.91	18.43	209.84	327.10	483.11
320.0	472.01	7.84	18.28	228.79	345.95	428.92
325.0	461.88	7.73	18.10	182.43	299.34	418.22
330.0	449.43	7.61	17.87	65.06	105.49	393.14
335.0	434.67	7.46	17.59	63.94	81.22	363.73
340.0	417.59	7.28	17.26	67.27	93.50	312.72
345.0	398.24	7.07	16.87	74.23	93.50	267.13
350.0	376.69	6.83	16.42	45.90	71.87	207.96
355.0	353.08	6.56	15.92	44.62	76.03	172.06

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.159/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #2G4

Proposed Site M-3 Ground Conductivity Tabulation

North Latitude: 27' 19' 19"
West Longitude: 82' 24' 27"

Ground Conductivity Data:											
Region conductivity in mS/m followed by distance in km											
to the end of region. E - map data; M - measurement data.											
Azimuth											
0.0	4.0E	54.8	5000.0E	64.3	4.0E	287.3	2.0E	361.6	4.0E	618.6	2.0E 654.3
5.0	4.0E	241.5	2.0E	321.4	4.0E	624.5	2.0E	727.0	4.0E	826.5	2.0E 1300.0
10.0	4.0E	123.3	2.0E	207.8	4.0E	238.5	2.0E	284.7	4.0E	417.2	8.0E 428.6
	4.0E	729.4	2.0E	805.8	4.0E	920.4	2.0E	1300.0			
15.0	4.0E	104.7	2.0E	279.0	4.0E	331.3	8.0E	349.3	5000.0E	546.9	8.0E 582.7
	5000.0E	589.0	8.0E	597.1	4.0E	780.3	2.0E	914.5	4.0E	1116.7	2.0E 1300.0
20.0	4.0E	95.9	2.0E	283.3	4.0E	293.7	8.0E	310.7	5000.0E	621.3	4.0E 843.5
25.0	4.0E	89.2	2.0E	280.4	5000.0E	794.5	4.0E	994.5	2.0E	1208.5	5000.0E 1218.6
30.0	4.0E	83.9	2.0E	261.9	5000.0E	944.1	4.0E	997.1	5000.0E	1002.9	4.0E 1044.0
35.0	4.0E	79.8	2.0E	247.5	5000.0E	1300.0					
40.0	4.0E	75.5	2.0E	238.2	5000.0E	1300.0					
45.0	4.0E	71.6	2.0E	231.3	5000.0E	1300.0					
50.0	4.0E	68.1	2.0E	190.3	8.0E	207.7	5000.0E	1300.0			
55.0	4.0E	64.5	2.0E	178.0	8.0E	201.0	5000.0E	1300.0			
60.0	4.0E	61.8	2.0E	170.4	8.0E	197.9	5000.0E	1300.0			
65.0	4.0E	59.4	2.0E	166.6	8.0E	196.3	5000.0E	1300.0			
70.0	4.0E	57.1	2.0E	164.9	8.0E	199.0	5000.0E	1300.0			
75.0	4.0E	55.3	2.0E	166.7	8.0E	200.5	5000.0E	1300.0			
80.0	4.0E	54.0	2.0E	169.9	8.0E	203.7	5000.0E	1300.0			
85.0	4.0E	52.9	8.0E	56.8	2.0E	173.9	8.0E	207.2	5000.0E	1300.0	
90.0	4.0E	51.1	8.0E	88.2	2.0E	173.7	8.0E	213.5	5000.0E	1300.0	
95.0	4.0E	49.8	8.0E	226.2	5000.0E	1300.0					
100.0	4.0E	48.9	8.0E	235.2	5000.0E	1300.0					
105.0	4.0E	48.4	8.0E	243.6	5000.0E	1300.0					
110.0	4.0E	48.2	8.0E	250.6	5000.0E	1300.0					
115.0	4.0E	47.5	8.0E	256.7	5000.0E	1300.0					
120.0	4.0E	47.1	8.0E	265.8	5000.0E	1300.0					
125.0	4.0E	46.9	8.0E	275.4	5000.0E	277.0	8.0E	279.1	5000.0E	1300.0	
130.0	4.0E	47.0	8.0E	281.1	5000.0E	1300.0					
135.0	4.0E	47.4	8.0E	56.0	5000.0E	57.3	8.0E	296.2	5000.0E	1300.0	
140.0	4.0E	48.1	8.0E	52.4	5000.0E	56.0	8.0E	91.2	5000.0E	91.5	8.0E 302.3
	5000.0E	1300.0									
145.0	4.0E	49.3	5000.0E	55.1	8.0E	56.8	5000.0E	62.3	8.0E	90.1	5000.0E 91.4
	8.0E	235.8	5000.0E	238.3	8.0E	291.8	5000.0E	1300.0			
150.0	4.0E	51.1	5000.0E	68.2	8.0E	93.4	5000.0E	97.2	8.0E	183.0	5000.0E 256.0
	8.0E	279.4	5000.0E	1300.0							
155.0	4.0E	53.3	8.0E	58.1	5000.0E	75.8	8.0E	95.3	5000.0E	100.0	8.0E 103.6
	5000.0E	140.4	8.0E	157.3	5000.0E	1300.0					
160.0	4.0E	56.0	8.0E	60.2	5000.0E	1300.0					
165.0	4.0E	56.6	5000.0E	1300.0							
170.0	4.0E	48.9	5000.0E	1300.0							
175.0	4.0E	40.5	5000.0E	1300.0							

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.159/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #2G4 (Continued)

Azimuth		Ground Conductivity Data: Region conductivity in mS/m followed by distance in km to the end of region. E - map data; M - measurement data.											
180.0	4.0E	34.8	5000.0E	1300.0									
185.0	4.0E	30.3	5000.0E	1300.0									
190.0	4.0E	25.4	5000.0E	1300.0									
195.0	4.0E	22.0	5000.0E	1300.0									
200.0	4.0E	19.6	5000.0E	1300.0									
205.0	4.0E	17.7	5000.0E	1300.0									
210.0	4.0E	16.3	5000.0E	1300.0									
215.0	4.0E	15.2	5000.0E	807.3	6.0E	1267.9	2.0E	1300.0					
220.0	4.0E	14.4	5000.0E	831.4	6.0E	1125.8	5.0E	1300.0					
225.0	4.0E	13.7	5000.0E	883.1	6.0E	1300.0							
230.0	4.0E	13.2	5000.0E	1020.0	6.0E	1091.0	5000.0E	1300.0					
235.0	4.0E	12.8	5000.0E	1300.0									
240.0	4.0E	12.6	5000.0E	1300.0									
245.0	4.0E	12.4	5000.0E	1300.0									
250.0	4.0E	12.3	5000.0E	1300.0									
255.0	4.0E	12.4	5000.0E	1300.0									
260.0	4.0E	12.5	5000.0E	1300.0									
265.0	4.0E	12.7	5000.0E	1300.0									
270.0	4.0E	13.0	5000.0E	1300.0									
275.0	4.0E	13.5	5000.0E	1300.0									
280.0	4.0E	14.1	5000.0E	1307.0									
285.0	4.0E	14.9	5000.0E	1186.3	30.0E	1226.8	5000.0E	1244.2	30.0E	1251.0	5000.0E	1258.6	
290.0	4.0E	15.9	5000.0E	695.6	15.0E	701.1	5000.0E	716.9	15.0E	734.1	5000.0E	736.0	
	15.0E	771.9	5000.0E	774.4	15.0E	796.5	5000.0E	798.9	15.0E	1007.2	8.0E	1048.0	
295.0	4.0E	17.1	5000.0E	745.2	15.0E	754.8	5000.0E	772.1	2.0E	782.4	5000.0E	789.1	
	15.0E	793.2	5000.0E	836.1	15.0E	868.1	4.0E	908.2	8.0E	1067.5	15.0E	1135.2	
300.0	4.0E	21.6	5000.0E	700.5	2.0E	702.3	5000.0E	714.9	2.0E	721.1	5000.0E	727.1	
	2.0E	788.2	4.0E	901.3	8.0E	1061.2	4.0E	1136.6	15.0E	1219.5	8.0E	1300.0	
305.0	4.0E	31.6	5000.0E	597.8	1.0E	641.1	2.0E	642.6	5000.0E	660.0	2.0E	797.7	
	4.0E	910.6	8.0E	1102.7	4.0E	1300.0							
310.0	4.0E	33.8	5000.0E	544.4	1.0E	572.4	5000.0E	574.5	1.0E	676.1	2.0E	811.9	
	4.0E	917.7	8.0E	1119.8	4.0E	1300.0							
315.0	4.0E	30.3	5000.0E	376.9	1.0E	396.9	5000.0E	431.8	1.0E	444.2	5000.0E	454.5	
	1.0E	462.9	5000.0E	465.1	1.0E	628.3	8.0E	693.6	2.0E	941.9	8.0E	1185.5	
320.0	4.0E	27.8	5000.0E	357.6	1.0E	528.1	4.0E	576.3	8.0E	718.7	2.0E	977.1	
325.0	4.0E	29.9	5000.0E	70.7	4.0E	73.7	5000.0E	352.3	1.0E	431.8	4.0E	599.3	
	8.0E	688.3	4.0E	780.7	2.0E	956.0	4.0E	1067.3	8.0E	1300.0			
330.0	4.0E	32.5	5000.0E	49.8	4.0E	78.1	5000.0E	355.4	2.0E	369.9	1.0E	394.3	
	2.0E	442.6	4.0E	634.2	8.0E	659.7	4.0E	837.6	2.0E	875.9	4.0E	1218.3	
335.0	4.0E	36.0	5000.0E	52.9	4.0E	87.6	5000.0E	329.1	2.0E	424.2	4.0E	674.4	
	2.0E	776.2	4.0E	824.8	2.0E	917.7	4.0E	1160.8	8.0E	1300.0			
340.0	4.0E	40.3	5000.0E	62.1	4.0E	67.9	5000.0E	78.5	4.0E	103.8	5000.0E	255.4	
	4.0E	274.0	5000.0E	278.3	4.0E	291.1	2.0E	435.3	4.0E	658.4	2.0E	804.3	
345.0	4.0E	43.2	5000.0E	77.3	4.0E	117.0	5000.0E	212.4	4.0E	299.1	2.0E	461.2	
	4.0E	680.4	1.0E	717.0	2.0E	823.5	4.0E	911.7	2.0E	983.2	4.0E	1281.1	
350.0	4.0E	46.8	5000.0E	58.0	4.0E	141.9	5000.0E	195.5	4.0E	302.9	2.0E	466.4	
	4.0E	746.8	2.0E	1123.2	8.0E	1135.8	4.0E	1218.3	8.0E	1300.0			
355.0	4.0E	50.5	5000.0E	68.6	4.0E	299.2	2.0E	410.6	4.0E	787.6	2.0E	1244.5	

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.159/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #2H1

Licensed Domestic Allocation Contour Tabulation

North Latitude: 27° 19' 27"
West Longitude: 82° 29' 47"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :			
		Contour levels in mV/m.			
		5.000	.500	.250	.025
0.0	424.74	17.40	58.53	75.64	177.56
5.0	404.15	16.99	47.33	80.74	181.05
10.0	381.04	16.52	46.13	65.87	164.29
15.0	355.49	15.97	44.75	60.58	150.60
20.0	327.62	15.35	43.19	58.46	143.79
25.0	297.58	14.64	41.42	56.05	137.75
30.0	265.61	13.82	39.42	53.34	131.37
35.0	231.98	12.90	37.16	50.27	124.47
40.0	197.03	11.85	34.61	46.81	116.92
45.0	161.19	10.64	31.72	42.89	108.25
50.0	125.05	9.23	28.38	38.40	98.34
55.0	89.59	7.59	24.49	33.21	86.86
60.0	57.17	5.73	19.99	27.29	73.78
65.0	48.04	5.10	18.44	25.27	69.03
70.0	49.75	5.23	18.74	25.67	69.32
75.0	74.85	6.80	22.60	30.71	79.37
80.0	105.80	8.38	26.37	35.71	89.44
85.0	136.41	9.70	29.49	39.88	97.84
90.0	165.56	10.79	32.09	43.39	118.97
95.0	192.70	11.71	34.28	46.36	141.67
100.0	217.52	12.48	36.14	48.88	149.41
105.0	239.79	13.12	37.70	51.00	155.71
110.0	259.36	13.66	39.01	52.78	160.96
115.0	276.12	14.10	40.09	54.25	165.36
120.0	290.02	14.45	40.95	55.76	168.82
125.0	300.99	14.72	41.62	57.09	171.37
130.0	309.01	14.91	42.10	57.94	174.31
135.0	314.06	15.03	42.40	62.03	177.72
140.0	316.15	15.08	42.52	68.89	185.65
145.0	315.25	15.06	42.47	57.63	188.73
150.0	311.39	14.97	42.24	57.18	250.21
155.0	304.55	14.80	41.84	56.62	445.62
160.0	294.76	14.57	41.24	74.66	485.02
165.0	282.03	14.25	60.09	171.22	580.98
170.0	266.41	13.84	154.30	264.84	673.29
175.0	247.95	13.35	219.38	328.63	735.51

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.159/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #2H1 (Continued)

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :			
		Contour levels in mV/m.			
		5.000	.500	.250	.025
180.0	226.74	13.69	232.62	340.66	745.50
185.0	202.92	20.73	227.89	333.91	736.80
190.0	176.68	21.63	214.22	317.54	717.00
195.0	148.28	19.59	193.89	293.53	688.48
200.0	118.17	15.90	167.26	261.23	649.45
205.0	87.42	11.29	134.27	219.49	596.46
210.0	58.03	6.47	96.14	167.36	525.02
215.0	37.38	4.30	64.70	119.92	449.60
220.0	50.82	6.19	86.56	152.97	502.83
225.0	76.29	11.56	122.75	203.55	574.49
230.0	110.71	18.51	163.52	255.75	641.46
235.0	146.73	25.58	198.78	298.21	692.80
240.0	182.77	32.48	228.64	332.67	732.97
245.0	218.13	39.07	254.00	361.24	765.38
250.0	252.34	45.28	275.53	385.09	792.35
255.0	285.01	51.05	294.01	405.26	815.17
260.0	315.85	56.35	309.78	422.48	833.90
265.0	344.61	61.15	323.22	436.92	850.06
270.0	371.11	65.43	334.88	449.51	863.97
275.0	395.20	69.18	344.70	459.98	875.61
280.0	416.81	72.37	352.91	468.69	885.04
285.0	435.88	75.00	359.80	475.98	892.89
290.0	452.39	77.04	365.35	481.91	777.52
295.0	466.36	78.41	369.40	486.48	834.10
300.0	477.81	79.02	372.16	489.39	761.93
305.0	486.76	78.67	373.46	490.81	667.74
310.0	493.26	76.92	372.90	490.33	613.10
315.0	497.34	37.28	334.00	382.34	529.43
320.0	499.02	18.77	248.78	354.33	431.74
325.0	498.30	18.76	252.12	350.45	424.63
330.0	495.18	18.70	267.91	355.96	436.08
335.0	489.65	18.60	118.14	235.53	409.22
340.0	481.69	18.46	69.66	110.08	341.43
345.0	471.24	18.27	76.20	94.10	300.34
350.0	458.29	18.03	87.52	105.20	279.41
355.0	442.79	17.74	77.01	94.43	209.89

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.159/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #2H2

Licensed Site M-3 Ground Conductivity Tabulation

North Latitude: 27° 19' 27"
West Longitude: 82° 29' 47"

Ground Conductivity Data:												
Region conductivity in mS/m followed by distance in km												
Azimuth	to the end of region. E - map data; M - measurement data.											
0.0	4.0E	45.0	5000.0E	56.6	4.0E	291.5	2.0E	375.8	4.0E	809.8	2.0E	990.1
5.0	4.0E	50.3	5000.0E	69.6	4.0E	243.8	2.0E	331.6	4.0E	612.2	2.0E	718.2
10.0	4.0E	56.5	5000.0E	60.5	4.0E	174.6	2.0E	183.3	4.0E	241.2	2.0E	293.6
	4.0E	722.2	2.0E	797.2	4.0E	903.1	2.0E	1300.0				
15.0	4.0E	121.0	2.0E	280.7	4.0E	347.7	8.0E	367.0	5000.0E	371.9	8.0E	390.8
	5000.0E	543.1	8.0E	582.9	4.0E	776.6	2.0E	906.0	4.0E	1122.2	2.0E	1300.0
20.0	4.0E	106.2	2.0E	284.8	4.0E	305.6	8.0E	325.5	5000.0E	615.4	4.0E	838.2
25.0	4.0E	98.8	2.0E	288.2	8.0E	290.7	5000.0E	717.1	4.0E	724.6	5000.0E	728.9
30.0	4.0E	92.9	2.0E	271.5	5000.0E	933.4	4.0E	939.6	5000.0E	942.6	4.0E	1003.4
35.0	4.0E	88.4	2.0E	256.6	5000.0E	1300.0						
40.0	4.0E	84.9	2.0E	246.2	5000.0E	1300.0						
45.0	4.0E	81.1	2.0E	239.1	5000.0E	1300.0						
50.0	4.0E	77.7	2.0E	203.7	8.0E	217.3	5000.0E	1300.0				
55.0	4.0E	74.5	2.0E	187.9	8.0E	209.2	5000.0E	1300.0				
60.0	4.0E	71.3	2.0E	179.9	8.0E	205.9	5000.0E	1300.0				
65.0	4.0E	68.9	2.0E	175.2	8.0E	204.3	5000.0E	1300.0				
70.0	4.0E	66.5	2.0E	173.0	8.0E	207.5	5000.0E	1300.0				
75.0	4.0E	64.5	2.0E	174.7	8.0E	208.4	5000.0E	1300.0				
80.0	4.0E	63.0	2.0E	178.1	8.0E	212.1	5000.0E	1300.0				
85.0	4.0E	62.0	2.0E	182.4	8.0E	215.6	5000.0E	1300.0				
90.0	4.0E	60.0	8.0E	96.0	2.0E	182.6	8.0E	222.3	5000.0E	1300.0		
95.0	4.0E	58.4	8.0E	235.2	5000.0E	1300.0						
100.0	4.0E	57.4	8.0E	244.6	5000.0E	1300.0						
105.0	4.0E	56.8	8.0E	252.9	5000.0E	1300.0						
110.0	4.0E	56.0	8.0E	259.6	5000.0E	1300.0						
115.0	4.0E	55.0	8.0E	265.9	5000.0E	1300.0						
120.0	4.0E	54.4	8.0E	275.7	5000.0E	1300.0						
125.0	4.0E	54.1	8.0E	284.2	5000.0E	288.5	8.0E	289.6	5000.0E	1300.0		
130.0	4.0E	54.1	8.0E	62.2	5000.0E	63.7	8.0E	288.8	5000.0E	1300.0		
135.0	4.0E	54.6	8.0E	57.1	5000.0E	61.7	8.0E	306.8	5000.0E	1300.0		
140.0	4.0E	55.6	5000.0E	68.9	8.0E	95.8	5000.0E	97.0	8.0E	301.6	5000.0E	1300.0
145.0	4.0E	57.1	8.0E	58.1	5000.0E	74.2	8.0E	97.8	5000.0E	101.0	8.0E	210.8
	5000.0E	218.2	8.0E	234.9	5000.0E	237.5	8.0E	270.8	5000.0E	274.8	8.0E	290.3
	5000.0E	1300.0										
150.0	4.0E	58.9	8.0E	66.7	5000.0E	81.2	8.0E	99.6	5000.0E	103.9	8.0E	110.0
	5000.0E	132.3	8.0E	177.7	5000.0E	1300.0						
155.0	4.0E	60.6	5000.0E	1300.0								
160.0	4.0E	52.7	5000.0E	1300.0								
165.0	4.0E	38.0	5000.0E	1300.0								
170.0	4.0E	26.0	5000.0E	1300.0								
175.0	4.0E	16.9	5000.0E	1300.0								
180.0	4.0E	12.6	5000.0E	1300.0								
185.0	4.0E	10.1	5000.0E	1300.0								
190.0	4.0E	8.5	5000.0E	1300.0								
195.0	4.0E	7.3	5000.0E	1300.0								

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.159/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #2H2 (Continued)

Ground Conductivity Data:									
Region conductivity in mS/m followed by distance in km									
to the end of region. E - map data; M - measurement data.									
Azimuth									
200.0	4.0E	6.5	5000.0E	1300.0					
205.0	4.0E	5.9	5000.0E	1300.0					
210.0	4.0E	5.4	5000.0E	1111.8	6.0E	1149.9	5000.0E	1300.0	
215.0	4.0E	5.1	5000.0E	795.7	6.0E	1267.8	2.0E	1300.0	
220.0	4.0E	4.8	5000.0E	830.4	6.0E	1128.5	5.0E	1300.0	
225.0	4.0E	4.6	5000.0E	888.0	6.0E	1300.0			
230.0	4.0E	4.4	5000.0E	1028.4	6.0E	1076.8	5000.0E	1300.0	
235.0	4.0E	4.3	5000.0E	1300.0					
240.0	4.0E	4.2	5000.0E	1300.0					
245.0	4.0E	4.1	5000.0E	1300.0					
250.0	4.0E	4.1	5000.0E	1300.0					
255.0	4.0E	4.1	5000.0E	1300.0					
260.0	4.0E	4.2	5000.0E	1300.0					
265.0	4.0E	4.2	5000.0E	1300.0					
270.0	4.0E	4.3	5000.0E	1300.0					
275.0	4.0E	4.5	5000.0E	1300.0					
280.0	4.0E	4.7	5000.0E	1298.8	30.0E	1300.0			
285.0	4.0E	5.0	5000.0E	1179.7	30.0E	1218.7	5000.0E	1237.3	30.0E 1241.8 5000.0E 1245.9
290.0	4.0E	5.3	5000.0E	682.8	15.0E	696.3	5000.0E	698.1	15.0E 752.7 5000.0E 763.9
	15.0E	777.2	5000.0E	782.3	15.0E	786.6	5000.0E	792.5	15.0E 1003.9 8.0E 1036.5
	30.0E	1054.6	8.0E	1277.2	4.0E	1300.0			
295.0	4.0E	5.7	5000.0E	730.1	15.0E	735.7	5000.0E	736.3	15.0E 748.3 5000.0E 764.7
	2.0E	772.4	5000.0E	777.7	15.0E	786.0	5000.0E	828.7	15.0E 863.8 4.0E 900.2
	8.0E	1056.8	15.0E	1125.7	8.0E	1225.6	4.0E	1300.0	
300.0	4.0E	6.3	5000.0E	714.3	2.0E	780.1	4.0E	893.8	8.0E 1051.4 4.0E 1126.8
305.0	4.0E	7.0	5000.0E	590.7	1.0E	628.6	2.0E	635.0	5000.0E 651.8 2.0E 789.5
	4.0E	901.9	8.0E	1094.5	4.0E	1300.0			
310.0	4.0E	8.0	5000.0E	542.9	1.0E	563.4	5000.0E	566.4	1.0E 667.1 2.0E 803.3
	4.0E	914.2	8.0E	1111.7	4.0E	1300.0			
315.0	4.0E	9.4	5000.0E	18.1	4.0E	24.2	5000.0E	374.4	1.0E 383.3 5000.0E 454.6
	1.0E	490.4	5000.0E	503.5	1.0E	628.8	8.0E	685.4	2.0E 932.7 8.0E 1170.2
320.0	4.0E	26.6	5000.0E	352.8	1.0E	357.4	5000.0E	361.0	1.0E 538.4 4.0E 567.8
	8.0E	709.8	2.0E	969.0	8.0E	1300.0			
325.0	4.0E	26.2	5000.0E	348.1	1.0E	442.0	4.0E	590.9	8.0E 686.9 4.0E 766.1
330.0	4.0E	24.3	5000.0E	351.5	2.0E	356.9	1.0E	392.0	2.0E 437.4 4.0E 624.0
	8.0E	659.4	4.0E	1207.0	8.0E	1300.0			
335.0	4.0E	22.9	5000.0E	53.4	4.0E	73.0	5000.0E	338.0	2.0E 421.9 4.0E 676.1
	2.0E	769.0	4.0E	818.8	2.0E	911.0	4.0E	1159.5	8.0E 1300.0
340.0	4.0E	25.0	5000.0E	45.6	4.0E	83.2	5000.0E	283.0	4.0E 284.3 2.0E 427.9
	4.0E	656.9	2.0E	798.8	4.0E	849.0	2.0E	945.4	4.0E 1180.4 8.0E 1300.0
345.0	4.0E	28.9	5000.0E	51.7	4.0E	68.3	5000.0E	74.2	4.0E 101.4 5000.0E 230.8
	4.0E	294.4	2.0E	453.3	4.0E	682.1	1.0E	701.5	2.0E 818.1 4.0E 906.3
350.0	4.0E	34.7	5000.0E	76.8	4.0E	118.6	5000.0E	207.5	4.0E 299.8 2.0E 466.9
	4.0E	717.6	1.0E	770.5	2.0E	1122.8	4.0E	1218.1	8.0E 1300.0
355.0	4.0E	40.1	5000.0E	71.5	4.0E	160.5	5000.0E	177.5	4.0E 300.5 2.0E 423.6
	4.0E	781.7	2.0E	1202.8	8.0E	1300.0			

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.159/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #2I

XEB - San Lorenzo Tezonco, DF - 1220 kHz

North Latitude: 19° 19' 45"
West Longitude: 99° 9' 38"

Azimuth	Radiation Distances to Contours in km:		
	(mV/m at one km)	Contour levels in mV/m. .100	.025
30.0	3990.00	223.71	355.60
35.0	3990.00	223.78	378.95
40.0	3990.00	223.69	406.72
45.0	3990.00	223.42	429.74
50.0	3990.00	222.98	432.41
55.0	3990.00	222.41	441.17
60.0	3990.00	221.64	429.80

Azimuth	Radiation Distances to Contours in km:		
	(mV/m at one km)	Contour levels in mV/m. .100	.025
65.0	3990.00	220.66	418.57
70.0	3990.00	220.26	411.55
75.0	3990.00	220.26	396.70
80.0	3990.00	220.20	387.89
85.0	3990.00	220.15	381.33
90.0	3990.00	220.00	372.06
95.0	3990.00	220.33	333.40

Conductivity Database Used: R2 (Region 2)

Ground Conductivity Data: Region conductivity in mS/m followed by distance in km to the end of region. E - map data; M - measurement data.											
Azimuth											
30.0	3.0E	79.9	4.0E	154.2	5.0E	268.8	2.0E	305.4	5000.0E	311.4	2.0E 314.2
	5000.0E	318.6	2.0E	321.3	5000.0E	1300.0					
35.0	3.0E	82.3	4.0E	148.9	5.0E	266.5	2.0E	288.2	5000.0E	308.4	2.0E 316.0
	5000.0E	1300.0									
40.0	3.0E	85.4	4.0E	145.5	5.0E	278.3	2.0E	280.5	5000.0E	1300.0	
45.0	3.0E	89.5	4.0E	143.4	5.0E	263.7	5000.0E	1300.0			
50.0	3.0E	94.8	4.0E	142.4	5.0E	261.2	5000.0E	1300.0			
55.0	3.0E	100.8	4.0E	142.6	5.0E	254.5	5000.0E	1300.0			
60.0	3.0E	103.9	4.0E	150.1	5.0E	260.7	5000.0E	1300.0			
65.0	3.0E	102.9	4.0E	171.9	5.0E	267.3	5000.0E	1300.0			
70.0	3.0E	99.6	4.0E	188.2	5.0E	271.6	5000.0E	1300.0			
75.0	3.0E	96.1	4.0E	196.3	5.0E	282.2	5000.0E	1300.0			
80.0	3.0E	93.4	4.0E	203.8	5.0E	288.4	5000.0E	916.8	6.0E	958.9	2.0E 1292.8
85.0	3.0E	91.6	4.0E	210.9	5.0E	292.8	5000.0E	898.2	6.0E	1091.1	2.0E 1224.3
90.0	3.0E	89.6	4.0E	221.4	5.0E	299.2	5000.0E	855.3	6.0E	893.3	5.0E 1050.4
95.0	3.0E	85.9	4.0E	236.1	5.0E	327.6	5000.0E	706.9	10.0E	709.4	6.0E 765.0

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL

SRQ RADIO, LLC

WSRQ AM RADIO STATION

has: 1220 kHz - 0.159/1.0 kW - DA2

req: 1220 kHz - 0.039/1.0 kW - DA2

SARASOTA, FLORIDA

November 2008

EXHIBIT #2J

CMDM - C Espana, CU - 1220 kHz - 10.0 kW - ND

North Latitude: 22° 48' 0"

West Longitude: 81° 1' 0"

Radiation Distances to Contours in km:				Radiation Distances to Contours in km:			
Azimuth	(mV/m at	Contour levels in mV/m.		Azimuth	(mV/m at	Contour levels in mV/m.	
	one km)	.500	.025		one km)	.500	.025
250.0	1064.39	289.44	726.45	305.0	1064.39	217.90	769.14
255.0	1064.39	287.50	656.50	310.0	1064.39	236.67	787.91
260.0	1064.39	224.27	506.47	315.0	1064.39	256.50	807.74
265.0	1064.39	125.43	332.20	320.0	1064.39	267.26	818.50
270.0	1064.39	120.05	344.96	325.0	1064.39	329.97	881.22
275.0	1064.39	120.05	429.98	330.0	1064.39	423.03	970.32
280.0	1064.39	124.42	603.60	335.0	1064.39	451.60	901.74
285.0	1064.39	106.45	604.73	340.0	1064.39	455.60	909.93
290.0	1064.39	83.15	558.31	345.0	1064.39	425.45	593.32
295.0	1064.39	81.05	591.48	350.0	1064.39	363.77	548.03
300.0	1064.39	120.87	672.11	355.0	1064.39	345.42	529.35

Conductivity Database Used: R2 (Region 2)

Ground Conductivity Data:												
Region conductivity in mS/m followed by distance in km												
Azimuth	to the end of region. E - map data; M - measurement data.											
250.0	10.0E	5.6	3.0E	7.5	10.0E	54.8	20.0E	71.8	5000.0E	114.8	20.0E	121.2
	5000.0E	673.9	2.0E	864.8	6.0E	1159.4	5000.0E	1229.0	6.0E	1279.3	10.0E	1300.0
255.0	10.0E	6.0	3.0E	6.4	10.0E	61.4	20.0E	75.7	5000.0E	316.0	10.0E	367.9
	5000.0E	623.7	2.0E	661.0	3.0E	715.6	1.0E	926.3	2.0E	1025.4	5000.0E	1300.0
260.0	10.0E	71.0	20.0E	84.9	5000.0E	215.5	10.0E	314.9	3.0E	334.0	10.0E	354.9
	5000.0E	719.7	5.0E	797.2	3.0E	982.4	2.0E	984.8	5000.0E	1300.0		
265.0	10.0E	86.2	20.0E	106.0	10.0E	153.2	5000.0E	179.4	10.0E	278.8	3.0E	332.6
	5000.0E	1300.0										
270.0	10.0E	231.8	3.0E	280.3	5000.0E	1300.0						
275.0	10.0E	202.2	3.0E	218.1	5000.0E	223.4	3.0E	233.3	5000.0E	1300.0		
280.0	10.0E	107.1	20.0E	151.5	10.0E	162.7	5000.0E	1300.0				
285.0	10.0E	61.5	3.0E	83.2	10.0E	93.2	20.0E	137.6	5000.0E	1300.0		
290.0	10.0E	35.2	3.0E	88.6	20.0E	121.0	5000.0E	1300.0				
295.0	10.0E	31.2	3.0E	86.3	20.0E	97.1	5000.0E	1300.0				
300.0	10.0E	29.3	3.0E	55.9	5000.0E	62.8	3.0E	79.0	5000.0E	1300.0		
305.0	10.0E	27.8	3.0E	55.3	5000.0E	1300.0						
310.0	10.0E	27.1	3.0E	52.4	5000.0E	1146.9	15.0E	1300.0				
315.0	10.0E	27.2	3.0E	50.0	5000.0E	1125.4	15.0E	1166.4	5000.0E	1185.0	2.0E	1226.5
320.0	10.0E	27.5	3.0E	48.9	5000.0E	1115.7	2.0E	1238.3	4.0E	1300.0		
325.0	10.0E	28.0	3.0E	38.1	5000.0E	43.9	3.0E	48.2	5000.0E	1033.1	1.0E	1139.7
330.0	10.0E	28.8	3.0E	30.8	5000.0E	44.6	3.0E	47.6	5000.0E	968.6	1.0E	1087.0
	8.0E	1200.1	2.0E	1300.0								
335.0	10.0E	29.8	5000.0E	45.4	3.0E	47.2	5000.0E	860.7	1.0E	971.6	4.0E	1113.3
340.0	10.0E	31.1	5000.0E	46.2	3.0E	47.2	5000.0E	864.3	2.0E	947.7	4.0E	1192.3
345.0	10.0E	32.8	5000.0E	415.3	8.0E	460.5	4.0E	639.7	5000.0E	735.3	4.0E	819.8
350.0	10.0E	33.9	5000.0E	337.5	8.0E	498.7	4.0E	611.0	2.0E	652.8	4.0E	807.4
355.0	10.0E	35.1	5000.0E	315.7	8.0E	504.1	2.0E	784.8	4.0E	1111.2		

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.159/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #2K

CMBN - Guanabacoa, CU - 1210 kHz - 1.0 KW - ND1

North Latitude: 23' 7' 0"
West Longitude: 82' 18' 0"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers : Contour levels in mV/m. .500
350.0	336.60	334.58
355.0	336.60	334.57
0.0	336.60	334.56
5.0	336.60	334.54

Conductivity Database Used: R2 (Region 2)

Azimuth	Ground Conductivity Data: Region conductivity in mS/m followed by distance in km to the end of region. E - map data; M - measurement data.											
350.0	20.0E	4.2	5000.0E	762.1	2.0E	892.6	4.0E	1147.7	1.0E	1156.2	4.0E	1287.2
355.0	20.0E	4.2	5000.0E	505.9	4.0E	545.9	5000.0E	674.3	4.0E	766.7	2.0E	925.3
0.0	20.0E	4.3	5000.0E	404.9	4.0E	712.7	2.0E	818.0	4.0E	1077.8	2.0E	1132.6
5.0	20.0E	4.4	5000.0E	369.6	8.0E	455.0	4.0E	508.8	2.0E	742.3	4.0E	827.6

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.159/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #2L

CMDM - Matanzas, CU - 1230 kHz - 10.0 KW - ND1

North Latitude 23' 1' 0"
West Longitude 81' 35' 0"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers : Contour levels in mV/m. .500
345.0	1004.91	441.99
350.0	1004.91	434.35
355.0	1004.91	392.79
0.0	1004.91	340.36
5.0	1004.91	330.90
10.0	1004.91	290.56

Conductivity Database Used: R2 (Region 2)

Azimuth	Ground Conductivity Data: Region conductivity in mS/m followed by distance in km to the end of region. E - map data; M - measurement data.											
345.0	3.0E	15.7	5000.0E	796.4	2.0E	910.0	4.0E	1141.4	2.0E	1297.9	4.0E	1300.0
350.0	3.0E	15.4	5000.0E	431.8	4.0E	615.4	5000.0E	691.3	4.0E	787.2	2.0E	954.2
355.0	3.0E	14.9	5000.0E	375.8	8.0E	453.1	4.0E	579.5	2.0E	639.4	4.0E	723.1
0.0	3.0E	13.9	5000.0E	307.4	8.0E	479.9	2.0E	748.2	4.0E	851.3	8.0E	901.0
5.0	3.0E	13.2	5000.0E	294.2	8.0E	475.3	2.0E	684.0	5000.0E	1026.7	8.0E	1057.9
10.0	3.0E	12.6	5000.0E	244.4	8.0E	473.9	2.0E	515.3	8.0E	579.9	5000.0E	1123.0

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.159/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #2M

WABF - Fairhope, AL - 1220 kHz - 1.0 KW - ND1

North Latitude: 30° 30' 39"
West Longitude: 87° 54' 13"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :	
		Contour levels in mV/m.	
		.500	.025
80.0	305.30	23.78	94.26
85.0	305.30	23.79	98.39
90.0	305.30	23.79	101.55
95.0	305.30	23.81	111.55
100.0	305.30	23.82	203.39
105.0	305.30	23.84	246.98
110.0	305.30	23.87	289.15
115.0	305.30	23.90	333.08
120.0	305.30	23.95	355.71
125.0	305.30	24.01	358.72
130.0	305.30	24.09	356.55
135.0	305.30	24.20	381.03
140.0	305.30	24.37	410.34
145.0	305.30	24.63	441.14
150.0	305.30	34.74	552.51
155.0	305.30	115.91	639.09
160.0	305.30	147.97	671.16
165.0	305.30	157.48	680.66
170.0	305.30	180.62	703.81
175.0	305.30	207.65	730.83
180.0	305.30	238.09	761.27
185.0	305.30	245.17	768.35
190.0	305.30	267.84	791.03
195.0	305.30	287.02	810.21
200.0	305.30	298.75	821.93
205.0	305.30	300.40	823.59
210.0	305.30	301.54	824.73
215.0	305.30	302.35	825.53
220.0	305.30	210.32	687.11
225.0	305.30	223.63	746.81
230.0	305.30	207.94	710.96
235.0	305.30	204.21	644.84
240.0	305.30	185.07	548.05
245.0	305.30	138.08	319.14
250.0	305.30	52.89	296.58
255.0	305.30	43.18	248.89
260.0	305.30	42.71	170.84
265.0	305.30	42.37	134.73
270.0	305.30	42.14	126.38
275.0	305.30	42.03	126.27
280.0	305.30	42.03	126.27

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.159/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #2M (Continued)

WABF - Fairhope, AL - 1220 kHz - 1.0 KW - ND1

North Latitude: 30° 30' 39"
West Longitude: 87° 54' 13"

Conductivity Database Used: M3 (USA)

Ground Conductivity Data: Region conductivity in mS/m followed by distance in km to the end of region. E - map data; M - measurement data.												
Azimuth												
80.0	2.0E	1.3	1.0E	208.6	4.0E	384.9	2.0E	480.7	4.0E	614.3	8.0E	623.1
85.0	2.0E	1.4	1.0E	70.5	5000.0E	73.7	1.0E	86.5	5000.0E	88.3	1.0E	238.9
	4.0E	298.3	2.0E	509.0	4.0E	600.5	8.0E	602.9	5000.0E	616.9	8.0E	620.9
90.0	2.0E	1.4	1.0E	72.1	5000.0E	77.7	1.0E	82.8	5000.0E	86.0	1.0E	135.7
	5000.0E	140.4	1.0E	279.3	4.0E	281.4	2.0E	539.2	4.0E	607.8	8.0E	617.7
95.0	2.0E	1.4	1.0E	70.2	5000.0E	91.2	1.0E	125.2	5000.0E	134.1	1.0E	344.2
	2.0E	573.5	4.0E	629.8	8.0E	638.7	5000.0E	1300.0				
100.0	2.0E	1.5	1.0E	48.6	5000.0E	53.3	1.0E	63.5	5000.0E	78.5	1.0E	86.2
	5000.0E	200.2	1.0E	209.4	5000.0E	215.3	1.0E	343.7	2.0E	348.9	5000.0E	424.3
	2.0E	434.4	4.0E	546.4	2.0E	678.0	5000.0E	1300.0				
105.0	2.0E	1.6	1.0E	45.7	5000.0E	49.6	1.0E	63.1	5000.0E	70.8	1.0E	71.7
	5000.0E	250.3	1.0E	297.4	5000.0E	302.4	1.0E	308.7	5000.0E	482.1	4.0E	579.0
	2.0E	715.3	8.0E	715.9	5000.0E	1300.0						
110.0	2.0E	1.7	1.0E	44.8	5000.0E	49.2	1.0E	57.3	5000.0E	545.7	4.0E	592.0
	2.0E	730.3	8.0E	772.9	5000.0E	1300.0						
115.0	2.0E	1.8	1.0E	44.6	5000.0E	49.5	1.0E	51.3	5000.0E	558.3	4.0E	645.0
	2.0E	789.9	8.0E	851.8	5000.0E	1300.0						
120.0	2.0E	2.0	1.0E	43.4	5000.0E	586.5	4.0E	597.9	5000.0E	608.6	4.0E	684.5
	8.0E	899.8	5000.0E	1300.0								
125.0	2.0E	2.2	1.0E	43.1	5000.0E	672.4	4.0E	687.7	8.0E	695.6	5000.0E	706.1
130.0	2.0E	2.5	1.0E	43.4	5000.0E	889.0	8.0E	898.9	5000.0E	1300.0		
135.0	2.0E	2.9	1.0E	40.5	5000.0E	1300.0						
140.0	2.0E	3.5	1.0E	33.3	2.0E	38.2	5000.0E	1300.0				
145.0	2.0E	4.5	1.0E	25.0	2.0E	36.5	5000.0E	1300.0				
150.0	2.0E	6.3	1.0E	6.9	2.0E	14.9	5000.0E	16.0	2.0E	27.1	5000.0E	31.4
	2.0E	35.3	5000.0E	1300.0								
155.0	2.0E	15.5	5000.0E	19.0	2.0E	22.1	5000.0E	30.6	2.0E	34.3	5000.0E	1300.0
160.0	2.0E	16.2	5000.0E	30.2	2.0E	33.7	5000.0E	1300.0				
165.0	2.0E	15.5	5000.0E	29.9	2.0E	33.3	5000.0E	1300.0				
170.0	2.0E	14.3	5000.0E	29.9	2.0E	32.7	5000.0E	1300.0				
175.0	2.0E	12.9	5000.0E	30.1	2.0E	32.1	5000.0E	996.9	6.0E	1094.1	5000.0E	1300.0
180.0	2.0E	9.3	5000.0E	29.0	2.0E	31.8	5000.0E	993.3	6.0E	1300.0		
185.0	2.0E	7.3	5000.0E	28.0	2.0E	31.8	5000.0E	1012.1	6.0E	1300.0		
190.0	2.0E	6.0	5000.0E	29.4	2.0E	32.0	5000.0E	1037.6	6.0E	1262.4	5.0E	1300.0
195.0	2.0E	5.2	5000.0E	31.4	2.0E	32.4	5000.0E	1300.0				
200.0	2.0E	4.6	5000.0E	1300.0								
205.0	2.0E	4.1	5000.0E	1300.0								
210.0	2.0E	3.8	5000.0E	1300.0								
215.0	2.0E	3.5	5000.0E	1300.0								
220.0	2.0E	3.3	5000.0E	182.8	15.0E	200.0	5000.0E	201.3	15.0E	224.6	5000.0E	1300.0
225.0	2.0E	3.1	5000.0E	187.2	15.0E	209.7	5000.0E	1300.0				
230.0	2.0E	3.0	5000.0E	27.7	2.0E	32.1	5000.0E	191.7	15.0E	214.0	5000.0E	1300.0

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.159/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #2M (Continued)

WABF - Fairhope, AL - 1220 kHz - 1.0 KW - ND1

Ground Conductivity Data: Region conductivity in mS/m followed by distance in km to the end of region. E - map data; M - measurement data.												
Azimuth												
235.0	2.0E	2.9	5000.0E	25.0	2.0E	32.7	5000.0E	197.2	15.0E	213.8	5000.0E	254.3
	15.0E	272.3	5000.0E	1223.4	2.0E	1322.4						
240.0	2.0E	2.8	5000.0E	22.9	2.0E	33.7	5000.0E	169.0	15.0E	169.3	5000.0E	183.5
	15.0E	187.2	5000.0E	191.0	15.0E	194.1	5000.0E	201.2	15.0E	223.0	5000.0E	225.5
	15.0E	229.0	5000.0E	241.4	15.0E	269.3	5000.0E	1143.1	5.0E	1143.8	20.0E	1151.0
245.0	2.0E	2.8	5000.0E	21.3	2.0E	36.5	5000.0E	155.9	15.0E	244.4	5000.0E	244.9
	15.0E	321.5	5000.0E	1034.7	30.0E	1082.0	20.0E	1201.4	3.0E	1300.0		
250.0	2.0E	2.4	5000.0E	20.0	2.0E	40.1	5000.0E	50.0	2.0E	53.0	5000.0E	55.6
	2.0E	60.5	5000.0E	155.5	15.0E	169.0	5000.0E	185.3	15.0E	342.0	5000.0E	1008.2
255.0	2.0E	2.2	5000.0E	19.2	2.0E	65.5	5000.0E	175.9	2.0E	186.3	5000.0E	189.7
	15.0E	364.3	5000.0E	925.9	30.0E	937.3	5000.0E	937.6	30.0E	1046.5	15.0E	1180.0
260.0	2.0E	2.0	5000.0E	18.6	2.0E	86.4	5000.0E	140.6	2.0E	176.7	4.0E	178.7
	15.0E	186.1	5000.0E	243.3	15.0E	432.6	30.0E	484.0	5000.0E	700.1	30.0E	713.5
265.0	2.0E	1.9	5000.0E	18.1	2.0E	95.0	5000.0E	105.1	2.0E	170.2	4.0E	199.8
	15.0E	205.6	5000.0E	229.1	15.0E	292.4	4.0E	297.3	8.0E	449.9	30.0E	519.1
	5000.0E	524.1	30.0E	692.7	5000.0E	696.1	30.0E	727.6	15.0E	828.5	30.0E	846.9
270.0	2.0E	1.7	5000.0E	17.8	2.0E	165.3	4.0E	299.2	8.0E	402.6	15.0E	476.8
	8.0E	685.7	4.0E	789.9	15.0E	951.9	8.0E	1300.0				
275.0	2.0E	1.7	5000.0E	17.7	2.0E	160.6	4.0E	287.8	8.0E	430.1	15.0E	498.7
	8.0E	686.9	4.0E	834.3	15.0E	859.3	30.0E	924.4	8.0E	1300.0		
280.0	2.0E	1.6	5000.0E	17.7	2.0E	157.3	4.0E	277.0	8.0E	457.1	15.0E	514.8
	8.0E	659.0	4.0E	823.6	15.0E	1071.8	8.0E	1300.0				

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.159/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #2N

WOTS - Kissimmee, FL - Licensed

North Latitude: 28° 19' 27"
West Longitude: 81° 23' 44"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :	
		Contour levels in mV/m.	
		.500	.025
195.0	305.78	29.99	115.04
200.0	305.78	29.99	114.40
205.0	305.78	29.99	115.12
210.0	305.78	29.99	118.97
215.0	305.78	29.99	121.30
220.0	305.78	29.99	122.75
225.0	305.78	29.99	123.77
230.0	305.78	29.99	124.40
235.0	305.78	29.99	124.70
240.0	305.78	29.99	139.91
245.0	305.78	29.99	138.19
250.0	305.78	29.99	133.26
255.0	305.78	29.99	124.45
260.0	305.78	29.99	124.03
265.0	305.78	29.99	123.67
270.0	305.78	29.99	123.29

Conductivity Database Used: M3 (USA)

Ground Conductivity Data:										
Region conductivity in mS/m followed by distance in km										
to the end of region. E - map data; M - measurement data.										
Azimuth										
195.0	2.0E	112.4	8.0E	192.3	5000.0E	203.3	8.0E	213.3	5000.0E	1300.0
200.0	2.0E	114.0	8.0E	197.5	5000.0E	1300.0				
205.0	2.0E	110.0	4.0E	162.6	8.0E	167.0	5000.0E	179.3	8.0E	185.9 5000.0E 1300.0
210.0	2.0E	92.4	4.0E	183.7	5000.0E	1300.0				
215.0	2.0E	82.6	4.0E	176.2	5000.0E	991.8	6.0E	1026.4	5000.0E	1111.5 6.0E 1154.6
220.0	2.0E	76.8	4.0E	166.8	5000.0E	976.0	6.0E	1263.4	5.0E	1300.0
225.0	2.0E	72.8	4.0E	159.0	5000.0E	1032.9	6.0E	1300.0		
230.0	2.0E	70.4	4.0E	155.1	5000.0E	1205.6	6.0E	1220.4	5000.0E	1300.0
235.0	2.0E	69.3	4.0E	141.0	5000.0E	1300.0				
240.0	2.0E	68.7	4.0E	118.3	5000.0E	1300.0				
245.0	2.0E	68.7	4.0E	109.8	5000.0E	118.0	4.0E	123.2	5000.0E	133.7 4.0E 145.1
	5000.0E	1300.0								
250.0	2.0E	69.2	4.0E	120.4	5000.0E	132.6	4.0E	150.3	5000.0E	1300.0
255.0	2.0E	70.2	4.0E	128.3	5000.0E	128.6	4.0E	141.9	5000.0E	1300.0
260.0	2.0E	71.8	4.0E	138.1	5000.0E	1300.0				
265.0	2.0E	73.2	4.0E	133.9	5000.0E	1300.0				
270.0	2.0E	74.7	4.0E	129.8	5000.0E	1300.0				

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.159/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #20

WOTS - Kissimmee, FL - CP - DA

North Latitude: 28° 20' 1"
West Longitude: 81° 24' 22"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :	
		Contour levels in mV/m. .500	.025
195.0	359.79	32.32	125.72
200.0	339.63	31.47	121.09
205.0	321.12	30.67	118.50
210.0	304.51	29.93	119.11
215.0	289.99	29.26	118.73
220.0	277.66	28.68	117.63
225.0	267.52	28.20	116.61
230.0	259.50	27.81	115.51
235.0	253.47	27.51	114.54
240.0	249.30	27.30	116.86
245.0	246.86	27.17	118.89
250.0	246.05	27.13	113.00
255.0	246.86	27.17	112.90
260.0	249.30	27.30	113.00
265.0	253.47	27.51	113.59
270.0	259.50	27.81	114.47

Conductivity Database Used: M3 (USA)

Azimuth	Ground Conductivity Data: Region conductivity in mS/m followed by distance in km to the end of region. E - map data; M - measurement data.									
195.0	2.0E	113.3	8.0E	196.8	5000.0E	206.2	8.0E	213.8	5000.0E	1300.0
200.0	2.0E	114.9	8.0E	196.8	5000.0E	1300.0				
205.0	2.0E	107.1	4.0E	169.7	5000.0E	176.8	8.0E	186.2	5000.0E	1300.0
210.0	2.0E	90.8	4.0E	183.3	5000.0E	1300.0				
215.0	2.0E	81.1	4.0E	175.9	5000.0E	986.9	6.0E	1036.6	5000.0E	1110.5
220.0	2.0E	76.0	4.0E	166.1	5000.0E	976.9	6.0E	1264.5	5.0E	1300.0
225.0	2.0E	72.0	4.0E	158.2	5000.0E	1035.3	6.0E	1300.0		
230.0	2.0E	70.0	4.0E	155.3	5000.0E	1212.2	6.0E	1217.0	5000.0E	1300.0
235.0	2.0E	68.9	4.0E	139.1	5000.0E	1300.0				
240.0	2.0E	68.3	4.0E	112.6	5000.0E	1300.0				
245.0	2.0E	68.3	4.0E	109.2	5000.0E	117.0	4.0E	122.2	5000.0E	132.3
	5000.0E	1300.0								4.0E 145.1
250.0	2.0E	68.7	4.0E	119.6	5000.0E	132.9	4.0E	149.6	5000.0E	1300.0
255.0	2.0E	69.8	4.0E	140.6	5000.0E	1300.0				
260.0	2.0E	71.4	4.0E	137.1	5000.0E	1300.0				
265.0	2.0E	72.5	4.0E	132.0	5000.0E	1300.0				
270.0	2.0E	73.9	4.0E	128.5	5000.0E	1300.0				

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.159/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #2P

WDWR - Pensacola, FL - 1230 kHz - 1.0 KW - ND1

North Latitude: 30° 25' 57"
West Longitude: 87° 13' 7"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :	
		Contour levels in mV/m.	
		.500	.250
105.0	317.04	165.10	174.65
110.0	317.04	198.23	207.59
115.0	317.04	253.05	365.77
120.0	317.04	259.96	372.68
125.0	317.04	264.96	377.68
130.0	317.04	268.51	381.23

Conductivity Database Used: M3 (USA)

Ground Conductivity Data:											
Region conductivity in mS/m followed by distance in km											
to the end of region. E - map data; M - measurement data.											
Azimuth											
105.0	1.0E	2.8	5000.0E	16.0	1.0E	22.9	5000.0E	161.1	1.0E	172.1	5000.0E 172.3
	1.0E	252.4	5000.0E	392.9	4.0E	517.3	2.0E	653.5	5000.0E	1300.0	
110.0	1.0E	2.8	5000.0E	14.3	1.0E	19.7	5000.0E	194.8	1.0E	229.4	5000.0E 473.9
	4.0E	520.0	2.0E	655.7	8.0E	685.9	5000.0E	1300.0			
115.0	1.0E	2.7	5000.0E	12.5	1.0E	17.4	5000.0E	489.1	4.0E	549.0	2.0E 707.1
120.0	1.0E	2.7	5000.0E	11.2	1.0E	15.7	5000.0E	502.1	4.0E	536.7	5000.0E 546.4
	4.0E	609.1	2.0E	668.7	8.0E	824.3	5000.0E	1300.0			
125.0	1.0E	2.8	5000.0E	10.2	1.0E	14.4	5000.0E	549.2	4.0E	628.6	8.0E 859.7
130.0	1.0E	2.8	5000.0E	9.4	1.0E	13.4	5000.0E	701.6	8.0E	775.9	5000.0E 776.5

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL

SRQ RADIO, LLC

WSRQ AM RADIO STATION

has: 1220 kHz - 0.159/1.0 kW - DA2

req: 1220 kHz - 0.039/1.0 kW - DA2

SARASOTA, FLORIDA

November 2008

EXHIBIT #2Q

WONN - Lakeland, FL - 1230 kHz - 1.0 KW - ND1

North Latitude: 28° 2' 23"
 West Longitude: 81° 57' 39"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in km:	
		Contour levels in mV/m. .500	.250
170.0	321.87	35.58	50.73
175.0	321.87	37.04	52.19
180.0	321.87	38.03	53.19
185.0	321.87	38.75	53.90
190.0	321.87	39.28	54.43
195.0	321.87	39.68	54.83
200.0	321.87	39.99	55.14
205.0	321.87	40.23	55.38
210.0	321.87	40.42	55.57
215.0	321.87	40.57	55.72
220.0	321.87	40.68	55.83
225.0	321.87	40.77	55.92
230.0	321.87	40.83	55.98
235.0	321.87	40.87	56.02

Azimuth	Radiation (mV/m at one km)	Distances to Contours in km:	
		Contour levels in mV/m. .500	.250
240.0	321.87	40.89	79.72
245.0	321.87	40.89	79.00
250.0	321.87	40.87	71.63
255.0	321.87	40.83	69.10
260.0	321.87	40.77	55.92
265.0	321.87	40.68	55.84
270.0	321.87	40.57	55.73
275.0	321.87	40.42	55.58
280.0	321.87	40.24	55.39
285.0	321.87	40.00	55.15
290.0	321.87	39.69	54.85
295.0	321.87	39.29	54.45
300.0	321.87	38.77	53.92

Conductivity Database Used: M3 (USA)

Azimuth	Ground Conductivity Data: Region conductivity in mS/m followed by distance in km to the end of region. E - map data; M - measurement data.									
170.0	2.0E	16.6	4.0E	56.6	2.0E	76.2	8.0E	239.9	5000.0E	1300.0
175.0	2.0E	13.0	4.0E	80.3	8.0E	151.0	5000.0E	151.5	8.0E	220.1 5000.0E 1300.0
180.0	2.0E	10.8	4.0E	98.2	8.0E	164.4	5000.0E	168.4	8.0E	174.0 5000.0E 1300.0
185.0	2.0E	9.3	4.0E	112.5	8.0E	120.4	5000.0E	124.5	8.0E	127.0 5000.0E 1300.0
190.0	2.0E	8.2	4.0E	131.4	8.0E	138.2	5000.0E	1300.0		
195.0	2.0E	7.4	4.0E	134.1	5000.0E	1300.0				
200.0	2.0E	6.7	4.0E	124.6	5000.0E	1300.0				
205.0	2.0E	6.3	4.0E	115.2	5000.0E	1300.0				
210.0	2.0E	5.9	4.0E	106.0	5000.0E	1300.0				
215.0	2.0E	5.6	4.0E	98.8	5000.0E	892.1	6.0E	1300.0		
220.0	2.0E	5.4	4.0E	93.2	5000.0E	930.3	6.0E	1228.7	5.0E	1300.0
225.0	2.0E	5.2	4.0E	93.5	5000.0E	1015.5	6.0E	1303.9		
230.0	2.0E	5.1	4.0E	78.3	5000.0E	89.8	4.0E	91.2	5000.0E	1300.0
235.0	2.0E	5.0	4.0E	68.4	5000.0E	1300.0				
240.0	2.0E	5.0	4.0E	52.0	5000.0E	1300.0				
245.0	2.0E	5.0	4.0E	46.5	5000.0E	73.0	4.0E	79.9	5000.0E	1300.0
250.0	2.0E	5.0	4.0E	46.5	5000.0E	54.7	4.0E	59.8	5000.0E	69.6 4.0E 82.8
255.0	2.0E	5.1	4.0E	46.8	5000.0E	53.6	4.0E	58.9	5000.0E	67.2 4.0E 86.6

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.159/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #2Q (Continued)

Ground Conductivity Data:											
Region conductivity in mS/m followed by distance in km											
to the end of region. E - map data; M - measurement data.											
Azimuth											
260.0	2.0E	5.2	4.0E	58.5	5000.0E	72.4	4.0E	85.5	5000.0E	1300.0	
265.0	2.0E	5.4	4.0E	63.2	5000.0E	71.2	4.0E	82.2	5000.0E	1300.0	
270.0	2.0E	5.6	4.0E	80.8	5000.0E	1300.0					
275.0	2.0E	5.9	4.0E	80.9	5000.0E	1300.0					
280.0	2.0E	6.3	4.0E	82.3	5000.0E	727.0	15.0E	732.0	5000.0E	865.9	15.0E 867.8
285.0	2.0E	6.7	4.0E	79.9	5000.0E	778.4	15.0E	1037.8	8.0E	1055.9	30.0E 1097.3
290.0	2.0E	7.3	4.0E	80.3	5000.0E	763.2	2.0E	790.6	4.0E	811.0	15.0E 825.1
295.0	2.0E	8.1	4.0E	81.3	5000.0E	609.2	2.0E	615.8	5000.0E	651.1	2.0E 791.7
300.0	2.0E	9.2	4.0E	83.1	5000.0E	542.8	1.0E	552.5	5000.0E	563.1	1.0E 567.4

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.159/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #2R

WHNZ - Tampa, FL - 1250 kHz - 25.0 KW - DA2

North Latitude: 28° 1' 14"
West Longitude: 82° 36' 34"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :	
		Contour levels in mV/m.	
		25.000	
155.0	904.98	19.36	
160.0	932.88	32.49	
165.0	959.06	34.13	
170.0	965.95	34.85	
175.0	966.89	35.21	
180.0	1017.17	37.30	
185.0	1060.35	19.93	
190.0	1054.98	19.37	
195.0	1035.85	18.86	
200.0	1098.64	18.91	

Conductivity Database Used: M3 (USA)

Ground Conductivity Data:											
Region conductivity in mS/m followed by distance in km											
Azimuth to the end of region. E - map data; M - measurement data.											
155.0	4.0E	4.8	5000.0E	16.8	4.0E	22.6	5000.0E	32.2	4.0E	124.1	8.0E 129.9
	5000.0E	132.8	8.0E	167.6	5000.0E	169.1	8.0E	259.4	5000.0E	1300.0	
160.0	4.0E	4.3	5000.0E	33.8	4.0E	130.9	5000.0E	153.6	8.0E	174.7	5000.0E 179.9
	8.0E	181.6	5000.0E	1300.0							
165.0	4.0E	3.9	5000.0E	36.2	4.0E	136.9	5000.0E	1300.0			
170.0	4.0E	3.6	5000.0E	39.2	4.0E	113.8	5000.0E	1300.0			
175.0	4.0E	3.3	5000.0E	47.5	4.0E	77.5	5000.0E	1300.0			
180.0	4.0E	3.1	5000.0E	56.5	4.0E	65.9	5000.0E	1300.0			
185.0	4.0E	3.0	5000.0E	15.4	4.0E	34.6	5000.0E	56.0	4.0E	61.9	5000.0E 1300.0
190.0	4.0E	2.9	5000.0E	14.7	4.0E	34.9	5000.0E	1300.0			
195.0	4.0E	2.8	5000.0E	14.1	4.0E	33.0	5000.0E	1300.0			
200.0	4.0E	2.7	5000.0E	13.7	4.0E	31.6	5000.0E	1300.0			

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.159/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #2S

WPTK - License - Pine Island Center, FL - 1200 kHz - 10.0 KW - DA2

North Latitude: 26° 42' 52"
West Longitude: 82° 02' 46"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :	
		Contour levels in mV/m.	
		5.000	
325.0	34.33	5.27	
330.0	37.88	5.67	
335.0	45.04	6.65	
340.0	56.29	8.20	
345.0	71.67	10.13	
350.0	91.22	11.99	

WPTK - C.P. - Pine Island Center, FL - 1200 kHz - 50.0 KW - DA2

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :	
		Contour levels in mV/m.	
		5.000	
325.0	2474.27	50.69	
330.0	2886.27	54.74	
335.0	3291.77	58.50	
340.0	3674.38	61.61	
345.0	4018.02	64.71	
350.0	4307.88	65.74	

Conductivity Database Used: M3 (USA)

Ground Conductivity Data:										
Region conductivity in mS/m followed by distance in km										
to the end of region. E - map data; M - measurement data.										
Azimuth										
325.0	8.0E	4.7	5000.0E	19.7	8.0E	23.3	4.0E	87.2	5000.0E	96.9
	4.0E	107.2	5000.0E	429.7	1.0E	532.4	4.0E	669.8	8.0E	770.9
	4.0E	840.3	2.0E	1047.8	4.0E	1114.4	8.0E	1300.0		
330.0	8.0E	5.2	5000.0E	22.6	8.0E	24.0	4.0E	105.7	5000.0E	135.1
	4.0E	152.2	5000.0E	432.9	2.0E	440.9	1.0E	472.3	2.0E	519.1
	4.0E	706.6	8.0E	739.0	4.0E	1288.2	8.0E	1300.0		
335.0	8.0E	5.8	5000.0E	25.1	4.0E	116.6	5000.0E	135.2	4.0E	148.4
	5000.0E	152.1	4.0E	171.0	5000.0E	400.9	2.0E	500.4	4.0E	749.9
	2.0E	853.2	4.0E	901.4	2.0E	994.4	4.0E	1236.9	8.0E	1300.0
340.0	8.0E	6.5	5000.0E	26.5	4.0E	123.1	5000.0E	132.6	4.0E	142.8
	5000.0E	148.2	4.0E	192.0	5000.0E	308.7	4.0E	370.8	2.0E	516.9
	4.0E	729.0	2.0E	883.3	4.0E	938.1	2.0E	1030.0	4.0E	1268.6
	8.0E	1300.0								
345.0	8.0E	7.6	5000.0E	28.2	8.0E	28.4	4.0E	128.9	5000.0E	135.2
	4.0E	224.3	5000.0E	269.9	4.0E	375.5	2.0E	542.2	4.0E	750.7
	1.0E	817.4	2.0E	908.4	4.0E	987.2	2.0E	1063.4	4.0E	1300.0
350.0	8.0E	9.2	5000.0E	21.5	8.0E	22.8	5000.0E	27.7	8.0E	30.4
	4.0E	372.0	2.0E	509.9	4.0E	833.5	2.0E	1192.7	8.0E	1242.9
	4.0E	1283.7	8.0E	1300.0						