

EXHIBIT 13

Waiver Request of Section 74.1204

K211EN Las Cruces, NM Channel 212 and 7 Watts ERP

Calvary Chapel of Twin Falls, Inc.

2/2013

The proposed site is contained entirely inside the service contour of second-adjacent FM Station KRWG Las Cruces, NM

KRWG

The proposed site is contained entirely inside the service contour of second-adjacent FM Station KRWG 214C1, 100kW, Las Cruces, NM. The level of least arriving protected F(50,50) signal at the proposed transmitter site is 76.5-dBu. Using the U/D method for calculating proposed interference, the contour is 116.5-dBu (free-space contour method employed). The interfering signal would, in the worst case at the maximum radial, would extend 28 meters, or 93 feet, from base of the tower. This structure is located in an unpopulated area. Attached is a portion of the Topographic Map Donna Ana (NM) with a 500 foot contour marked in yellow. There are no residences, businesses or major roadways located within the interference contour and Calvary Chapel of Twin Falls, Inc. respectfully requests a waiver of the FM translator contour overlap regulations with respect to second-adjacent channel KRWG Las Cruces, NM.

LAS CRUCES, NM K211EN MINOR CHANNEL CHANGE

Calvary Chapel Of Twin Falls, Inc.

REFERENCE 32 24 15.0 N. 106 45 47.0 W. CH# 212D - 90.3 MHz, Pwr= 0.007 kW, HAAT= 146.8 M, COR= 1466 M
Average Protected F(50-50)= 6.43 km
Omni-directional

DISPLAY DATES
DATA 02-25-13
SEARCH 02-28-13

CH CITY	CALL	TYPE STATE	ANT STATE	AZI <--	DI ST FILE #	LAT LNG	PWR(kW) HAAT(M)	INT(km) COR(M)	PRO(km) LICENSEE	*IN* (Overlap in km)	*OUT*
214C1 Las Cruces	KRWG	LIC_CN	NM	230.7 50.6	25.88 BMLED19920224KB	32 15 24.0 106 58 34.0	100.000 107	6.7 1438	56.4 Regents Of New Mexico Stat	10.9	-30.7*
06 D Radium Springs	1527438	AP_N	NM	325.4 145.2	76.15 BNPDVL20090917ACZ	32 58 04.0 107 13 37.0	3.000 1014	2.5 2340	88.8 One Ministries, Inc.	91.3R	-15.2M
211D Las Cruces	K211EN	LIC_CN	NM	0.0 0.0	0.00 BLFT20030303AAC	32 24 15.0 106 45 47.0	0.006 149	7.6 1466	5.4 Calvary Chapel Of Twin Fal	-13.2*	-13.3*
209A Las Cruces	KMBN	LIC_CN	NM	224.8 44.7	19.72 BLED19991223ACA	32 16 41.0 106 54 39.0	0.500 52	1.6 1353	18.5 The Moody Bible Institute	9.7	1.1
06 D Orogrande	K06QI -D	CP_D_N	NM	60.3 240.8	96.11 BNPDVL20090825BLT	32 49 45.0 105 52 14.0	0.300 1086	3.1 2433	62.8 One Ministries, Inc.	66.0R	30.1M
211B Praxedis Guerrero	AL9928«	AL_	CH	147.9 328.3	135.25	31 22 18.0 106 00 19.0	50.000 150	82.6 1302	65.0	95.5R	39.8M
210C3 Alamogordo	KYCM	LIC_CN	NM	59.8 240.3	94.80 BLED20061005ACQ	32 49 47.0 105 53 13.0	0.800 497	2.0 2381	54.8 Your Christian Companion N	87.4	39.8
212D El Paso	K212EO	LIC_CN	TX	159.4 339.6	72.16 BLFT20001220ACS	31 47 42.0 106 29 38.0	0.005 153	12.5 1405	3.9 Calvary Chapel Of Twin Fal	52.6	44.3
06 D Willcox	1340118	AP_N	AZ	266.3 84.8	268.62 BNPDVL20091228AAI	32 13 01.0 109 36 25.0	0.300 1079	3.1 2400	62.8 Kolbe Broadcasting, Inc.	134.5R	134.1M
06 D Grants	K36JS-D	AP_D_N	NM	341.1 160.5	319.04 BDI SDTV20081022ABF	35 07 09.0 107 54 02.0	0.100 219	0.2 2172	24.0 Kob-tv, LIc	134.5R	184.5M
06Z Ojinaga	XHHR-TV«	GR_HN	CH	144.2 325.4	387.59 BPFS20111101ACW	29 33 14.0 104 25 16.0	0.457 816	3.1 816	62.8 134.5R	134.5R	253.1M
06 D Chamita	1334396	AP_D_N	NM	8.0 188.3	413.94 BNPDVL20090923ABL	36 05 52.1 106 07 19.6	0.300 315	0.2 2040	24.0 Avail able Medi a Associates	134.5R	279.4M
06 T Mora	K06HX	CP_D_N	NM	17.8 198.6	415.13 BDFCDTV20090824ADC	35 57 31.0 105 21 12.0	0.001 422	3.1 2590	62.8 Lin Of New Mexico, LIc	134.5R	280.6M


Terrain database is USGS 03 SEC , R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM
Contour distances are on direct line to and from reference station. Reference zone= , Co to 3rd adjacent.

All separation margins (if shown) include rounding

Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, _= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)

***affixed to 'IN' or 'OUT' values = site inside protected contour.

« = Station meets FCC minimum distance spacing for its class.



MEXICAN COMPLIANCE

FEBRUARY 2013

CALVARY CHAPEL OF TWIN FALLS, INC.

LAS CRUCES, NM K211EN

CHANNEL 212

N. Lat. = 322415.0 W. Lng. = 1064547.0

HAAT and Distance to Contour,

FCC, FM 2-10 Mi, 51 pts Method - USGS 03 SEC

Azi.	AV EL	HAAT	ERP kW	dBk	Field	60-F5
000	1355.0	111.0	0.0070	-21.55	1.000	5.64
001	1353.2	112.8	0.0070	-21.55	1.000	5.69
002	1351.8	114.3	0.0070	-21.55	1.000	5.72
003	1349.1	116.9	0.0070	-21.55	1.000	5.79
004	1345.8	120.2	0.0070	-21.55	1.000	5.86
005	1342.7	123.3	0.0070	-21.55	1.000	5.92
006	1340.3	125.7	0.0070	-21.55	1.000	5.97
007	1338.3	127.7	0.0070	-21.55	1.000	6.01
008	1336.7	129.3	0.0070	-21.55	1.000	6.05
009	1335.3	130.7	0.0070	-21.55	1.000	6.08
010	1333.9	132.1	0.0070	-21.55	1.000	6.11
011	1332.6	133.4	0.0070	-21.55	1.000	6.14
012	1331.5	134.5	0.0070	-21.55	1.000	6.16
013	1330.0	136.0	0.0070	-21.55	1.000	6.19
014	1328.8	137.2	0.0070	-21.55	1.000	6.22
015	1327.6	138.4	0.0070	-21.55	1.000	6.25
016	1326.5	139.5	0.0070	-21.55	1.000	6.27
017	1325.5	140.5	0.0070	-21.55	1.000	6.29
018	1324.7	141.3	0.0070	-21.55	1.000	6.31
019	1324.0	142.0	0.0070	-21.55	1.000	6.32
020	1323.2	142.8	0.0070	-21.55	1.000	6.34
021	1322.6	143.4	0.0070	-21.55	1.000	6.35
022	1322.0	144.0	0.0070	-21.55	1.000	6.37
023	1321.6	144.4	0.0070	-21.55	1.000	6.38
024	1321.2	144.8	0.0070	-21.55	1.000	6.38
025	1321.0	145.0	0.0070	-21.55	1.000	6.39
026	1320.9	145.1	0.0070	-21.55	1.000	6.39
027	1321.3	144.7	0.0070	-21.55	1.000	6.38
028	1321.5	144.5	0.0070	-21.55	1.000	6.38
029	1322.0	144.0	0.0070	-21.55	1.000	6.37
030	1322.7	143.3	0.0070	-21.55	1.000	6.35
031	1323.3	142.7	0.0070	-21.55	1.000	6.34
032	1324.2	141.8	0.0070	-21.55	1.000	6.32
033	1325.1	140.9	0.0070	-21.55	1.000	6.30
034	1326.1	139.9	0.0070	-21.55	1.000	6.28
035	1327.1	138.9	0.0070	-21.55	1.000	6.26
036	1328.1	137.9	0.0070	-21.55	1.000	6.24
037	1329.1	136.9	0.0070	-21.55	1.000	6.21
038	1330.0	136.0	0.0070	-21.55	1.000	6.20
039	1331.1	134.9	0.0070	-21.55	1.000	6.17
040	1332.3	133.7	0.0070	-21.55	1.000	6.15
041	1333.5	132.5	0.0070	-21.55	1.000	6.12
042	1334.6	131.4	0.0070	-21.55	1.000	6.09
043	1335.8	130.2	0.0070	-21.55	1.000	6.07
044	1337.2	128.8	0.0070	-21.55	1.000	6.04
045	1338.5	127.5	0.0070	-21.55	1.000	6.01
046	1340.0	126.0	0.0070	-21.55	1.000	5.98
047	1341.4	124.6	0.0070	-21.55	1.000	5.95
048	1342.8	123.2	0.0070	-21.55	1.000	5.92
049	1344.3	121.7	0.0070	-21.55	1.000	5.89
050	1346.1	119.9	0.0070	-21.55	1.000	5.85

				Contour.out	
051	1347.9	118.1	0.0070	-21.55	1.000 5.81
052	1349.7	116.3	0.0070	-21.55	1.000 5.77
053	1351.5	114.5	0.0070	-21.55	1.000 5.73
054	1353.3	112.7	0.0070	-21.55	1.000 5.69
055	1355.1	110.9	0.0070	-21.55	1.000 5.64
056	1356.9	109.1	0.0070	-21.55	1.000 5.60
057	1358.6	107.4	0.0070	-21.55	1.000 5.55
058	1360.5	105.5	0.0070	-21.55	1.000 5.50
059	1362.3	103.7	0.0070	-21.55	1.000 5.45
060	1364.3	101.7	0.0070	-21.55	1.000 5.40
061	1366.4	99.6	0.0070	-21.55	1.000 5.34
062	1368.8	97.2	0.0070	-21.55	1.000 5.27
063	1370.9	95.1	0.0070	-21.55	1.000 5.21
064	1373.0	93.0	0.0070	-21.55	1.000 5.15
065	1375.1	90.9	0.0070	-21.55	1.000 5.08
066	1377.0	89.0	0.0070	-21.55	1.000 5.02
067	1378.9	87.1	0.0070	-21.55	1.000 4.97
068	1381.0	85.0	0.0070	-21.55	1.000 4.90
069	1382.9	83.1	0.0070	-21.55	1.000 4.85
070	1384.7	81.3	0.0070	-21.55	1.000 4.79
071	1386.5	79.5	0.0070	-21.55	1.000 4.74
072	1388.2	77.8	0.0070	-21.55	1.000 4.68
073	1389.7	76.3	0.0070	-21.55	1.000 4.63
074	1391.1	74.9	0.0070	-21.55	1.000 4.59
075	1392.6	73.4	0.0070	-21.55	1.000 4.54
076	1394.1	71.9	0.0070	-21.55	1.000 4.49
077	1395.7	70.3	0.0070	-21.55	1.000 4.44
078	1397.1	68.9	0.0070	-21.55	1.000 4.41
079	1397.9	68.1	0.0070	-21.55	1.000 4.38
080	1399.0	67.0	0.0070	-21.55	1.000 4.35
081	1400.8	65.2	0.0070	-21.55	1.000 4.30
082	1402.5	63.5	0.0070	-21.55	1.000 4.24
083	1403.8	62.2	0.0070	-21.55	1.000 4.20
084	1404.1	61.9	0.0070	-21.55	1.000 4.19
085	1405.5	60.5	0.0070	-21.55	1.000 4.15
086	1408.2	57.8	0.0070	-21.55	1.000 4.06
087	1410.2	55.8	0.0070	-21.55	1.000 3.99
088	1410.9	55.1	0.0070	-21.55	1.000 3.97
089	1413.6	52.4	0.0070	-21.55	1.000 3.87
090	1417.2	48.8	0.0070	-21.55	1.000 3.72
091	1418.6	47.4	0.0070	-21.55	1.000 3.66
092	1416.5	49.5	0.0070	-21.55	1.000 3.75
093	1417.9	48.1	0.0070	-21.55	1.000 3.69
094	1417.2	48.8	0.0070	-21.55	1.000 3.72
095	1415.3	50.7	0.0070	-21.55	1.000 3.80
096	1414.8	51.2	0.0070	-21.55	1.000 3.82
097	1417.1	48.9	0.0070	-21.55	1.000 3.72
098	1418.4	47.6	0.0070	-21.55	1.000 3.66
099	1414.1	51.9	0.0070	-21.55	1.000 3.84
100	1412.3	53.7	0.0070	-21.55	1.000 3.91
101	1412.2	53.8	0.0070	-21.55	1.000 3.92
102	1412.4	53.6	0.0070	-21.55	1.000 3.91
103	1412.4	53.6	0.0070	-21.55	1.000 3.91
104	1411.9	54.1	0.0070	-21.55	1.000 3.93
105	1410.7	55.3	0.0070	-21.55	1.000 3.97
106	1410.9	55.1	0.0070	-21.55	1.000 3.96
107	1410.6	55.4	0.0070	-21.55	1.000 3.97
108	1410.5	55.5	0.0070	-21.55	1.000 3.98
109	1410.1	55.9	0.0070	-21.55	1.000 3.99
110	1408.7	57.3	0.0070	-21.55	1.000 4.04
111	1409.1	56.9	0.0070	-21.55	1.000 4.03
112	1408.6	57.4	0.0070	-21.55	1.000 4.04
113	1408.2	57.8	0.0070	-21.55	1.000 4.06

				Contour.out	
114	1407.8	58.2	0.0070	-21.55	1.000 4.08
115	1407.2	58.8	0.0070	-21.55	1.000 4.10
116	1406.1	59.9	0.0070	-21.55	1.000 4.13
117	1404.9	61.1	0.0070	-21.55	1.000 4.17
118	1403.6	62.4	0.0070	-21.55	1.000 4.21
119	1401.9	64.1	0.0070	-21.55	1.000 4.26
120	1400.0	66.0	0.0070	-21.55	1.000 4.32
121	1398.0	68.0	0.0070	-21.55	1.000 4.38
122	1395.9	70.1	0.0070	-21.55	1.000 4.44
123	1393.9	72.1	0.0070	-21.55	1.000 4.50
124	1391.6	74.4	0.0070	-21.55	1.000 4.57
125	1388.8	77.2	0.0070	-21.55	1.000 4.66
126	1385.8	80.2	0.0070	-21.55	1.000 4.76
127	1382.9	83.1	0.0070	-21.55	1.000 4.85
128	1380.2	85.8	0.0070	-21.55	1.000 4.93
129	1376.9	89.1	0.0070	-21.55	1.000 5.03
130	1373.4	92.6	0.0070	-21.55	1.000 5.14
131	1370.0	96.0	0.0070	-21.55	1.000 5.24
132	1366.8	99.2	0.0070	-21.55	1.000 5.33
133	1363.6	102.4	0.0070	-21.55	1.000 5.41
134	1360.6	105.4	0.0070	-21.55	1.000 5.50
135	1357.3	108.7	0.0070	-21.55	1.000 5.58
136	1354.3	111.7	0.0070	-21.55	1.000 5.66
137	1351.3	114.7	0.0070	-21.55	1.000 5.74
138	1347.8	118.2	0.0070	-21.55	1.000 5.82
139	1344.7	121.3	0.0070	-21.55	1.000 5.88
140	1341.8	124.2	0.0070	-21.55	1.000 5.94
141	1339.0	127.0	0.0070	-21.55	1.000 6.00
142	1335.8	130.2	0.0070	-21.55	1.000 6.07
143	1332.8	133.2	0.0070	-21.55	1.000 6.13
144	1329.8	136.2	0.0070	-21.55	1.000 6.20
145	1327.3	138.7	0.0070	-21.55	1.000 6.25
146	1324.5	141.5	0.0070	-21.55	1.000 6.31
147	1320.3	145.7	0.0070	-21.55	1.000 6.40
148	1315.8	150.2	0.0070	-21.55	1.000 6.50
149	1312.4	153.6	0.0070	-21.55	1.000 6.57
150	1310.3	155.7	0.0070	-21.55	1.000 6.62
151	1309.2	156.8	0.0070	-21.55	1.000 6.64
152	1311.7	154.3	0.0070	-21.55	1.000 6.59
153	1314.9	151.1	0.0070	-21.55	1.000 6.52
154	1315.7	150.3	0.0070	-21.55	1.000 6.50
155	1309.2	156.8	0.0070	-21.55	1.000 6.64
156	1298.7	167.3	0.0070	-21.55	1.000 6.86
157	1294.6	171.4	0.0070	-21.55	1.000 6.94
158	1291.8	174.2	0.0070	-21.55	1.000 6.99
159	1288.7	177.3	0.0070	-21.55	1.000 7.05
160	1285.5	180.5	0.0070	-21.55	1.000 7.11
161	1283.0	183.0	0.0070	-21.55	1.000 7.15
162	1280.9	185.1	0.0070	-21.55	1.000 7.19
163	1278.4	187.6	0.0070	-21.55	1.000 7.24
164	1275.2	190.8	0.0070	-21.55	1.000 7.29
165	1271.6	194.4	0.0070	-21.55	1.000 7.36
166	1267.8	198.2	0.0070	-21.55	1.000 7.43
167	1263.5	202.5	0.0070	-21.55	1.000 7.51
168	1259.8	206.2	0.0070	-21.55	1.000 7.58
169	1255.9	210.1	0.0070	-21.55	1.000 7.66
170	1252.1	213.9	0.0070	-21.55	1.000 7.73
171	1248.9	217.1	0.0070	-21.55	1.000 7.79
172	1245.9	220.1	0.0070	-21.55	1.000 7.85
173	1242.7	223.3	0.0070	-21.55	1.000 7.91
174	1239.2	226.8	0.0070	-21.55	1.000 7.98
175	1235.7	230.3	0.0070	-21.55	1.000 8.04
176	1232.4	233.6	0.0070	-21.55	1.000 8.10

				Contour.out		
177	1229.6	236.4	0.0070	-21.55	1.000	8.15
178	1227.6	238.4	0.0070	-21.55	1.000	8.19
179	1225.7	240.3	0.0070	-21.55	1.000	8.23
180	1224.0	242.0	0.0070	-21.55	1.000	8.25
181	1222.4	243.6	0.0070	-21.55	1.000	8.28
182	1220.9	245.1	0.0070	-21.55	1.000	8.31
183	1219.4	246.6	0.0070	-21.55	1.000	8.33
184	1217.9	248.1	0.0070	-21.55	1.000	8.36
185	1216.1	249.9	0.0070	-21.55	1.000	8.39
186	1214.2	251.8	0.0070	-21.55	1.000	8.42
187	1212.5	253.5	0.0070	-21.55	1.000	8.45
188	1211.1	254.9	0.0070	-21.55	1.000	8.48
189	1209.8	256.2	0.0070	-21.55	1.000	8.50
190	1208.7	257.3	0.0070	-21.55	1.000	8.52
191	1207.7	258.3	0.0070	-21.55	1.000	8.54
192	1206.9	259.1	0.0070	-21.55	1.000	8.55
193	1206.1	259.9	0.0070	-21.55	1.000	8.56
194	1205.3	260.7	0.0070	-21.55	1.000	8.58
195	1204.6	261.4	0.0070	-21.55	1.000	8.59
196	1204.0	262.0	0.0070	-21.55	1.000	8.60
197	1203.3	262.7	0.0070	-21.55	1.000	8.61
198	1202.6	263.4	0.0070	-21.55	1.000	8.62
199	1202.0	264.0	0.0070	-21.55	1.000	8.63
200	1201.5	264.5	0.0070	-21.55	1.000	8.64
201	1201.1	264.9	0.0070	-21.55	1.000	8.65
202	1200.6	265.4	0.0070	-21.55	1.000	8.66
203	1200.2	265.8	0.0070	-21.55	1.000	8.66
204	1199.9	266.1	0.0070	-21.55	1.000	8.67
205	1199.6	266.4	0.0070	-21.55	1.000	8.68
206	1199.3	266.7	0.0070	-21.55	1.000	8.68
207	1199.1	266.9	0.0070	-21.55	1.000	8.68
208	1198.9	267.1	0.0070	-21.55	1.000	8.69
209	1198.8	267.2	0.0070	-21.55	1.000	8.69
210	1199.0	267.0	0.0070	-21.55	1.000	8.69
211	1199.4	266.6	0.0070	-21.55	1.000	8.68
212	1199.8	266.2	0.0070	-21.55	1.000	8.67
213	1200.0	266.0	0.0070	-21.55	1.000	8.67
214	1200.5	265.5	0.0070	-21.55	1.000	8.66
215	1200.9	265.1	0.0070	-21.55	1.000	8.65
216	1201.2	264.8	0.0070	-21.55	1.000	8.65
217	1201.7	264.3	0.0070	-21.55	1.000	8.64
218	1202.7	263.3	0.0070	-21.55	1.000	8.62
219	1203.8	262.2	0.0070	-21.55	1.000	8.60
220	1204.3	261.7	0.0070	-21.55	1.000	8.59
221	1205.0	261.0	0.0070	-21.55	1.000	8.58
222	1206.1	259.9	0.0070	-21.55	1.000	8.56
223	1207.6	258.4	0.0070	-21.55	1.000	8.54
224	1209.3	256.7	0.0070	-21.55	1.000	8.51
225	1211.9	254.1	0.0070	-21.55	1.000	8.46
226	1214.0	252.0	0.0070	-21.55	1.000	8.43
227	1216.0	250.0	0.0070	-21.55	1.000	8.39
228	1218.1	247.9	0.0070	-21.55	1.000	8.36
229	1220.7	245.3	0.0070	-21.55	1.000	8.31
230	1223.8	242.2	0.0070	-21.55	1.000	8.26
231	1226.8	239.2	0.0070	-21.55	1.000	8.21
232	1228.8	237.2	0.0070	-21.55	1.000	8.17
233	1233.4	232.6	0.0070	-21.55	1.000	8.09
234	1242.1	223.9	0.0070	-21.55	1.000	7.92
235	1245.0	221.0	0.0070	-21.55	1.000	7.87
236	1244.1	221.9	0.0070	-21.55	1.000	7.89
237	1239.4	226.6	0.0070	-21.55	1.000	7.97
238	1236.2	229.8	0.0070	-21.55	1.000	8.03
239	1236.2	229.8	0.0070	-21.55	1.000	8.03

				Contour.out		
240	1238.1	227.9	0.0070	-21.55	1.000	8.00
241	1240.6	225.4	0.0070	-21.55	1.000	7.95
242	1242.4	223.6	0.0070	-21.55	1.000	7.92
243	1244.0	222.0	0.0070	-21.55	1.000	7.89
244	1246.6	219.4	0.0070	-21.55	1.000	7.84
245	1251.4	214.6	0.0070	-21.55	1.000	7.75
246	1255.7	210.3	0.0070	-21.55	1.000	7.66
247	1258.3	207.7	0.0070	-21.55	1.000	7.61
248	1258.8	207.2	0.0070	-21.55	1.000	7.60
249	1259.9	206.1	0.0070	-21.55	1.000	7.58
250	1264.3	201.7	0.0070	-21.55	1.000	7.49
251	1267.9	198.1	0.0070	-21.55	1.000	7.43
252	1272.3	193.7	0.0070	-21.55	1.000	7.35
253	1278.1	187.9	0.0070	-21.55	1.000	7.24
254	1282.8	183.2	0.0070	-21.55	1.000	7.16
255	1285.1	180.9	0.0070	-21.55	1.000	7.12
256	1286.3	179.7	0.0070	-21.55	1.000	7.09
257	1287.2	178.8	0.0070	-21.55	1.000	7.08
258	1289.6	176.4	0.0070	-21.55	1.000	7.03
259	1293.7	172.3	0.0070	-21.55	1.000	6.95
260	1298.3	167.7	0.0070	-21.55	1.000	6.86
261	1302.2	163.8	0.0070	-21.55	1.000	6.79
262	1302.1	163.9	0.0070	-21.55	1.000	6.79
263	1302.2	163.8	0.0070	-21.55	1.000	6.79
264	1301.6	164.4	0.0070	-21.55	1.000	6.80
265	1299.1	166.9	0.0070	-21.55	1.000	6.85
266	1298.3	167.7	0.0070	-21.55	1.000	6.86
267	1299.8	166.2	0.0070	-21.55	1.000	6.83
268	1303.9	162.1	0.0070	-21.55	1.000	6.75
269	1304.8	161.2	0.0070	-21.55	1.000	6.73
270	1304.3	161.7	0.0070	-21.55	1.000	6.74
271	1304.7	161.3	0.0070	-21.55	1.000	6.73
272	1305.2	160.8	0.0070	-21.55	1.000	6.72
273	1303.9	162.1	0.0070	-21.55	1.000	6.75
274	1301.7	164.3	0.0070	-21.55	1.000	6.80
275	1304.0	162.0	0.0070	-21.55	1.000	6.75
276	1307.1	158.9	0.0070	-21.55	1.000	6.68
277	1302.8	163.2	0.0070	-21.55	1.000	6.77
278	1305.1	160.9	0.0070	-21.55	1.000	6.73
279	1314.1	151.9	0.0070	-21.55	1.000	6.53
280	1319.2	146.8	0.0070	-21.55	1.000	6.43
281	1324.2	141.8	0.0070	-21.55	1.000	6.32
282	1326.2	139.8	0.0070	-21.55	1.000	6.28
283	1321.7	144.3	0.0070	-21.55	1.000	6.37
284	1309.7	156.3	0.0070	-21.55	1.000	6.63
285	1293.9	172.1	0.0070	-21.55	1.000	6.95
286	1281.0	185.0	0.0070	-21.55	1.000	7.19
287	1270.6	195.4	0.0070	-21.55	1.000	7.38
288	1264.4	201.6	0.0070	-21.55	1.000	7.49
289	1263.4	202.6	0.0070	-21.55	1.000	7.51
290	1261.6	204.4	0.0070	-21.55	1.000	7.55
291	1255.8	210.2	0.0070	-21.55	1.000	7.66
292	1250.9	215.1	0.0070	-21.55	1.000	7.76
293	1244.4	221.6	0.0070	-21.55	1.000	7.88
294	1242.9	223.1	0.0070	-21.55	1.000	7.91
295	1243.4	222.6	0.0070	-21.55	1.000	7.90
296	1244.9	221.1	0.0070	-21.55	1.000	7.87
297	1247.1	218.9	0.0070	-21.55	1.000	7.83
298	1251.1	214.9	0.0070	-21.55	1.000	7.75
299	1256.2	209.8	0.0070	-21.55	1.000	7.65
300	1261.9	204.1	0.0070	-21.55	1.000	7.54
301	1267.9	198.1	0.0070	-21.55	1.000	7.43
302	1274.0	192.0	0.0070	-21.55	1.000	7.32

Contour.out						
303	1280.0	186.0	0.0070	-21.55	1.000	7.21
304	1285.1	180.9	0.0070	-21.55	1.000	7.12
305	1290.0	176.0	0.0070	-21.55	1.000	7.02
306	1294.8	171.2	0.0070	-21.55	1.000	6.93
307	1300.6	165.4	0.0070	-21.55	1.000	6.82
308	1305.7	160.3	0.0070	-21.55	1.000	6.71
309	1310.5	155.5	0.0070	-21.55	1.000	6.61
310	1316.6	149.4	0.0070	-21.55	1.000	6.48
311	1322.9	143.1	0.0070	-21.55	1.000	6.35
312	1328.8	137.2	0.0070	-21.55	1.000	6.22
313	1334.4	131.6	0.0070	-21.55	1.000	6.10
314	1340.7	125.3	0.0070	-21.55	1.000	5.96
315	1347.2	118.8	0.0070	-21.55	1.000	5.83
316	1352.2	113.8	0.0070	-21.55	1.000	5.71
317	1356.8	109.2	0.0070	-21.55	1.000	5.60
318	1361.9	104.1	0.0070	-21.55	1.000	5.46
319	1368.0	98.0	0.0070	-21.55	1.000	5.29
320	1376.1	89.9	0.0070	-21.55	1.000	5.05
321	1384.1	81.9	0.0070	-21.55	1.000	4.81
322	1390.4	75.6	0.0070	-21.55	1.000	4.61
323	1394.5	71.5	0.0070	-21.55	1.000	4.48
324	1397.7	68.3	0.0070	-21.55	1.000	4.39
325	1402.0	64.0	0.0070	-21.55	1.000	4.26
326	1407.8	58.2	0.0070	-21.55	1.000	4.08
327	1414.2	51.8	0.0070	-21.55	1.000	3.84
328	1422.4	43.6	0.0070	-21.55	1.000	3.49
329	1434.1	31.9	0.0070	-21.55	1.000	2.96
330	1444.4	21.6	0.0070	-21.55	1.000	2.89
331	1454.2	11.8	0.0070	-21.55	1.000	2.89
332	1459.3	6.7	0.0070	-21.55	1.000	2.89
333	1458.4	7.6	0.0070	-21.55	1.000	2.89
334	1459.3	6.7	0.0070	-21.55	1.000	2.89
335	1463.9	2.1	0.0070	-21.55	1.000	2.89
336	1468.2	-2.2	0.0070	-21.55	1.000	2.89
337	1467.4	-1.4	0.0070	-21.55	1.000	2.89
338	1463.9	2.1	0.0070	-21.55	1.000	2.89
339	1463.0	3.0	0.0070	-21.55	1.000	2.89
340	1461.4	4.6	0.0070	-21.55	1.000	2.89
341	1458.4	7.6	0.0070	-21.55	1.000	2.89
342	1450.0	16.0	0.0070	-21.55	1.000	2.89
343	1436.4	29.6	0.0070	-21.55	1.000	2.89
344	1424.5	41.5	0.0070	-21.55	1.000	3.40
345	1416.7	49.3	0.0070	-21.55	1.000	3.74
346	1409.4	56.6	0.0070	-21.55	1.000	4.02
347	1404.0	62.0	0.0070	-21.55	1.000	4.20
348	1397.4	68.6	0.0070	-21.55	1.000	4.40
349	1389.9	76.1	0.0070	-21.55	1.000	4.63
350	1383.9	82.1	0.0070	-21.55	1.000	4.82
351	1379.3	86.7	0.0070	-21.55	1.000	4.95
352	1376.7	89.3	0.0070	-21.55	1.000	5.03
353	1374.8	91.2	0.0070	-21.55	1.000	5.09
354	1371.9	94.1	0.0070	-21.55	1.000	5.18
355	1367.7	98.3	0.0070	-21.55	1.000	5.30
356	1364.3	101.8	0.0070	-21.55	1.000	5.40
357	1361.5	104.5	0.0070	-21.55	1.000	5.47
358	1359.3	106.7	0.0070	-21.55	1.000	5.53
359	1357.1	108.9	0.0070	-21.55	1.000	5.59

Ave EI = 1320.88 M HAAT= 145.12 M AMSL= 1466
Area by numeric integration= 129.23 Sq km.