

Exhibit 19.1

Radiofrequency Radiation Guidelines Compliance Study

This instant application has been evaluated for potential of human exposure to non-ionizing radiofrequency radiation. The guidelines set forth in the Federal Communications Commission Public Notice DA 05-2741 which have been based on OET Bulletin No. 65 (Edition 97-01) and the companion Supplement A (Edition 97-01) were used as the standard for this evaluation.

The proposed KFJL(AM) facility will operate on 1400 kHz with a non-directional daytime and nighttime power of 1.0 kW. The common daytime/nighttime operation will use a KINSTAR© non-directional antenna system comprised of a 28.8° electrical degree vertical folded unipole four wire skirt mounted on the central tower with 61.2° electrical degree top-loaded wires running horizontally at equally spaced intervals to four perpendicular towers.

FCC Public Notice DA 05-2741 released October 25, 2005, specify that, “Licensees may establish the distance to the enclosing fence either by RF measurements, made in accordance with the procedures set forth in OET Bulletin 65, or by relying upon the manufacturer’s calculations”. As a result, fencing has been constructed to a distance of 5.0 meters from the base of the tower in accordance with Figure(s) 24 to 36 of the manufacturer’s Attachment A associated with FCC Public Notice DA 05-2741.

As stated before, the fencing around the non-directional tower will be built to no less than 5.0 meters to meet this criteria. Access to areas within the fence will be limited by means of a locked gate. In addition to these measures, signs will also be posted warning of the potential for exposure to excessive levels of non-ionizing radiofrequency radiation. Also in accordance with FCC Public Notice DA 05-2741 and its associated Attachment A, for operations at 1 kW, such as this, no exposure restrictions will be required for areas under the four equally spaced top-loaded horizontal elements.

In the event maintenance personnel are required to work within the restricted area, they will be advised to limit their work in the high RF field areas to specified periods of time appropriate for compliance with the FCC guidelines set forth in OET Bulletin No. 65 (Edition 97-01). If their work cannot be completed within the specified period of time, it is proposed to reduce power appropriately or shut down the operation of the station to permit completion of the assignment. There are no additional sources of radiofrequency radiation subject to the guidelines of OET Bulletin No. 65 (Edition 97-01) at this location.