



Exhibit No.  
**TWO**

Date	<b>16 Oct 2008</b>	Channel	<b>13</b>
Call Letters	<b>WLOS</b>		
Location	<b>Asheville, NC</b>		
Customer	<b>WLOS Licensee, LLC</b>		
Antenna Type	<b>THV-10A13-R C170</b>		


### AZIMUTH PATTERN

Gain  
Calculated / Measured

**1.70 (2.30 dB)**  
**Calculated**

Frequency  
Drawing #

**213 MHz**  
**THV-C170**



Remarks:



Exhibit No.  
**THREE**

Date **16 Oct 2008**  
 Call Letters **WLOS** Channel **13**  
 Location **Asheville, NC**  
 Customer **WLOS Licensee, LLC**  
 Antenna Type **THV-10A13-R C170**

## TABULATION OF AZIMUTH PATTERN

Azimuth Pattern Drawing # **THV-C170**

Angle	Field	Angle	Field	Angle	Field	Angle	Field	Angle	Field	Angle	Field	Angle	Field	Angle	Field
0	0.936	45	0.996	90	0.659	135	0.193	180	0.202	225	0.723	270	1.000	315	0.928
1	0.938	46	0.995	91	0.646	136	0.193	181	0.205	226	0.735	271	1.000	316	0.927
2	0.940	47	0.993	92	0.632	137	0.193	182	0.210	227	0.747	272	1.000	317	0.925
3	0.942	48	0.991	93	0.618	138	0.194	183	0.214	228	0.759	273	1.000	318	0.924
4	0.944	49	0.989	94	0.605	139	0.195	184	0.220	229	0.771	274	0.999	319	0.923
5	0.946	50	0.987	95	0.591	140	0.196	185	0.226	230	0.782	275	0.999	320	0.921
6	0.948	51	0.984	96	0.577	141	0.197	186	0.233	231	0.793	276	0.998	321	0.920
7	0.950	52	0.981	97	0.563	142	0.199	187	0.240	232	0.804	277	0.997	322	0.919
8	0.952	53	0.978	98	0.549	143	0.200	188	0.249	233	0.814	278	0.996	323	0.918
9	0.954	54	0.974	99	0.535	144	0.202	189	0.257	234	0.824	279	0.995	324	0.917
10	0.956	55	0.971	100	0.521	145	0.203	190	0.267	235	0.834	280	0.994	325	0.917
11	0.958	56	0.967	101	0.507	146	0.205	191	0.276	236	0.844	281	0.993	326	0.916
12	0.960	57	0.963	102	0.492	147	0.206	192	0.287	237	0.853	282	0.991	327	0.915
13	0.963	58	0.958	103	0.478	148	0.207	193	0.297	238	0.862	283	0.990	328	0.915
14	0.965	59	0.953	104	0.464	149	0.209	194	0.309	239	0.871	284	0.988	329	0.914
15	0.967	60	0.948	105	0.450	150	0.210	195	0.320	240	0.880	285	0.987	330	0.914
16	0.969	61	0.943	106	0.437	151	0.211	196	0.332	241	0.888	286	0.985	331	0.913
17	0.971	62	0.937	107	0.423	152	0.211	197	0.344	242	0.896	287	0.983	332	0.913
18	0.973	63	0.931	108	0.409	153	0.212	198	0.357	243	0.904	288	0.981	333	0.913
19	0.975	64	0.924	109	0.396	154	0.212	199	0.369	244	0.911	289	0.979	334	0.913
20	0.977	65	0.918	110	0.383	155	0.212	200	0.383	245	0.918	290	0.977	335	0.912
21	0.979	66	0.911	111	0.369	156	0.212	201	0.396	246	0.924	291	0.975	336	0.913
22	0.981	67	0.904	112	0.357	157	0.212	202	0.409	247	0.931	292	0.973	337	0.913
23	0.983	68	0.896	113	0.344	158	0.211	203	0.423	248	0.937	293	0.971	338	0.913
24	0.985	69	0.888	114	0.332	159	0.211	204	0.437	249	0.943	294	0.969	339	0.913
25	0.987	70	0.880	115	0.320	160	0.210	205	0.450	250	0.948	295	0.967	340	0.914
26	0.988	71	0.871	116	0.309	161	0.209	206	0.464	251	0.953	296	0.965	341	0.914
27	0.990	72	0.862	117	0.297	162	0.207	207	0.478	252	0.958	297	0.963	342	0.915
28	0.991	73	0.853	118	0.287	163	0.206	208	0.492	253	0.963	298	0.960	343	0.915
29	0.993	74	0.844	119	0.276	164	0.205	209	0.507	254	0.967	299	0.958	344	0.916
30	0.994	75	0.834	120	0.267	165	0.203	210	0.521	255	0.971	300	0.956	345	0.917
31	0.995	76	0.824	121	0.257	166	0.202	211	0.535	256	0.974	301	0.954	346	0.917
32	0.996	77	0.814	122	0.249	167	0.200	212	0.549	257	0.978	302	0.952	347	0.918
33	0.997	78	0.804	123	0.240	168	0.199	213	0.563	258	0.981	303	0.950	348	0.919
34	0.998	79	0.793	124	0.233	169	0.197	214	0.577	259	0.984	304	0.948	349	0.920
35	0.999	80	0.782	125	0.226	170	0.196	215	0.591	260	0.987	305	0.946	350	0.921
36	0.999	81	0.771	126	0.220	171	0.195	216	0.605	261	0.989	306	0.944	351	0.923
37	1.000	82	0.759	127	0.214	172	0.194	217	0.618	262	0.991	307	0.942	352	0.924
38	1.000	83	0.747	128	0.210	173	0.193	218	0.632	263	0.993	308	0.940	353	0.925
39	1.000	84	0.735	129	0.205	174	0.193	219	0.646	264	0.995	309	0.938	354	0.927
40	1.000	85	0.723	130	0.202	175	0.193	220	0.659	265	0.996	310	0.936	355	0.928
41	0.999	86	0.710	131	0.199	176	0.194	221	0.672	266	0.997	311	0.935	356	0.930
42	0.999	87	0.698	132	0.197	177	0.195	222	0.685	267	0.998	312	0.933	357	0.931
43	0.998	88	0.685	133	0.195	178	0.197	223	0.698	268	0.999	313	0.931	358	0.933
44	0.997	89	0.672	134	0.194	179	0.199	224	0.710	269	1.000	314	0.930	359	0.935

Remarks:




Exhibit No.  
**FOUR-A**

Date  
Call Letters  
Location  
Customer  
Antenna Type

**16 Oct 2008**  
**WLOS** Channel **13**  
**Asheville, NC**  
**WLOS Licensee, LLC**  
**THV-10A13-R C170**

### ELEVATION PATTERN

RMS Gain at Main Lobe	<b>10.0 (10.00 dB)</b>	Beam Tilt	<b>1.00 Degrees</b>
RMS Gain at Horizontal	<b>9.0 (9.54 dB)</b>	Frequency	<b>213.00 MHz</b>
Calculated / Measured	<b>Calculated</b>	Drawing #	<b>10V100100-90</b>



Remarks:




Exhibit No.  
**FOUR-B**

Date	<b>16 Oct 2008</b>	Channel	<b>13</b>
Call Letters	<b>WLOS</b>		
Location	<b>Asheville, NC</b>		
Customer	<b>WLOS Licensee, LLC</b>		
Antenna Type	<b>THV-10A13-R C170</b>		

### ELEVATION PATTERN

RMS Gain at Main Lobe	<b>10.0 (10.00 dB)</b>	Beam Tilt	<b>1.00 Degrees</b>
RMS Gain at Horizontal	<b>9.0 (9.54 dB)</b>	Frequency	<b>213.00 MHz</b>
Calculated / Measured	<b>Calculated</b>	Drawing #	<b>10V100100</b>



Remarks:



Exhibit No.

**FIVE**

Date

**16 Oct 2008**

Call Letters

**WLOS**

Channel

**13**

Location

**Asheville, NC**

Customer

**WLOS Licensee, LLC**

Antenna Type

**THV-10A13-R C170**

## TABULATION OF ELEVATION PATTERN

Elevation Pattern Drawing #

**10V100100-90**

Angle	Field	Angle	Field	Angle	Field	Angle	Field	Angle	Field	Angle	Field
-10.0	0.143	2.4	0.914	10.6	0.105	30.5	0.035	51.0	0.066	71.5	0.041
-9.5	0.179	2.6	0.889	10.8	0.088	31.0	0.019	51.5	0.062	72.0	0.042
-9.0	0.218	2.8	0.861	11.0	0.071	31.5	0.011	52.0	0.057	72.5	0.043
-8.5	0.253	3.0	0.830	11.5	0.026	32.0	0.021	52.5	0.052	73.0	0.043
-8.0	0.280	3.2	0.798	12.0	0.022	32.5	0.032	53.0	0.047	73.5	0.044
-7.5	0.296	3.4	0.763	12.5	0.065	33.0	0.042	53.5	0.042	74.0	0.043
-7.0	0.298	3.6	0.727	13.0	0.103	33.5	0.048	54.0	0.040	74.5	0.043
-6.5	0.286	3.8	0.689	13.5	0.135	34.0	0.052	54.5	0.039	75.0	0.042
-6.0	0.258	4.0	0.650	14.0	0.159	34.5	0.052	55.0	0.041	75.5	0.041
-5.5	0.221	4.2	0.611	14.5	0.174	35.0	0.049	55.5	0.045	76.0	0.040
-5.0	0.184	4.4	0.571	15.0	0.179	35.5	0.044	56.0	0.049	76.5	0.039
-4.5	0.174	4.6	0.532	15.5	0.175	36.0	0.037	56.5	0.055	77.0	0.037
-4.0	0.214	4.8	0.492	16.0	0.163	36.5	0.032	57.0	0.060	77.5	0.035
-3.5	0.296	5.0	0.454	16.5	0.144	37.0	0.030	57.5	0.064	78.0	0.033
-3.0	0.398	5.2	0.417	17.0	0.119	37.5	0.033	58.0	0.068	78.5	0.031
-2.8	0.442	5.4	0.381	17.5	0.091	38.0	0.042	58.5	0.071	79.0	0.029
-2.6	0.486	5.6	0.348	18.0	0.061	38.5	0.052	59.0	0.073	79.5	0.027
-2.4	0.531	5.8	0.317	18.5	0.031	39.0	0.062	59.5	0.074	80.0	0.025
-2.2	0.576	6.0	0.290	19.0	0.009	39.5	0.072	60.0	0.074	80.5	0.023
-2.0	0.619	6.2	0.266	19.5	0.024	40.0	0.079	60.5	0.073	81.0	0.021
-1.8	0.662	6.4	0.245	20.0	0.044	40.5	0.084	61.0	0.072	81.5	0.019
-1.6	0.704	6.6	0.229	20.5	0.058	41.0	0.087	61.5	0.069	82.0	0.017
-1.4	0.743	6.8	0.217	21.0	0.068	41.5	0.088	62.0	0.066	82.5	0.015
-1.2	0.781	7.0	0.209	21.5	0.072	42.0	0.086	62.5	0.062	83.0	0.013
-1.0	0.817	7.2	0.204	22.0	0.072	42.5	0.081	63.0	0.057	83.5	0.012
-0.8	0.850	7.4	0.201	22.5	0.069	43.0	0.075	63.5	0.052	84.0	0.010
-0.6	0.880	7.6	0.201	23.0	0.065	43.5	0.067	64.0	0.047	84.5	0.008
-0.4	0.907	7.8	0.201	23.5	0.064	44.0	0.058	64.5	0.043	85.0	0.007
-0.2	0.931	8.0	0.202	24.0	0.066	44.5	0.050	65.0	0.038	85.5	0.006
0.0	0.951	8.2	0.202	24.5	0.073	45.0	0.042	65.5	0.034	86.0	0.005
0.2	0.968	8.4	0.202	25.0	0.083	45.5	0.038	66.0	0.030	86.5	0.004
0.4	0.982	8.6	0.201	25.5	0.093	46.0	0.038	66.5	0.028	87.0	0.003
0.6	0.992	8.8	0.198	26.0	0.102	46.5	0.041	67.0	0.027	87.5	0.002
0.8	0.998	9.0	0.194	26.5	0.108	47.0	0.047	67.5	0.026	88.0	0.001
1.0	1.000	9.2	0.188	27.0	0.111	47.5	0.053	68.0	0.027	88.5	0.001
1.2	0.998	9.4	0.180	27.5	0.110	48.0	0.059	68.5	0.029	89.0	0.000
1.4	0.993	9.6	0.171	28.0	0.104	48.5	0.064	69.0	0.031	89.5	0.000
1.6	0.984	9.8	0.160	28.5	0.095	49.0	0.068	69.5	0.033	90.0	0.000
1.8	0.972	10.0	0.148	29.0	0.083	49.5	0.070	70.0	0.036		
2.0	0.956	10.2	0.135	29.5	0.068	50.0	0.070	70.5	0.038		
2.2	0.937	10.4	0.120	30.0	0.052	50.5	0.069	71.0	0.040		

Remarks: