

Census data selected: 2000

Post DTV Transition Database Selected

TV INTERFERENCE and SPACING ANALYSIS PROGRAM

Date: 02-07-2010 Time: 15:59:11

Record Selected for Analysis

WDVB USERRECORD-01 NEW YORK NY US  
Channel 23 ERP 7. kW HAAT 301. m RCAMSL 00314 m STRINGENT MASK  
Latitude 040-44-54 Longitude 0073-59-10  
Status APP Zone 1 Border  
Dir Antenna Make CDB Model 00000000074158 Beam tilt N Ref Azimuth 260.  
Last update Cutoff date Docket  
Comments  
Applicant

Cell Size for Service Analysis 1.0 km/side

Distance Increments for Longley-Rice Analysis 1.00 km

Not full service station

Facility meets maximum power limit

Azimuth (Deg)	ERP (kW)	HAAT (m)	51.0 dBu F(50,90) (km)
0.0	0.510	278.4	36.2
45.0	0.005	304.7	14.1
90.0	0.002	301.6	11.2
135.0	0.013	303.0	17.9
180.0	2.665	299.1	46.1
225.0	5.854	314.0	51.1
270.0	3.469	303.3	47.7
315.0	6.512	300.3	50.9

Contour Overlap to Proposed Station

Station			
W23AZ	23 HACKETTSTOWN	NJ BLTTL20021007AAH	causes

Contour overlap to Digital LPTV station

WDVB	23 NEW YORK	NY USERRECORD01
------	-------------	-----------------

Contour Overlap Evaluation to Proposed Station Complete

Proposed facility OK to FCC Monitoring Stations

Proposed facility OK toward West Virginia quiet zone

Proposed facility OK toward Table Mountain

Proposed facility is within the Canadian coordination distance  
Distance to border = 395.7km

Proposed facility is beyond the Mexican coordination distance

Proposed station is OK toward AM broadcast stations

\*\*\*\*\*

Start of Interference Analysis

Channel	Proposed Station Call	City/State	ARN
23	WDVB	NEW YORK NY	USERRECORD01

Stations Potentially Affected by Proposed Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
20	W20CM	PORT JERVIS NY	89.7	LIC	BLTTL	-20071129AIS
22	W22BN	DANBURY CT	86.0	LIC	BLTTL	-19940912JB
22	WGBY-TV	SPRINGFIELD MA	199.8	CP	BPEDT	-20080507ACW
22	WNJS	CAMDEN NJ	134.8	CP	BPEDT	-20080620ALH
22	WNJS	CAMDEN NJ	134.8	LIC	BLEDT	-20070611AAY
22	WNYZ-LP	NEW YORK NY	3.6	APP	BDISDTL	-20091118AFX
22	WCBS-TV	PLAINVIEW NY	45.1	CP	BDRTCDT	-20090630AEB
22	WNEP-TV	WAYMART PA	155.4	LIC	BLCDT	-20091216AAH
23	WDDN-LP	WASHINGTON DC	326.1	LIC	BLTTL	-20080327AAI
23	W23DF-D	SALISBURY MD	297.2	LIC	BLDTL	-20090731AFF
23	W23CX	SALISBURY MD	301.7	LIC	BLTTL	-20070730AKY
23	W23AZ	HACKETTSTOWN NJ	72.2	LIC	BLTTL	-20021007AAH
23	WBPN-LD	BINGHAMTON NY	218.6	CP	BDCCDTL	-20061030AGK
23	WFTY-DT	SMITHTOWN NY	88.3	LIC	BLCDT	-20030113ABS
23	WFTY-DT	SMITHTOWN NY	88.3	CP	BPCDT	-20080613ACJ
23	WNGN-LP	TROY NY	228.4	APP	BDISDTL	-20090824ALE
23	WLYH-TV	LANCASTER PA	216.3	LIC	BLCDT	-20040922AAC
23	WDWA-LP	CLARKS CORNER VA	397.5	LIC	BLTTL	-20080814AAR
23	WDWA-LP	LURAY VA	397.5	APP	BSTA	-20080321ACV
24	WPSJ-LP	HAMMONTON, ETC. NJ	134.7	LIC	BLTTA	-20060720ADQ
24	WNYE-TV	NEW YORK NY	0.9	CP MOD	BMPEDT	-20070124AAX
24	WNYE-TV	NEW YORK NY	0.9	LIC	BLEDT	-20071228ABM
24	W24DB	CLARKS SUMMIT PA	164.8	LIC	BLTTA	-20041202ADB
24	W24BB	EAST STROUDSBURG PA	131.3	LIC	BLTTL	-19911219JM
24	W24BL	POTTSVILLE, ETC. PA	186.8	LIC	BLTT	-19920218JP
24	W24CS	READING PA	167.4	CP	BDFCDTT	-20060331AXW
24	W24CS	READING PA	167.4	LIC	BLTT	-20030321AAO
25	W25BB	PITTSTOWN NJ	86.2	LIC	BLTT	-19930325ID
25	W25AW	TRENTON NJ	83.1	LIC	BLTTA	-20030512ABW
26	W26DC	HEMPSTEAD NY	45.1	LIC	BLTTL	-20080522ABK
26	W26CE	NEW YORK NY	103.4	APP	BSTA	-20061003ABI
26	WNXY-LP	NEW YORK NY	3.6	LIC	BLTTL	-20070621AFF
26	W26CE	NEW YORK NY	103.0	APP	BSTA	-20070821AEJ
26	W26CE	NEW YORK NY	103.0	LIC	BLTTL	-20080306ABU
26	W26DB	PORT JERVIS NY	89.7	LIC	BLTTL	-20070223AHI
27	W27CD	STAMFORD CT	51.5	LIC	BLTTL	-20070209AAH
27	W27AL	MONTICELLO NY	117.0	LIC	BLTTL	-19940207JF
30	W30AZ	LIBERTY NY	127.2	LIC	BLTT	-19911028IF

%%%

Analysis of Interference to Affected Station 1

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
20	W20CM	PORT JERVIS NY	BLTTL	-20071129AIS

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
18	WMBC-TV	NEWTON NJ	68.4	PLN	DTVPLN	-DTVP0632
18	WMBC-TV	NEWTON NJ	68.4	CP	BPCDT	-20080620ABX

18	WMBC-TV	NEWTON NJ	68.4	LIC	BLCDDT	-20060803AMO
19	WRDM-CA	HARTFORD CT	163.6	CP	BDISDTA	-20080804ABN
19	W19DC-D	PORT JERVIS NY	31.9	CP MOD	BMPDTL	-20080214ADY
19	W19CI	BERWICK PA	134.5	APP	BDFCDTA	-20070607ACI
20	WTXX	WATERBURY CT	158.1	APP	BMPCDT	-20080620AHG
20	WTXX	WATERBURY CT	158.1	PLN	DTVPLN	-DTVP0706
20	WTXX	WATERBURY CT	158.1	CP	BPCDT	-20080328AIO
20	WCVB-TV	BOSTON MA	303.7	LIC	BLCDDT	-20020102AAH
20	WCVB-TV	BOSTON MA	303.7	PLN	DTVPLN	-DTVP0713
20	WQAW-LP	LAKE SHORE MD	308.7	APP	BDISDTL	-20081201ATE
20	WQAW-LP	LAKE SHORE MD	308.7	CP	BDISDTL	-20090629AAY
20	W20CQ-D	HEMPSTEAD NY	116.2	APP	BSTA	-20091230ACM
20	W20CQ-D	HEMPSTEAD NY	116.2	CP MOD	BMPDTL	-20091210ACZ
20	WNYI	ITHACA NY	210.0	CP	BPCDT	-20080620AAS
20	WNYI	ITHACA NY	191.5	PLN	DTVPLN	-DTVP0722
20	WNYI	ITHACA NY	191.8	APP	BMPCDT	-20090910AAU
20	W20CP-D	MANSFIELD PA	192.0	APP	BSTA	-20090528ADT
20	W20CP-D	MANSFIELD PA	192.0	LIC	BLDTT	-20081128ABW
20	W20AD-D	WILLIAMSPORT PA	197.0	LIC	BLDTT	-20090810AAD
20	W69AR	RUTLAND VT	280.6	CP	BDFCDTT	-20070906ADI
21	WSHM-LP	SPRINGFIELD MA	205.9	APP	BDISDTL	-20091022ABX
21	WLIW	GARDEN CITY NY	121.0	CP	BPEDT	-20080317AAQ
21	WLIW	GARDEN CITY NY	121.0	PLN	DTVPLN	-DTVP0758
21	WLIW	GARDEN CITY NY	121.0	APP	BMPEDT	-20080620AID
21	W21CP-D	GLOVERSVILLE NY	188.2	LIC	BLDTT	-20090601AQC
21	W64AL	STROUDSBURG PA	60.8	APP	BDISDTT	-20060403AFV
24	WNYE-TV	NEW YORK NY	89.0	CP MOD	BMPEDT	-20070124AAX
24	WNYE-TV	NEW YORK NY	89.0	PLN	DTVPLN	-DTVP0882
24	WNYE-TV	NEW YORK NY	89.0	LIC	BLEDT	-20071228ABM
27	WTBY-TV	POUGHKEEPSIE NY	62.4	CP	BPCDT	-20080619ABY
27	WTBY-TV	POUGHKEEPSIE NY	62.4	PLN	DTVPLN	-DTVP0996
27	WTBY-TV	POUGHKEEPSIE NY	62.4	LIC	BMLCDT	-20061031ACG
28	WNBC	NEW YORK NY	91.4	PLN	DTVPLN	-DTVP1032
28	WNBC	NEW YORK NY	89.7	STA	BDSTA	-20041220ADE
28	WNBC	NEW YORK NY	91.3	APP	BPCDT	-20080620ADL
28	WNBC	NEW YORK NY	89.7	CP MOD	BMPCDT	-20080314ACO
34	WIVT	BINGHAMTON NY	130.5	CP	BPCDT	-20080314ACR
34	WIVT	BINGHAMTON NY	130.5	PLN	DTVPLN	-DTVP1257
35	W35CI-D	SUSSEX NJ	27.1	CP	BDCCDTT	-20060925ADV
35	WNYX-LD	NEW YORK NY	92.1	LIC	BLDTL	-20090908ACQ
35	WNYX-LD	NEW YORK NY	105.3	APP	BPDTL	-20090911AAU
23	WDVB	NEW YORK NY	89.7	APP	USERRECORD-01	

Proposed station is beyond the site to  
nearest cell evaluation distance

#####

## Analysis of Interference to Affected Station 2

### Analysis of current record

Channel	Call	City/State	Application Ref. No.
22	W22BN	DANBURY CT	BLTTL -19940912JB

### Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
18	WMBC-TV	NEWTON NJ	87.9	PLN	DTVPLN -DTVP0632
18	WMBC-TV	NEWTON NJ	87.9	CP	BPCDT -20080620ABX
18	WMBC-TV	NEWTON NJ	87.9	LIC	BLCDDT -20060803AMO
20	WTXX	WATERBURY CT	59.9	APP	BMPCDT -20080620AHG
20	WTXX	WATERBURY CT	59.9	PLN	DTVPLN -DTVP0706
20	WTXX	WATERBURY CT	59.9	CP	BPCDT -20080328AIO
21	WSHM-LP	SPRINGFIELD MA	116.3	APP	BDISDTL -20091022ABX
21	WLIW	GARDEN CITY NY	67.5	CP	BPEDT -20080317AAQ
21	WLIW	GARDEN CITY NY	67.5	PLN	DTVPLN -DTVP0758

21	WLIW	GARDEN CITY NY	67.5	APP	BMPEDT	-20080620AID
21	W21CP-D	GLOVERSVILLE NY	198.7	LIC	BLDTT	-20090601AQC
21	W64AL	STROUDSBURG PA	154.9	APP	BDISDTT	-20060403AFV
22	WLWC	NEW BEDFORD MA	211.7	CP	BPCDT	-20080620AEQ
22	WLWC	NEW BEDFORD MA	211.7	PLN	DTVPLN	-DTVP0792
22	WLWC	NEW BEDFORD MA	211.7	LIC	BLCDT	-20050802ACS
22	WGBY-TV	SPRINGFIELD MA	113.9	PLN	DTVPLN	-DTVP0793
22	WGBY-TV	SPRINGFIELD MA	113.8	CP	BPEDT	-20080507ACW
22	W22DH-D	SALISBURY MD	380.4	CP	BDCCDTL	-20061027AGV
22	NEW	CONCORD NH	239.4	APP	BNPDTL	-20090825AHR
22	WNJS	CAMDEN NJ	220.8	PLN	DTVPLN	-DTVP0802
22	WNJS	CAMDEN NJ	220.8	CP	BPEDT	-20080620ALH
22	WNJS	CAMDEN NJ	220.8	LIC	BLEDT	-20070611AAY
22	WNYZ-LP	NEW YORK NY	84.2	APP	BDISDTL	-20091118AFX
22	WCBS-TV	PLAINVIEW NY	67.5	CP	BDRTCDT	-20090630AEB
22	DWROH-LP	ROCHESTER NY	393.1	CP	BDCCDTL	-20061030ANY
22	WTVU-LP	SYRACUSE NY	291.8	CP	BDFCDTA	-20081216BLJ
22	W22DO-D	UTICA NY	242.0	CP	BDCCDTT	-20061025ACS
22	WNEP-TV	WAYMART PA	168.7	LIC	BLCDT	-20091216AAH
22	WCAX-TV	BURLINGTON VT	351.4	APP	BMPCDT	-20080616ADK
22	WCAX-TV	BURLINGTON VT	351.5	PLN	DTVPLN	-DTVP0816
22	WCAX-TV	BURLINGTON VT	351.4	CP	BPCDT	-20080317AEE
23	WFTY-DT	SMITHTOWN NY	68.6	LIC	BLCDT	-20030113ABS
23	WFTY-TV	SMITHTOWN NY	68.6	PLN	DTVPLN	-DTVP0843
23	WFTY-DT	SMITHTOWN NY	68.6	CP	BPCDT	-20080613ACJ
23	WNGN-LP	TROY NY	155.5	APP	BDISDTL	-20090824ALE
24	WNYE-TV	NEW YORK NY	85.3	CP MOD	BMPEDT	-20070124AAX
24	WNYE-TV	NEW YORK NY	85.3	PLN	DTVPLN	-DTVP0882
24	WNYE-TV	NEW YORK NY	85.3	LIC	BLEDT	-20071228ABM
26	WHPX-TV	NEW LONDON CT	102.1	CP MOD	BMPCDT	-20080619AEO
26	WHPX	NEW LONDON CT	102.1	PLN	DTVPLN	-DTVP0936
26	WHPX-TV	NEW LONDON CT	102.1	CP	BPCDT	-20080313ABQ
26	WTEN	ALBANY NY	145.0	PLN	DTVPLN	-DTVP0953
26	WTEN	ALBANY NY	145.0	LIC	BLCDT	-20060104ACC
29	WFME-TV	WEST MILFORD NJ	97.0	PLN	DTVPLN	-DTVP1067
29	WFME-TV	WEST MILFORD NJ	97.0	LIC	BLEDT	-20040712ACP
30	WFUT-DT	NEWARK NJ	86.0	CP	BPCDT	-20080619AEI
30	WFUT-TV	NEWARK NJ	85.3	PLN	DTVPLN	-DTVP1101
36	WCDC-TV	ADAMS MA	139.6	PLN	DTVPLN	-DTVP1327
36	WCDC-TV	ADAMS MA	139.6	CP MOD	BMPCDT	-20080521ACA
36	WNJU	LINDEN NJ	86.0	PLN	DTVPLN	-DTVP1334
36	WNJU	LINDEN NJ	86.0	CP	BPCDT	-20080620AKQ
23	WDVB	NEW YORK NY	86.0	APP	USERRECORD-01	

Proposal causes no interference

#####

### Analysis of Interference to Affected Station 3

#### Analysis of current record

Channel	Call	City/State	Application Ref. No.
22	WGBY-TV	SPRINGFIELD MA	BPEDT -20080507ACW

#### Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
21	WLIW	GARDEN CITY NY	174.8	CP	BPEDT -20080317AAQ
21	WLIW	GARDEN CITY NY	174.8	PLN	DTVPLN -DTVP0758
21	WLIW	GARDEN CITY NY	174.8	APP	BMPEDT -20080620AID
21	WSBE-TV	PROVIDENCE RI	119.9	LIC	BLEDT -20050307ACR
21	WSBE-TV	PROVIDENCE RI	119.9	PLN	DTVPLN -DTVP0764
22	WLWC	NEW BEDFORD MA	151.2	CP	BPCDT -20080620AEQ
22	WLWC	NEW BEDFORD MA	151.2	PLN	DTVPLN -DTVP0792
22	WLWC	NEW BEDFORD MA	151.2	LIC	BLCDT -20050802ACS
22	WNJS	CAMDEN NJ	334.6	PLN	DTVPLN -DTVP0802
22	WNJS	CAMDEN NJ	334.6	CP	BPEDT -20080620ALH

22	WNJS	CAMDEN NJ	334.6	LIC	BLEDT	-20070611AAY
22	WCAX-TV	BURLINGTON VT	254.2	APP	BMPCDT	-20080616ADK
22	WCAX-TV	BURLINGTON VT	254.4	PLN	DTVPLN	-DTVP0816
22	WCAX-TV	BURLINGTON VT	254.2	CP	BPCDT	-20080317AEE
23	WFTY-DT	SMITHTOWN NY	152.4	LIC	BLCDT	-20030113ABS
23	WFTY-TV	SMITHTOWN NY	152.4	PLN	DTVPLN	-DTVP0843
23	WFTY-DT	SMITHTOWN NY	152.4	CP	BPCDT	-20080613ACJ
23	WDVB	NEW YORK NY	199.8	APP	USERRECORD-01	

Proposal causes no interference

#####

# Analysis of Interference to Affected Station 4

## Analysis of current record

Channel	Call	City/State	Application	Ref. No.
22	WNJS	CAMDEN NJ	BPEDT	-20080620ALH

## Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
21	WBOC-TV	SALISBURY MD	152.5	LIC	BLCDT	-20060703ABR
21	WBOC-TV	SALISBURY MD	152.5	PLN	DTVPLN	-DTVP0751
21	WBOC-TV	SALISBURY MD	152.5	CP	BPCDT	-20080620AFP
21	WLIW	GARDEN CITY NY	166.8	CP	BPEDT	-20080317AAQ
21	WLIW	GARDEN CITY NY	166.8	PLN	DTVPLN	-DTVP0758
21	WLIW	GARDEN CITY NY	166.8	APP	BMPCDT	-20080620AID
21	WHP-TV	HARRISBURG PA	185.5	CP MOD	BMPCDT	-20080606AEJ
21	WHP-TV	HARRISBURG PA	185.5	PLN	DTVPLN	-DTVP0762
22	WLWC	NEW BEDFORD MA	400.7	CP	BPCDT	-20080620AEQ
22	WLWC	NEW BEDFORD MA	400.7	PLN	DTVPLN	-DTVP0792
22	WLWC	NEW BEDFORD MA	400.7	LIC	BLCDT	-20050802ACS
22	WGBY-TV	SPRINGFIELD MA	334.6	PLN	DTVPLN	-DTVP0793
22	WGBY-TV	SPRINGFIELD MA	334.6	CP	BPEDT	-20080507ACW
22	WRIC-TV	PETERSBURG VA	343.4	LIC	BLCDT	-20021112ACD
22	WRIC-TV	PETERSBURG VA	343.4	PLN	DTVPLN	-DTVP0815
22	WRIC-TV	PETERSBURG VA	343.5	CP	BPCDT	-20080618ADU
23	WFTY-DT	SMITHTOWN NY	205.8	LIC	BLCDT	-20030113ABS
23	WFTY-TV	SMITHTOWN NY	205.8	PLN	DTVPLN	-DTVP0843
23	WFTY-DT	SMITHTOWN NY	205.8	CP	BPCDT	-20080613ACJ
23	WLYH-TV	LANCASTER PA	150.2	LIC	BLCDT	-20040922AAC
23	WLYH-TV	LANCASTER PA	150.2	PLN	DTVPLN	-DTVP0845
23	WDVB	NEW YORK NY	134.8	APP	USERRECORD-01	

Total scenarios = 2

Result key: 1  
Scenario 1 Affected station 4 WNJS  
Before Analysis

Results for: 22A NJ CAMDEN BPEDT 20080620ALH CP

HAAT 265.0 m, ATV ERP 566.0 kW	POPULATION	AREA (sq km)
within Noise Limited Contour	7538580	25065.6
not affected by terrain losses	7512158	24973.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	0	0.0
lost to ATV IX only	0	0.0
lost to all IX	0	0.0

Potential Interfering Stations Included in above Scenario 1

After Analysis

Results for: 22A NJ CAMDEN BPEDT 20080620ALH CP

HAAT 265.0 m, ATV ERP 566.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	7538580	25065.6
not affected by terrain losses	7512158	24973.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	16570	49.3
lost to ATV IX only	16570	49.3
lost to all IX	16570	49.3

Potential Interfering Stations Included in above Scenario 1

23A NY NEW YORK USERRECORD01 APP

Percent new IX = 0.2206%

Result key: 2

Scenario 2 Affected station 4 WNJS

Before Analysis

Results for: 22A NJ CAMDEN BPEDT 20080620ALH CP

HAAT 265.0 m, ATV ERP 566.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	7538580	25065.6
not affected by terrain losses	7512158	24973.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	0	0.0
lost to ATV IX only	0	0.0
lost to all IX	0	0.0

Potential Interfering Stations Included in above Scenario 2

After Analysis

Results for: 22A NJ CAMDEN BPEDT 20080620ALH CP

HAAT 265.0 m, ATV ERP 566.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	7538580	25065.6
not affected by terrain losses	7512158	24973.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	16570	49.3
lost to ATV IX only	16570	49.3
lost to all IX	16570	49.3

Potential Interfering Stations Included in above Scenario 2

23A NY NEW YORK USERRECORD01 APP

Percent new IX = 0.2206%

Worst case new IX 0.2206% Scenario 1

#####

Analysis of Interference to Affected Station 5

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
22	WNJS	CAMDEN NJ	BLEDT	-20070611AAY

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
21	WBOC-TV	SALISBURY MD	152.5	LIC	BLCDT	-20060703ABR
21	WBOC-TV	SALISBURY MD	152.5	PLN	DTVPLN	-DTVP0751

21	WBOC-TV	SALISBURY MD	152.5	CP	BPCDT	-20080620AFP
21	WLIW	GARDEN CITY NY	166.8	CP	BPEDT	-20080317AAQ
21	WLIW	GARDEN CITY NY	166.8	PLN	DTVPLN	-DTVP0758
21	WLIW	GARDEN CITY NY	166.8	APP	BMPEDT	-20080620AID
21	WHP-TV	HARRISBURG PA	185.5	CP MOD	BMPCDT	-20080606AEJ
21	WHP-TV	HARRISBURG PA	185.5	PLN	DTVPLN	-DTVP0762
22	WLWC	NEW BEDFORD MA	400.7	CP	BPCDT	-20080620AEQ
22	WLWC	NEW BEDFORD MA	400.7	PLN	DTVPLN	-DTVP0792
22	WLWC	NEW BEDFORD MA	400.7	LIC	BLCDT	-20050802ACS
22	WGBY-TV	SPRINGFIELD MA	334.6	PLN	DTVPLN	-DTVP0793
22	WGBY-TV	SPRINGFIELD MA	334.6	CP	BPEDT	-20080507ACW
22	WRIC-TV	PETERSBURG VA	343.4	LIC	BLCDT	-20021112ACD
22	WRIC-TV	PETERSBURG VA	343.4	PLN	DTVPLN	-DTVP0815
22	WRIC-TV	PETERSBURG VA	343.5	CP	BPCDT	-20080618ADU
23	WFTY-DT	SMITHTOWN NY	205.8	LIC	BLCDT	-20030113ABS
23	WFTY-TV	SMITHTOWN NY	205.8	PLN	DTVPLN	-DTVP0843
23	WFTY-DT	SMITHTOWN NY	205.8	CP	BPCDT	-20080613ACJ
23	WLYH-TV	LANCASTER PA	150.2	LIC	BLCDT	-20040922AAC
23	WLYH-TV	LANCASTER PA	150.2	PLN	DTVPLN	-DTVP0845
23	WDVB	NEW YORK NY	134.8	APP	USERRECORD-01	

Total scenarios = 4

Result key: 3  
 Scenario 1 Affected station 5 WNJS  
 Before Analysis

Results for: 22A NJ CAMDEN BLEDT 20070611AAY LIC  
 HAAT 264.0 m, ATV ERP 197.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	6856393	20599.3
not affected by terrain losses	6840959	20542.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	2042	3.0
lost to ATV IX only	2042	3.0
lost to all IX	2042	3.0

Potential Interfering Stations Included in above Scenario 1

22A MA SPRINGFIELD DTVPLN DTVP0793 PLN

After Analysis

Results for: 22A NJ CAMDEN BLEDT 20070611AAY LIC  
 HAAT 264.0 m, ATV ERP 197.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	6856393	20599.3
not affected by terrain losses	6840959	20542.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	2686	5.9
lost to ATV IX only	2686	5.9
lost to all IX	2686	5.9

Potential Interfering Stations Included in above Scenario 1

22A MA SPRINGFIELD DTVPLN DTVP0793 PLN  
 23A NY NEW YORK USERRECORD01 APP

Percent new IX = 0.0094%

Result key: 4  
 Scenario 2 Affected station 5 WNJS  
 Before Analysis

Results for: 22A NJ CAMDEN BLEDT 20070611AAY LIC  
 HAAT 264.0 m, ATV ERP 197.0 kW

	POPULATION	AREA (sq km)
--	------------	--------------

within Noise Limited Contour	6856393	20599.3
not affected by terrain losses	6840959	20542.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	2042	3.0
lost to ATV IX only	2042	3.0
lost to all IX	2042	3.0

Potential Interfering Stations Included in above Scenario 2

22A MA SPRINGFIELD BPEDT 20080507ACW CP

After Analysis

Results for: 22A NJ CAMDEN BLEDT 20070611AAY LIC  
HAAT 264.0 m, ATV ERP 197.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	6856393	20599.3
not affected by terrain losses	6840959	20542.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	2686	5.9
lost to ATV IX only	2686	5.9
lost to all IX	2686	5.9

Potential Interfering Stations Included in above Scenario 2

22A MA SPRINGFIELD BPEDT 20080507ACW CP  
23A NY NEW YORK USERRECORD01 APP

Percent new IX = 0.0094%

Result key: 5  
Scenario 3 Affected station 5 WNJS  
Before Analysis

Results for: 22A NJ CAMDEN BLEDT 20070611AAY LIC  
HAAT 264.0 m, ATV ERP 197.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	6856393	20599.3
not affected by terrain losses	6840959	20542.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	2042	3.0
lost to ATV IX only	2042	3.0
lost to all IX	2042	3.0

Potential Interfering Stations Included in above Scenario 3

22A MA SPRINGFIELD DTVPLN DTVP0793 PLN

After Analysis

Results for: 22A NJ CAMDEN BLEDT 20070611AAY LIC  
HAAT 264.0 m, ATV ERP 197.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	6856393	20599.3
not affected by terrain losses	6840959	20542.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	2686	5.9
lost to ATV IX only	2686	5.9
lost to all IX	2686	5.9

Potential Interfering Stations Included in above Scenario 3

22A MA SPRINGFIELD DTVPLN DTVP0793 PLN  
23A NY NEW YORK USERRECORD01 APP

Percent new IX = 0.0094%

Result key: 6



Scenario 4 Affected station 5 WNJS  
Before Analysis

Results for: 22A NJ CAMDEN BLEDT 20070611AAY LIC  
HAAT 264.0 m, ATV ERP 197.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	6856393	20599.3
not affected by terrain losses	6840959	20542.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	2042	3.0
lost to ATV IX only	2042	3.0
lost to all IX	2042	3.0

Potential Interfering Stations Included in above Scenario 4

22A MA SPRINGFIELD BPEDT 20080507ACW CP

After Analysis

Results for: 22A NJ CAMDEN BLEDT 20070611AAY LIC  
HAAT 264.0 m, ATV ERP 197.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	6856393	20599.3
not affected by terrain losses	6840959	20542.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	2686	5.9
lost to ATV IX only	2686	5.9
lost to all IX	2686	5.9

Potential Interfering Stations Included in above Scenario 4

22A MA SPRINGFIELD BPEDT 20080507ACW CP  
23A NY NEW YORK USERRECORD01 APP

Percent new IX = 0.0094%

Worst case new IX 0.0094% Scenario 1

#####

Analysis of Interference to Affected Station 6

Analysis of current record

Channel	Call	City/State	Application Ref. No.
22	WNYZ-LP	NEW YORK NY	BDISDTL -20091118AFX

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
21	WSHM-LP	SPRINGFIELD MA	199.0	APP	BDISDTL -20091022ABX
21	WLIW	GARDEN CITY NY	41.6	CP	BPEDT -20080317AAQ
21	WLIW	GARDEN CITY NY	41.6	PLN	DTVPLN -DTVP0758
21	WLIW	GARDEN CITY NY	41.6	APP	BMPEDT -20080620AID
21	W64AL	STROUDSBURG PA	107.6	APP	BDISDTT -20060403AFV
22	W22BN	DANBURY CT	84.2	LIC	BLTTL -19940912JB
22	WLWC	NEW BEDFORD MA	276.8	CP	BPCDT -20080620AEQ
22	WLWC	NEW BEDFORD MA	276.8	PLN	DTVPLN -DTVP0792
22	WLWC	NEW BEDFORD MA	276.8	LIC	BLCDT -20050802ACS
22	WGBY-TV	SPRINGFIELD MA	198.0	PLN	DTVPLN -DTVP0793
22	WGBY-TV	SPRINGFIELD MA	198.0	CP	BPEDT -20080507ACW
22	W22DH-D	SALISBURY MD	296.2	CP	BDCCDTL -20061027AGV
22	NEW	CONCORD NH	323.5	APP	BNPDTL -20090825AHR
22	WNJS	CAMDEN NJ	136.6	PLN	DTVPLN -DTVP0802
22	WNJS	CAMDEN NJ	136.6	CP	BPEDT -20080620ALH
22	WNJS	CAMDEN NJ	136.6	LIC	BLEDT -20070611AAY
22	WCBS-TV	PLAINVIEW NY	41.6	CP	BDRTCDT -20090630AEB

22	DWROH-LP	ROCHESTER NY	401.3	CP	BDCCDTL	-20061030ANY
22	WTVU-LP	SYRACUSE NY	315.9	CP	BDFCDTA	-20081216BLJ
22	W22DO-D	UTICA NY	285.2	CP	BDCCDTT	-20061025ACS
22	WJAC-TV	ALTOONA PA	380.0	CP	BDRTCDT	-20090626AAW
22	WNEP-TV	WAYMART PA	158.2	LIC	BLCDT	-20091216AAH
23	WBPN-LD	BINGHAMTON NY	221.3	CP	BDCCDTL	-20061030AGK
23	WFTY-DT	SMITHTOWN NY	84.8	LIC	BLCDT	-20030113ABS
23	WFTY-TV	SMITHTOWN NY	84.8	PLN	DTVPLN	-DTVP0843
23	WFTY-DT	SMITHTOWN NY	84.8	CP	BPCDT	-20080613ACJ
23	WNGN-LP	TROY NY	228.1	APP	BDISDTL	-20090824ALE
23	WDVB	NEW YORK NY	3.6	APP	USERRECORD-01	

Total scenarios = 12

Result key: 7  
 Scenario 1 Affected station 6 WNYZ-LP  
 Before Analysis

Results for: 22A NY NEW YORK BDISDTL 20091118AFX APP  
 HAAT 213.0 m, ATV ERP 0.6 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	9230039	1836.4
not affected by terrain losses	9225010	1826.4
lost to NTSC IX	0	0.0
lost to additional IX by ATV	79765	65.5
lost to ATV IX only	79765	65.5
lost to all IX	79765	65.5

Potential Interfering Stations Included in above Scenario 1

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
22A NY PLAINVIEW	BDRTCDT	20090630AEB	CP

After Analysis

Results for: 22A NY NEW YORK BDISDTL 20091118AFX APP  
 HAAT 213.0 m, ATV ERP 0.6 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	9230039	1836.4
not affected by terrain losses	9225010	1826.4
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1592940	263.2
lost to ATV IX only	1592940	263.2
lost to all IX	1592940	263.2

Potential Interfering Stations Included in above Scenario 1

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
22A NY PLAINVIEW	BDRTCDT	20090630AEB	CP
23A NY NEW YORK	USERRECORD01		APP

The following station failed the de minimis interference criteria.

23D NY NEW YORK USERRECORD01  
 ERP 7.00 kW HAAT 301.0 m RCMSL 314.0 m  
 Antenna CDB 00000000074158

Due to interference to the following station and scenario: 1

22D NY NEW YORK BDISDTL 20091118AFX  
 ERP 0.60 kW HAAT 213.0 m RCMSL 213.0 m  
 Antenna CDB 00000000096854

Percent Service lost without proposal:	0.0	to BDISDTL	20091118AFX
Percent Service lost with proposal:	16.5	to BDISDTL	20091118AFX

Result key: 8  
Scenario 2 Affected station 6 WNYZ-LP  
Before Analysis

Results for: 22A NY NEW YORK BDISDTL 20091118AFX APP  
HAAT 213.0 m, ATV ERP 0.6 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	9230039	1836.4
not affected by terrain losses	9225010	1826.4
lost to NTSC IX	0	0.0
lost to additional IX by ATV	112649	78.5
lost to ATV IX only	112649	78.5
lost to all IX	112649	78.5

Potential Interfering Stations Included in above Scenario 2

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
22A NJ CAMDEN	BPEDT	20080620ALH	CP
22A NY PLAINVIEW	BDRTCDT	20090630AEB	CP

After Analysis

Results for: 22A NY NEW YORK BDISDTL 20091118AFX APP  
HAAT 213.0 m, ATV ERP 0.6 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	9230039	1836.4
not affected by terrain losses	9225010	1826.4
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1595383	269.1
lost to ATV IX only	1595383	269.1
lost to all IX	1595383	269.1

Potential Interfering Stations Included in above Scenario 2

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
22A NJ CAMDEN	BPEDT	20080620ALH	CP
22A NY PLAINVIEW	BDRTCDT	20090630AEB	CP
23A NY NEW YORK	USERRECORD01		APP

The following station failed the de minimis interference criteria.

23D NY NEW YORK USERRECORD01  
ERP 7.00 kW HAAT 301.0 m RCAMSL 314.0 m  
Antenna CDB 00000000074158

Due to interference to the following station and scenario: 2

22D NY NEW YORK BDISDTL 20091118AFX  
ERP 0.60 kW HAAT 213.0 m RCAMSL 213.0 m  
Antenna CDB 00000000096854

Percent Service lost without proposal:	0.0	to BDISDTL	20091118AFX
Percent Service lost with proposal:	16.3	to BDISDTL	20091118AFX

Result key: 9  
Scenario 3 Affected station 6 WNYZ-LP  
Before Analysis

Results for: 22A NY NEW YORK BDISDTL 20091118AFX APP  
HAAT 213.0 m, ATV ERP 0.6 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	9230039	1836.4
not affected by terrain losses	9225010	1826.4
lost to NTSC IX	0	0.0
lost to additional IX by ATV	79765	65.5
lost to ATV IX only	79765	65.5
lost to all IX	79765	65.5

Potential Interfering Stations Included in above Scenario 3

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
22A NJ CAMDEN	BLEDT	20070611AAY	LIC
22A NY PLAINVIEW	BDRTCDT	20090630AEB	CP

#### After Analysis

Results for: 22A NY NEW YORK BDISDTL 20091118AFX APP  
 HAAT 213.0 m, ATV ERP 0.6 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	9230039	1836.4
not affected by terrain losses	9225010	1826.4
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1592940	263.2
lost to ATV IX only	1592940	263.2
lost to all IX	1592940	263.2

Potential Interfering Stations Included in above Scenario 3

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
22A NJ CAMDEN	BLEDT	20070611AAY	LIC
22A NY PLAINVIEW	BDRTCDT	20090630AEB	CP
23A NY NEW YORK	USERRECORD01		APP

The following station failed the de minimis interference criteria.

23D NY NEW YORK USERRECORD01  
 ERP 7.00 kW HAAT 301.0 m RCAMSL 314.0 m  
 Antenna CDB 00000000074158

Due to interference to the following station and scenario: 3

22D NY NEW YORK BDISDTL 20091118AFX  
 ERP 0.60 kW HAAT 213.0 m RCAMSL 213.0 m  
 Antenna CDB 00000000096854

Percent Service lost without proposal:	0.0	to BDISDTL	20091118AFX
Percent Service lost with proposal:	16.5	to BDISDTL	20091118AFX

Result key: 10  
 Scenario 4 Affected station 6 WNYZ-LP  
 Before Analysis

Results for: 22A NY NEW YORK BDISDTL 20091118AFX APP  
 HAAT 213.0 m, ATV ERP 0.6 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	9230039	1836.4
not affected by terrain losses	9225010	1826.4
lost to NTSC IX	0	0.0
lost to additional IX by ATV	79765	65.5
lost to ATV IX only	79765	65.5
lost to all IX	79765	65.5

Potential Interfering Stations Included in above Scenario 4

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
22A NY PLAINVIEW	BDRTCDT	20090630AEB	CP

#### After Analysis

Results for: 22A NY NEW YORK BDISDTL 20091118AFX APP  
 HAAT 213.0 m, ATV ERP 0.6 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	9230039	1836.4
not affected by terrain losses	9225010	1826.4
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1592940	263.2
lost to ATV IX only	1592940	263.2

lost to all IX 1592940 263.2

Potential Interfering Stations Included in above Scenario 4

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
22A NY PLAINVIEW	BDRTCDT	20090630AEB	CP
23A NY NEW YORK	USERRECORD01		APP

The following station failed the de minimis interference criteria.

23D NY NEW YORK USERRECORD01  
ERP 7.00 kW HAAT 301.0 m RCAMSL 314.0 m  
Antenna CDB 00000000074158

Due to interference to the following station and scenario: 4

22D NY NEW YORK BDISDTL 20091118AFX  
ERP 0.60 kW HAAT 213.0 m RCAMSL 213.0 m  
Antenna CDB 00000000096854

Percent Service lost without proposal: 0.0 to BDISDTL 20091118AFX  
Percent Service lost with proposal: 16.5 to BDISDTL 20091118AFX

Result key: 11  
Scenario 5 Affected station 6 WNYZ-LP  
Before Analysis

Results for: 22A NY NEW YORK BDISDTL 20091118AFX APP

HAAT 213.0 m, ATV ERP 0.6 kW		
	POPULATION	AREA (sq km)
within Noise Limited Contour	9230039	1836.4
not affected by terrain losses	9225010	1826.4
lost to NTSC IX	0	0.0
lost to additional IX by ATV	112649	78.5
lost to ATV IX only	112649	78.5
lost to all IX	112649	78.5

Potential Interfering Stations Included in above Scenario 5

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
22A NJ CAMDEN	BPEDT	20080620ALH	CP
22A NY PLAINVIEW	BDRTCDT	20090630AEB	CP

After Analysis

Results for: 22A NY NEW YORK BDISDTL 20091118AFX APP

HAAT 213.0 m, ATV ERP 0.6 kW		
	POPULATION	AREA (sq km)
within Noise Limited Contour	9230039	1836.4
not affected by terrain losses	9225010	1826.4
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1595383	269.1
lost to ATV IX only	1595383	269.1
lost to all IX	1595383	269.1

Potential Interfering Stations Included in above Scenario 5

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
22A NJ CAMDEN	BPEDT	20080620ALH	CP
22A NY PLAINVIEW	BDRTCDT	20090630AEB	CP
23A NY NEW YORK	USERRECORD01		APP

The following station failed the de minimis interference criteria.

23D NY NEW YORK USERRECORD01  
ERP 7.00 kW HAAT 301.0 m RCAMSL 314.0 m  
Antenna CDB 00000000074158

Due to interference to the following station and scenario: 5

22D NY NEW YORK BDISDTL 20091118AFX  
ERP 0.60 kW HAAT 213.0 m RCAMSL 213.0 m  
Antenna CDB 00000000096854

Percent Service lost without proposal: 0.0 to BDISDTL 20091118AFX  
Percent Service lost with proposal: 16.3 to BDISDTL 20091118AFX

Result key: 12  
Scenario 6 Affected station 6 WNYZ-LP  
Before Analysis

Results for: 22A NY NEW YORK BDISDTL 20091118AFX APP  
HAAT 213.0 m, ATV ERP 0.6 kW  
POPULATION AREA (sq km)  
within Noise Limited Contour 9230039 1836.4  
not affected by terrain losses 9225010 1826.4  
lost to NTSC IX 0 0.0  
lost to additional IX by ATV 79765 65.5  
lost to ATV IX only 79765 65.5  
lost to all IX 79765 65.5

Potential Interfering Stations Included in above Scenario 6

22A MA SPRINGFIELD BPEDT 20080507ACW CP  
22A NJ CAMDEN BLEDT 20070611AAY LIC  
22A NY PLAINVIEW BDRTCDT 20090630AEB CP

After Analysis

Results for: 22A NY NEW YORK BDISDTL 20091118AFX APP  
HAAT 213.0 m, ATV ERP 0.6 kW  
POPULATION AREA (sq km)  
within Noise Limited Contour 9230039 1836.4  
not affected by terrain losses 9225010 1826.4  
lost to NTSC IX 0 0.0  
lost to additional IX by ATV 1592940 263.2  
lost to ATV IX only 1592940 263.2  
lost to all IX 1592940 263.2

Potential Interfering Stations Included in above Scenario 6

22A MA SPRINGFIELD BPEDT 20080507ACW CP  
22A NJ CAMDEN BLEDT 20070611AAY LIC  
22A NY PLAINVIEW BDRTCDT 20090630AEB CP  
23A NY NEW YORK USERRECORD01 APP

The following station failed the de minimis interference criteria.

23D NY NEW YORK USERRECORD01  
ERP 7.00 kW HAAT 301.0 m RCAMSL 314.0 m  
Antenna CDB 00000000074158

Due to interference to the following station and scenario: 6

22D NY NEW YORK BDISDTL 20091118AFX  
ERP 0.60 kW HAAT 213.0 m RCAMSL 213.0 m  
Antenna CDB 00000000096854

Percent Service lost without proposal: 0.0 to BDISDTL 20091118AFX  
Percent Service lost with proposal: 16.5 to BDISDTL 20091118AFX

Result key: 13  
Scenario 7 Affected station 6 WNYZ-LP  
Before Analysis

Results for: 22A NY NEW YORK BDISDTL 20091118AFX APP  
HAAT 213.0 m, ATV ERP 0.6 kW  
POPULATION AREA (sq km)

within Noise Limited Contour	9230039	1836.4
not affected by terrain losses	9225010	1826.4
lost to NTSC IX	0	0.0
lost to additional IX by ATV	100561	77.5
lost to ATV IX only	100561	77.5
lost to all IX	100561	77.5

Potential Interfering Stations Included in above Scenario 7

21A NY GARDEN CITY	BMPEDT	20080620AID	APP
22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
22A NY PLAINVIEW	BDRTCDT	20090630AEB	CP

#### After Analysis

Results for: 22A NY NEW YORK BDISDTL 20091118AFX APP

HAAT 213.0 m, ATV ERP 0.6 kW		
	POPULATION	AREA (sq km)
within Noise Limited Contour	9230039	1836.4
not affected by terrain losses	9225010	1826.4
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1602069	274.1
lost to ATV IX only	1602069	274.1
lost to all IX	1602069	274.1

Potential Interfering Stations Included in above Scenario 7

21A NY GARDEN CITY	BMPEDT	20080620AID	APP
22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
22A NY PLAINVIEW	BDRTCDT	20090630AEB	CP
23A NY NEW YORK	USERRECORD01		APP

The following station failed the de minimis interference criteria.

23D NY NEW YORK USERRECORD01  
 ERP 7.00 kW HAAT 301.0 m RCAMSL 314.0 m  
 Antenna CDB 00000000074158

Due to interference to the following station and scenario: 7

22D NY NEW YORK BDISDTL 20091118AFX  
 ERP 0.60 kW HAAT 213.0 m RCAMSL 213.0 m  
 Antenna CDB 00000000096854

Percent Service lost without proposal:	0.0	to BDISDTL	20091118AFX
Percent Service lost with proposal:	16.5	to BDISDTL	20091118AFX

Result key: 14  
 Scenario 8 Affected station 6 WNYZ-LP  
 Before Analysis

Results for: 22A NY NEW YORK BDISDTL 20091118AFX APP

HAAT 213.0 m, ATV ERP 0.6 kW		
	POPULATION	AREA (sq km)
within Noise Limited Contour	9230039	1836.4
not affected by terrain losses	9225010	1826.4
lost to NTSC IX	0	0.0
lost to additional IX by ATV	121778	89.4
lost to ATV IX only	121778	89.4
lost to all IX	121778	89.4

Potential Interfering Stations Included in above Scenario 8

21A NY GARDEN CITY	BMPEDT	20080620AID	APP
22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
22A NJ CAMDEN	BPEDT	20080620ALH	CP
22A NY PLAINVIEW	BDRTCDT	20090630AEB	CP

After Analysis

Results for: 22A NY NEW YORK BDISDTL 20091118AFX APP  
HAAT 213.0 m, ATV ERP 0.6 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	9230039	1836.4
not affected by terrain losses	9225010	1826.4
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1604512	280.1
lost to ATV IX only	1604512	280.1
lost to all IX	1604512	280.1

Potential Interfering Stations Included in above Scenario 8

21A NY GARDEN CITY	BMPEDT	20080620AID	APP
22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
22A NJ CAMDEN	BPEDT	20080620ALH	CP
22A NY PLAINVIEW	BDRTCDT	20090630AEB	CP
23A NY NEW YORK	USERRECORD01		APP

The following station failed the de minimis interference criteria.

23D NY NEW YORK USERRECORD01  
ERP 7.00 kW HAAT 301.0 m RCAMSL 314.0 m  
Antenna CDB 00000000074158

Due to interference to the following station and scenario: 8

22D NY NEW YORK BDISDTL 20091118AFX  
ERP 0.60 kW HAAT 213.0 m RCAMSL 213.0 m  
Antenna CDB 00000000096854

Percent Service lost without proposal: 0.0 to BDISDTL 20091118AFX  
Percent Service lost with proposal: 16.3 to BDISDTL 20091118AFX

Result key: 15  
Scenario 9 Affected station 6 WNYZ-LP  
Before Analysis

Results for: 22A NY NEW YORK BDISDTL 20091118AFX APP  
HAAT 213.0 m, ATV ERP 0.6 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	9230039	1836.4
not affected by terrain losses	9225010	1826.4
lost to NTSC IX	0	0.0
lost to additional IX by ATV	100561	77.5
lost to ATV IX only	100561	77.5
lost to all IX	100561	77.5

Potential Interfering Stations Included in above Scenario 9

21A NY GARDEN CITY	BMPEDT	20080620AID	APP
22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
22A NJ CAMDEN	BLEDT	20070611AAY	LIC
22A NY PLAINVIEW	BDRTCDT	20090630AEB	CP

After Analysis

Results for: 22A NY NEW YORK BDISDTL 20091118AFX APP  
HAAT 213.0 m, ATV ERP 0.6 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	9230039	1836.4
not affected by terrain losses	9225010	1826.4
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1602069	274.1
lost to ATV IX only	1602069	274.1
lost to all IX	1602069	274.1



Potential Interfering Stations Included in above Scenario 9

21A NY GARDEN CITY	BMPEDT	20080620AID	APP
22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
22A NJ CAMDEN	BLEDT	20070611AAY	LIC
22A NY PLAINVIEW	BDRTCDT	20090630AEB	CP
23A NY NEW YORK	USERRECORD01		APP

The following station failed the de minimis interference criteria.

23D NY NEW YORK USERRECORD01  
 ERP 7.00 kW HAAT 301.0 m RCAMSL 314.0 m  
 Antenna CDB 00000000074158

Due to interference to the following station and scenario: 9

22D NY NEW YORK BDISDTL 20091118AFX  
 ERP 0.60 kW HAAT 213.0 m RCAMSL 213.0 m  
 Antenna CDB 00000000096854

Percent Service lost without proposal: 0.0 to BDISDTL 20091118AFX  
 Percent Service lost with proposal: 16.5 to BDISDTL 20091118AFX

Result key: 16  
 Scenario 10 Affected station 6 WNYZ-LP  
 Before Analysis

Results for: 22A NY NEW YORK BDISDTL 20091118AFX APP  
 HAAT 213.0 m, ATV ERP 0.6 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	9230039	1836.4
not affected by terrain losses	9225010	1826.4
lost to NTSC IX	0	0.0
lost to additional IX by ATV	100561	77.5
lost to ATV IX only	100561	77.5
lost to all IX	100561	77.5

Potential Interfering Stations Included in above Scenario 10

21A NY GARDEN CITY	BMPEDT	20080620AID	APP
22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
22A NY PLAINVIEW	BDRTCDT	20090630AEB	CP

After Analysis

Results for: 22A NY NEW YORK BDISDTL 20091118AFX APP  
 HAAT 213.0 m, ATV ERP 0.6 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	9230039	1836.4
not affected by terrain losses	9225010	1826.4
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1602069	274.1
lost to ATV IX only	1602069	274.1
lost to all IX	1602069	274.1

Potential Interfering Stations Included in above Scenario 10

21A NY GARDEN CITY	BMPEDT	20080620AID	APP
22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
22A NY PLAINVIEW	BDRTCDT	20090630AEB	CP
23A NY NEW YORK	USERRECORD01		APP

The following station failed the de minimis interference criteria.

23D NY NEW YORK USERRECORD01  
 ERP 7.00 kW HAAT 301.0 m RCAMSL 314.0 m  
 Antenna CDB 00000000074158

Due to interference to the following station and scenario: 10  
22D NY NEW YORK BDISDTL 20091118AFX  
ERP 0.60 kW HAAT 213.0 m RCAMSL 213.0 m  
Antenna CDB 00000000096854

Percent Service lost without proposal: 0.0 to BDISDTL 20091118AFX  
Percent Service lost with proposal: 16.5 to BDISDTL 20091118AFX

Result key: 17  
Scenario 11 Affected station 6 WNYZ-LP  
Before Analysis

Results for: 22A NY NEW YORK BDISDTL 20091118AFX APP  
HAAT 213.0 m, ATV ERP 0.6 kW  
POPULATION AREA (sq km)  
within Noise Limited Contour 9230039 1836.4  
not affected by terrain losses 9225010 1826.4  
lost to NTSC IX 0 0.0  
lost to additional IX by ATV 121778 89.4  
lost to ATV IX only 121778 89.4  
lost to all IX 121778 89.4

Potential Interfering Stations Included in above Scenario 11

21A NY GARDEN CITY	BMPEDT	20080620AID	APP
22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
22A NJ CAMDEN	BPEDT	20080620ALH	CP
22A NY PLAINVIEW	BDRTCDT	20090630AEB	CP

After Analysis

Results for: 22A NY NEW YORK BDISDTL 20091118AFX APP  
HAAT 213.0 m, ATV ERP 0.6 kW  
POPULATION AREA (sq km)  
within Noise Limited Contour 9230039 1836.4  
not affected by terrain losses 9225010 1826.4  
lost to NTSC IX 0 0.0  
lost to additional IX by ATV 1604512 280.1  
lost to ATV IX only 1604512 280.1  
lost to all IX 1604512 280.1

Potential Interfering Stations Included in above Scenario 11

21A NY GARDEN CITY	BMPEDT	20080620AID	APP
22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
22A NJ CAMDEN	BPEDT	20080620ALH	CP
22A NY PLAINVIEW	BDRTCDT	20090630AEB	CP
23A NY NEW YORK	USERRECORD01		APP

The following station failed the de minimis interference criteria.  
23D NY NEW YORK USERRECORD01  
ERP 7.00 kW HAAT 301.0 m RCAMSL 314.0 m  
Antenna CDB 00000000074158

Due to interference to the following station and scenario: 11  
22D NY NEW YORK BDISDTL 20091118AFX  
ERP 0.60 kW HAAT 213.0 m RCAMSL 213.0 m  
Antenna CDB 00000000096854

Percent Service lost without proposal: 0.0 to BDISDTL 20091118AFX  
Percent Service lost with proposal: 16.3 to BDISDTL 20091118AFX

Result key: 18  
Scenario 12 Affected station 6 WNYZ-LP  
Before Analysis

Results for: 22A NY NEW YORK BDISDTL 20091118AFX APP

HAAT 213.0 m, ATV ERP 0.6 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	9230039	1836.4
not affected by terrain losses	9225010	1826.4
lost to NTSC IX	0	0.0
lost to additional IX by ATV	100561	77.5
lost to ATV IX only	100561	77.5
lost to all IX	100561	77.5

Potential Interfering Stations Included in above Scenario 12

21A NY GARDEN CITY	BMPEDT	20080620AID	APP
22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
22A NJ CAMDEN	BLEDT	20070611AAY	LIC
22A NY PLAINVIEW	BDRTCDT	20090630AEB	CP

After Analysis

Results for: 22A NY NEW YORK BDISDTL 20091118AFX APP

HAAT 213.0 m, ATV ERP 0.6 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	9230039	1836.4
not affected by terrain losses	9225010	1826.4
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1602069	274.1
lost to ATV IX only	1602069	274.1
lost to all IX	1602069	274.1

Potential Interfering Stations Included in above Scenario 12

21A NY GARDEN CITY	BMPEDT	20080620AID	APP
22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
22A NJ CAMDEN	BLEDT	20070611AAY	LIC
22A NY PLAINVIEW	BDRTCDT	20090630AEB	CP
23A NY NEW YORK	USERRECORD01		APP

The following station failed the de minimis interference criteria.

23D NY NEW YORK USERRECORD01  
ERP 7.00 kW HAAT 301.0 m RCAMSL 314.0 m  
Antenna CDB 00000000074158

Due to interference to the following station and scenario: 12

22D NY NEW YORK BDISDTL 20091118AFX  
ERP 0.60 kW HAAT 213.0 m RCAMSL 213.0 m  
Antenna CDB 00000000096854

Percent Service lost without proposal:	0.0	to BDISDTL	20091118AFX
Percent Service lost with proposal:	16.5	to BDISDTL	20091118AFX

Worst case new IX 16.5460% Scenario 1

Proposed station is MX

23A NY NEW YORK	USERRECORD01	APP
22A NY NEW YORK	BDISDTL 20091118AFX	APP

Proposal MX with BDISDTL 20091118AFX scenario 1 of station 6

Proposed station is MX

23A NY NEW YORK	USERRECORD01	APP
22A NY NEW YORK	BDISDTL 20091118AFX	APP

Proposal MX with BDISDTL 20091118AFX scenario 2 of station 6

Proposed station is MX

23A NY NEW YORK	USERRECORD01	APP
22A NY NEW YORK	BDISDTL 20091118AFX	APP

Proposal MX with BDISDTL 20091118AFX scenario 3 of station 6

Proposed station is MX

23A NY NEW YORK	USERRECORD01	APP
22A NY NEW YORK	BDISDTL 20091118AFX	APP

Proposal MX with BDISDTL 20091118AFX scenario 4 of station 6

Proposed station is MX

23A NY NEW YORK	USERRECORD01	APP
22A NY NEW YORK	BDISDTL 20091118AFX	APP

Proposal MX with BDISDTL 20091118AFX scenario 5 of station 6

Proposed station is MX

23A NY NEW YORK	USERRECORD01	APP
22A NY NEW YORK	BDISDTL 20091118AFX	APP

Proposal MX with BDISDTL 20091118AFX scenario 6 of station 6

#####

## Analysis of Interference to Affected Station 7

### Analysis of current record

Channel	Call	City/State	Application Ref. No.
22	WCBS-TV	PLAINVIEW NY	BDRTCDT -20090630AEB

### Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
21	WSHM-LP	SPRINGFIELD MA	171.5	APP	BDISDTL -20091022ABX
21	WLIW	GARDEN CITY NY	0.0	CP	BPEDT -20080317AAQ
21	WLIW	GARDEN CITY NY	0.0	PLN	DTVPLN -DTVP0758
21	WLIW	GARDEN CITY NY	0.0	APP	BMPEDT -20080620AID
21	W64AL	STROUDSBURG PA	147.3	APP	BDISDTT -20060403AFV
22	W22BN	DANBURY CT	67.5	LIC	BLTTL -19940912JB
22	WLWC	NEW BEDFORD MA	237.8	CP	BPCDT -20080620AEQ
22	WLWC	NEW BEDFORD MA	237.8	PLN	DTVPLN -DTVP0792
22	WLWC	NEW BEDFORD MA	237.8	LIC	BLCDDT -20050802ACS
22	WGBY-TV	SPRINGFIELD MA	174.8	PLN	DTVPLN -DTVP0793
22	WGBY-TV	SPRINGFIELD MA	174.8	CP	BPEDT -20080507ACW
22	W22DH-D	SALISBURY MD	322.3	CP	BDCCDTL -20061027AGV
22	NEW	CONCORD NH	302.0	APP	BNPDTL -20090825AHR
22	WNJS	CAMDEN NJ	166.8	PLN	DTVPLN -DTVP0802
22	WNJS	CAMDEN NJ	166.8	CP	BPEDT -20080620ALH
22	WNJS	CAMDEN NJ	166.8	LIC	BLEDT -20070611AAY
22	WNYZ-LP	NEW YORK NY	41.6	APP	BDISDTL -20091118AFX
22	WTVU-LP	SYRACUSE NY	337.6	CP	BDFCDTA -20081216BLJ
22	W22DO-D	UTICA NY	298.1	CP	BDCCDTT -20061025ACS
22	WJAC-TV	ALTOONA PA	421.5	CP	BDRTCDT -20090626AAW
22	WNEP-TV	WAYMART PA	189.8	LIC	BLCDDT -20091216AAH
23	WFTY-DT	SMITHTOWN NY	43.4	LIC	BLCDDT -20030113ABS
23	WFTY-TV	SMITHTOWN NY	43.4	PLN	DTVPLN -DTVP0843
23	WFTY-DT	SMITHTOWN NY	43.4	CP	BPCDT -20080613ACJ
23	WNGN-LP	TROY NY	222.5	APP	BDISDTL -20090824ALE
23	WDVB	NEW YORK NY	45.1	APP	USERRECORD-01

Proposal causes no interference

#####

Analysis of Interference to Affected Station 8

Analysis of current record

Channel	Call	City/State	Application Ref. No.
22	WNEP-TV	WAYMART PA	BLCDT -20091216AAH

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
21	W21CP-D	GLOVERSVILLE NY	179.2	LIC	BLDTT -20090601AQC
21	W64AL	STROUDSBURG PA	75.8	APP	BDISDTT -20060403AFV
22	WLWC	NEW BEDFORD MA	373.5	CP	BPCDT -20080620AEQ
22	WLWC	NEW BEDFORD MA	373.5	PLN	DTVPLN -DTVP0792
22	WLWC	NEW BEDFORD MA	373.5	LIC	BLCDT -20050802ACS
22	WGBY-TV	SPRINGFIELD MA	239.4	PLN	DTVPLN -DTVP0793
22	WGBY-TV	SPRINGFIELD MA	239.4	CP	BPEDT -20080507ACW
22	W22DH-D	SALISBURY MD	358.7	CP	BDCCDTL -20061027AGV
22	NEW	CONCORD NH	331.8	APP	BNPDTL -20090825AHR
22	WNJS	CAMDEN NJ	217.2	PLN	DTVPLN -DTVP0802
22	WNJS	CAMDEN NJ	217.2	CP	BPEDT -20080620ALH
22	WNJS	CAMDEN NJ	217.2	LIC	BLEDT -20070611AAY
22	WNYZ-LP	NEW YORK NY	158.2	APP	BDISDTL -20091118AFX
22	WCBS-TV	PLAINVIEW NY	189.8	CP	BDRTCDT -20090630AEB
22	DWROH-LP	ROCHESTER NY	243.6	CP	BDCCDTL -20061030ANY
22	WTVU-LP	SYRACUSE NY	169.8	CP	BDFCDTA -20081216BLJ
22	WTVU-LP	SYRACUSE NY	169.8	APP	BSTA -20061027AHC
22	W22DO-D	UTICA NY	169.3	CP	BDCCDTT -20061025ACS
22	WJAC-TV	ALTOONA PA	279.2	CP	BDRTCDT -20090626AAW
22	WFXP	ERIE PA	387.1	CP MOD	BMPCDT -20070404ACJ
22	WFXP	ERIE PA	386.9	PLN	DTVPLN -DTVP0809
22	WTAE-TV	PITTSBURGH PA	402.6	LIC	BLCDT -20091223AKV
22	WCAX-TV	BURLINGTON VT	385.1	APP	BMPCDT -20080616ADK
22	WCAX-TV	BURLINGTON VT	385.2	PLN	DTVPLN -DTVP0816
22	WCAX-TV	BURLINGTON VT	385.1	CP	BPCDT -20080317AEE
23	WBPN-LD	BINGHAMTON NY	63.8	CP	BDCCDTL -20061030AGK
23	WNGN-LP	TROY NY	195.8	APP	BDISDTL -20090824ALE
23	WDVB	NEW YORK NY	155.4	APP	USERRECORD-01

Proposal causes no interference

#####

Analysis of Interference to Affected Station 9

Analysis of current record

Channel	Call	City/State	Application Ref. No.
23	WDDN-LP	WASHINGTON DC	BLTTL -20080327AAI

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
15	WFDC-DT	ARLINGTON VA	7.0	LIC	BLCDT -20070215AAB
15	WFDC-TV	ARLINGTON VA	7.0	PLN	DTVPLN -DTVP0540
15	WFDC-DT	ARLINGTON VA	7.0	CP	BPCDT -20080618AKE
21	WBOC-TV	SALISBURY MD	134.3	LIC	BLCDT -20060703ABR
21	WBOC-TV	SALISBURY MD	134.3	PLN	DTVPLN -DTVP0751
21	WBOC-TV	SALISBURY MD	134.3	CP	BPCDT -20080620AFP
21	WVPY	FRONT ROYAL VA	110.2	PLN	DTVPLN -DTVP0771
21	WVPY	FRONT ROYAL VA	110.2	CP	BPEDT -20081022ACD
21	WVPY	FRONT ROYAL VA	110.2	LIC	BLEDT -20021220ADZ
22	W22DA	FREDERICK MD	54.5	LIC	BLTTL -20050207AEK
22	W22DH-D	SALISBURY MD	142.6	CP	BDCCDTL -20061027AGV
22	NEW	HARRISONBURG VA	166.6	APP	BNPDTL -20090825ARM

23	W23DF-D	SALISBURY MD	108.7	LIC	BLDTL	-20090731AFF
23	WUNK-TV	GREENVILLE NC	386.2	PLN	DTVPLN	-DTVP0839
23	WUNK-TV	GREENVILLE NC	386.2	LIC	BLEDT	-20021007ABG
23	WUNK-TV	GREENVILLE NC	386.2	CP MOD	BMPEDT	-20090831ACZ
23	WBPN-LD	BINGHAMTON NY	352.5	CP	BDCCDTL	-20061030AGK
23	WLYH-TV	LANCASTER PA	149.2	LIC	BLCDT	-20040922AAC
23	WLYH-TV	LANCASTER PA	149.2	PLN	DTVPLN	-DTVP0845
23	WPXI	UNION TOWN PA	242.6	APP	BDRTCT	-20090610ABQ
23	WDWA-LP	CLARKS CORNER VA	73.3	LIC	BLTTL	-20080814AAR
23	WMDV-LP	DANVILLE VA	323.6	CP	BDISDTT	-20060331BHB
23	WDWA-LP	LURAY VA	73.3	APP	BSTA	-20080321ACV
23	W23DR-D	ROMNEY WV	147.1	LIC	BLDTT	-20090609AAZ
24	W22DA	FREDRICK MD	67.5	APP	BDISDTL	-20090813ADA
24	W24CS	READING PA	180.2	CP	BDFCDTT	-20060331AXW
24	W24DF-D	CHARLOTTESVILLE VA	143.3	CP	BDCCDTL	-20061030AGD
24	WNVC	FAIRFAX VA	20.0	CP MOD	BMPEDT	-20080609ACI
24	WNVC	FAIRFAX VA	20.0	PLN	DTVPLN	-DTVP0896
26	WHAG-TV	HAGERSTOWN MD	107.3	CP MOD	BMPCDT	-20080619AJL
26	WHAG-TV	HAGERSTOWN MD	107.3	PLN	DTVPLN	-DTVP0944
27	WETA-TV	WASHINGTON DC	5.9	LIC	BLEDT	-20070727ACJ
27	WETA-TV	WASHINGTON DC	5.9	PLN	DTVPLN	-DTVP0976
30	WGCB-TV	RED LION PA	108.5	PLN	DTVPLN	-DTVP1107
30	WGCB-TV	RED LION PA	108.5	LIC	BLCDT	-20050615AAB
30	WNVT	GOLDVEIN VA	52.9	LIC	BLEDT	-20031230AAR
30	WNVT	GOLDVEIN VA	52.9	PLN	DTVPLN	-DTVP1113
38	WWT-D	WASHINGTON DC	7.0	CP	BDCCDTL	-20061013AEG
38	WMAR-TV	BALTIMORE MD	51.1	PLN	DTVPLN	-DTVP1362
38	WMAR-TV	BALTIMORE MD	51.1	CP	BPCDT	-20080222ABC
38	WDCN-LD	FAIRFAX VA	13.4	APP	BDCCDTL	-20061030AON
38	W34DW-D	HAMPSHIRE, ETC. WV	121.9	CP	BDCCDTT	-20061025ADT
23	WDVB	NEW YORK NY	326.1	APP	USERRECORD-01	

Proposal causes no interference

#####

# Analysis of Interference to Affected Station 10

## Analysis of current record

Channel	Call	City/State	Application Ref. No.
23	W23DF-D	SALISBURY MD	BLDTL -20090731AFF

## Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
22	W22DH-D	SALISBURY MD	34.0	CP	BDCCDTL -20061027AGV
23	WDDN-LP	WASHINGTON DC	108.7	LIC	BLTTL -20080327AAI
23	WUNK-TV	GREENVILLE NC	363.2	PLN	DTVPLN -DTVP0839
23	WUNK-TV	GREENVILLE NC	363.2	LIC	BLEDT -20021007ABG
23	WUNK-TV	GREENVILLE NC	363.2	CP MOD	BMPEDT -20090831ACZ
23	WBPN-LD	BINGHAMTON NY	390.5	CP	BDCCDTL -20061030AGK
23	WFTY-DT	SMITHTOWN NY	365.5	LIC	BLCDT -20030113ABS
23	WFTY-TV	SMITHTOWN NY	365.5	PLN	DTVPLN -DTVP0843
23	WFTY-DT	SMITHTOWN NY	365.5	CP	BPCDT -20080613ACJ
23	WLYH-TV	LANCASTER PA	196.2	LIC	BLCDT -20040922AAC
23	WLYH-TV	LANCASTER PA	196.2	PLN	DTVPLN -DTVP0845
23	WPXI	UNION TOWN PA	351.1	APP	BDRTCT -20090610ABQ
23	WMDV-LP	DANVILLE VA	362.7	CP	BDISDTT -20060331BHB
23	WDWA-LP	LURAY VA	165.3	APP	BSTA -20080321ACV
23	W23DR-D	ROMNEY WV	254.1	LIC	BLDTT -20090609AAZ
24	W22DA	FREDRICK MD	171.1	APP	BDISDTL -20090813ADA
24	W24CS	READING PA	201.4	CP	BDFCDTT -20060331AXW
24	W24DF-D	CHARLOTTESVILLE VA	213.8	CP	BDCCDTL -20061030AGD
24	WNVC	FAIRFAX VA	116.5	CP MOD	BMPEDT -20080609ACI
24	WNVC	FAIRFAX VA	116.5	PLN	DTVPLN -DTVP0896
23	WDVB	NEW YORK NY	297.2	APP	USERRECORD-01

Proposal causes no interference

#####

Analysis of Interference to Affected Station 11

Analysis of current record

Channel	Call	City/State	Application Ref. No.
23	W23CX	SALISBURY MD	BLTTL -20070730AKY

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
21	WBOC-TV	SALISBURY MD	42.7	LIC	BLCDT -20060703ABR
21	WBOC-TV	SALISBURY MD	42.7	PLN	DTVPLN -DTVP0751
21	WBOC-TV	SALISBURY MD	42.7	CP	BPCDT -20080620AFP
22	W22DH-D	SALISBURY MD	32.7	CP	BDCCDTL -20061027AGV
23	W23DF-D	SALISBURY MD	66.4	LIC	BLDTL -20090731AFF
23	WUNK-TV	GREENVILLE NC	361.1	PLN	DTVPLN -DTVP0839
23	WUNK-TV	GREENVILLE NC	361.1	LIC	BLEDT -20021007ABG
23	WUNK-TV	GREENVILLE NC	361.1	CP MOD	BMPEDT -20090831ACZ
23	WFTY-DT	SMITHTOWN NY	357.5	LIC	BLCDT -20030113ABS
23	WFTY-TV	SMITHTOWN NY	357.5	PLN	DTVPLN -DTVP0843
23	WFTY-DT	SMITHTOWN NY	357.5	CP	BPCDT -20080613ACJ
23	WLYH-TV	LANCASTER PA	247.1	LIC	BLCDT -20040922AAC
23	WLYH-TV	LANCASTER PA	247.1	PLN	DTVPLN -DTVP0845
23	WITD-CA	CHESAPEAKE VA	189.6	LIC	BLTTA -20060614AAE
23	WMDV-LP	DANVILLE VA	396.4	CP	BDISDTT -20060331BHB
23	W23DR-D	ROMNEY WV	319.5	LIC	BLDTT -20090609AAZ
23	WDVB	NEW YORK NY	301.7	APP	USERRECORD-01

Proposal causes no interference

#####

Analysis of Interference to Affected Station 12

Analysis of current record

Channel	Call	City/State	Application Ref. No.
23	W23AZ	HACKETTSTOWN NJ	BLTTL -20021007AAH

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
21	WLIW	GARDEN CITY NY	116.4	CP	BPEDT -20080317AAQ
21	WLIW	GARDEN CITY NY	116.4	PLN	DTVPLN -DTVP0758
21	WLIW	GARDEN CITY NY	116.4	APP	BMPEDT -20080620AID
22	WNJS	CAMDEN NJ	124.5	PLN	DTVPLN -DTVP0802
22	WNJS	CAMDEN NJ	124.5	CP	BPEDT -20080620ALH
22	WNJS	CAMDEN NJ	124.5	LIC	BLEDT -20070611AAY
22	WNYZ-LP	NEW YORK NY	75.7	APP	BDISDTL -20091118AFX
22	WCBS-TV	PLAINVIEW NY	116.4	CP	BDRTCDT -20090630AEB
22	WNEP-TV	WAYMART PA	100.2	LIC	BLCDT -20091216AAH
23	W23DF-D	SALISBURY MD	273.4	LIC	BLDTL -20090731AFF
23	WPXJ-TV	BATAVIA NY	347.9	CP	BPCDT -20080311ACI
23	WPXJ-TV	BATAVIA NY	347.9	PLN	DTVPLN -DTVP0841
23	WBPN-LD	BINGHAMTON NY	163.0	CP	BDCCDTL -20061030AGK
23	WFTY-DT	SMITHTOWN NY	158.1	LIC	BLCDT -20030113ABS
23	WFTY-TV	SMITHTOWN NY	158.1	PLN	DTVPLN -DTVP0843
23	WFTY-DT	SMITHTOWN NY	158.1	CP	BPCDT -20080613ACJ
23	WNGN-LP	TROY NY	237.4	APP	BDISDTL -20090824ALE
23	WLYH-TV	LANCASTER PA	152.3	LIC	BLCDT -20040922AAC
23	WLYH-TV	LANCASTER PA	152.3	PLN	DTVPLN -DTVP0845
23	W23DR-D	ROMNEY WV	371.8	LIC	BLDTT -20090609AAZ
24	WNYE-TV	NEW YORK NY	72.0	CP MOD	BMPEDT -20070124AAX
24	WNYE-TV	NEW YORK NY	72.0	PLN	DTVPLN -DTVP0882

24	WNYE-TV	NEW YORK NY	72.0	LIC	BLEDT	-20071228ABM
24	W24CS	READING PA	105.3	CP	BDFCDTT	-20060331AXW
25	WTVE	READING PA	95.9	CP MOD	BMPCDT	-20081027ACR
25	WTVE	READING PA	92.7	PLN	DTVPLN	-DTVP0921
25	WTVE	READING PA	105.3	LIC	BLCDDT	-20040323ATZ
26	KYW-TV	PHILADELPHIA PA	96.0	CP	BPCDDT	-20080620ABO
26	KYW-TV	PHILADELPHIA PA	96.0	PLN	DTVPLN	-DTVP0959
27	WGTW-TV	BURLINGTON NJ	95.9	PLN	DTVPLN	-DTVP0992
27	WGTW-TV	BURLINGTON NJ	95.9	LIC	BLCDDT	-20060105AAR
27	WTBY-TV	POUGHKEEPSIE NY	102.8	CP	BPCDDT	-20080619ABY
27	WTBY-TV	POUGHKEEPSIE NY	102.8	PLN	DTVPLN	-DTVP0996
27	WTBY-TV	POUGHKEEPSIE NY	102.8	LIC	BMLCDDT	-20061031ACG
30	WFUT-DT	NEWARK NJ	72.2	CP	BPCDDT	-20080619AEI
30	WFUT-TV	NEWARK NJ	72.0	PLN	DTVPLN	-DTVP1101
31	WPPX-TV	WILMINGTON DE	95.9	LIC	BLCDDT	-20031203AFL
31	WPPX	WILMINGTON DE	95.9	PLN	DTVPLN	-DTVP1122
31	WPPX-TV	WILMINGTON DE	95.9	APP	BPCDDT	-20080620AMP
31	WPXN-TV	NEW YORK NY	70.7	PLN	DTVPLN	-DTVP1144
31	WPXN-TV	NEW YORK NY	70.7	APP	BMPCDDT	-20080620ALZ
31	WPXN-TV	NEW YORK NY	72.2	CP MOD	BMPCDDT	-20080926ACT
31	WSWB	SCRANTON PA	99.4	PLN	DTVPLN	-DTVP1147
31	WSWB-DR	SCRANTON PA	99.4	APP	BPRM	-20080619ALI
38	WWOR-TV	SECAUCUS NJ	72.2	CP MOD	BMPCDDT	-20080620AHC
38	WWOR-TV	SECAUCUS NJ	70.7	PLN	DTVPLN	-DTVP1368
38	WPHA-CA	PHILADELPHIA PA	96.2	CP	BDFCDTA	-20090630AHY
23	WDVB	NEW YORK NY	72.2	APP	USERRECORD-01	

Total scenarios = 1

Result key: 19  
 Scenario 1 Affected station 12 W23AZ  
 Before Analysis

Results for: 23N NJ HACKETTSTOWN	BLTTL	20021007AAH	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	32408	104.2	
not affected by terrain losses	29649	97.2	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	0	0.0	
lost to all IX	0	0.0	

Potential Interfering Stations Included in above Scenario 1

After Analysis

Results for: 23N NJ HACKETTSTOWN	BLTTL	20021007AAH	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	32408	104.2	
not affected by terrain losses	29649	97.2	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	1604	6.0	
lost to all IX	1604	6.0	

Potential Interfering Stations Included in above Scenario 1

23A NY NEW YORK USERRECORD01 APP

The following station failed the de minimis interference criteria.

23D NY NEW YORK USERRECORD01  
 ERP 7.00 kW HAAT 301.0 m RCMSL 314.0 m  
 Antenna CDB 00000000074158

Due to interference to the following station and scenario: 1

23N NJ HACKETTSTOWN BLTTL 20021007AAH  
 ERP 4.43 kW HAAT 51.0 m RCMSL 205.0 m  
 Antenna CDB 00000000041185



Percent new DTV interference without proposal:	0.0	BLTTL	20021007AAH
Percent new DTV interference with proposal:	4.9	BLTTL	20021007AAH

Worst case new IX 4.9494% Scenario 1

#####

# Analysis of Interference to Affected Station 13

## Analysis of current record

Channel	Call	City/State	Application Ref. No.
23	WBPN-LD	BINGHAMTON NY	BDCCDTL -20061030AGK

## Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
22	WNYZ-LP	NEW YORK NY	221.3	APP	BDISDTL -20091118AFX
22	DWROH-LP	ROCHESTER NY	180.0	CP	BDCCDTL -20061030ANY
22	WTVU-LP	SYRACUSE NY	112.9	CP	BDFCDTA -20081216BLJ
22	W22DO-D	UTICA NY	136.2	CP	BDCCDTT -20061025ACS
22	WNEP-TV	WAYMART PA	63.8	LIC	BLCDDT -20091216AAH
23	W23DF-D	SALISBURY MD	390.5	LIC	BLDTL -20090731AFF
23	WPXJ-TV	BATAVIA NY	193.7	CP	BPCDT -20080311ACI
23	WPXJ-TV	BATAVIA NY	193.7	PLN	DTVPLN -DTVP0841
23	WNPI-TV	NORWOOD NY	284.6	PLN	DTVPLN -DTVP0842
23	WNPI-DT	NORWOOD NY	284.6	APP	BPEDT -20080619ABH
23	WNPI-DT	NORWOOD NY	284.6	LIC	BLEDT -20050715ABZ
23	WFTY-DT	SMITHTOWN NY	280.8	LIC	BLCDDT -20030113ABS
23	WFTY-TV	SMITHTOWN NY	280.8	PLN	DTVPLN -DTVP0843
23	WFTY-DT	SMITHTOWN NY	280.8	CP	BPCDT -20080613ACJ
23	WNGN-LP	TROY NY	206.6	APP	BDISDTL -20090824ALE
23	WLYH-TV	LANCASTER PA	204.1	LIC	BLCDDT -20040922AAC
23	WLYH-TV	LANCASTER PA	204.1	PLN	DTVPLN -DTVP0845
23	WPXI	UNION TOWN PA	396.2	APP	BDRTCT -20090610ABQ
23	W23DR-D	ROMNEY WV	384.4	LIC	BLDTT -20090609AAZ
24	WSTM-TV	SYRACUSE NY	99.8	CP	BPCDT -20080320ACI
24	WSTM-TV	SYRACUSE NY	99.8	PLN	DTVPLN -DTVP0883
24	W24CS	READING PA	189.2	CP	BDFCDTT -20060331AXW
23	WDVB	NEW YORK NY	218.6	APP	USERRECORD-01

Proposal causes no interference

#####

# Analysis of Interference to Affected Station 14

## Analysis of current record

Channel	Call	City/State	Application Ref. No.
23	WFTY-DT	SMITHTOWN NY	BLCDDT -20030113ABS

## Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
22	WLWC	NEW BEDFORD MA	195.7	CP	BPCDT -20080620AEQ
22	WLWC	NEW BEDFORD MA	195.7	PLN	DTVPLN -DTVP0792
22	WLWC	NEW BEDFORD MA	195.7	LIC	BLCDDT -20050802ACS
22	WGBY-TV	SPRINGFIELD MA	152.4	PLN	DTVPLN -DTVP0793
22	WGBY-TV	SPRINGFIELD MA	152.4	CP	BPEDT -20080507ACW
22	WNJS	CAMDEN NJ	205.8	PLN	DTVPLN -DTVP0802
22	WNJS	CAMDEN NJ	205.8	CP	BPEDT -20080620ALH
22	WNJS	CAMDEN NJ	205.8	LIC	BLEDT -20070611AAY
23	WLYH-TV	LANCASTER PA	304.4	LIC	BLCDDT -20040922AAC
23	WLYH-TV	LANCASTER PA	304.4	PLN	DTVPLN -DTVP0845

24	WNYE-TV	NEW YORK NY	88.2	CP MOD	BMPEDT	-20070124AAX
24	WNYE-TV	NEW YORK NY	88.2	PLN	DTVPLN	-DTVP0882
24	WNYE-TV	NEW YORK NY	88.2	LIC	BLEDT	-20071228ABM
23	WDVB	NEW YORK NY	88.3	APP	USERRECORD-01	

Total scenarios = 12

Result key: 20  
 Scenario 1 Affected station 14 WFTY-DT  
 Before Analysis

Results for: 23A NY SMITHTOWN BLCDT 20030113ABS LIC  
 HAAT 204.0 m, ATV ERP 150.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	4820949	13933.6
not affected by terrain losses	4790620	13885.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	737479	287.6
lost to ATV IX only	737479	287.6
lost to all IX	737479	287.6

Potential Interfering Stations Included in above Scenario 1

23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BMPEDT	20070124AAX	CP

After Analysis

Results for: 23A NY SMITHTOWN BLCDT 20030113ABS LIC  
 HAAT 204.0 m, ATV ERP 150.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	4820949	13933.6
not affected by terrain losses	4790620	13885.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	737794	289.5
lost to ATV IX only	737794	289.5
lost to all IX	737794	289.5

Potential Interfering Stations Included in above Scenario 1

23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BMPEDT	20070124AAX	CP
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0078%

Result key: 21  
 Scenario 2 Affected station 14 WFTY-DT  
 Before Analysis

Results for: 23A NY SMITHTOWN BLCDT 20030113ABS LIC  
 HAAT 204.0 m, ATV ERP 150.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	4820949	13933.6
not affected by terrain losses	4790620	13885.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	737479	287.6
lost to ATV IX only	737479	287.6
lost to all IX	737479	287.6

Potential Interfering Stations Included in above Scenario 2

23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

After Analysis

Results for: 23A NY SMITHTOWN BLCDT 20030113ABS LIC

HAAT 204.0 m, ATV ERP 150.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	4820949	13933.6
not affected by terrain losses	4790620	13885.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	737794	289.5
lost to ATV IX only	737794	289.5
lost to all IX	737794	289.5

Potential Interfering Stations Included in above Scenario 2

23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0078%

Result key: 22  
Scenario 3 Affected station 14 WFTY-DT  
Before Analysis

Results for: 23A NY SMITHTOWN BLCDT 20030113ABS LIC

HAAT 204.0 m, ATV ERP 150.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	4820949	13933.6
not affected by terrain losses	4790620	13885.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	737479	287.6
lost to ATV IX only	737479	287.6
lost to all IX	737479	287.6

Potential Interfering Stations Included in above Scenario 3

23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BLEDT	20071228ABM	LIC

After Analysis

Results for: 23A NY SMITHTOWN BLCDT 20030113ABS LIC

HAAT 204.0 m, ATV ERP 150.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	4820949	13933.6
not affected by terrain losses	4790620	13885.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	737794	289.5
lost to ATV IX only	737794	289.5
lost to all IX	737794	289.5

Potential Interfering Stations Included in above Scenario 3

23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BLEDT	20071228ABM	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0078%

Result key: 23  
Scenario 4 Affected station 14 WFTY-DT  
Before Analysis

Results for: 23A NY SMITHTOWN BLCDT 20030113ABS LIC

HAAT 204.0 m, ATV ERP 150.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	4820949	13933.6
not affected by terrain losses	4790620	13885.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	737479	287.6

lost to ATV IX only	737479	287.6
lost to all IX	737479	287.6

Potential Interfering Stations Included in above Scenario 4

23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BMPEDT	20070124AAX	CP

After Analysis

Results for: 23A NY SMITHTOWN BLC DT 20030113ABS LIC  
 HAAT 204.0 m, ATV ERP 150.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	4820949	13933.6
not affected by terrain losses	4790620	13885.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	737794	289.5
lost to ATV IX only	737794	289.5
lost to all IX	737794	289.5

Potential Interfering Stations Included in above Scenario 4

23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BMPEDT	20070124AAX	CP
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0078%

Result key: 24  
 Scenario 5 Affected station 14 WFTY-DT  
 Before Analysis

Results for: 23A NY SMITHTOWN BLC DT 20030113ABS LIC  
 HAAT 204.0 m, ATV ERP 150.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	4820949	13933.6
not affected by terrain losses	4790620	13885.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	737479	287.6
lost to ATV IX only	737479	287.6
lost to all IX	737479	287.6

Potential Interfering Stations Included in above Scenario 5

23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

After Analysis

Results for: 23A NY SMITHTOWN BLC DT 20030113ABS LIC  
 HAAT 204.0 m, ATV ERP 150.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	4820949	13933.6
not affected by terrain losses	4790620	13885.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	737794	289.5
lost to ATV IX only	737794	289.5
lost to all IX	737794	289.5

Potential Interfering Stations Included in above Scenario 5

23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0078%

Result key: 25

Scenario 6 Affected station 14 WFTY-DT  
Before Analysis

Results for: 23A NY SMITHTOWN BLCDT 20030113ABS LIC  
HAAT 204.0 m, ATV ERP 150.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	4820949	13933.6
not affected by terrain losses	4790620	13885.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	737479	287.6
lost to ATV IX only	737479	287.6
lost to all IX	737479	287.6

Potential Interfering Stations Included in above Scenario 6

23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BLEDT	20071228ABM	LIC

After Analysis

Results for: 23A NY SMITHTOWN BLCDT 20030113ABS LIC  
HAAT 204.0 m, ATV ERP 150.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	4820949	13933.6
not affected by terrain losses	4790620	13885.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	737794	289.5
lost to ATV IX only	737794	289.5
lost to all IX	737794	289.5

Potential Interfering Stations Included in above Scenario 6

23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BLEDT	20071228ABM	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0078%

Result key: 26

Scenario 7 Affected station 14 WFTY-DT  
Before Analysis

Results for: 23A NY SMITHTOWN BLCDT 20030113ABS LIC  
HAAT 204.0 m, ATV ERP 150.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	4820949	13933.6
not affected by terrain losses	4790620	13885.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	737479	287.6
lost to ATV IX only	737479	287.6
lost to all IX	737479	287.6

Potential Interfering Stations Included in above Scenario 7

23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BMPEDT	20070124AAX	CP

After Analysis

Results for: 23A NY SMITHTOWN BLCDT 20030113ABS LIC  
HAAT 204.0 m, ATV ERP 150.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	4820949	13933.6
not affected by terrain losses	4790620	13885.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	737794	289.5
lost to ATV IX only	737794	289.5
lost to all IX	737794	289.5

Potential Interfering Stations Included in above Scenario 7

23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BMPEDT	20070124AAX	CP
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0078%

Result key: 27  
Scenario 8 Affected station 14 WFTY-DT  
Before Analysis

Results for: 23A NY SMITHTOWN BLCDT 20030113ABS LIC  
HAAT 204.0 m, ATV ERP 150.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	4820949	13933.6
not affected by terrain losses	4790620	13885.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	737479	287.6
lost to ATV IX only	737479	287.6
lost to all IX	737479	287.6

Potential Interfering Stations Included in above Scenario 8

23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

After Analysis

Results for: 23A NY SMITHTOWN BLCDT 20030113ABS LIC  
HAAT 204.0 m, ATV ERP 150.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	4820949	13933.6
not affected by terrain losses	4790620	13885.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	737794	289.5
lost to ATV IX only	737794	289.5
lost to all IX	737794	289.5

Potential Interfering Stations Included in above Scenario 8

23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0078%

Result key: 28  
Scenario 9 Affected station 14 WFTY-DT  
Before Analysis

Results for: 23A NY SMITHTOWN BLCDT 20030113ABS LIC  
HAAT 204.0 m, ATV ERP 150.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	4820949	13933.6
not affected by terrain losses	4790620	13885.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	737479	287.6
lost to ATV IX only	737479	287.6
lost to all IX	737479	287.6

Potential Interfering Stations Included in above Scenario 9

23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BLEDT	20071228ABM	LIC

After Analysis

Results for: 23A NY SMITHTOWN BLCDT 20030113ABS LIC  
HAAT 204.0 m, ATV ERP 150.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	4820949	13933.6
not affected by terrain losses	4790620	13885.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	737794	289.5
lost to ATV IX only	737794	289.5
lost to all IX	737794	289.5

Potential Interfering Stations Included in above Scenario 9

23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BLEDT	20071228ABM	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0078%

Result key: 29  
Scenario 10 Affected station 14 WFTY-DT  
Before Analysis

Results for: 23A NY SMITHTOWN BLCDT 20030113ABS LIC  
HAAT 204.0 m, ATV ERP 150.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	4820949	13933.6
not affected by terrain losses	4790620	13885.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	737479	287.6
lost to ATV IX only	737479	287.6
lost to all IX	737479	287.6

Potential Interfering Stations Included in above Scenario 10

23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BMPEDT	20070124AAX	CP

After Analysis

Results for: 23A NY SMITHTOWN BLCDT 20030113ABS LIC  
HAAT 204.0 m, ATV ERP 150.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	4820949	13933.6
not affected by terrain losses	4790620	13885.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	737794	289.5
lost to ATV IX only	737794	289.5
lost to all IX	737794	289.5

Potential Interfering Stations Included in above Scenario 10

23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BMPEDT	20070124AAX	CP
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0078%

Result key: 30  
Scenario 11 Affected station 14 WFTY-DT  
Before Analysis

Results for: 23A NY SMITHTOWN BLCDT 20030113ABS LIC  
HAAT 204.0 m, ATV ERP 150.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	4820949	13933.6
not affected by terrain losses	4790620	13885.0
lost to NTSC IX	0	0.0

lost to additional IX by ATV	737479	287.6
lost to ATV IX only	737479	287.6
lost to all IX	737479	287.6

Potential Interfering Stations Included in above Scenario 11

23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

After Analysis

Results for: 23A NY SMITHTOWN BLCDT 20030113ABS LIC

HAAT 204.0 m, ATV ERP 150.0 kW		
	POPULATION	AREA (sq km)
within Noise Limited Contour	4820949	13933.6
not affected by terrain losses	4790620	13885.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	737794	289.5
lost to ATV IX only	737794	289.5
lost to all IX	737794	289.5

Potential Interfering Stations Included in above Scenario 11

23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0078%

Result key: 31  
 Scenario 12 Affected station 14 WFTY-DT  
 Before Analysis

Results for: 23A NY SMITHTOWN BLCDT 20030113ABS LIC

HAAT 204.0 m, ATV ERP 150.0 kW		
	POPULATION	AREA (sq km)
within Noise Limited Contour	4820949	13933.6
not affected by terrain losses	4790620	13885.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	737479	287.6
lost to ATV IX only	737479	287.6
lost to all IX	737479	287.6

Potential Interfering Stations Included in above Scenario 12

23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BLEDT	20071228ABM	LIC

After Analysis

Results for: 23A NY SMITHTOWN BLCDT 20030113ABS LIC

HAAT 204.0 m, ATV ERP 150.0 kW		
	POPULATION	AREA (sq km)
within Noise Limited Contour	4820949	13933.6
not affected by terrain losses	4790620	13885.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	737794	289.5
lost to ATV IX only	737794	289.5
lost to all IX	737794	289.5

Potential Interfering Stations Included in above Scenario 12

23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BLEDT	20071228ABM	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0078%



Worst case new IX 0.0078% Scenario 1

#####

Analysis of Interference to Affected Station 15

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
23	WFTY-DT	SMITHTOWN NY	BPCDT	-20080613ACJ

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
22	WLWC	NEW BEDFORD MA	195.7	CP	BPCDT	-20080620AEQ
22	WLWC	NEW BEDFORD MA	195.7	PLN	DTVPLN	-DTVP0792
22	WLWC	NEW BEDFORD MA	195.7	LIC	BLCDT	-20050802ACS
22	WGBY-TV	SPRINGFIELD MA	152.4	PLN	DTVPLN	-DTVP0793
22	WGBY-TV	SPRINGFIELD MA	152.4	CP	BPEDT	-20080507ACW
22	WNJS	CAMDEN NJ	205.8	PLN	DTVPLN	-DTVP0802
22	WNJS	CAMDEN NJ	205.8	CP	BPEDT	-20080620ALH
22	WNJS	CAMDEN NJ	205.8	LIC	BLEDT	-20070611AAY
23	WLYH-TV	LANCASTER PA	304.4	LIC	BLCDT	-20040922AAC
23	WLYH-TV	LANCASTER PA	304.4	PLN	DTVPLN	-DTVP0845
24	WNYE-TV	NEW YORK NY	88.2	CP MOD	BMPEDT	-20070124AAX
24	WNYE-TV	NEW YORK NY	88.2	PLN	DTVPLN	-DTVP0882
24	WNYE-TV	NEW YORK NY	88.2	LIC	BLEDT	-20071228ABM
23	WDVB	NEW YORK NY	88.3	APP	USERRECORD-01	

Total scenarios = 24

Result key: 32  
Scenario 1 Affected station 15 WFTY-DT  
Before Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	587622	279.4
lost to ATV IX only	587622	279.4
lost to all IX	587622	279.4

Potential Interfering Stations Included in above Scenario 1

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BMPEDT	20070124AAX	CP

After Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	588898	285.3
lost to ATV IX only	588898	285.3
lost to all IX	588898	285.3

Potential Interfering Stations Included in above Scenario 1

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
--------------------	--------	----------	-----

23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BMPEDT	20070124AAX	CP
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0266%

Result key: 33  
 Scenario 2 Affected station 15 WFTY-DT  
 Before Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
 HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	587622	279.4
lost to ATV IX only	587622	279.4
lost to all IX	587622	279.4

Potential Interfering Stations Included in above Scenario 2

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

After Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
 HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	588898	285.3
lost to ATV IX only	588898	285.3
lost to all IX	588898	285.3

Potential Interfering Stations Included in above Scenario 2

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0266%

Result key: 34  
 Scenario 3 Affected station 15 WFTY-DT  
 Before Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
 HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	587622	279.4
lost to ATV IX only	587622	279.4
lost to all IX	587622	279.4

Potential Interfering Stations Included in above Scenario 3

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BLEDT	20071228ABM	LIC

After Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	588898	285.3
lost to ATV IX only	588898	285.3
lost to all IX	588898	285.3

Potential Interfering Stations Included in above Scenario 3

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BLEDT	20071228ABM	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0266%

Result key: 35  
Scenario 4 Affected station 15 WFTY-DT  
Before Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	587622	279.4
lost to ATV IX only	587622	279.4
lost to all IX	587622	279.4

Potential Interfering Stations Included in above Scenario 4

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BMPEDT	20070124AAX	CP

After Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	588898	285.3
lost to ATV IX only	588898	285.3
lost to all IX	588898	285.3

Potential Interfering Stations Included in above Scenario 4

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BMPEDT	20070124AAX	CP
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0266%

Result key: 36  
Scenario 5 Affected station 15 WFTY-DT  
Before Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
--	------------	--------------

within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	587622	279.4
lost to ATV IX only	587622	279.4
lost to all IX	587622	279.4

Potential Interfering Stations Included in above Scenario 5

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

After Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	588898	285.3
lost to ATV IX only	588898	285.3
lost to all IX	588898	285.3

Potential Interfering Stations Included in above Scenario 5

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0266%

Result key: 37  
Scenario 6 Affected station 15 WFTY-DT  
Before Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	587622	279.4
lost to ATV IX only	587622	279.4
lost to all IX	587622	279.4

Potential Interfering Stations Included in above Scenario 6

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BLEDT	20071228ABM	LIC

After Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	588898	285.3
lost to ATV IX only	588898	285.3
lost to all IX	588898	285.3

Potential Interfering Stations Included in above Scenario 6

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BLEDT	20071228ABM	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0266%

Result key: 38  
 Scenario 7 Affected station 15 WFTY-DT  
 Before Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
 HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	587622	279.4
lost to ATV IX only	587622	279.4
lost to all IX	587622	279.4

Potential Interfering Stations Included in above Scenario 7

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
23A PA LANCASTER	BLCDDT	20040922AAC	LIC
24A NY NEW YORK	BMPEDT	20070124AAX	CP

After Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
 HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	588898	285.3
lost to ATV IX only	588898	285.3
lost to all IX	588898	285.3

Potential Interfering Stations Included in above Scenario 7

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
23A PA LANCASTER	BLCDDT	20040922AAC	LIC
24A NY NEW YORK	BMPEDT	20070124AAX	CP
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0266%

Result key: 39  
 Scenario 8 Affected station 15 WFTY-DT  
 Before Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
 HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	587622	279.4
lost to ATV IX only	587622	279.4
lost to all IX	587622	279.4

Potential Interfering Stations Included in above Scenario 8

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
23A PA LANCASTER	BLCDDT	20040922AAC	LIC
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

After Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	588898	285.3
lost to ATV IX only	588898	285.3
lost to all IX	588898	285.3

Potential Interfering Stations Included in above Scenario 8

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0266%

Result key: 40  
Scenario 9 Affected station 15 WFTY-DT  
Before Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	587622	279.4
lost to ATV IX only	587622	279.4
lost to all IX	587622	279.4

Potential Interfering Stations Included in above Scenario 9

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BLEDT	20071228ABM	LIC

After Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	588898	285.3
lost to ATV IX only	588898	285.3
lost to all IX	588898	285.3

Potential Interfering Stations Included in above Scenario 9

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BLEDT	20071228ABM	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0266%

Result key: 41  
Scenario 10 Affected station 15 WFTY-DT  
Before Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	587622	279.4
lost to ATV IX only	587622	279.4
lost to all IX	587622	279.4

Potential Interfering Stations Included in above Scenario 10

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BMPEDT	20070124AAX	CP

After Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	588898	285.3
lost to ATV IX only	588898	285.3
lost to all IX	588898	285.3

Potential Interfering Stations Included in above Scenario 10

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BMPEDT	20070124AAX	CP
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0266%

Result key: 42  
Scenario 11 Affected station 15 WFTY-DT  
Before Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	587622	279.4
lost to ATV IX only	587622	279.4
lost to all IX	587622	279.4

Potential Interfering Stations Included in above Scenario 11

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

After Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	588898	285.3
lost to ATV IX only	588898	285.3
lost to all IX	588898	285.3

Potential Interfering Stations Included in above Scenario 11

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0266%

Result key: 43  
 Scenario 12 Affected station 15 WFTY-DT  
 Before Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
 HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	587622	279.4
lost to ATV IX only	587622	279.4
lost to all IX	587622	279.4

Potential Interfering Stations Included in above Scenario 12

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BLEDT	20071228ABM	LIC

After Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
 HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	588898	285.3
lost to ATV IX only	588898	285.3
lost to all IX	588898	285.3

Potential Interfering Stations Included in above Scenario 12

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BLEDT	20071228ABM	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0266%

Result key: 44  
 Scenario 13 Affected station 15 WFTY-DT  
 Before Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
 HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	587622	279.4
lost to ATV IX only	587622	279.4
lost to all IX	587622	279.4

Potential Interfering Stations Included in above Scenario 13

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BMPEDT	20070124AAX	CP



After Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	588898	285.3
lost to ATV IX only	588898	285.3
lost to all IX	588898	285.3

Potential Interfering Stations Included in above Scenario 13

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BMPEDT	20070124AAX	CP
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0266%

Result key: 45  
Scenario 14 Affected station 15 WFTY-DT  
Before Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	587622	279.4
lost to ATV IX only	587622	279.4
lost to all IX	587622	279.4

Potential Interfering Stations Included in above Scenario 14

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

After Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	588898	285.3
lost to ATV IX only	588898	285.3
lost to all IX	588898	285.3

Potential Interfering Stations Included in above Scenario 14

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0266%

Result key: 46  
Scenario 15 Affected station 15 WFTY-DT  
Before Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP

HAAT 219.0 m, ATV ERP 655.0 kW		
	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	587622	279.4
lost to ATV IX only	587622	279.4
lost to all IX	587622	279.4

Potential Interfering Stations Included in above Scenario 15

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BLEDT	20071228ABM	LIC

After Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
 HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	588898	285.3
lost to ATV IX only	588898	285.3
lost to all IX	588898	285.3

Potential Interfering Stations Included in above Scenario 15

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BLEDT	20071228ABM	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0266%

Result key: 47  
 Scenario 16 Affected station 15 WFTY-DT  
 Before Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
 HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	587622	279.4
lost to ATV IX only	587622	279.4
lost to all IX	587622	279.4

Potential Interfering Stations Included in above Scenario 16

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BMPEDT	20070124AAX	CP

After Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
 HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	588898	285.3
lost to ATV IX only	588898	285.3
lost to all IX	588898	285.3

Potential Interfering Stations Included in above Scenario 16

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BMPEDT	20070124AAX	CP
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0266%

Result key: 48  
 Scenario 17 Affected station 15 WFTY-DT  
 Before Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
 HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	587622	279.4
lost to ATV IX only	587622	279.4
lost to all IX	587622	279.4

Potential Interfering Stations Included in above Scenario 17

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

After Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
 HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	588898	285.3
lost to ATV IX only	588898	285.3
lost to all IX	588898	285.3

Potential Interfering Stations Included in above Scenario 17

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0266%

Result key: 49  
 Scenario 18 Affected station 15 WFTY-DT  
 Before Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
 HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	587622	279.4
lost to ATV IX only	587622	279.4
lost to all IX	587622	279.4

Potential Interfering Stations Included in above Scenario 18

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
23A PA LANCASTER	DTVPLN	DTVP0845	PLN

24A NY NEW YORK                      BLEDT              20071228ABM    LIC

After Analysis

Results for: 23A NY SMITHTOWN                      BPCDT              20080613ACJ    CP  
HAAT    219.0 m, ATV ERP    655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	588898	285.3
lost to ATV IX only	588898	285.3
lost to all IX	588898	285.3

Potential Interfering Stations Included in above Scenario      18

22A MA SPRINGFIELD	DTVPLN	DTVP0793	PLN
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BLEDT	20071228ABM	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX =      0.0266%

Result key:              50  
Scenario              19    Affected station              15    WFTY-DT  
Before Analysis

Results for: 23A NY SMITHTOWN                      BPCDT              20080613ACJ    CP  
HAAT    219.0 m, ATV ERP    655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	587622	279.4
lost to ATV IX only	587622	279.4
lost to all IX	587622	279.4

Potential Interfering Stations Included in above Scenario      19

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BMPEDT	20070124AAX	CP

After Analysis

Results for: 23A NY SMITHTOWN                      BPCDT              20080613ACJ    CP  
HAAT    219.0 m, ATV ERP    655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	588898	285.3
lost to ATV IX only	588898	285.3
lost to all IX	588898	285.3

Potential Interfering Stations Included in above Scenario      19

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BMPEDT	20070124AAX	CP
23A NY NEW YORK	USERRECORD01		APP

Percent new IX =      0.0266%

Result key:              51  
Scenario              20    Affected station              15    WFTY-DT  
Before Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP

HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	587622	279.4
lost to ATV IX only	587622	279.4
lost to all IX	587622	279.4

Potential Interfering Stations Included in above Scenario 20

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

After Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP

HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	588898	285.3
lost to ATV IX only	588898	285.3
lost to all IX	588898	285.3

Potential Interfering Stations Included in above Scenario 20

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0266%

Result key: 52

Scenario 21 Affected station 15 WFTY-DT

Before Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP

HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	587622	279.4
lost to ATV IX only	587622	279.4
lost to all IX	587622	279.4

Potential Interfering Stations Included in above Scenario 21

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BLEDT	20071228ABM	LIC

After Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP

HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	588898	285.3
lost to ATV IX only	588898	285.3
lost to all IX	588898	285.3

Potential Interfering Stations Included in above Scenario 21

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BLEDT	20071228ABM	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0266%

Result key: 53  
 Scenario 22 Affected station 15 WFTY-DT  
 Before Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
 HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	587622	279.4
lost to ATV IX only	587622	279.4
lost to all IX	587622	279.4

Potential Interfering Stations Included in above Scenario 22

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BMPEDT	20070124AAX	CP

After Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
 HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	588898	285.3
lost to ATV IX only	588898	285.3
lost to all IX	588898	285.3

Potential Interfering Stations Included in above Scenario 22

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BMPEDT	20070124AAX	CP
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0266%

Result key: 54  
 Scenario 23 Affected station 15 WFTY-DT  
 Before Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
 HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	587622	279.4
lost to ATV IX only	587622	279.4
lost to all IX	587622	279.4

Potential Interfering Stations Included in above Scenario 23

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
--------------------	-------	-------------	----

23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

After Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	588898	285.3
lost to ATV IX only	588898	285.3
lost to all IX	588898	285.3

Potential Interfering Stations Included in above Scenario 23

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0266%

Result key: 55  
Scenario 24 Affected station 15 WFTY-DT  
Before Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	587622	279.4
lost to ATV IX only	587622	279.4
lost to all IX	587622	279.4

Potential Interfering Stations Included in above Scenario 24

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BLEDT	20071228ABM	LIC

After Analysis

Results for: 23A NY SMITHTOWN BPCDT 20080613ACJ CP  
HAAT 219.0 m, ATV ERP 655.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5475449	19796.7
not affected by terrain losses	5389078	19557.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	588898	285.3
lost to ATV IX only	588898	285.3
lost to all IX	588898	285.3

Potential Interfering Stations Included in above Scenario 24

22A MA SPRINGFIELD	BPEDT	20080507ACW	CP
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BLEDT	20071228ABM	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0266%

Worst case new IX 0.0266% Scenario 1

#####

# Analysis of Interference to Affected Station 16

## Analysis of current record

Channel	Call	City/State	Application Ref. No.
23	WNGN-LP	TROY NY	BDISDTL -20090824ALE

## Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
22	WGBY-TV	SPRINGFIELD MA	100.5	PLN	DTVPLN -DTVP0793
22	WGBY-TV	SPRINGFIELD MA	100.5	CP	BPEDT -20080507ACW
22	NEW	CONCORD NH	138.8	APP	BNPDTL -20090825AHR
22	WNYZ-LP	NEW YORK NY	228.1	APP	BDISDTL -20091118AFX
22	WCBS-TV	PLAINVIEW NY	222.5	CP	BDRTCDT -20090630AEB
22	WTVU-LP	SYRACUSE NY	208.8	CP	BDFCDTA -20081216BLJ
22	W22DO-D	UTICA NY	132.1	CP	BDCCDTT -20061025ACS
22	WNEP-TV	WAYMART PA	195.8	LIC	BLCDT -20091216AAH
23	WPFO	WATERVILLE ME	329.1	PLN	DTVPLN -DTVP0834
23	WPFO	WATERVILLE ME	329.1	CP MOD	BMPCDT -20080620ACP
23	WPXJ-TV	BATAVIA NY	357.7	CP	BPCDT -20080311ACI
23	WPXJ-TV	BATAVIA NY	357.7	PLN	DTVPLN -DTVP0841
23	WBPN-LD	BINGHAMTON NY	206.6	CP	BDCCDTL -20061030AGK
23	WNPI-TV	NORWOOD NY	213.8	PLN	DTVPLN -DTVP0842
23	WNPI-DT	NORWOOD NY	213.8	APP	BPEDT -20080619ABH
23	WNPI-DT	NORWOOD NY	213.8	LIC	BLEDT -20050715ABZ
23	WFTY-DT	SMITHTOWN NY	218.0	LIC	BLCDT -20030113ABS
23	WFTY-TV	SMITHTOWN NY	218.0	PLN	DTVPLN -DTVP0843
23	WFTY-DT	SMITHTOWN NY	218.0	CP	BPCDT -20080613ACJ
23	WLYH-TV	LANCASTER PA	366.5	LIC	BLCDT -20040922AAC
23	WLYH-TV	LANCASTER PA	366.5	PLN	DTVPLN -DTVP0845
24	WFXZ-CA	BOSTON MA	203.9	APP	BDFCDTA -20090630AIG
24	WVTA	WINDSOR VT	119.8	PLN	DTVPLN -DTVP0897
24	WVTA	WINDSOR VT	119.8	CP MOD	BMPEDT -20060306BRA
23	WDVB	NEW YORK NY	228.4	APP	USERRECORD-01

Proposal causes no interference

#####

# Analysis of Interference to Affected Station 17

## Analysis of current record

Channel	Call	City/State	Application Ref. No.
23	WLYH-TV	LANCASTER PA	BLCDT -20040922AAC

## Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
22	WNJS	CAMDEN NJ	150.2	PLN	DTVPLN -DTVP0802
22	WNJS	CAMDEN NJ	150.2	CP	BPEDT -20080620ALH
22	WNJS	CAMDEN NJ	150.2	LIC	BLEDT -20070611AAY
23	WPXJ-TV	BATAVIA NY	319.8	CP	BPCDT -20080311ACI
23	WPXJ-TV	BATAVIA NY	319.8	PLN	DTVPLN -DTVP0841
23	WFTY-DT	SMITHTOWN NY	304.4	LIC	BLCDT -20030113ABS
23	WFTY-TV	SMITHTOWN NY	304.4	PLN	DTVPLN -DTVP0843
23	WFTY-DT	SMITHTOWN NY	304.4	CP	BPCDT -20080613ACJ
24	WNYE-TV	NEW YORK NY	216.4	CP MOD	BMPEDT -20070124AAX
24	WNYE-TV	NEW YORK NY	216.4	PLN	DTVPLN -DTVP0882
24	WNYE-TV	NEW YORK NY	216.4	LIC	BLEDT -20071228ABM
24	WATM-TV	ALTOONA PA	170.9	PLN	DTVPLN -DTVP0886
24	WATM-TV	ALTOONA PA	170.9	LIC	BLCDT -20050603ACF
24	WNVC	FAIRFAX VA	167.4	CP MOD	BMPEDT -20080609ACI
24	WNVC	FAIRFAX VA	167.4	PLN	DTVPLN -DTVP0896
23	WDVB	NEW YORK NY	216.3	APP	USERRECORD-01



Total scenarios = 36

Result key: 56  
Scenario 1 Affected station 17 WLYH-TV  
Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	28940	106.6
lost to ATV IX only	28940	106.6
lost to all IX	28940	106.6

Potential Interfering Stations Included in above Scenario 1

22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	31678	114.4
lost to ATV IX only	31678	114.4
lost to all IX	31678	114.4

Potential Interfering Stations Included in above Scenario 1

22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0819%

Result key: 57  
Scenario 2 Affected station 17 WLYH-TV  
Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	28940	106.6
lost to ATV IX only	28940	106.6
lost to all IX	28940	106.6

Potential Interfering Stations Included in above Scenario 2

22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC

HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	31678	114.4
lost to ATV IX only	31678	114.4
lost to all IX	31678	114.4

Potential Interfering Stations Included in above Scenario 2

22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0819%

Result key: 58  
Scenario 3 Affected station 17 WLYH-TV  
Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	27262	86.0
lost to ATV IX only	27262	86.0
lost to all IX	27262	86.0

Potential Interfering Stations Included in above Scenario 3

22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	30108	94.8
lost to ATV IX only	30108	94.8
lost to all IX	30108	94.8

Potential Interfering Stations Included in above Scenario 3

22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0851%

Result key: 59  
Scenario 4 Affected station 17 WLYH-TV  
Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6

lost to NTSC IX	0	0.0
lost to additional IX by ATV	28940	106.6
lost to ATV IX only	28940	106.6
lost to all IX	28940	106.6

Potential Interfering Stations Included in above Scenario 4

22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	31678	114.4
lost to ATV IX only	31678	114.4
lost to all IX	31678	114.4

Potential Interfering Stations Included in above Scenario 4

22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0819%

Result key: 60  
Scenario 5 Affected station 17 WLYH-TV  
Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	28940	106.6
lost to ATV IX only	28940	106.6
lost to all IX	28940	106.6

Potential Interfering Stations Included in above Scenario 5

22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	31678	114.4
lost to ATV IX only	31678	114.4
lost to all IX	31678	114.4

Potential Interfering Stations Included in above Scenario 5

22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
23A NY BATAVIA	DTVPLN	DTVP0841	PLN

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0819%

Result key: 61  
 Scenario 6 Affected station 17 WLYH-TV  
 Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	27262	86.0
lost to ATV IX only	27262	86.0
lost to all IX	27262	86.0

Potential Interfering Stations Included in above Scenario 6

22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	30108	94.8
lost to ATV IX only	30108	94.8
lost to all IX	30108	94.8

Potential Interfering Stations Included in above Scenario 6

22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0851%

Result key: 62  
 Scenario 7 Affected station 17 WLYH-TV  
 Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	52980	144.7
lost to ATV IX only	52980	144.7
lost to all IX	52980	144.7

Potential Interfering Stations Included in above Scenario 7

22A NJ CAMDEN	BPEDT	20080620ALH	CP
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC

HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	55718	152.5
lost to ATV IX only	55718	152.5
lost to all IX	55718	152.5

Potential Interfering Stations Included in above Scenario 7

22A NJ CAMDEN	BPEDT	20080620ALH	CP
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0825%

Result key: 63  
Scenario 8 Affected station 17 WLYH-TV  
Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC

HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	52980	144.7
lost to ATV IX only	52980	144.7
lost to all IX	52980	144.7

Potential Interfering Stations Included in above Scenario 8

22A NJ CAMDEN	BPEDT	20080620ALH	CP
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC

HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	55718	152.5
lost to ATV IX only	55718	152.5
lost to all IX	55718	152.5

Potential Interfering Stations Included in above Scenario 8

22A NJ CAMDEN	BPEDT	20080620ALH	CP
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0825%

Result key: 64  
Scenario 9 Affected station 17 WLYH-TV  
Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC

HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2

not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	51302	124.2
lost to ATV IX only	51302	124.2
lost to all IX	51302	124.2

Potential Interfering Stations Included in above Scenario 9

22A NJ CAMDEN	BPEDT	20080620ALH	CP
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP

#### After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	54148	133.0
lost to ATV IX only	54148	133.0
lost to all IX	54148	133.0

Potential Interfering Stations Included in above Scenario 9

22A NJ CAMDEN	BPEDT	20080620ALH	CP
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0857%

Result key: 65  
Scenario 10 Affected station 17 WLYH-TV  
Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	52980	144.7
lost to ATV IX only	52980	144.7
lost to all IX	52980	144.7

Potential Interfering Stations Included in above Scenario 10

22A NJ CAMDEN	BPEDT	20080620ALH	CP
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC

#### After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	55718	152.5
lost to ATV IX only	55718	152.5
lost to all IX	55718	152.5

Potential Interfering Stations Included in above Scenario 10

22A NJ CAMDEN	BPEDT	20080620ALH	CP
---------------	-------	-------------	----

23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0825%

Result key: 66  
 Scenario 11 Affected station 17 WLYH-TV  
 Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	52980	144.7
lost to ATV IX only	52980	144.7
lost to all IX	52980	144.7

Potential Interfering Stations Included in above Scenario 11

22A NJ CAMDEN	BPEDT	20080620ALH	CP
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	55718	152.5
lost to ATV IX only	55718	152.5
lost to all IX	55718	152.5

Potential Interfering Stations Included in above Scenario 11

22A NJ CAMDEN	BPEDT	20080620ALH	CP
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0825%

Result key: 67  
 Scenario 12 Affected station 17 WLYH-TV  
 Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	51302	124.2
lost to ATV IX only	51302	124.2
lost to all IX	51302	124.2

Potential Interfering Stations Included in above Scenario 12

22A NJ CAMDEN	BPEDT	20080620ALH	CP
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	54148	133.0
lost to ATV IX only	54148	133.0
lost to all IX	54148	133.0

Potential Interfering Stations Included in above Scenario 12

22A NJ CAMDEN	BPEDT	20080620ALH	CP
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0857%

Result key: 68  
Scenario 13 Affected station 17 WLYH-TV  
Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	27489	105.6
lost to ATV IX only	27489	105.6
lost to all IX	27489	105.6

Potential Interfering Stations Included in above Scenario 13

22A NJ CAMDEN	BLEDT	20070611AAY	LIC
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	30227	113.4
lost to ATV IX only	30227	113.4
lost to all IX	30227	113.4

Potential Interfering Stations Included in above Scenario 13

22A NJ CAMDEN	BLEDT	20070611AAY	LIC
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0819%

Result key: 69  
Scenario 14 Affected station 17 WLYH-TV  
Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
--	------------	--------------



within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	27489	105.6
lost to ATV IX only	27489	105.6
lost to all IX	27489	105.6

Potential Interfering Stations Included in above Scenario 14

22A NJ CAMDEN	BLEDT	20070611AAY	LIC
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	30227	113.4
lost to ATV IX only	30227	113.4
lost to all IX	30227	113.4

Potential Interfering Stations Included in above Scenario 14

22A NJ CAMDEN	BLEDT	20070611AAY	LIC
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0819%

Result key: 70  
Scenario 15 Affected station 17 WLYH-TV  
Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	25811	85.1
lost to ATV IX only	25811	85.1
lost to all IX	25811	85.1

Potential Interfering Stations Included in above Scenario 15

22A NJ CAMDEN	BLEDT	20070611AAY	LIC
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	28657	93.9
lost to ATV IX only	28657	93.9
lost to all IX	28657	93.9

Potential Interfering Stations Included in above Scenario 15

22A NJ CAMDEN	BLEDT	20070611AAY	LIC
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0851%

Result key: 71  
 Scenario 16 Affected station 17 WLYH-TV  
 Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	27489	105.6
lost to ATV IX only	27489	105.6
lost to all IX	27489	105.6

Potential Interfering Stations Included in above Scenario 16

22A NJ CAMDEN	BLEDT	20070611AAY	LIC
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	30227	113.4
lost to ATV IX only	30227	113.4
lost to all IX	30227	113.4

Potential Interfering Stations Included in above Scenario 16

22A NJ CAMDEN	BLEDT	20070611AAY	LIC
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0819%

Result key: 72  
 Scenario 17 Affected station 17 WLYH-TV  
 Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	27489	105.6
lost to ATV IX only	27489	105.6
lost to all IX	27489	105.6

Potential Interfering Stations Included in above Scenario 17

22A NJ CAMDEN	BLEDT	20070611AAY	LIC
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN

# After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	30227	113.4
lost to ATV IX only	30227	113.4
lost to all IX	30227	113.4

Potential Interfering Stations Included in above Scenario 17

22A NJ CAMDEN	BLEDT	20070611AAY	LIC
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0819%

Result key: 73  
 Scenario 18 Affected station 17 WLYH-TV  
 Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	25811	85.1
lost to ATV IX only	25811	85.1
lost to all IX	25811	85.1

Potential Interfering Stations Included in above Scenario 18

22A NJ CAMDEN	BLEDT	20070611AAY	LIC
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP

# After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	28657	93.9
lost to ATV IX only	28657	93.9
lost to all IX	28657	93.9

Potential Interfering Stations Included in above Scenario 18

22A NJ CAMDEN	BLEDT	20070611AAY	LIC
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0851%

Result key: 74  
 Scenario 19 Affected station 17 WLYH-TV  
 Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	28940	106.6
lost to ATV IX only	28940	106.6
lost to all IX	28940	106.6

Potential Interfering Stations Included in above Scenario 19

22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	31678	114.4
lost to ATV IX only	31678	114.4
lost to all IX	31678	114.4

Potential Interfering Stations Included in above Scenario 19

22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0819%

Result key: 75  
Scenario 20 Affected station 17 WLYH-TV  
Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	28940	106.6
lost to ATV IX only	28940	106.6
lost to all IX	28940	106.6

Potential Interfering Stations Included in above Scenario 20

22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	31678	114.4
lost to ATV IX only	31678	114.4
lost to all IX	31678	114.4

Potential Interfering Stations Included in above Scenario 20

22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0819%

Result key: 76  
 Scenario 21 Affected station 17 WLYH-TV  
 Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	27262	86.0
lost to ATV IX only	27262	86.0
lost to all IX	27262	86.0

Potential Interfering Stations Included in above Scenario 21

22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	30108	94.8
lost to ATV IX only	30108	94.8
lost to all IX	30108	94.8

Potential Interfering Stations Included in above Scenario 21

22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0851%

Result key: 77  
 Scenario 22 Affected station 17 WLYH-TV  
 Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	28940	106.6
lost to ATV IX only	28940	106.6
lost to all IX	28940	106.6

Potential Interfering Stations Included in above Scenario 22

22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC

# After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	31678	114.4
lost to ATV IX only	31678	114.4
lost to all IX	31678	114.4

Potential Interfering Stations Included in above Scenario 22

22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0819%

Result key: 78  
 Scenario 23 Affected station 17 WLYH-TV  
 Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	28940	106.6
lost to ATV IX only	28940	106.6
lost to all IX	28940	106.6

Potential Interfering Stations Included in above Scenario 23

22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN

# After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	31678	114.4
lost to ATV IX only	31678	114.4
lost to all IX	31678	114.4

Potential Interfering Stations Included in above Scenario 23

22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0819%

Result key: 79  
 Scenario 24 Affected station 17 WLYH-TV  
 Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC

HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	27262	86.0
lost to ATV IX only	27262	86.0
lost to all IX	27262	86.0

Potential Interfering Stations Included in above Scenario 24

22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC

HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	30108	94.8
lost to ATV IX only	30108	94.8
lost to all IX	30108	94.8

Potential Interfering Stations Included in above Scenario 24

22A NJ CAMDEN	DTVPLN	DTVP0802	PLN
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0851%

Result key: 80

Scenario 25 Affected station 17 WLYH-TV

Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC

HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	52980	144.7
lost to ATV IX only	52980	144.7
lost to all IX	52980	144.7

Potential Interfering Stations Included in above Scenario 25

22A NJ CAMDEN	BPEDT	20080620ALH	CP
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC

HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	55718	152.5
lost to ATV IX only	55718	152.5
lost to all IX	55718	152.5

Potential Interfering Stations Included in above Scenario 25

22A NJ CAMDEN	BPEDT	20080620ALH	CP
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0825%

Result key: 81  
 Scenario 26 Affected station 17 WLYH-TV  
 Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	52980	144.7
lost to ATV IX only	52980	144.7
lost to all IX	52980	144.7

Potential Interfering Stations Included in above Scenario 26

22A NJ CAMDEN	BPEDT	20080620ALH	CP
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	55718	152.5
lost to ATV IX only	55718	152.5
lost to all IX	55718	152.5

Potential Interfering Stations Included in above Scenario 26

22A NJ CAMDEN	BPEDT	20080620ALH	CP
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0825%

Result key: 82  
 Scenario 27 Affected station 17 WLYH-TV  
 Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	51302	124.2
lost to ATV IX only	51302	124.2
lost to all IX	51302	124.2

Potential Interfering Stations Included in above Scenario 27

22A NJ CAMDEN	BPEDT	20080620ALH	CP
23A NY BATAVIA	BPCDT	20080311ACI	CP



23A NY SMITHTOWN BPCDT 20080613ACJ CP

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC

HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	54148	133.0
lost to ATV IX only	54148	133.0
lost to all IX	54148	133.0

Potential Interfering Stations Included in above Scenario 27

22A NJ CAMDEN	BPEDT	20080620ALH	CP
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0857%

Result key: 83

Scenario 28 Affected station 17 WLYH-TV

Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC

HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	52980	144.7
lost to ATV IX only	52980	144.7
lost to all IX	52980	144.7

Potential Interfering Stations Included in above Scenario 28

22A NJ CAMDEN	BPEDT	20080620ALH	CP
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC

HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	55718	152.5
lost to ATV IX only	55718	152.5
lost to all IX	55718	152.5

Potential Interfering Stations Included in above Scenario 28

22A NJ CAMDEN	BPEDT	20080620ALH	CP
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0825%

Result key: 84

Scenario 29 Affected station 17 WLYH-TV

Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	52980	144.7
lost to ATV IX only	52980	144.7
lost to all IX	52980	144.7

Potential Interfering Stations Included in above Scenario 29

22A NJ CAMDEN	BPEDT	20080620ALH	CP
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	55718	152.5
lost to ATV IX only	55718	152.5
lost to all IX	55718	152.5

Potential Interfering Stations Included in above Scenario 29

22A NJ CAMDEN	BPEDT	20080620ALH	CP
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0825%

Result key: 85  
Scenario 30 Affected station 17 WLYH-TV  
Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	51302	124.2
lost to ATV IX only	51302	124.2
lost to all IX	51302	124.2

Potential Interfering Stations Included in above Scenario 30

22A NJ CAMDEN	BPEDT	20080620ALH	CP
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	54148	133.0
lost to ATV IX only	54148	133.0
lost to all IX	54148	133.0

Potential Interfering Stations Included in above Scenario 30

22A NJ CAMDEN	BPEDT	20080620ALH	CP
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0857%

Result key: 86  
 Scenario 31 Affected station 17 WLYH-TV  
 Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	27489	105.6
lost to ATV IX only	27489	105.6
lost to all IX	27489	105.6

Potential Interfering Stations Included in above Scenario 31

22A NJ CAMDEN	BLEDT	20070611AAY	LIC
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	30227	113.4
lost to ATV IX only	30227	113.4
lost to all IX	30227	113.4

Potential Interfering Stations Included in above Scenario 31

22A NJ CAMDEN	BLEDT	20070611AAY	LIC
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0819%

Result key: 87  
 Scenario 32 Affected station 17 WLYH-TV  
 Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	27489	105.6
lost to ATV IX only	27489	105.6
lost to all IX	27489	105.6

Potential Interfering Stations Included in above Scenario 32

22A NJ CAMDEN	BLEDT	20070611AAY	LIC
---------------	-------	-------------	-----

23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN

# After Analysis

Results for: 23A PA LANCASTER                      BLCDT              20040922AAC    LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	30227	113.4
lost to ATV IX only	30227	113.4
lost to all IX	30227	113.4

Potential Interfering Stations Included in above Scenario      32

22A NJ CAMDEN	BLEDT	20070611AAY	LIC
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0819%

Result key: 88  
 Scenario 33 Affected station 17 WLYH-TV  
 Before Analysis

Results for: 23A PA LANCASTER                      BLCDT              20040922AAC    LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	25811	85.1
lost to ATV IX only	25811	85.1
lost to all IX	25811	85.1

Potential Interfering Stations Included in above Scenario      33

22A NJ CAMDEN	BLEDT	20070611AAY	LIC
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP

# After Analysis

Results for: 23A PA LANCASTER                      BLCDT              20040922AAC    LIC  
 HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	28657	93.9
lost to ATV IX only	28657	93.9
lost to all IX	28657	93.9

Potential Interfering Stations Included in above Scenario      33

22A NJ CAMDEN	BLEDT	20070611AAY	LIC
23A NY BATAVIA	BPCDT	20080311ACI	CP
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0851%

Result key: 89  
 Scenario 34 Affected station 17 WLYH-TV  
 Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	27489	105.6
lost to ATV IX only	27489	105.6
lost to all IX	27489	105.6

Potential Interfering Stations Included in above Scenario 34

22A NJ CAMDEN	BLEDT	20070611AAY	LIC
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	30227	113.4
lost to ATV IX only	30227	113.4
lost to all IX	30227	113.4

Potential Interfering Stations Included in above Scenario 34

22A NJ CAMDEN	BLEDT	20070611AAY	LIC
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0819%

Result key: 90  
Scenario 35 Affected station 17 WLYH-TV  
Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	27489	105.6
lost to ATV IX only	27489	105.6
lost to all IX	27489	105.6

Potential Interfering Stations Included in above Scenario 35

22A NJ CAMDEN	BLEDT	20070611AAY	LIC
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	30227	113.4
lost to ATV IX only	30227	113.4

lost to all IX 30227 113.4

Potential Interfering Stations Included in above Scenario 35

22A NJ CAMDEN	BLEDT	20070611AAY	LIC
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0819%

Result key: 91  
Scenario 36 Affected station 17 WLYH-TV  
Before Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	25811	85.1
lost to ATV IX only	25811	85.1
lost to all IX	25811	85.1

Potential Interfering Stations Included in above Scenario 36

22A NJ CAMDEN	BLEDT	20070611AAY	LIC
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP

After Analysis

Results for: 23A PA LANCASTER BLCDT 20040922AAC LIC  
HAAT 381.0 m, ATV ERP 500.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	3782542	28589.2
not affected by terrain losses	3370697	25250.6
lost to NTSC IX	0	0.0
lost to additional IX by ATV	28657	93.9
lost to ATV IX only	28657	93.9
lost to all IX	28657	93.9

Potential Interfering Stations Included in above Scenario 36

22A NJ CAMDEN	BLEDT	20070611AAY	LIC
23A NY BATAVIA	DTVPLN	DTVP0841	PLN
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0851%

Worst case new IX 0.0857% Scenario 9

#####

Analysis of Interference to Affected Station 18

Analysis of current record

Channel	Call	City/State	Application Ref. No.
23	WDWA-LP	CLARKS CORNER VA	BLTTL -20080814AAR

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
15	WFDC-DT	ARLINGTON VA	68.9	LIC	BLCDT -20070215AAB

15	WFDC-TV	ARLINGTON VA	68.9	PLN	DTVPLN	-DTVP0540
15	WFDC-DT	ARLINGTON VA	68.9	CP	BPCDT	-20080618AKE
19	WCAV	CHARLOTTESVILLE VA	101.2	CP MOD	BMPCDT	-20080616AAY
19	WCAV	CHARLOTTESVILLE VA	101.2	PLN	DTVPLN	-DTVP0689
21	WVPY	FRONT ROYAL VA	49.3	PLN	DTVPLN	-DTVP0771
21	WVPY	FRONT ROYAL VA	49.3	CP	BPEDT	-20081022ACD
21	WVPY	FRONT ROYAL VA	49.3	LIC	BLEDT	-20021220ADZ
22	W22DH-D	SALISBURY MD	197.9	CP	BDCCDTL	-20061027AGV
22	NEW	HARRISONBURG VA	93.5	APP	BNPDTL	-20090825ARM
23	WDDN-LP	WASHINGTON DC	73.3	LIC	BLTTL	-20080327AAI
23	W23DF-D	SALISBURY MD	165.3	LIC	BLDTL	-20090731AFF
23	WUNK-TV	GREENVILLE NC	355.0	PLN	DTVPLN	-DTVP0839
23	WUNK-TV	GREENVILLE NC	355.0	LIC	BLEDT	-20021007ABG
23	WUNK-TV	GREENVILLE NC	355.0	CP MOD	BMPEDT	-20090831ACZ
23	WBPN-LD	BINGHAMTON NY	401.7	CP	BDCCDTL	-20061030AGK
23	WLYH-TV	LANCASTER PA	206.0	LIC	BLCDT	-20040922AAC
23	WLYH-TV	LANCASTER PA	206.0	PLN	DTVPLN	-DTVP0845
23	WPXI	UNION TOWN PA	199.7	APP	BDRTCT	-20090610ABQ
23	WMDV-LP	DANVILLE VA	260.6	CP	BDISDTT	-20060331BHB
23	NEW	HARRISONBURG VA	93.5	APP	BNPTTL	-20000818AAS
23	WSAZ-TV	HUNTINGTON WV	381.5	CP MOD	BMPCDT	-20090416AWL
23	WSAZ-TV	HUNTINGTON WV	381.5	PLN	DTVPLN	-DTVP0856
23	W23DR-D	ROMNEY WV	98.9	LIC	BLDTT	-20090609AAZ
24	W22DA	FREDRICK MD	89.3	APP	BDISDTL	-20090813ADA
24	W24DF-D	CHARLOTTESVILLE VA	74.4	CP	BDCCDTL	-20061030AGD
24	WNVC	FAIRFAX VA	55.1	CP MOD	BMPEDT	-20080609ACI
24	WNVC	FAIRFAX VA	55.1	PLN	DTVPLN	-DTVP0896
25	WTVR-TV	RICHMOND VA	138.1	LIC	BLCDT	-20021204ABA
25	WTVR-TV	RICHMOND VA	138.1	PLN	DTVPLN	-DTVP0925
26	WHAG-TV	HAGERSTOWN MD	103.0	CP MOD	BMPCDT	-20080619AJL
26	WHAG-TV	HAGERSTOWN MD	103.0	PLN	DTVPLN	-DTVP0944
26	WRLH-TV	RICHMOND VA	138.1	CP MOD	BMPCDT	-20040507ABE
26	WRLH-TV	RICHMOND VA	138.1	PLN	DTVPLN	-DTVP0967
27	WETA-TV	WASHINGTON DC	69.5	LIC	BLEDT	-20070727ACJ
27	WETA-TV	WASHINGTON DC	69.5	PLN	DTVPLN	-DTVP0976
30	WNVT	GOLDVEIN VA	36.6	LIC	BLEDT	-20031230AAR
30	WNVT	GOLDVEIN VA	36.6	PLN	DTVPLN	-DTVP1113
38	WWTB-LD	WASHINGTON DC	68.9	CP	BDCCDTL	-20061013AEG
38	WMAR-TV	BALTIMORE MD	121.8	PLN	DTVPLN	-DTVP1362
38	WMAR-TV	BALTIMORE MD	121.8	CP	BPCDT	-20080222ABC
38	NEW	CROZET VA	107.7	APP	BNPDTL	-20090825ASK
38	WDCN-LD	FAIRFAX VA	63.0	APP	BDCCDTL	-20061030AON
38	NEW	HARRISONBURG VA	93.5	APP	BNPDTL	-20090825ARD
38	W34DW-D	HAMPSHIRE, ETC. WV	90.4	CP	BDCCDTT	-20061025ADT
23	WDVB	NEW YORK NY	397.5	APP	USERRECORD-01	

Proposal causes no interference

#####

# Analysis of Interference to Affected Station 19

## Analysis of current record

Channel	Call	City/State	Application Ref. No.
23	WDWA-LP	LURAY VA	BSTA -20080321ACV

## Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
15	WFDC-DT	ARLINGTON VA	68.9	LIC	BLCDT -20070215AAB
15	WFDC-TV	ARLINGTON VA	68.9	PLN	DTVPLN -DTVP0540
15	WFDC-DT	ARLINGTON VA	68.9	CP	BPCDT -20080618AKE
19	WCAV	CHARLOTTESVILLE VA	101.2	CP MOD	BMPCDT -20080616AAY
19	WCAV	CHARLOTTESVILLE VA	101.2	PLN	DTVPLN -DTVP0689
21	WVPY	FRONT ROYAL VA	49.3	PLN	DTVPLN -DTVP0771
21	WVPY	FRONT ROYAL VA	49.3	CP	BPEDT -20081022ACD
21	WVPY	FRONT ROYAL VA	49.3	LIC	BLEDT -20021220ADZ

22	W22DH-D	SALISBURY MD	197.9	CP	BDCCDTL	-20061027AGV
22	NEW	HARRISONBURG VA	93.5	APP	BNPDTL	-20090825ARM
23	WDDN-LP	WASHINGTON DC	73.3	LIC	BLTTL	-20080327AAI
23	W23DF-D	SALISBURY MD	165.3	LIC	BLDTL	-20090731AFF
23	WUNK-TV	GREENVILLE NC	355.0	PLN	DTVPLN	-DTVP0839
23	WUNK-TV	GREENVILLE NC	355.0	LIC	BLEDT	-20021007ABG
23	WUNK-TV	GREENVILLE NC	355.0	CP MOD	BMPEDT	-20090831ACZ
23	WBPN-LD	BINGHAMTON NY	401.7	CP	BDCCDTL	-20061030AGK
23	WLYH-TV	LANCASTER PA	206.0	LIC	BLCDT	-20040922AAC
23	WLYH-TV	LANCASTER PA	206.0	PLN	DTVPLN	-DTVP0845
23	WPXI	UNION TOWN PA	199.7	APP	BDRTCT	-20090610ABQ
23	WMDV-LP	DANVILLE VA	260.6	CP	BDISDTT	-20060331BHB
23	NEW	HARRISONBURG VA	93.5	APP	BNPTTL	-20000818AAS
23	WSAZ-TV	HUNTINGTON WV	381.5	CP MOD	BMPCDT	-20090416AWL
23	WSAZ-TV	HUNTINGTON WV	381.5	PLN	DTVPLN	-DTVP0856
23	W23DR-D	ROMNEY WV	98.9	LIC	BLDTT	-20090609AAZ
24	W22DA	FREDRICK MD	89.3	APP	BDISDTL	-20090813ADA
24	W24DF-D	CHARLOTTESVILLE VA	74.4	CP	BDCCDTL	-20061030AGD
24	WNVC	FAIRFAX VA	55.1	CP MOD	BMPEDT	-20080609ACI
24	WNVC	FAIRFAX VA	55.1	PLN	DTVPLN	-DTVP0896
25	WTVR-TV	RICHMOND VA	138.1	LIC	BLCDT	-20021204ABA
25	WTVR-TV	RICHMOND VA	138.1	PLN	DTVPLN	-DTVP0925
26	WHAG-TV	HAGERSTOWN MD	103.0	CP MOD	BMPCDT	-20080619AJL
26	WHAG-TV	HAGERSTOWN MD	103.0	PLN	DTVPLN	-DTVP0944
26	WRLH-TV	RICHMOND VA	138.1	CP MOD	BMPCDT	-20040507ABE
26	WRLH-TV	RICHMOND VA	138.1	PLN	DTVPLN	-DTVP0967
27	WETA-TV	WASHINGTON DC	69.5	LIC	BLEDT	-20070727ACJ
27	WETA-TV	WASHINGTON DC	69.5	PLN	DTVPLN	-DTVP0976
30	WNVTV	GOLDVEIN VA	36.6	LIC	BLEDT	-20031230AAR
30	WNVTV	GOLDVEIN VA	36.6	PLN	DTVPLN	-DTVP1113
38	WWTB-LD	WASHINGTON DC	68.9	CP	BDCCDTL	-20061013AEG
38	WMAR-TV	BALTIMORE MD	121.8	PLN	DTVPLN	-DTVP1362
38	WMAR-TV	BALTIMORE MD	121.8	CP	BPCDT	-20080222ABC
38	NEW	CROZET VA	107.7	APP	BNPDTL	-20090825ASK
38	WDCN-LD	FAIRFAX VA	63.0	APP	BDCCDTL	-20061030AON
38	NEW	HARRISONBURG VA	93.5	APP	BNPDTL	-20090825ARD
38	W34DW-D	HAMPSHIRE, ETC. WV	90.4	CP	BDCCDTT	-20061025ADT
23	WDVB	NEW YORK NY	397.5	APP	USERRECORD-01	

Proposed station is beyond the site to  
nearest cell evaluation distance

#####

# Analysis of Interference to Affected Station 20

## Analysis of current record

Channel	Call	City/State	Application Ref. No.
24	WPSJ-LP	HAMMONTON, ETC. NJ	BLTTA -20060720ADQ

## Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
17	WPHL-TV	PHILADELPHIA PA	48.5	CP MOD	BMPCDT -20080619ALB
17	WPHL-TV	PHILADELPHIA PA	48.3	PLN	DTVPLN -DTVP0602
22	WNJS	CAMDEN NJ	0.0	PLN	DTVPLN -DTVP0802
22	WNJS	CAMDEN NJ	0.0	CP	BPEDT -20080620ALH
22	WNJS	CAMDEN NJ	0.0	LIC	BLEDT -20070611AAY
23	W23DF-D	SALISBURY MD	162.6	LIC	BLDTL -20090731AFF
24	W22DA	FREDRICK MD	228.8	APP	BDISDTL -20090813ADA
24	WNYE-TV	NEW YORK NY	135.4	CP MOD	BMPEDT -20070124AAX
24	WNYE-TV	NEW YORK NY	135.4	PLN	DTVPLN -DTVP0882
24	WNYE-TV	NEW YORK NY	135.4	LIC	BLEDT -20071228ABM
24	WSTM-TV	SYRACUSE NY	373.0	CP	BPCDT -20080320ACI
24	WSTM-TV	SYRACUSE NY	373.0	PLN	DTVPLN -DTVP0883
24	WATM-TV	ALTOONA PA	319.8	PLN	DTVPLN -DTVP0886



24	WATM-TV	ALTOONA PA	319.8	LIC	BLCDDT	-20050603ACF
24	W24BB	EAST STROUDSBURG PA	154.8	LIC	BLTTTL	-19911219JM
24	W24CS	READING PA	113.6	CP	BDFCDTT	-20060331AXW
24	W24CS	READING PA	113.6	LIC	BLTT	-20030321AAO
24	W24DF-D	CHARLOTTESVILLE VA	347.7	CP	BDCCDTL	-20061030AGD
24	WNVC	FAIRFAX VA	225.6	CP MOD	BMPEDT	-20080609ACI
24	WNVC	FAIRFAX VA	225.6	PLN	DTVPLN	-DTVP0896
25	WASA-LD	PORT JERVIS NY	135.4	CP MOD	BMPDTL	-20080924ADQ
25	WTVE	READING PA	48.4	CP MOD	BMPCDT	-20081027ACR
25	WTVE	READING PA	98.7	PLN	DTVPLN	-DTVP0921
25	WTVE	READING PA	113.6	LIC	BLCDDT	-20040323ATZ
26	KYW-TV	PHILADELPHIA PA	48.8	CP	BPCDT	-20080620ABO
26	KYW-TV	PHILADELPHIA PA	48.8	PLN	DTVPLN	-DTVP0959
27	WGTW-TV	BURLINGTON NJ	48.3	PLN	DTVPLN	-DTVP0992
27	WGTW-TV	BURLINGTON NJ	48.3	LIC	BLCDDT	-20060105AAR
28	WNBC	NEW YORK NY	130.1	PLN	DTVPLN	-DTVP1032
28	WNBC	NEW YORK NY	134.7	STA	BDSTA	-20041220ADE
28	WNBC	NEW YORK NY	130.2	APP	BPCDT	-20080620ADL
28	WNBC	NEW YORK NY	134.7	CP MOD	BMPCDT	-20080314ACO
31	WPPX-TV	WILMINGTON DE	48.3	LIC	BLCDDT	-20031203AFL
31	WPPX	WILMINGTON DE	48.3	PLN	DTVPLN	-DTVP1122
31	WPPX-TV	WILMINGTON DE	48.3	APP	BPCDT	-20080620AMP
31	WPXN-TV	NEW YORK NY	130.1	PLN	DTVPLN	-DTVP1144
31	WPXN-TV	NEW YORK NY	130.2	APP	BMPCDT	-20080620ALZ
31	WPXN-TV	NEW YORK NY	134.7	CP MOD	BMPCDT	-20080926ACT
32	WPSG	PHILADELPHIA PA	48.3	CP	BPCDT	-20080616ABE
32	WPSG	PHILADELPHIA PA	48.3	PLN	DTVPLN	-DTVP1185
32	WPSG	PHILADELPHIA PA	48.3	LIC	BLCDDT	-20021025AAS
38	WWOR-TV	SECAUCUS NJ	134.7	CP MOD	BMPCDT	-20080620AHC
38	WWOR-TV	SECAUCUS NJ	130.1	PLN	DTVPLN	-DTVP1368
39	WQAV-LD	ATLANTIC CITY NJ	0.8	CP	BDISDTL	-20090630ADA
39	WNYN-LD	NEW YORK NY	136.6	CP	BPDTL	-20091030ACJ
39	WNYN-LD	NEW YORK NY	136.6	LIC	BLDTL	-20090619AAO
39	WLVT-TV	ALLENTOWN PA	105.9	CP MOD	BMPEDT	-20080618AAL
39	WLVT-TV	ALLENTOWN PA	105.8	PLN	DTVPLN	-DTVP1406
23	WDVB	NEW YORK NY	134.7	APP	USERRECORD-01	

Proposed station is beyond the site to  
nearest cell evaluation distance

#####

#### Analysis of Interference to Affected Station 21

##### Analysis of current record

Channel	Call	City/State	Application	Ref. No.
24	WNYE-TV	NEW YORK NY	BMPEDT	-20070124AAX

##### Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
23	WFTY-DT	SMITHTOWN NY	88.2	LIC	BLCDDT	-20030113ABS
23	WFTY-TV	SMITHTOWN NY	88.2	PLN	DTVPLN	-DTVP0843
23	WFTY-DT	SMITHTOWN NY	88.2	CP	BPCDT	-20080613ACJ
23	WLYH-TV	LANCASTER PA	216.4	LIC	BLCDDT	-20040922AAC
23	WLYH-TV	LANCASTER PA	216.4	PLN	DTVPLN	-DTVP0845
24	WSTM-TV	SYRACUSE NY	300.6	CP	BPCDT	-20080320ACI
24	WSTM-TV	SYRACUSE NY	300.6	PLN	DTVPLN	-DTVP0883
24	WATM-TV	ALTOONA PA	376.3	PLN	DTVPLN	-DTVP0886
24	WATM-TV	ALTOONA PA	376.3	LIC	BLCDDT	-20050603ACF
24	WNVC	FAIRFAX VA	346.5	CP MOD	BMPEDT	-20080609ACI
24	WNVC	FAIRFAX VA	346.5	PLN	DTVPLN	-DTVP0896
24	WVTA	WINDSOR VT	323.8	PLN	DTVPLN	-DTVP0897
24	WVTA	WINDSOR VT	323.8	CP MOD	BMPEDT	-20060306BRA
25	WTVE	READING PA	132.3	CP MOD	BMPCDT	-20081027ACR
25	WTVE	READING PA	151.8	PLN	DTVPLN	-DTVP0921

25	WTVE	READING PA	167.5	LIC	BLCDT	-20040323ATZ
23	WDVB	NEW YORK NY	0.9	APP	USERRECORD-01	

Total scenarios = 96

Result key: 92  
 Scenario 1 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 1

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 1

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 93  
 Scenario 2 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 2

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 2

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 94

Scenario 3 Affected station 21 WNYE-TV

Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 3

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 3

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 95  
 Scenario 4 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 4

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 4

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 96  
 Scenario 5 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0

lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 5

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 5

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 97  
Scenario 6 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 6

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0

lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 6

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 98  
 Scenario 7 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 7

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 7

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 99  
 Scenario 8 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 8

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 8

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 100

Scenario 9 Affected station 21 WNYE-TV

Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 9

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW		
	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 9

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 101  
 Scenario 10 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW		
	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 10

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW		
	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 10

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%



Result key: 102  
Scenario 11 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario 11

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario 11

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 103  
Scenario 12 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario 12

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP

25A PA READING                      DTVPLN      DTVP0921      PLN

After Analysis

Results for: 24A NY NEW YORK                      BMPEDT      20070124AAX    CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario      12

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX =      0.0546%

Result key:      104  
Scenario      13    Affected station      21    WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK                      BMPEDT      20070124AAX    CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario      13

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK                      BMPEDT      20070124AAX    CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario      13

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN

25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 105  
 Scenario 14 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 14

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 14

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 106  
 Scenario 15 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario 15

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

#### After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario 15

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 107

Scenario 16 Affected station 21 WNYE-TV

Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario 16

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

#### After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario 16

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 108  
 Scenario 17 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 17

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 17

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 109  
 Scenario 18 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3

lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 18

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 18

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 110  
Scenario 19 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 19

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1

lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 19

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 111  
 Scenario 20 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 20

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 20

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 112  
 Scenario 21 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 21

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 21

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 113  
Scenario 22 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 22

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW



	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 22

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 114

Scenario 23 Affected station 21 WNYE-TV

Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 23

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 23

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 115

Scenario 24 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 24

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 24

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 116

Scenario 25 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 25

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

# After Analysis

Results for: 24A NY NEW YORK                      BMPEDT              20070124AAX    CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario              25

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX =              0.0546%

Result key:              117  
 Scenario              26    Affected station              21    WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK                      BMPEDT              20070124AAX    CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario              26

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

# After Analysis

Results for: 24A NY NEW YORK                      BMPEDT              20070124AAX    CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario              26

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

23A NY NEW YORK                      USERRECORD01                      APP

Percent new IX =        0.0546%

Result key:            118  
Scenario            27    Affected station            21    WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK                      BMPEDT        20070124AAX    CP  
HAAT    310.0 m, ATV ERP    151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario        27

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK                      BMPEDT        20070124AAX    CP  
HAAT    310.0 m, ATV ERP    151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario        27

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX =        0.0546%

Result key:            119  
Scenario            28    Affected station            21    WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK                      BMPEDT        20070124AAX    CP  
HAAT    310.0 m, ATV ERP    151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario        28

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
------------------	--------	----------	-----

24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

#### After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario 28

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 120  
Scenario 29 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 29

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

#### After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 29

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
------------------	--------	----------	-----

24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 121  
 Scenario 30 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 30

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 30

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 122  
 Scenario 31 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3

lost to all IX 228147 273.3

Potential Interfering Stations Included in above Scenario 31

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario 31

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 123  
Scenario 32 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario 32

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1

lost to all IX 238105 303.1

Potential Interfering Stations Included in above Scenario 32

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 124  
Scenario 33 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328713	459.1
lost to ATV IX only	328713	459.1
lost to all IX	328713	459.1

Potential Interfering Stations Included in above Scenario 33

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338671	488.9
lost to ATV IX only	338671	488.9
lost to all IX	338671	488.9

Potential Interfering Stations Included in above Scenario 33

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 125  
Scenario 34 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
--	------------	--------------



within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328713	459.1
lost to ATV IX only	328713	459.1
lost to all IX	328713	459.1

Potential Interfering Stations Included in above Scenario 34

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338671	488.9
lost to ATV IX only	338671	488.9
lost to all IX	338671	488.9

Potential Interfering Stations Included in above Scenario 34

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 126  
Scenario 35 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	327761	456.1
lost to ATV IX only	327761	456.1
lost to all IX	327761	456.1

Potential Interfering Stations Included in above Scenario 35

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
--	------------	--------------

within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	337719	486.0
lost to ATV IX only	337719	486.0
lost to all IX	337719	486.0

Potential Interfering Stations Included in above Scenario 35

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 127  
 Scenario 36 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	327761	456.1
lost to ATV IX only	327761	456.1
lost to all IX	327761	456.1

Potential Interfering Stations Included in above Scenario 36

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	337719	486.0
lost to ATV IX only	337719	486.0
lost to all IX	337719	486.0

Potential Interfering Stations Included in above Scenario 36

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 128  
 Scenario 37 Affected station 21 WNYE-TV

# Before Analysis

Results for: 24A NY NEW YORK                      BMPEDT              20070124AAX    CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328713	459.1
lost to ATV IX only	328713	459.1
lost to all IX	328713	459.1

Potential Interfering Stations Included in above Scenario      37

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

# After Analysis

Results for: 24A NY NEW YORK                      BMPEDT              20070124AAX    CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338671	488.9
lost to ATV IX only	338671	488.9
lost to all IX	338671	488.9

Potential Interfering Stations Included in above Scenario      37

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX =      0.0548%

Result key:              129  
 Scenario              38    Affected station              21    WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK                      BMPEDT              20070124AAX    CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328713	459.1
lost to ATV IX only	328713	459.1
lost to all IX	328713	459.1

Potential Interfering Stations Included in above Scenario      38

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

# After Analysis

Results for: 24A NY NEW YORK                      BMPEDT              20070124AAX    CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338671	488.9
lost to ATV IX only	338671	488.9
lost to all IX	338671	488.9

Potential Interfering Stations Included in above Scenario      38

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 130  
 Scenario 39 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK                      BMPEDT              20070124AAX    CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	327761	456.1
lost to ATV IX only	327761	456.1
lost to all IX	327761	456.1

Potential Interfering Stations Included in above Scenario      39

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

# After Analysis

Results for: 24A NY NEW YORK                      BMPEDT              20070124AAX    CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	337719	486.0
lost to ATV IX only	337719	486.0
lost to all IX	337719	486.0

Potential Interfering Stations Included in above Scenario      39

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 131  
Scenario 40 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	327761	456.1
lost to ATV IX only	327761	456.1
lost to all IX	327761	456.1

Potential Interfering Stations Included in above Scenario 40

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	337719	486.0
lost to ATV IX only	337719	486.0
lost to all IX	337719	486.0

Potential Interfering Stations Included in above Scenario 40

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 132  
Scenario 41 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	329289	459.1
lost to ATV IX only	329289	459.1
lost to all IX	329289	459.1

Potential Interfering Stations Included in above Scenario 41

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN

24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

#### After Analysis

Results for: 24A NY NEW YORK                      BMPEDT              20070124AAX    CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	339247	488.9
lost to ATV IX only	339247	488.9
lost to all IX	339247	488.9

Potential Interfering Stations Included in above Scenario      41

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX =      0.0548%

Result key:              133  
 Scenario              42    Affected station              21    WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK                      BMPEDT              20070124AAX    CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	329289	459.1
lost to ATV IX only	329289	459.1
lost to all IX	329289	459.1

Potential Interfering Stations Included in above Scenario      42

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

#### After Analysis

Results for: 24A NY NEW YORK                      BMPEDT              20070124AAX    CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	339247	488.9
lost to ATV IX only	339247	488.9
lost to all IX	339247	488.9

Potential Interfering Stations Included in above Scenario      42

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN

24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 134  
 Scenario 43 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328569	457.1
lost to ATV IX only	328569	457.1
lost to all IX	328569	457.1

Potential Interfering Stations Included in above Scenario 43

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338527	486.9
lost to ATV IX only	338527	486.9
lost to all IX	338527	486.9

Potential Interfering Stations Included in above Scenario 43

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 135  
 Scenario 44 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328569	457.1
lost to ATV IX only	328569	457.1
lost to all IX	328569	457.1

Potential Interfering Stations Included in above Scenario 44

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338527	486.9
lost to ATV IX only	338527	486.9
lost to all IX	338527	486.9

Potential Interfering Stations Included in above Scenario 44

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 136  
Scenario 45 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	329289	459.1
lost to ATV IX only	329289	459.1
lost to all IX	329289	459.1

Potential Interfering Stations Included in above Scenario 45

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	339247	488.9
lost to ATV IX only	339247	488.9
lost to all IX	339247	488.9



Potential Interfering Stations Included in above Scenario 45

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 137  
 Scenario 46 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	329289	459.1
lost to ATV IX only	329289	459.1
lost to all IX	329289	459.1

Potential Interfering Stations Included in above Scenario 46

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	339247	488.9
lost to ATV IX only	339247	488.9
lost to all IX	339247	488.9

Potential Interfering Stations Included in above Scenario 46

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 138  
 Scenario 47 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6

not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328569	457.1
lost to ATV IX only	328569	457.1
lost to all IX	328569	457.1

Potential Interfering Stations Included in above Scenario 47

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338527	486.9
lost to ATV IX only	338527	486.9
lost to all IX	338527	486.9

Potential Interfering Stations Included in above Scenario 47

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 139

Scenario 48 Affected station 21 WNYE-TV

Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328569	457.1
lost to ATV IX only	328569	457.1
lost to all IX	328569	457.1

Potential Interfering Stations Included in above Scenario 48

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6

not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338527	486.9
lost to ATV IX only	338527	486.9
lost to all IX	338527	486.9

Potential Interfering Stations Included in above Scenario 48

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 140  
 Scenario 49 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 49

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 49

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 141  
 Scenario 50 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 50

23A NY SMITHTOWN	BLCDDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 50

23A NY SMITHTOWN	BLCDDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 142  
 Scenario 51 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 51

23A NY SMITHTOWN	BLCDDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 51

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 143  
Scenario 52 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 52

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 52

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 144  
Scenario 53 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 53

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 53

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 145  
Scenario 54 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 54

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC

24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

# After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 54

23A NY SMITHTOWN	BLCDDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDDT	20080320ACI	CP
24A PA ALTOONA	BLCDDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 146  
 Scenario 55 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 55

23A NY SMITHTOWN	BLCDDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDDT	20080320ACI	CP
24A PA ALTOONA	BLCDDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

# After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 55

23A NY SMITHTOWN	BLCDDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDDT	20080320ACI	CP
24A PA ALTOONA	BLCDDT	20050603ACF	LIC

24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 147  
 Scenario 56 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 56

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 56

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 148  
 Scenario 57 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3



Potential Interfering Stations Included in above Scenario 57

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 57

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 149

Scenario 58 Affected station 21 WNYE-TV

Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 58

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 58

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 150  
 Scenario 59 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario 59

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario 59

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 151  
 Scenario 60 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0

lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario 60

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario 60

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 152

Scenario 61 Affected station 21 WNYE-TV

Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 61

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0

lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 61

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 153  
 Scenario 62 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 62

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 62

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 154  
 Scenario 63 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario 63

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario 63

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 155

Scenario 64 Affected station 21 WNYE-TV

Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario 64

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario 64

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 156

Scenario 65 Affected station 21 WNYE-TV

Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 65

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 65

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 157  
Scenario 66 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 66

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 66

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 158  
Scenario 67 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 67

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN

24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

# After Analysis

Results for: 24A NY NEW YORK                      BMPEDT              20070124AAX    CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario              67

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX =              0.0546%

Result key:              159  
 Scenario              68    Affected station              21    WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK                      BMPEDT              20070124AAX    CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario              68

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

# After Analysis

Results for: 24A NY NEW YORK                      BMPEDT              20070124AAX    CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario              68

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN



24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 160  
Scenario 69 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 69

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 69

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 161  
Scenario 70 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 70

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW		
	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 70

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 162  
 Scenario 71 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW		
	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 71

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW		
	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 71

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 163  
 Scenario 72 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 72

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 72

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 164  
 Scenario 73 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0

lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 73

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 73

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 165  
Scenario 74 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 74

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0

lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 74

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 166  
 Scenario 75 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario 75

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario 75

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 167  
 Scenario 76 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario 76

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario 76

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 168

Scenario 77 Affected station 21 WNYE-TV

Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 77

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 77

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 169

Scenario 78 Affected station 21 WNYE-TV

Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 78

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 78

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 170  
Scenario 79 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario 79

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario 79

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 171  
Scenario 80 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario 80

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP



25A PA READING DTVPLN DTVP0921 PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario 80

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 172  
Scenario 81 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328713	459.1
lost to ATV IX only	328713	459.1
lost to all IX	328713	459.1

Potential Interfering Stations Included in above Scenario 81

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338671	488.9
lost to ATV IX only	338671	488.9
lost to all IX	338671	488.9

Potential Interfering Stations Included in above Scenario 81

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN

25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 173  
 Scenario 82 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328713	459.1
lost to ATV IX only	328713	459.1
lost to all IX	328713	459.1

Potential Interfering Stations Included in above Scenario 82

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338671	488.9
lost to ATV IX only	338671	488.9
lost to all IX	338671	488.9

Potential Interfering Stations Included in above Scenario 82

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 174  
 Scenario 83 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	327761	456.1
lost to ATV IX only	327761	456.1
lost to all IX	327761	456.1

Potential Interfering Stations Included in above Scenario 83

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

#### After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	337719	486.0
lost to ATV IX only	337719	486.0
lost to all IX	337719	486.0

Potential Interfering Stations Included in above Scenario 83

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 175

Scenario 84 Affected station 21 WNYE-TV

Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	327761	456.1
lost to ATV IX only	327761	456.1
lost to all IX	327761	456.1

Potential Interfering Stations Included in above Scenario 84

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

#### After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	337719	486.0
lost to ATV IX only	337719	486.0
lost to all IX	337719	486.0

Potential Interfering Stations Included in above Scenario 84

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 176  
 Scenario 85 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328713	459.1
lost to ATV IX only	328713	459.1
lost to all IX	328713	459.1

Potential Interfering Stations Included in above Scenario 85

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338671	488.9
lost to ATV IX only	338671	488.9
lost to all IX	338671	488.9

Potential Interfering Stations Included in above Scenario 85

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 177  
 Scenario 86 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328713	459.1

lost to ATV IX only	328713	459.1
lost to all IX	328713	459.1

Potential Interfering Stations Included in above Scenario 86

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338671	488.9
lost to ATV IX only	338671	488.9
lost to all IX	338671	488.9

Potential Interfering Stations Included in above Scenario 86

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 178  
Scenario 87 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	327761	456.1
lost to ATV IX only	327761	456.1
lost to all IX	327761	456.1

Potential Interfering Stations Included in above Scenario 87

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	337719	486.0

lost to ATV IX only	337719	486.0
lost to all IX	337719	486.0

Potential Interfering Stations Included in above Scenario 87

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 179  
 Scenario 88 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	327761	456.1
lost to ATV IX only	327761	456.1
lost to all IX	327761	456.1

Potential Interfering Stations Included in above Scenario 88

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	337719	486.0
lost to ATV IX only	337719	486.0
lost to all IX	337719	486.0

Potential Interfering Stations Included in above Scenario 88

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 180  
 Scenario 89 Affected station 21 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	329289	459.1
lost to ATV IX only	329289	459.1
lost to all IX	329289	459.1

Potential Interfering Stations Included in above Scenario 89

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	339247	488.9
lost to ATV IX only	339247	488.9
lost to all IX	339247	488.9

Potential Interfering Stations Included in above Scenario 89

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 181  
Scenario 90 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	329289	459.1
lost to ATV IX only	329289	459.1
lost to all IX	329289	459.1

Potential Interfering Stations Included in above Scenario 90

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	339247	488.9
lost to ATV IX only	339247	488.9
lost to all IX	339247	488.9

Potential Interfering Stations Included in above Scenario 90

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 182

Scenario 91 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328569	457.1
lost to ATV IX only	328569	457.1
lost to all IX	328569	457.1

Potential Interfering Stations Included in above Scenario 91

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338527	486.9
lost to ATV IX only	338527	486.9
lost to all IX	338527	486.9

Potential Interfering Stations Included in above Scenario 91

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 183



Scenario 92 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328569	457.1
lost to ATV IX only	328569	457.1
lost to all IX	328569	457.1

Potential Interfering Stations Included in above Scenario 92

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338527	486.9
lost to ATV IX only	338527	486.9
lost to all IX	338527	486.9

Potential Interfering Stations Included in above Scenario 92

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 184

Scenario 93 Affected station 21 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BMPEDT 20070124AAX CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	329289	459.1
lost to ATV IX only	329289	459.1
lost to all IX	329289	459.1

Potential Interfering Stations Included in above Scenario 93

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK                      BMPEDT      20070124AAX    CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	339247	488.9
lost to ATV IX only	339247	488.9
lost to all IX	339247	488.9

Potential Interfering Stations Included in above Scenario      93

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX =      0.0548%

Result key:      185  
Scenario      94    Affected station      21    WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK                      BMPEDT      20070124AAX    CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	329289	459.1
lost to ATV IX only	329289	459.1
lost to all IX	329289	459.1

Potential Interfering Stations Included in above Scenario      94

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK                      BMPEDT      20070124AAX    CP  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	339247	488.9
lost to ATV IX only	339247	488.9
lost to all IX	339247	488.9

Potential Interfering Stations Included in above Scenario      94

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

23A NY NEW YORK                      USERRECORD01                      APP

Percent new IX =        0.0548%

Result key:            186  
Scenario            95    Affected station            21    WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK                      BMPEDT            20070124AAX    CP  
HAAT    310.0 m, ATV ERP    151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328569	457.1
lost to ATV IX only	328569	457.1
lost to all IX	328569	457.1

Potential Interfering Stations Included in above Scenario        95

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK                      BMPEDT            20070124AAX    CP  
HAAT    310.0 m, ATV ERP    151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338527	486.9
lost to ATV IX only	338527	486.9
lost to all IX	338527	486.9

Potential Interfering Stations Included in above Scenario        95

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX =        0.0548%

Result key:            187  
Scenario            96    Affected station            21    WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK                      BMPEDT            20070124AAX    CP  
HAAT    310.0 m, ATV ERP    151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328569	457.1
lost to ATV IX only	328569	457.1
lost to all IX	328569	457.1

Potential Interfering Stations Included in above Scenario        96

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
------------------	-------	-------------	----

24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

# After Analysis

Results for: 24A NY NEW YORK                      BMPEDT              20070124AAX    CP  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338527	486.9
lost to ATV IX only	338527	486.9
lost to all IX	338527	486.9

Potential Interfering Stations Included in above Scenario              96

23A NY SMITHTOWN	BPCDDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX =              0.0548%

Worst case new IX              0.0548% Scenario              41

#####

## Analysis of Interference to Affected Station    22

### Analysis of current record

Channel	Call	City/State	Application	Ref. No.
24	WNYE-TV	NEW YORK NY	BLEDT	-20071228ABM

### Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
23	WFTY-DT	SMITHTOWN NY	88.2	LIC	BLCDDT	-20030113ABS
23	WFTY-TV	SMITHTOWN NY	88.2	PLN	DTVPLN	-DTVP0843
23	WFTY-DT	SMITHTOWN NY	88.2	CP	BPCDDT	-20080613ACJ
23	WLYH-TV	LANCASTER PA	216.4	LIC	BLCDDT	-20040922AAC
23	WLYH-TV	LANCASTER PA	216.4	PLN	DTVPLN	-DTVP0845
24	WSTM-TV	SYRACUSE NY	300.6	CP	BPCDDT	-20080320ACI
24	WSTM-TV	SYRACUSE NY	300.6	PLN	DTVPLN	-DTVP0883
24	WATM-TV	ALTOONA PA	376.3	PLN	DTVPLN	-DTVP0886
24	WATM-TV	ALTOONA PA	376.3	LIC	BLCDDT	-20050603ACF
24	WNVC	FAIRFAX VA	346.5	CP MOD	BMPEDT	-20080609ACI
24	WNVC	FAIRFAX VA	346.5	PLN	DTVPLN	-DTVP0896
24	WVTA	WINDSOR VT	323.8	PLN	DTVPLN	-DTVP0897
24	WVTA	WINDSOR VT	323.8	CP MOD	BMPEDT	-20060306BRA
25	WTVE	READING PA	132.3	CP MOD	BMPCDDT	-20081027ACR
25	WTVE	READING PA	151.8	PLN	DTVPLN	-DTVP0921
25	WTVE	READING PA	167.5	LIC	BLCDDT	-20040323ATZ
23	WDVB	NEW YORK NY	0.9	APP	USERRECORD-01	

Total scenarios =              96

Result key:              188

Scenario              1    Affected station              22    WNYE-TV

# Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 1

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

# After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 1

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 189  
 Scenario 2 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 2

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

# After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 2

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 190  
 Scenario 3 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 3

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

# After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 3

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 191  
Scenario 4 Affected station 22 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 4

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 4

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 192  
Scenario 5 Affected station 22 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 5

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP

24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

#### After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 5

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 193  
 Scenario 6 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 6

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

#### After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 6

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP



24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 194  
 Scenario 7 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 7

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 7

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 195  
 Scenario 8 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 8

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 8

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 196  
Scenario 9 Affected station 22 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 9

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 9

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 197  
 Scenario 10 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 10

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 10

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 198  
 Scenario 11 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6

not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario 11

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario 11

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 199

Scenario 12 Affected station 22 WNYE-TV

Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario 12

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6

not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario 12

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 200  
 Scenario 13 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 13

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 13

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 201  
 Scenario 14 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 14

23A NY SMITHTOWN	BLCDDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 14

23A NY SMITHTOWN	BLCDDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 202  
 Scenario 15 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario 15

23A NY SMITHTOWN	BLCDDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario 15

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 203  
 Scenario 16 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario 16

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario 16

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 204  
Scenario 17 Affected station 22 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 17

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 17

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 205  
Scenario 18 Affected station 22 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 18

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN



24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

#### After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 18

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 206  
Scenario 19 Affected station 22 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 19

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

#### After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 19

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN

24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 207  
 Scenario 20 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 20

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 20

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 208  
 Scenario 21 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 21

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 21

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 209  
Scenario 22 Affected station 22 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 22

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 22

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 210

Scenario 23 Affected station 22 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 23

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 23

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 211

Scenario 24 Affected station 22 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0

lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 24

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 24

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 212  
 Scenario 25 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 25

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0

lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 25

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 213  
 Scenario 26 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 26

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 26

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 214  
 Scenario 27 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario 27

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario 27

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 215

Scenario 28 Affected station 22 WNYE-TV

Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario 28

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario 28

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 216

Scenario 29 Affected station 22 WNYE-TV

Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 29

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 29

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%



Result key: 217  
 Scenario 30 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 30

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 30

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 218  
 Scenario 31 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario 31

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN

24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

# After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario 31

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 219  
Scenario 32 Affected station 22 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario 32

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

# After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario 32

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN

24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 220  
 Scenario 33 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW		
	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328713	459.1
lost to ATV IX only	328713	459.1
lost to all IX	328713	459.1

Potential Interfering Stations Included in above Scenario 33

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW		
	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338671	488.9
lost to ATV IX only	338671	488.9
lost to all IX	338671	488.9

Potential Interfering Stations Included in above Scenario 33

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 221  
 Scenario 34 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW		
	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328713	459.1
lost to ATV IX only	328713	459.1
lost to all IX	328713	459.1

Potential Interfering Stations Included in above Scenario 34

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338671	488.9
lost to ATV IX only	338671	488.9
lost to all IX	338671	488.9

Potential Interfering Stations Included in above Scenario 34

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 222  
 Scenario 35 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	327761	456.1
lost to ATV IX only	327761	456.1
lost to all IX	327761	456.1

Potential Interfering Stations Included in above Scenario 35

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	337719	486.0
lost to ATV IX only	337719	486.0
lost to all IX	337719	486.0

Potential Interfering Stations Included in above Scenario 35

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 223  
 Scenario 36 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	327761	456.1
lost to ATV IX only	327761	456.1
lost to all IX	327761	456.1

Potential Interfering Stations Included in above Scenario 36

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	337719	486.0
lost to ATV IX only	337719	486.0
lost to all IX	337719	486.0

Potential Interfering Stations Included in above Scenario 36

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 224  
 Scenario 37 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0

lost to additional IX by ATV	328713	459.1
lost to ATV IX only	328713	459.1
lost to all IX	328713	459.1

Potential Interfering Stations Included in above Scenario 37

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338671	488.9
lost to ATV IX only	338671	488.9
lost to all IX	338671	488.9

Potential Interfering Stations Included in above Scenario 37

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 225  
Scenario 38 Affected station 22 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328713	459.1
lost to ATV IX only	328713	459.1
lost to all IX	328713	459.1

Potential Interfering Stations Included in above Scenario 38

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0

lost to additional IX by ATV	338671	488.9
lost to ATV IX only	338671	488.9
lost to all IX	338671	488.9

Potential Interfering Stations Included in above Scenario 38

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 226  
 Scenario 39 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	327761	456.1
lost to ATV IX only	327761	456.1
lost to all IX	327761	456.1

Potential Interfering Stations Included in above Scenario 39

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	337719	486.0
lost to ATV IX only	337719	486.0
lost to all IX	337719	486.0

Potential Interfering Stations Included in above Scenario 39

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 227  
 Scenario 40 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	327761	456.1
lost to ATV IX only	327761	456.1
lost to all IX	327761	456.1

Potential Interfering Stations Included in above Scenario 40

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	337719	486.0
lost to ATV IX only	337719	486.0
lost to all IX	337719	486.0

Potential Interfering Stations Included in above Scenario 40

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 228

Scenario 41 Affected station 22 WNYE-TV

Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	329289	459.1
lost to ATV IX only	329289	459.1
lost to all IX	329289	459.1

Potential Interfering Stations Included in above Scenario 41

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC



HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	339247	488.9
lost to ATV IX only	339247	488.9
lost to all IX	339247	488.9

Potential Interfering Stations Included in above Scenario 41

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 229

Scenario 42 Affected station 22 WNYE-TV

Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	329289	459.1
lost to ATV IX only	329289	459.1
lost to all IX	329289	459.1

Potential Interfering Stations Included in above Scenario 42

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	339247	488.9
lost to ATV IX only	339247	488.9
lost to all IX	339247	488.9

Potential Interfering Stations Included in above Scenario 42

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 230  
 Scenario 43 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328569	457.1
lost to ATV IX only	328569	457.1
lost to all IX	328569	457.1

Potential Interfering Stations Included in above Scenario 43

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338527	486.9
lost to ATV IX only	338527	486.9
lost to all IX	338527	486.9

Potential Interfering Stations Included in above Scenario 43

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 231  
 Scenario 44 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328569	457.1
lost to ATV IX only	328569	457.1
lost to all IX	328569	457.1

Potential Interfering Stations Included in above Scenario 44

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP

25A PA READING                      DTVPLN      DTVP0921      PLN

After Analysis

Results for: 24A NY NEW YORK                      BLEDT      20071228ABM    LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338527	486.9
lost to ATV IX only	338527	486.9
lost to all IX	338527	486.9

Potential Interfering Stations Included in above Scenario      44

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX =      0.0548%

Result key:      232  
Scenario      45    Affected station      22    WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK                      BLEDT      20071228ABM    LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	329289	459.1
lost to ATV IX only	329289	459.1
lost to all IX	329289	459.1

Potential Interfering Stations Included in above Scenario      45

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK                      BLEDT      20071228ABM    LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	339247	488.9
lost to ATV IX only	339247	488.9
lost to all IX	339247	488.9

Potential Interfering Stations Included in above Scenario      45

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN

25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 233  
 Scenario 46 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	329289	459.1
lost to ATV IX only	329289	459.1
lost to all IX	329289	459.1

Potential Interfering Stations Included in above Scenario 46

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	339247	488.9
lost to ATV IX only	339247	488.9
lost to all IX	339247	488.9

Potential Interfering Stations Included in above Scenario 46

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 234  
 Scenario 47 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328569	457.1
lost to ATV IX only	328569	457.1
lost to all IX	328569	457.1

Potential Interfering Stations Included in above Scenario 47

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

#### After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338527	486.9
lost to ATV IX only	338527	486.9
lost to all IX	338527	486.9

Potential Interfering Stations Included in above Scenario 47

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 235  
 Scenario 48 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328569	457.1
lost to ATV IX only	328569	457.1
lost to all IX	328569	457.1

Potential Interfering Stations Included in above Scenario 48

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

#### After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338527	486.9
lost to ATV IX only	338527	486.9
lost to all IX	338527	486.9

Potential Interfering Stations Included in above Scenario 48

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 236  
 Scenario 49 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 49

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 49

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 237  
 Scenario 50 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3

lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 50

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 50

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 238  
Scenario 51 Affected station 22 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 51

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1

lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 51

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 239  
 Scenario 52 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 52

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 52

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 240  
 Scenario 53 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW



	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 53

23A NY SMITHTOWN	BLCDDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDDT	20080320ACI	CP
24A PA ALTOONA	BLCDDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 53

23A NY SMITHTOWN	BLCDDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDDT	20080320ACI	CP
24A PA ALTOONA	BLCDDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 241  
Scenario 54 Affected station 22 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 54

23A NY SMITHTOWN	BLCDDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDDT	20080320ACI	CP
24A PA ALTOONA	BLCDDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 54

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 242

Scenario 55 Affected station 22 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 55

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 55

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 243

Scenario 56 Affected station 22 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 56

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 56

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 244

Scenario 57 Affected station 22 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 57

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 57

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 245

Scenario 58 Affected station 22 WNYE-TV

Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 58

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 58

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

23A NY NEW YORK                      USERRECORD01                      APP

Percent new IX =        0.0546%

Result key:            246  
Scenario            59    Affected station            22    WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK                      BLEDT            20071228ABM    LIC

HAAT    310.0 m, ATV ERP    151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario        59

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK                      BLEDT            20071228ABM    LIC

HAAT    310.0 m, ATV ERP    151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario        59

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX =        0.0546%

Result key:            247  
Scenario            60    Affected station            22    WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK                      BLEDT            20071228ABM    LIC

HAAT    310.0 m, ATV ERP    151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario        60

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
------------------	-------	-------------	-----

24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

#### After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario 60

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 248  
Scenario 61 Affected station 22 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 61

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

#### After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 61

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
------------------	-------	-------------	-----

24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 249  
 Scenario 62 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 62

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 62

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 250  
 Scenario 63 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3

lost to all IX 228147 273.3

Potential Interfering Stations Included in above Scenario 63

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario 63

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 251  
Scenario 64 Affected station 22 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario 64

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1



lost to all IX 238105 303.1

Potential Interfering Stations Included in above Scenario 64

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 252  
Scenario 65 Affected station 22 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 65

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 65

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 253  
Scenario 66 Affected station 22 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
--	------------	--------------

within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 66

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 66

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 254  
Scenario 67 Affected station 22 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 67

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

POPULATION	AREA (sq km)
------------	--------------

within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 67

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 255  
 Scenario 68 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 68

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 68

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 256  
 Scenario 69 Affected station 22 WNYE-TV

# Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 69

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

# After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 69

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 257  
 Scenario 70 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228291	275.3
lost to ATV IX only	228291	275.3
lost to all IX	228291	275.3

Potential Interfering Stations Included in above Scenario 70

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

# After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238249	305.1
lost to ATV IX only	238249	305.1
lost to all IX	238249	305.1

Potential Interfering Stations Included in above Scenario 70

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 258  
 Scenario 71 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 71

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

# After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 71

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 259

Scenario 72 Affected station 22 WNYE-TV

Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	227339	272.3
lost to ATV IX only	227339	272.3
lost to all IX	227339	272.3

Potential Interfering Stations Included in above Scenario 72

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	237297	302.1
lost to ATV IX only	237297	302.1
lost to all IX	237297	302.1

Potential Interfering Stations Included in above Scenario 72

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 260

Scenario 73 Affected station 22 WNYE-TV

Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 73

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN

24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

#### After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 73

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 261  
Scenario 74 Affected station 22 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 74

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

#### After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 74

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN

24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 262  
 Scenario 75 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario 75

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario 75

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 263  
 Scenario 76 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3



Potential Interfering Stations Included in above Scenario 76

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario 76

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 264  
Scenario 77 Affected station 22 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 77

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 77

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 265  
 Scenario 78 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228867	275.3
lost to ATV IX only	228867	275.3
lost to all IX	228867	275.3

Potential Interfering Stations Included in above Scenario 78

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238825	305.1
lost to ATV IX only	238825	305.1
lost to all IX	238825	305.1

Potential Interfering Stations Included in above Scenario 78

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 266  
 Scenario 79 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6

not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario 79

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario 79

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 267

Scenario 80 Affected station 22 WNYE-TV

Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	228147	273.3
lost to ATV IX only	228147	273.3
lost to all IX	228147	273.3

Potential Interfering Stations Included in above Scenario 80

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6

not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	238105	303.1
lost to ATV IX only	238105	303.1
lost to all IX	238105	303.1

Potential Interfering Stations Included in above Scenario 80

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0546%

Result key: 268  
 Scenario 81 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328713	459.1
lost to ATV IX only	328713	459.1
lost to all IX	328713	459.1

Potential Interfering Stations Included in above Scenario 81

23A NY SMITHTOWN	BPCDDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338671	488.9
lost to ATV IX only	338671	488.9
lost to all IX	338671	488.9

Potential Interfering Stations Included in above Scenario 81

23A NY SMITHTOWN	BPCDDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 269  
 Scenario 82 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328713	459.1
lost to ATV IX only	328713	459.1
lost to all IX	328713	459.1

Potential Interfering Stations Included in above Scenario 82

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338671	488.9
lost to ATV IX only	338671	488.9
lost to all IX	338671	488.9

Potential Interfering Stations Included in above Scenario 82

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 270

Scenario 83 Affected station 22 WNYE-TV

Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	327761	456.1
lost to ATV IX only	327761	456.1
lost to all IX	327761	456.1

Potential Interfering Stations Included in above Scenario 83

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	337719	486.0
lost to ATV IX only	337719	486.0
lost to all IX	337719	486.0

Potential Interfering Stations Included in above Scenario 83

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 271  
 Scenario 84 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	327761	456.1
lost to ATV IX only	327761	456.1
lost to all IX	327761	456.1

Potential Interfering Stations Included in above Scenario 84

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	337719	486.0
lost to ATV IX only	337719	486.0
lost to all IX	337719	486.0

Potential Interfering Stations Included in above Scenario 84

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 272  
Scenario 85 Affected station 22 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328713	459.1
lost to ATV IX only	328713	459.1
lost to all IX	328713	459.1

Potential Interfering Stations Included in above Scenario 85

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338671	488.9
lost to ATV IX only	338671	488.9
lost to all IX	338671	488.9

Potential Interfering Stations Included in above Scenario 85

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 273  
Scenario 86 Affected station 22 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328713	459.1
lost to ATV IX only	328713	459.1
lost to all IX	328713	459.1

Potential Interfering Stations Included in above Scenario 86

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC

24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

#### After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338671	488.9
lost to ATV IX only	338671	488.9
lost to all IX	338671	488.9

Potential Interfering Stations Included in above Scenario 86

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 274  
Scenario 87 Affected station 22 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	327761	456.1
lost to ATV IX only	327761	456.1
lost to all IX	327761	456.1

Potential Interfering Stations Included in above Scenario 87

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

#### After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	337719	486.0
lost to ATV IX only	337719	486.0
lost to all IX	337719	486.0

Potential Interfering Stations Included in above Scenario 87

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC



24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 275  
 Scenario 88 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	327761	456.1
lost to ATV IX only	327761	456.1
lost to all IX	327761	456.1

Potential Interfering Stations Included in above Scenario 88

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	337719	486.0
lost to ATV IX only	337719	486.0
lost to all IX	337719	486.0

Potential Interfering Stations Included in above Scenario 88

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	BPCDT	20080320ACI	CP
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 276  
 Scenario 89 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	329289	459.1
lost to ATV IX only	329289	459.1
lost to all IX	329289	459.1

Potential Interfering Stations Included in above Scenario 89

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	339247	488.9
lost to ATV IX only	339247	488.9
lost to all IX	339247	488.9

Potential Interfering Stations Included in above Scenario 89

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 277

Scenario 90 Affected station 22 WNYE-TV

Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	329289	459.1
lost to ATV IX only	329289	459.1
lost to all IX	329289	459.1

Potential Interfering Stations Included in above Scenario 90

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	339247	488.9
lost to ATV IX only	339247	488.9
lost to all IX	339247	488.9

Potential Interfering Stations Included in above Scenario 90

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 278

Scenario 91 Affected station 22 WNYE-TV

Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328569	457.1
lost to ATV IX only	328569	457.1
lost to all IX	328569	457.1

Potential Interfering Stations Included in above Scenario 91

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338527	486.9
lost to ATV IX only	338527	486.9
lost to all IX	338527	486.9

Potential Interfering Stations Included in above Scenario 91

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 279

Scenario 92 Affected station 22 WNYE-TV

Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0

lost to NTSC IX	0	0.0
lost to additional IX by ATV	328569	457.1
lost to ATV IX only	328569	457.1
lost to all IX	328569	457.1

Potential Interfering Stations Included in above Scenario 92

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338527	486.9
lost to ATV IX only	338527	486.9
lost to all IX	338527	486.9

Potential Interfering Stations Included in above Scenario 92

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	DTVPLN	DTVP0886	PLN
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 280  
Scenario 93 Affected station 22 WNYE-TV  
Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	329289	459.1
lost to ATV IX only	329289	459.1
lost to all IX	329289	459.1

Potential Interfering Stations Included in above Scenario 93

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0

lost to NTSC IX	0	0.0
lost to additional IX by ATV	339247	488.9
lost to ATV IX only	339247	488.9
lost to all IX	339247	488.9

Potential Interfering Stations Included in above Scenario 93

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 281  
 Scenario 94 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	329289	459.1
lost to ATV IX only	329289	459.1
lost to all IX	329289	459.1

Potential Interfering Stations Included in above Scenario 94

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC  
 HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	339247	488.9
lost to ATV IX only	339247	488.9
lost to all IX	339247	488.9

Potential Interfering Stations Included in above Scenario 94

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	BMPEDT	20080609ACI	CP
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 282  
 Scenario 95 Affected station 22 WNYE-TV  
 Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328569	457.1
lost to ATV IX only	328569	457.1
lost to all IX	328569	457.1

Potential Interfering Stations Included in above Scenario 95

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338527	486.9
lost to ATV IX only	338527	486.9
lost to all IX	338527	486.9

Potential Interfering Stations Included in above Scenario 95

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	DTVPLN	DTVP0897	PLN
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Result key: 283

Scenario 96 Affected station 22 WNYE-TV

Before Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	328569	457.1
lost to ATV IX only	328569	457.1
lost to all IX	328569	457.1

Potential Interfering Stations Included in above Scenario 96

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN

After Analysis

Results for: 24A NY NEW YORK BLEDT 20071228ABM LIC

HAAT 310.0 m, ATV ERP 151.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	18632790	22209.6
not affected by terrain losses	18481078	21190.0
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338527	486.9
lost to ATV IX only	338527	486.9
lost to all IX	338527	486.9

Potential Interfering Stations Included in above Scenario 96

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
24A NY SYRACUSE	DTVPLN	DTVP0883	PLN
24A PA ALTOONA	BLCDT	20050603ACF	LIC
24A VA FAIRFAX	DTVPLN	DTVP0896	PLN
24A VT WINDSOR	BMPEDT	20060306BRA	CP
25A PA READING	DTVPLN	DTVP0921	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0548%

Worst case new IX 0.0548% Scenario 41

#####

Analysis of Interference to Affected Station 23

Analysis of current record

Channel	Call	City/State	Application Ref. No.
24	W24DB	CLARKS SUMMIT PA	BLTTA -20041202ADB

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
20	WNYI	ITHACA NY	127.4	PLN	DTVPLN -DTVP0722
23	WBPN-LD	BINGHAMTON NY	71.2	CP	BDCCDTL -20061030AGK
24	WFXZ-CA	BOSTON MA	385.2	APP	BDFCDTA -20090630AIG
24	W22DA	FREDRICK MD	262.1	APP	BDISDTL -20090813ADA
24	W59DG	ELMIRA NY	112.4	CP	BPTT -20031212ADX
24	WNYE-TV	NEW YORK NY	164.4	CP MOD	BMPEDT -20070124AAX
24	WNYE-TV	NEW YORK NY	164.4	PLN	DTVPLN -DTVP0882
24	WNYE-TV	NEW YORK NY	164.4	LIC	BLEDT -20071228ABM
24	WSTM-TV	SYRACUSE NY	170.8	CP	BPCDT -20080320ACI
24	WSTM-TV	SYRACUSE NY	170.8	PLN	DTVPLN -DTVP0883
24	WATM-TV	ALTOONA PA	247.3	PLN	DTVPLN -DTVP0886
24	WATM-TV	ALTOONA PA	247.3	LIC	BLCDT -20050603ACF
24	W24BB	EAST STROUDSBURG PA	49.2	LIC	BLTTL -19911219JM
24	WJET-TV	ERIE PA	366.1	CP MOD	BMPCDT -20080612ABV
24	WJET-TV	ERIE PA	366.1	PLN	DTVPLN -DTVP0887
24	NEW	JOHNSTOWN PA	372.1	APP	BSFDTL -20060630DBZ
24	W24BL	POTTSVILLE, ETC. PA	93.1	LIC	BLTT -19920218JP
24	W24CS	READING PA	121.1	CP	BDFCDTT -20060331AXW
24	WNVC	FAIRFAX VA	311.7	CP MOD	BMPEDT -20080609ACI
24	WNVC	FAIRFAX VA	311.7	PLN	DTVPLN -DTVP0896
24	WVTA	WINDSOR VT	348.9	PLN	DTVPLN -DTVP0897
24	WVTA	WINDSOR VT	348.9	CP MOD	BMPEDT -20060306BRA
25	W27AL	MONTICELLO NY	90.3	APP	BDISDTT -20090518ADO
25	WASA-LD	PORT JERVIS NY	164.4	CP MOD	BMPDTL -20080924ADQ
25	WTVE	READING PA	122.8	PLN	DTVPLN -DTVP0921
25	WTVE	READING PA	121.1	LIC	BLCDT -20040323ATZ
25	W25AQ-D	TOWANDA PA	68.4	LIC	BLDTT -20090727ADM
25	WYOU	WAYMART PA	33.4	LIC	BLCDT -20091211ACN
31	WSWB	SCRANTON PA	0.0	PLN	DTVPLN -DTVP1147
31	WSWB-DR	SCRANTON PA	0.0	APP	BPRM -20080619ALI
32	WQPX	SCRANTON PA	0.3	PLN	DTVPLN -DTVP1186

32	WQPX-TV	SCRANTON PA	0.3	LIC	BLCDT	-20060629AFR
39	WJKP-LP	CORNING NY	136.5	CP	BDFCDTL	-20090824AKI
39	WLVT-TV	ALLENTOWN PA	99.9	CP MOD	BMPEDT	-20080618AAL
39	WLVT-TV	ALLENTOWN PA	99.8	PLN	DTVPLN	-DTVP1406
23	WDVB	NEW YORK NY	164.8	APP	USERRECORD-01	

Proposed station is beyond the site to  
nearest cell evaluation distance

#####

# Analysis of Interference to Affected Station 24

## Analysis of current record

Channel	Call	City/State	Application Ref. No.
24	W24BB	EAST STROUDSBURG PA	BLTTL -19911219JM

## Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
17	WPHL-TV	PHILADELPHIA PA	111.7	CP MOD	BMPCDT -20080619ALB
17	WPHL-TV	PHILADELPHIA PA	111.8	PLN	DTVPLN -DTVP0602
21	WHP-TV	HARRISBURG PA	137.7	CP MOD	BMPCDT -20080606AEJ
21	WHP-TV	HARRISBURG PA	137.7	PLN	DTVPLN -DTVP0762
23	WBPN-LD	BINGHAMTON NY	120.1	CP	BDCCDTL -20061030AGK
23	WLYH-TV	LANCASTER PA	117.3	LIC	BLCDT -20040922AAC
23	WLYH-TV	LANCASTER PA	117.3	PLN	DTVPLN -DTVP0845
24	WFXZ-CA	BOSTON MA	382.8	APP	BDFCDTA -20090630AIG
24	W22DA	FREDRICK MD	239.6	APP	BDISDTL -20090813ADA
24	WPSJ-LP	HAMMONTON, ETC. NJ	154.8	LIC	BLTTA -20060720ADQ
24	W59DG	ELMIRA NY	157.5	CP	BPTT -20031212ADX
24	WNYE-TV	NEW YORK NY	131.0	CP MOD	BMPEDT -20070124AAX
24	WNYE-TV	NEW YORK NY	131.0	PLN	DTVPLN -DTVP0882
24	WNYE-TV	NEW YORK NY	131.0	LIC	BLEDT -20071228ABM
24	WSTM-TV	SYRACUSE NY	219.2	CP	BPCDT -20080320ACI
24	WSTM-TV	SYRACUSE NY	219.2	PLN	DTVPLN -DTVP0883
24	WATM-TV	ALTOONA PA	252.5	PLN	DTVPLN -DTVP0886
24	WATM-TV	ALTOONA PA	252.5	LIC	BLCDT -20050603ACF
24	W24DB	CLARKS SUMMIT PA	49.2	LIC	BLTTA -20041202ADB
24	NEW	JOHNSTOWN PA	381.0	APP	BSFDTL -20060630DBZ
24	W24BL	POTTSVILLE, ETC. PA	70.3	LIC	BLTT -19920218JP
24	W24CS	READING PA	81.8	CP	BDFCDTT -20060331AXW
24	W24CS	READING PA	81.8	LIC	BLTT -20030321AAO
24	W24DF-D	CHARLOTTESVILLE VA	397.0	CP	BDCCDTL -20061030AGD
24	WNVC	FAIRFAX VA	280.5	CP MOD	BMPEDT -20080609ACI
24	WNVC	FAIRFAX VA	280.5	PLN	DTVPLN -DTVP0896
24	WVTA	WINDSOR VT	367.3	PLN	DTVPLN -DTVP0897
24	WVTA	WINDSOR VT	367.3	CP MOD	BMPEDT -20060306BRA
25	W27AL	MONTICELLO NY	98.1	APP	BDISDTT -20090518ADO
25	WASA-LD	PORT JERVIS NY	131.0	CP MOD	BMPDTL -20080924ADQ
25	WTVE	READING PA	111.8	CP MOD	BMPCDT -20081027ACR
25	WTVE	READING PA	79.0	PLN	DTVPLN -DTVP0921
25	WTVE	READING PA	81.8	LIC	BLCDT -20040323ATZ
25	W25AQ-D	TOWANDA PA	109.5	LIC	BLDTT -20090727ADM
25	WYOU	WAYMART PA	67.6	LIC	BLCDT -20091211ACN
26	KYW-TV	PHILADELPHIA PA	111.6	CP	BPCDT -20080620ABO
26	KYW-TV	PHILADELPHIA PA	111.6	PLN	DTVPLN -DTVP0959
27	WGTW-TV	BURLINGTON NJ	111.8	PLN	DTVPLN -DTVP0992
27	WGTW-TV	BURLINGTON NJ	111.8	LIC	BLCDT -20060105AAR
27	WTBY-TV	POUGHKEEPSIE NY	139.8	CP	BPCDT -20080619ABY
27	WTBY-TV	POUGHKEEPSIE NY	139.8	PLN	DTVPLN -DTVP0996
27	WTBY-TV	POUGHKEEPSIE NY	139.8	LIC	BMLCDT -20061031ACG
28	WNBC	NEW YORK NY	130.1	PLN	DTVPLN -DTVP1032
28	WNBC	NEW YORK NY	131.3	STA	BDSTA -20041220ADE
28	WNBC	NEW YORK NY	130.1	APP	BPCDT -20080620ADL
28	WNBC	NEW YORK NY	131.3	CP MOD	BMPCDT -20080314ACO



31	WPPX-TV	WILMINGTON DE	111.8	LIC	BLCDT	-20031203AFL
31	WPPX	WILMINGTON DE	111.8	PLN	DTVPLN	-DTVP1122
31	WPPX-TV	WILMINGTON DE	111.8	APP	BPCDT	-20080620AMP
31	WPXN-TV	NEW YORK NY	130.1	PLN	DTVPLN	-DTVP1144
31	WPXN-TV	NEW YORK NY	130.1	APP	BMPCDT	-20080620ALZ
31	WPXN-TV	NEW YORK NY	131.3	CP MOD	BMPCDT	-20080926ACT
31	WSWB	SCRANTON PA	49.2	PLN	DTVPLN	-DTVP1147
31	WSWB-DR	SCRANTON PA	49.2	APP	BPRM	-20080619ALI
32	WPSG	PHILADELPHIA PA	111.8	CP	BPCDT	-20080616ABE
32	WPSG	PHILADELPHIA PA	111.8	PLN	DTVPLN	-DTVP1185
32	WPSG	PHILADELPHIA PA	111.8	LIC	BLCDT	-20021025AAS
32	WQPX	SCRANTON PA	49.0	PLN	DTVPLN	-DTVP1186
32	WQPX-TV	SCRANTON PA	49.0	LIC	BLCDT	-20060629AFR
38	WWOR-TV	SECAUCUS NJ	131.3	CP MOD	BMPCDT	-20080620AHC
38	WWOR-TV	SECAUCUS NJ	130.1	PLN	DTVPLN	-DTVP1368
39	WNYN-LD	NEW YORK NY	134.8	CP	BPDTL	-20091030ACJ
39	WNYN-LD	NEW YORK NY	134.8	LIC	BLDTL	-20090619AAO
39	WLVT-TV	ALLENTOWN PA	51.7	CP MOD	BMPEDT	-20080618AAL
39	WLVT-TV	ALLENTOWN PA	51.5	PLN	DTVPLN	-DTVP1406
23	WDVB	NEW YORK NY	131.3	APP	USERRECORD	-01

Proposal causes no interference

#####

# Analysis of Interference to Affected Station 25

## Analysis of current record

Channel	Call	City/State	Application	Ref. No.
24	W24BL	POTTSVILLE, ETC. PA	BLTT	-19920218JP

## Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
17	WPHL-TV	PHILADELPHIA PA	107.8	CP MOD	BMPCDT	-20080619ALB
17	WPHL-TV	PHILADELPHIA PA	108.0	PLN	DTVPLN	-DTVP0602
21	WHP-TV	HARRISBURG PA	67.4	CP MOD	BMPCDT	-20080606AEJ
21	WHP-TV	HARRISBURG PA	67.4	PLN	DTVPLN	-DTVP0762
23	WBPB-LD	BINGHAMTON NY	154.8	CP	BDCCDTL	-20061030AGK
23	WLYH-TV	LANCASTER PA	51.2	LIC	BLCDT	-20040922AAC
23	WLYH-TV	LANCASTER PA	51.2	PLN	DTVPLN	-DTVP0845
24	W22DA	FREDRICK MD	171.2	APP	BDISDTL	-20090813ADA
24	WNYE-TV	NEW YORK NY	186.8	CP MOD	BMPEDT	-20070124AAX
24	WNYE-TV	NEW YORK NY	186.8	PLN	DTVPLN	-DTVP0882
24	WNYE-TV	NEW YORK NY	186.8	LIC	BLEDT	-20071228ABM
24	WSTM-TV	SYRACUSE NY	252.2	CP	BPCDT	-20080320ACI
24	WSTM-TV	SYRACUSE NY	252.2	PLN	DTVPLN	-DTVP0883
24	WATM-TV	ALTOONA PA	189.6	PLN	DTVPLN	-DTVP0886
24	WATM-TV	ALTOONA PA	189.6	LIC	BLCDT	-20050603ACF
24	W24DB	CLARKS SUMMIT PA	93.1	LIC	BLTTA	-20041202ADB
24	W24BB	EAST STROUDSBURG PA	70.3	LIC	BLTTL	-19911219JM
24	WJET-TV	ERIE PA	356.5	CP MOD	BMPCDT	-20080612ABV
24	WJET-TV	ERIE PA	356.5	PLN	DTVPLN	-DTVP0887
24	NEW	JOHNSTOWN PA	318.8	APP	BSFDTL	-20060630DBZ
24	W24CS	READING PA	44.1	CP	BDFCDTT	-20060331AXW
24	W24CS	READING PA	44.1	LIC	BLTT	-20030321AAO
24	W24DF-D	CHARLOTTESVILLE VA	330.7	CP	BDCCDTL	-20061030AGD
24	WNVC	FAIRFAX VA	218.6	CP MOD	BMPEDT	-20080609ACI
24	WNVC	FAIRFAX VA	218.6	PLN	DTVPLN	-DTVP0896
24	W64CZ	CLARKSBURG WV	381.2	APP	BDISDTL	-20090824ACB
25	W27AL	MONTICELLO NY	167.4	APP	BDISDTT	-20090518ADO
25	WASA-LD	PORT JERVIS NY	186.8	CP MOD	BMPDTL	-20080924ADQ
25	WTVE	READING PA	108.0	CP MOD	BMPCDT	-20081027ACR
25	WTVE	READING PA	57.5	PLN	DTVPLN	-DTVP0921
25	WTVE	READING PA	44.1	LIC	BLCDT	-20040323ATZ
25	W25AQ-D	TOWANDA PA	114.3	LIC	BLDTT	-20090727ADM
25	WYOU	WAYMART PA	124.4	LIC	BLCDT	-20091211ACN

26	KYW-TV	PHILADELPHIA PA	107.6	CP	BPCDT	-20080620ABO
26	KYW-TV	PHILADELPHIA PA	107.6	PLN	DTVPLN	-DTVP0959
27	WGTW-TV	BURLINGTON NJ	108.0	PLN	DTVPLN	-DTVP0992
27	WGTW-TV	BURLINGTON NJ	108.0	LIC	BLCDT	-20060105AAR
31	WPPX-TV	WILMINGTON DE	108.0	LIC	BLCDT	-20031203AFL
31	WPPX	WILMINGTON DE	108.0	PLN	DTVPLN	-DTVP1122
31	WPPX-TV	WILMINGTON DE	108.0	APP	BPCDT	-20080620AMP
31	WSWB	SCRANTON PA	93.1	PLN	DTVPLN	-DTVP1147
31	WSWB-DR	SCRANTON PA	93.1	APP	BPRM	-20080619ALI
32	WPSG	PHILADELPHIA PA	108.0	CP	BPCDT	-20080616ABE
32	WPSG	PHILADELPHIA PA	108.0	PLN	DTVPLN	-DTVP1185
32	WPSG	PHILADELPHIA PA	108.0	LIC	BLCDT	-20021025AAS
32	WQPX	SCRANTON PA	93.2	PLN	DTVPLN	-DTVP1186
32	WQPX-TV	SCRANTON PA	93.2	LIC	BLCDT	-20060629AFR
39	WLVT-TV	ALLENTOWN PA	65.4	CP MOD	BMPEDT	-20080618AAL
39	WLVT-TV	ALLENTOWN PA	65.8	PLN	DTVPLN	-DTVP1406
23	WDVB	NEW YORK NY	186.8	APP	USERRECORD-01	

Proposed station is beyond the site to  
nearest cell evaluation distance

#####

#### Analysis of Interference to Affected Station 26

##### Analysis of current record

Channel	Call	City/State	Application	Ref. No.
24	W24CS	READING PA	BDFCDTT	-20060331AXW

##### Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
23	W23DF-D	SALISBURY MD	201.4	LIC	BLDTL	-20090731AFF
23	WBPN-LD	BINGHAMTON NY	189.2	CP	BDCCDTL	-20061030AGK
23	WLYH-TV	LANCASTER PA	49.0	LIC	BLCDT	-20040922AAC
23	WLYH-TV	LANCASTER PA	49.0	PLN	DTVPLN	-DTVP0845
24	W22DA	FREDRICK MD	166.2	APP	BDISDTL	-20090813ADA
24	WPSJ-LP	HAMMONTON, ETC. NJ	113.6	LIC	BLTTA	-20060720ADQ
24	WNYE-TV	NEW YORK NY	167.5	CP MOD	BMPEDT	-20070124AAX
24	WNYE-TV	NEW YORK NY	167.5	PLN	DTVPLN	-DTVP0882
24	WNYE-TV	NEW YORK NY	167.5	LIC	BLEDT	-20071228ABM
24	WSTM-TV	SYRACUSE NY	288.6	CP	BPCDT	-20080320ACI
24	WSTM-TV	SYRACUSE NY	288.6	PLN	DTVPLN	-DTVP0883
24	WATM-TV	ALTOONA PA	216.6	PLN	DTVPLN	-DTVP0886
24	WATM-TV	ALTOONA PA	216.6	LIC	BLCDT	-20050603ACF
24	W24DB	CLARKS SUMMIT PA	121.1	LIC	BLTTA	-20041202ADB
24	W24BB	EAST STROUDSBURG PA	81.8	LIC	BLTTL	-19911219JM
24	NEW	JOHNSTOWN PA	344.3	APP	BSFDTL	-20060630DBZ
24	W24BL	POTTSVILLE, ETC. PA	44.1	LIC	BLTT	-19920218JP
24	W24DF-D	CHARLOTTESVILLE VA	318.7	CP	BDCCDTL	-20061030AGD
24	WNVC	FAIRFAX VA	199.8	CP MOD	BMPEDT	-20080609ACI
24	WNVC	FAIRFAX VA	199.8	PLN	DTVPLN	-DTVP0896
24	W64CZ	CLARKSBURG WV	393.5	APP	BDISDTL	-20090824ACB
25	WZDC-CA	WASHINGTON DC	186.9	CP	BDFCDTA	-20080804ACV
25	W27AL	MONTICELLO NY	177.3	APP	BDISDTT	-20090518ADO
25	WASA-LD	PORT JERVIS NY	167.5	CP MOD	BMPDTL	-20080924ADQ
25	WTVE	READING PA	66.0	CP MOD	BMPCDT	-20081027ACR
25	WTVE	READING PA	17.5	PLN	DTVPLN	-DTVP0921
25	WTVE	READING PA	0.0	LIC	BLCDT	-20040323ATZ
25	W25AQ-D	TOWANDA PA	155.7	LIC	BLDTT	-20090727ADM
25	WYOU	WAYMART PA	147.5	LIC	BLCDT	-20091211ACN
23	WDVB	NEW YORK NY	167.4	APP	USERRECORD-01	

Proposed station is beyond the site to  
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 27

Analysis of current record

Channel	Call	City/State	Application Ref. No.
24	W24CS	READING PA	BLTT -20030321AAO

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
17	WPHL-TV	PHILADELPHIA PA	65.8	CP MOD	BMPCDT -20080619ALB
17	WPHL-TV	PHILADELPHIA PA	66.1	PLN	DTVPLN -DTVP0602
21	WHP-TV	HARRISBURG PA	82.2	CP MOD	BMPCDT -20080606AEJ
21	WHP-TV	HARRISBURG PA	82.2	PLN	DTVPLN -DTVP0762
22	WNJS	CAMDEN NJ	113.5	PLN	DTVPLN -DTVP0802
22	WNJS	CAMDEN NJ	113.5	CP	BPEDT -20080620ALH
22	WNJS	CAMDEN NJ	113.5	LIC	BLEDT -20070611AAY
23	W23DF-D	SALISBURY MD	201.4	LIC	BLDTL -20090731AFF
23	WBPN-LD	BINGHAMTON NY	189.2	CP	BDCCDTL -20061030AGK
23	WLYH-TV	LANCASTER PA	49.0	LIC	BLCDT -20040922AAC
23	WLYH-TV	LANCASTER PA	49.0	PLN	DTVPLN -DTVP0845
24	W22DA	FREDRICK MD	166.2	APP	BDISDTL -20090813ADA
24	WPSJ-LP	HAMMONTON, ETC. NJ	113.6	LIC	BLTTA -20060720ADQ
24	WNYE-TV	NEW YORK NY	167.5	CP MOD	BMPEDT -20070124AAX
24	WNYE-TV	NEW YORK NY	167.5	PLN	DTVPLN -DTVP0882
24	WNYE-TV	NEW YORK NY	167.5	LIC	BLEDT -20071228ABM
24	WSTM-TV	SYRACUSE NY	288.6	CP	BPCDT -20080320ACI
24	WSTM-TV	SYRACUSE NY	288.6	PLN	DTVPLN -DTVP0883
24	WATM-TV	ALTOONA PA	216.6	PLN	DTVPLN -DTVP0886
24	WATM-TV	ALTOONA PA	216.6	LIC	BLCDT -20050603ACF
24	W24DB	CLARKS SUMMIT PA	121.1	LIC	BLTTA -20041202ADB
24	W24BB	EAST STROUDSBURG PA	81.8	LIC	BLTTL -19911219JM
24	NEW	JOHNSTOWN PA	344.3	APP	BSFDTL -20060630DBZ
24	W24BL	POTTSVILLE, ETC. PA	44.1	LIC	BLTT -19920218JP
24	W24DF-D	CHARLOTTESVILLE VA	318.7	CP	BDCCDTL -20061030AGD
24	WNVC	FAIRFAX VA	199.8	CP MOD	BMPEDT -20080609ACI
24	WNVC	FAIRFAX VA	199.8	PLN	DTVPLN -DTVP0896
24	W64CZ	CLARKSBURG WV	393.5	APP	BDISDTL -20090824ACB
25	WZDC-CA	WASHINGTON DC	186.9	CP	BDFCDTA -20080804ACV
25	W27AL	MONTICELLO NY	177.3	APP	BDISDTT -20090518ADO
25	WASA-LD	PORT JERVIS NY	167.5	CP MOD	BMPDTL -20080924ADQ
25	WTVE	READING PA	66.0	CP MOD	BMPCDT -20081027ACR
25	WTVE	READING PA	17.5	PLN	DTVPLN -DTVP0921
25	WTVE	READING PA	0.0	LIC	BLCDT -20040323ATZ
25	W25AQ-D	TOWANDA PA	155.7	LIC	BLDTT -20090727ADM
25	WYOU	WAYMART PA	147.5	LIC	BLCDT -20091211ACN
26	KYW-TV	PHILADELPHIA PA	65.6	CP	BPCDT -20080620ABO
26	KYW-TV	PHILADELPHIA PA	65.6	PLN	DTVPLN -DTVP0959
27	WGTW-TV	BURLINGTON NJ	66.1	PLN	DTVPLN -DTVP0992
27	WGTW-TV	BURLINGTON NJ	66.1	LIC	BLCDT -20060105AAR
31	WPPX-TV	WILMINGTON DE	66.1	LIC	BLCDT -20031203AFL
31	WPPX	WILMINGTON DE	66.1	PLN	DTVPLN -DTVP1122
31	WPPX-TV	WILMINGTON DE	66.1	APP	BPCDT -20080620AMP
31	WSWB	SCRANTON PA	121.1	PLN	DTVPLN -DTVP1147
31	WSWB-DR	SCRANTON PA	121.1	APP	BPRM -20080619ALI
32	WPSG	PHILADELPHIA PA	66.1	CP	BPCDT -20080616ABE
32	WPSG	PHILADELPHIA PA	66.1	PLN	DTVPLN -DTVP1185
32	WPSG	PHILADELPHIA PA	66.1	LIC	BLCDT -20021025AAS
32	WQPX	SCRANTON PA	121.0	PLN	DTVPLN -DTVP1186
32	WQPX-TV	SCRANTON PA	121.0	LIC	BLCDT -20060629AFR
38	WMAR-TV	BALTIMORE MD	130.2	PLN	DTVPLN -DTVP1362
38	WMAR-TV	BALTIMORE MD	130.2	CP	BPCDT -20080222ABC
39	WQAV-LD	ATLANTIC CITY NJ	113.3	CP	BDISDTL -20090630ADA
39	WLVT-TV	ALLENTOWN PA	45.3	CP MOD	BMPEDT -20080618AAL
39	WLVT-TV	ALLENTOWN PA	45.8	PLN	DTVPLN -DTVP1406

23 WDVb NEW YORK NY 167.4 APP USERRECORD-01

Proposed station is beyond the site to  
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 28

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
25	W25BB	PITTSTOWN NJ	BLTT	-19930325ID

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
17	WPHL-TV	PHILADELPHIA PA	57.3	CP MOD	BMPCDT	-20080619ALB
17	WPHL-TV	PHILADELPHIA PA	57.2	PLN	DTVPLN	-DTVP0602
18	WMBC-TV	NEWTON NJ	75.0	PLN	DTVPLN	-DTVP0632
18	WMBC-TV	NEWTON NJ	75.0	CP	BPCDT	-20080620ABX
18	WMBC-TV	NEWTON NJ	75.0	LIC	BLCDDT	-20060803AMO
21	WLIW	GARDEN CITY NY	130.7	CP	BPEDT	-20080317AAQ
21	WLIW	GARDEN CITY NY	130.7	PLN	DTVPLN	-DTVP0758
21	WLIW	GARDEN CITY NY	130.7	APP	BMPEDT	-20080620AID
22	WNJS	CAMDEN NJ	87.5	PLN	DTVPLN	-DTVP0802
22	WNJS	CAMDEN NJ	87.5	CP	BPEDT	-20080620ALH
22	WNJS	CAMDEN NJ	87.5	LIC	BLEDT	-20070611AAY
23	WLYH-TV	LANCASTER PA	130.4	LIC	BLCDDT	-20040922AAC
23	WLYH-TV	LANCASTER PA	130.4	PLN	DTVPLN	-DTVP0845
24	WNYE-TV	NEW YORK NY	86.4	CP MOD	BMPEDT	-20070124AAX
24	WNYE-TV	NEW YORK NY	86.4	PLN	DTVPLN	-DTVP0882
24	WNYE-TV	NEW YORK NY	86.4	LIC	BLEDT	-20071228ABM
24	W24CS	READING PA	81.5	CP	BDFCDTT	-20060331AXW
25	WZDC-CA	WASHINGTON DC	251.8	CP	BDFCDTA	-20080804ACV
25	WFXZ-CA	BOSTON MA	369.8	APP	BDISDTA	-20090902ABE
25	WQAW-LP	BOWIE MD	218.4	APP	BDISTTL	-20060120ADQ
25	W25AW	TRENTON NJ	35.8	LIC	BLTTA	-20030512ABW
25	WGCE-CA	GREECE AND ROCHESTER NY	374.3	CP	BDISDTA	-20080804AEV
25	W27AL	MONTICELLO NY	129.9	APP	BDISDTT	-20090518ADO
25	WASA-LD	PORT JERVIS NY	86.4	CP MOD	BMPDTL	-20080924ADQ
25	WCNY-TV	SYRACUSE NY	287.2	LIC	BMLEDT	-20040916ABJ
25	WCNY-TV	SYRACUSE NY	287.2	PLN	DTVPLN	-DTVP0919
25	WTVE	READING PA	57.2	CP MOD	BMPCDT	-20081027ACR
25	WTVE	READING PA	65.4	PLN	DTVPLN	-DTVP0921
25	WTVE	READING PA	81.5	LIC	BLCDDT	-20040323ATZ
25	W25AQ-D	TOWANDA PA	182.5	LIC	BLDDT	-20090727ADM
25	WYOU	WAYMART PA	130.7	LIC	BLCDDT	-20091211ACN
25	WNNE	HARTFORD VT	385.6	LIC	BLCDDT	-20050801BFZ
25	WNNE	HARTFORD VT	385.6	PLN	DTVPLN	-DTVP0926
26	WLIG-LD	MINEOLA NY	118.4	LIC	BLDDL	-20071217ACU
26	WRNN-LD	NEW YORK NY	113.4	APP	BPDDL	-20100111ADH
26	WRNN-LD	NEW YORK NY	89.5	LIC	BLDDL	-20091123AAX
26	W26CE	NEW YORK NY	188.4	CP	BDFCDTL	-20080111ACY
26	WNYX-LP	NEW YORK NY	89.5	CP	BDFCDTL	-20080317AFK
26	KYW-TV	PHILADELPHIA PA	57.3	CP	BPCDT	-20080620ABO
26	KYW-TV	PHILADELPHIA PA	57.3	PLN	DTVPLN	-DTVP0959
26	W26DE-D	STROUDSBURG PA	55.0	LIC	BLDDT	-20081126ASY
27	WGTW-TV	BURLINGTON NJ	57.2	PLN	DTVPLN	-DTVP0992
27	WGTW-TV	BURLINGTON NJ	57.2	LIC	BLCDDT	-20060105AAR
27	WTBY-TV	POUGHKEEPSIE NY	137.9	CP	BPCDT	-20080619ABY
27	WTBY-TV	POUGHKEEPSIE NY	137.9	PLN	DTVPLN	-DTVP0996
27	WTBY-TV	POUGHKEEPSIE NY	137.9	LIC	BMLCDDT	-20061031ACG
28	WNBC	NEW YORK NY	82.8	PLN	DTVPLN	-DTVP1032
28	WNBC	NEW YORK NY	86.2	STA	BDSTA	-20041220ADE
28	WNBC	NEW YORK NY	82.8	APP	BPCDT	-20080620ADL
28	WNBC	NEW YORK NY	86.2	CP MOD	BMPCDT	-20080314ACO

29	WUVP-DT	VINELAND NJ	57.2	CP MOD	BMPCDT	-20081110ADR
29	WUVP-TV	VINELAND NJ	57.2	PLN	DTVPLN	-DTVP1066
29	WFME-TV	WEST MILFORD NJ	66.8	PLN	DTVPLN	-DTVP1067
29	WFME-TV	WEST MILFORD NJ	66.8	LIC	BLEDT	-20040712ACP
32	WPSG	PHILADELPHIA PA	57.2	CP	BPCDT	-20080616ABE
32	WPSG	PHILADELPHIA PA	57.2	PLN	DTVPLN	-DTVP1185
32	WPSG	PHILADELPHIA PA	57.2	LIC	BLCDDT	-20021025AAS
32	WQPX	SCRANTON PA	121.3	PLN	DTVPLN	-DTVP1186
32	WQPX-TV	SCRANTON PA	121.3	LIC	BLCDDT	-20060629AFR
33	WCBS-TV	NEW YORK NY	82.8	APP	BMPCDT	-20080619AAZ
33	WCBS-TV	NEW YORK NY	82.8	PLN	DTVPLN	-DTVP1217
33	WCBS-TV	NEW YORK NY	86.2	CP	BPCDT	-20090924AAQ
39	WLVT-TV	ALLENTOWN PA	41.2	CP MOD	BMPEDT	-20080618AAL
39	WLVT-TV	ALLENTOWN PA	40.8	PLN	DTVPLN	-DTVP1406
40	WXTV-DT	PATERSON NJ	86.2	LIC	BLCDDT	-20050214AGS
40	WXTV	PATERSON NJ	86.2	PLN	DTVPLN	-DTVP1439
40	W60AH	STROUDSBURG PA	55.0	CP	BDISDTT	-20060403ADD
23	WDVB	NEW YORK NY	86.2	APP	USERRECORD-01	

Proposed station is beyond the site to  
nearest cell evaluation distance

#####

#### Analysis of Interference to Affected Station 29

##### Analysis of current record

Channel	Call	City/State	Application	Ref. No.
25	W25AW	TRENTON NJ	BLTTA	-20030512ABW

##### Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
17	WPHL-TV	PHILADELPHIA PA	50.1	CP MOD	BMPCDT	-20080619ALB
17	WPHL-TV	PHILADELPHIA PA	49.8	PLN	DTVPLN	-DTVP0602
18	WMBC-TV	NEWTON NJ	81.3	PLN	DTVPLN	-DTVP0632
18	WMBC-TV	NEWTON NJ	81.3	CP	BPCDT	-20080620ABX
18	WMBC-TV	NEWTON NJ	81.3	LIC	BLCDDT	-20060803AMO
21	WLIW	GARDEN CITY NY	122.5	CP	BPEDT	-20080317AAQ
21	WLIW	GARDEN CITY NY	122.5	PLN	DTVPLN	-DTVP0758
21	WLIW	GARDEN CITY NY	122.5	APP	BMPEDT	-20080620AID
22	WNJS	CAMDEN NJ	58.7	PLN	DTVPLN	-DTVP0802
22	WNJS	CAMDEN NJ	58.7	CP	BPEDT	-20080620ALH
22	WNJS	CAMDEN NJ	58.7	LIC	BLEDT	-20070611AAY
24	WNYE-TV	NEW YORK NY	83.6	CP MOD	BMPEDT	-20070124AAX
24	WNYE-TV	NEW YORK NY	83.6	PLN	DTVPLN	-DTVP0882
24	WNYE-TV	NEW YORK NY	83.6	LIC	BLEDT	-20071228ABM
24	W24CS	READING PA	101.1	CP	BDFCDTT	-20060331AXW
25	WZDC-CA	WASHINGTON DC	249.4	CP	BDFCDTA	-20080804ACV
25	WFXZ-CA	BOSTON MA	370.7	APP	BDISDTA	-20090902ABE
25	W25BB	PITTSTOWN NJ	35.8	LIC	BLTT	-19930325ID
25	W27AL	MONTICELLO NY	157.2	APP	BDISDTT	-20090518ADO
25	WASA-LD	PORT JERVIS NY	83.6	CP MOD	BMPDTL	-20080924ADQ
25	WCNY-TV	SYRACUSE NY	321.8	LIC	BMLEDT	-20040916ABJ
25	WCNY-TV	SYRACUSE NY	321.8	PLN	DTVPLN	-DTVP0919
25	WTVE	READING PA	49.9	CP MOD	BMPCDT	-20081027ACR
25	WTVE	READING PA	83.6	PLN	DTVPLN	-DTVP0921
25	WTVE	READING PA	101.1	LIC	BLCDDT	-20040323ATZ
25	W25AQ-D	TOWANDA PA	218.0	LIC	BLDTT	-20090727ADM
25	WYOU	WAYMART PA	165.1	LIC	BLCDDT	-20091211ACN
25	WTVR-TV	RICHMOND VA	393.3	LIC	BLCDDT	-20021204ABA
25	WTVR-TV	RICHMOND VA	393.3	PLN	DTVPLN	-DTVP0925
26	WLIQ-LD	MINEOLA NY	109.1	LIC	BLDTL	-20071217ACU
26	WRNN-LD	NEW YORK NY	107.7	APP	BPDTL	-20100111ADH
26	WRNN-LD	NEW YORK NY	85.7	LIC	BLDTL	-20091123AAX
26	W26CE	NEW YORK NY	177.6	CP	BDFCDTL	-20080111ACY

26	WNYX-LP	NEW YORK NY	85.7	CP	BDFCDTL	-20080317AFK
26	KYW-TV	PHILADELPHIA PA	50.3	CP	BPCDT	-20080620ABO
26	KYW-TV	PHILADELPHIA PA	50.3	PLN	DTVPLN	-DTVP0959
26	W26DE-D	STROUDSBURG PA	90.1	LIC	BLDTT	-20081126ASY
27	WGTW-TV	BURLINGTON NJ	49.8	PLN	DTVPLN	-DTVP0992
27	WGTW-TV	BURLINGTON NJ	49.8	LIC	BLCDD	-20060105AAR
28	WNBC	NEW YORK NY	78.7	PLN	DTVPLN	-DTVP1032
28	WNBC	NEW YORK NY	83.1	STA	BDSTA	-20041220ADE
28	WNBC	NEW YORK NY	78.7	APP	BPCDT	-20080620ADL
28	WNBC	NEW YORK NY	83.1	CP MOD	BMPCDD	-20080314ACO
29	WUVP-DT	VINELAND NJ	49.8	CP MOD	BMPCDD	-20081110ADR
29	WUVP-TV	VINELAND NJ	49.8	PLN	DTVPLN	-DTVP1066
29	WFME-TV	WEST MILFORD NJ	71.6	PLN	DTVPLN	-DTVP1067
29	WFME-TV	WEST MILFORD NJ	71.6	LIC	BLEDD	-20040712ACP
32	WPSG	PHILADELPHIA PA	49.8	CP	BPCDT	-20080616ABE
32	WPSG	PHILADELPHIA PA	49.8	PLN	DTVPLN	-DTVP1185
32	WPSG	PHILADELPHIA PA	49.8	LIC	BLCDD	-20021025AAS
33	WCBS-TV	NEW YORK NY	78.7	APP	BMPCDD	-20080619AAZ
33	WCBS-TV	NEW YORK NY	78.7	PLN	DTVPLN	-DTVP1217
33	WCBS-TV	NEW YORK NY	83.1	CP	BPCDT	-20090924AAQ
39	WLVT-TV	ALLENTOWN PA	70.8	CP MOD	BMPEDT	-20080618AAL
39	WLVT-TV	ALLENTOWN PA	70.5	PLN	DTVPLN	-DTVP1406
40	WXTV-DT	PATERSON NJ	83.1	LIC	BLCDD	-20050214AGS
40	WXTV	PATERSON NJ	83.1	PLN	DTVPLN	-DTVP1439
40	W60AH	STROUDSBURG PA	90.1	CP	BDISDTT	-20060403ADD
23	WDVB	NEW YORK NY	83.1	APP	USERRECORD-01	

Proposed station is beyond the site to  
nearest cell evaluation distance

#####

#### Analysis of Interference to Affected Station 30

##### Analysis of current record

Channel	Call	City/State	Application Ref. No.
26	W26DC	HEMPSTEAD NY	BLTTL -20080522ABK

##### Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
18	WMBC-TV	NEWTON NJ	63.5	PLN	DTVPLN -DTVP0632
18	WMBC-TV	NEWTON NJ	63.5	CP	BPCDD -20080620ABX
18	WMBC-TV	NEWTON NJ	63.5	LIC	BLCDD -20060803AMO
23	WFTY-DT	SMITHTOWN NY	43.4	LIC	BLCDD -20030113ABS
23	WFTY-TV	SMITHTOWN NY	43.4	PLN	DTVPLN -DTVP0843
23	WFTY-DT	SMITHTOWN NY	43.4	CP	BPCDD -20080613ACJ
24	WNYE-TV	NEW YORK NY	45.1	CP MOD	BMPEDT -20070124AAX
24	WNYE-TV	NEW YORK NY	45.1	PLN	DTVPLN -DTVP0882
24	WNYE-TV	NEW YORK NY	45.1	LIC	BLEDD -20071228ABM
25	W27AL	MONTICELLO NY	141.6	APP	BDISDTT -20090518ADO
25	WASA-LD	PORT JERVIS NY	45.1	CP MOD	BMPDDL -20080924ADQ
25	WYOU	WAYMART PA	189.8	LIC	BLCDD -20091211ACN
26	WHPX-TV	NEW LONDON CT	126.2	CP MOD	BMPCDD -20080619AEO
26	WHPX	NEW LONDON CT	126.2	PLN	DTVPLN -DTVP0936
26	WHPX-TV	NEW LONDON CT	126.2	CP	BPCDD -20080313ABQ
26	WZDC-LD	WASHINGTON DC	371.5	APP	BDCDDTL -20061027ABW
26	WHDN-LD	BOSTON MA	264.7	LIC	BLTTL -20031231AAX
26	W63DC	OCEAN CITY MD	322.5	CP	BDFCDTL -20080305AEP
26	WTEN	ALBANY NY	209.3	PLN	DTVPLN -DTVP0953
26	WTEN	ALBANY NY	209.3	LIC	BLCDD -20060104ACC
26	WLIG-LD	MINEOLA NY	13.5	LIC	BLDDL -20071217ACU
26	WRNN-LD	NEW YORK NY	18.2	APP	BPDDL -20100111ADH
26	WRNN-LD	NEW YORK NY	41.6	LIC	BLDDL -20091123AAX
26	W26CE	NEW YORK NY	58.2	APP	BSTA -20061003ABI
26	W26CE	NEW YORK NY	57.9	CP	BDFCDTL -20080111ACY

26	WNXY-LP	NEW YORK NY	41.6	LIC	BLTTL	-20070621AFF
26	W26CE	NEW YORK NY	57.9	APP	BSTA	-20070821AEJ
26	W26CE	NEW YORK NY	57.9	LIC	BLTTL	-20080306ABU
26	WNXY-LP	NEW YORK NY	41.6	CP	BDFCDTL	-20080317AFK
26	W26CV-D	MANSFIELD PA	309.5	LIC	BLDTT	-20090810AAC
26	KYW-TV	PHILADELPHIA PA	172.7	CP	BPCDT	-20080620ABO
26	KYW-TV	PHILADELPHIA PA	172.7	PLN	DTVPLN	-DTVP0959
26	W26DE-D	STROUDSBURG PA	147.3	LIC	BLDTT	-20081126ASY
27	W27CD	STAMFORD CT	31.1	LIC	BLTTL	-20070209AAH
27	W27AL	MONTICELLO NY	141.6	CP MOD	BMPDTL	-20090428AAT
27	WTBY-TV	POUGHKEEPSIE NY	88.2	CP	BPCDT	-20080619ABY
27	WTBY-TV	POUGHKEEPSIE NY	88.2	PLN	DTVPLN	-DTVP0996
27	WTBY-TV	POUGHKEEPSIE NY	88.2	LIC	BMLCDT	-20061031ACG
28	WNBC	NEW YORK NY	48.0	PLN	DTVPLN	-DTVP1032
28	WNBC	NEW YORK NY	45.1	STA	BDSTA	-20041220ADE
28	WNBC	NEW YORK NY	48.0	APP	BPCDT	-20080620ADL
28	WNBC	NEW YORK NY	45.1	CP MOD	BMPCDT	-20080314ACO
29	WFME-TV	WEST MILFORD NJ	67.6	PLN	DTVPLN	-DTVP1067
29	WFME-TV	WEST MILFORD NJ	67.6	LIC	BLEDT	-20040712ACP
30	WFUT-DT	NEWARK NJ	45.1	CP	BPCDT	-20080619AEI
30	WFUT-TV	NEWARK NJ	45.1	PLN	DTVPLN	-DTVP1101
33	WFSB	HARTFORD CT	122.2	PLN	DTVPLN	-DTVP1205
33	WFSB	HARTFORD CT	122.2	CP	BPCDT	-20080619AFT
33	WFSB	HARTFORD CT	122.2	LIC	BLCDT	-20041029AIL
33	WCBS-TV	NEW YORK NY	48.0	APP	BMPCDT	-20080619AAZ
33	WCBS-TV	NEW YORK NY	48.0	PLN	DTVPLN	-DTVP1217
33	WCBS-TV	NEW YORK NY	45.1	CP	BPCDT	-20090924AAQ
40	WXTV-DT	PATERSON NJ	45.1	LIC	BLCDT	-20050214AGS
40	WXTV	PATERSON NJ	45.1	PLN	DTVPLN	-DTVP1439
41	WEDY-DR	NEW HAVEN CT	75.4	APP	BPRM	-20090713ABS
41	W60AI	NEW YORK NY	43.5	CP MOD	BMPDTL	-20090202BMN
41	W41DN-D	PORT JERVIS NY	99.0	CP MOD	BMPDTL	-20090630AHF
23	WDVB	NEW YORK NY	45.1	APP	USERRECORD-01	

Proposed station is beyond the site to  
nearest cell evaluation distance

#####

# Analysis of Interference to Affected Station 31

## Analysis of current record

Channel	Call	City/State	Application	Ref. No.
26	W26CE	NEW YORK NY	BSTA	-20061003ABI

## Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
18	WMBC-TV	NEWTON NJ	120.7	PLN	DTVPLN	-DTVP0632
18	WMBC-TV	NEWTON NJ	120.7	CP	BPCDT	-20080620ABX
18	WMBC-TV	NEWTON NJ	120.7	LIC	BLCDT	-20060803AMO
23	WFTY-DT	SMITHTOWN NY	16.4	LIC	BLCDT	-20030113ABS
23	WFTY-TV	SMITHTOWN NY	16.4	PLN	DTVPLN	-DTVP0843
23	WFTY-DT	SMITHTOWN NY	16.4	CP	BPCDT	-20080613ACJ
24	WNYE-TV	NEW YORK NY	103.3	CP MOD	BMPEDT	-20070124AAX
24	WNYE-TV	NEW YORK NY	103.3	PLN	DTVPLN	-DTVP0882
24	WNYE-TV	NEW YORK NY	103.3	LIC	BLEDT	-20071228ABM
25	WFXZ-CA	BOSTON MA	206.3	APP	BDISDTA	-20090902ABE
25	W27AL	MONTICELLO NY	184.0	APP	BDISDTT	-20090518ADO
25	WASA-LD	PORT JERVIS NY	103.3	CP MOD	BMPDTL	-20080924ADQ
26	WHPX-TV	NEW LONDON CT	78.7	CP MOD	BMPCDT	-20080619AEO
26	WHPX	NEW LONDON CT	78.7	PLN	DTVPLN	-DTVP0936
26	WHPX-TV	NEW LONDON CT	78.7	CP	BPCDT	-20080313ABQ
26	WHDN-LD	BOSTON MA	219.4	LIC	BLTTL	-20031231AAX
26	W63DC	OCEAN CITY MD	364.5	CP	BDFCDTL	-20080305AEP
26	WMTW	PORTLAND ME	373.7	CP	BDRTCDT	-20090814ABB

26	WTEN	ALBANY NY	222.5	PLN	DTVPLN	-DTVP0953
26	WTEN	ALBANY NY	222.5	LIC	BLCDDT	-20060104ACC
26	W26DC	HEMPSTEAD NY	58.2	LIC	BLTTL	-20080522ABK
26	WLIG-LD	MINEOLA NY	70.3	LIC	BLDTL	-20071217ACU
26	WRNN-LD	NEW YORK NY	76.2	APP	BPDTL	-20100111ADH
26	WRNN-LD	NEW YORK NY	99.9	LIC	BLDTL	-20091123AAX
26	WNXY-LP	NEW YORK NY	99.8	LIC	BLTTL	-20070621AFF
26	WNXY-LP	NEW YORK NY	99.9	CP	BDFCDTL	-20080317AFK
26	WNGN-LP	TROY NY	226.5	APP	BPTTL	-20030513AAE
26	W26CV-D	MANSFIELD PA	361.6	LIC	BLDTT	-20090810AAC
26	KYW-TV	PHILADELPHIA PA	228.0	CP	BPCDT	-20080620ABO
26	KYW-TV	PHILADELPHIA PA	228.0	PLN	DTVPLN	-DTVP0959
26	W26DE-D	STROUDSBURG PA	204.0	LIC	BLDTT	-20081126ASY
27	W27AL	MONTICELLO NY	184.0	CP MOD	BMPDTL	-20090428AAT
27	WTBY-TV	POUGHKEEPSIE NY	121.7	CP	BPCDT	-20080619ABY
27	WTBY-TV	POUGHKEEPSIE NY	121.7	PLN	DTVPLN	-DTVP0996
27	WTBY-TV	POUGHKEEPSIE NY	121.7	LIC	BMLCDT	-20061031ACG
28	WNBC	NEW YORK NY	106.2	PLN	DTVPLN	-DTVP1032
28	WNBC	NEW YORK NY	103.4	STA	BDSTA	-20041220ADE
28	WNBC	NEW YORK NY	106.2	APP	BPCDT	-20080620ADL
28	WNBC	NEW YORK NY	103.4	CP MOD	BMPCDT	-20080314ACO
29	WFME-TV	WEST MILFORD NJ	125.5	PLN	DTVPLN	-DTVP1067
29	WFME-TV	WEST MILFORD NJ	125.5	LIC	BLEDT	-20040712ACP
30	WFUT-DT	NEWARK NJ	103.4	CP	BPCDT	-20080619AEI
30	WFUT-TV	NEWARK NJ	103.3	PLN	DTVPLN	-DTVP1101
33	WFSB	HARTFORD CT	102.6	PLN	DTVPLN	-DTVP1205
33	WFSB	HARTFORD CT	102.6	CP	BPCDT	-20080619AFT
33	WFSB	HARTFORD CT	102.6	LIC	BLCDDT	-20041029AIL
33	WCBS-TV	NEW YORK NY	106.2	APP	BMPCDT	-20080619AAZ
33	WCBS-TV	NEW YORK NY	106.2	PLN	DTVPLN	-DTVP1217
33	WCBS-TV	NEW YORK NY	103.4	CP	BPCDT	-20090924AAQ
40	WXTV-DT	PATERSON NJ	103.4	LIC	BLCDDT	-20050214AGS
40	WXTV	PATERSON NJ	103.4	PLN	DTVPLN	-DTVP1439
41	WEDY-DR	NEW HAVEN CT	54.2	APP	BPRM	-20090713ABS
41	W60AI	NEW YORK NY	101.7	CP MOD	BMPDTL	-20090202BMN
23	WDVB	NEW YORK NY	103.4	APP	USERRECORD-01	

Proposed station is beyond the site to  
nearest cell evaluation distance

#####

#### Analysis of Interference to Affected Station 32

##### Analysis of current record

Channel	Call	City/State	Application Ref. No.
26	WNXY-LP	NEW YORK NY	BLTTL -20070621AFF

##### Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
18	WMBC-TV	NEWTON NJ	25.1	PLN	DTVPLN -DTVP0632
18	WMBC-TV	NEWTON NJ	25.1	CP	BPCDT -20080620ABX
18	WMBC-TV	NEWTON NJ	25.1	LIC	BLCDDT -20060803AMO
22	WNJS	CAMDEN NJ	136.9	PLN	DTVPLN -DTVP0802
22	WNJS	CAMDEN NJ	136.9	CP	BPEDT -20080620ALH
22	WNJS	CAMDEN NJ	136.9	LIC	BLEDT -20070611AAY
23	WFTY-DT	SMITHTOWN NY	84.7	LIC	BLCDDT -20030113ABS
23	WFTY-TV	SMITHTOWN NY	84.7	PLN	DTVPLN -DTVP0843
23	WFTY-DT	SMITHTOWN NY	84.7	CP	BPCDT -20080613ACJ
24	WNYE-TV	NEW YORK NY	3.7	CP MOD	BMPEDT -20070124AAX
24	WNYE-TV	NEW YORK NY	3.7	PLN	DTVPLN -DTVP0882
24	WNYE-TV	NEW YORK NY	3.7	LIC	BLEDT -20071228ABM
25	W27AL	MONTICELLO NY	118.8	APP	BDISDTT -20090518ADO
25	WASA-LD	PORT JERVIS NY	3.7	CP MOD	BMPDTL -20080924ADQ
25	WYOU	WAYMART PA	158.0	LIC	BLCDDT -20091211ACN



26	WHPX-TV	NEW LONDON CT	164.0	CP MOD	BMPCDT	-20080619AEO
26	WHPX	NEW LONDON CT	164.0	PLN	DTVPLN	-DTVP0936
26	WHPX-TV	NEW LONDON CT	164.0	CP	BPCDT	-20080313ABQ
26	WZDC-LD	WASHINGTON DC	334.9	APP	BDCCDTL	-20061027ABW
26	WHDN-LD	BOSTON MA	299.2	LIC	BLTTL	-20031231AAX
26	WHAG-TV	HAGERSTOWN MD	362.1	CP MOD	BMPCDT	-20080619AJL
26	WHAG-TV	HAGERSTOWN MD	362.1	PLN	DTVPLN	-DTVP0944
26	W63DC	OCEAN CITY MD	296.8	CP	BDFCDTL	-20080305AEP
26	WTEN	ALBANY NY	208.5	PLN	DTVPLN	-DTVP0953
26	WTEN	ALBANY NY	208.5	LIC	BLCDDT	-20060104ACC
26	W26DC	HEMPSTEAD NY	41.6	LIC	BLTTL	-20080522ABK
26	WLG-LD	MINEOLA NY	30.8	LIC	BLDTL	-20071217ACU
26	WRNN-LD	NEW YORK NY	23.9	APP	BPDTL	-20100111ADH
26	WRNN-LD	NEW YORK NY	0.3	LIC	BLDTL	-20091123AAX
26	W26CE	NEW YORK NY	99.8	APP	BSTA	-20061003ABI
26	W26CE	NEW YORK NY	99.5	CP	BDFCDTL	-20080111ACY
26	W26CE	NEW YORK NY	99.5	APP	BSTA	-20070821AEJ
26	W26CE	NEW YORK NY	99.5	LIC	BLTTL	-20080306ABU
26	WNGN-LP	TROY NY	227.8	APP	BPTTL	-20030513AAE
26	WJAC-TV	DU BOIS PA	401.1	APP	BDRTCDT	-20090626AAU
26	W26CV-D	MANSFIELD PA	273.2	LIC	BLDTT	-20090810AAC
26	KYW-TV	PHILADELPHIA PA	135.1	CP	BPCDT	-20080620ABO
26	KYW-TV	PHILADELPHIA PA	135.1	PLN	DTVPLN	-DTVP0959
26	W26CD	SCRANTON PA	166.3	LIC	BLTT	-20020726AAP
26	W26DE-D	STROUDSBURG PA	107.5	LIC	BLDTT	-20081126ASY
27	W27AL	MONTICELLO NY	118.8	CP MOD	BMPDTL	-20090428AAT
27	WTBY-TV	POUGHKEEPSIE NY	82.2	CP	BPCDT	-20080619ABY
27	WTBY-TV	POUGHKEEPSIE NY	82.2	PLN	DTVPLN	-DTVP0996
27	WTBY-TV	POUGHKEEPSIE NY	82.2	LIC	BMLCDT	-20061031ACG
28	WNBC	NEW YORK NY	7.2	PLN	DTVPLN	-DTVP1032
28	WNBC	NEW YORK NY	3.6	STA	BDSTA	-20041220ADE
28	WNBC	NEW YORK NY	7.2	APP	BPCDT	-20080620ADL
28	WNBC	NEW YORK NY	3.6	CP MOD	BMPCDT	-20080314ACO
29	WUVP-DT	VINELAND NJ	134.8	CP MOD	BMPCDT	-20081110ADR
29	WUVP-TV	VINELAND NJ	134.8	PLN	DTVPLN	-DTVP1066
29	WFME-TV	WEST MILFORD NJ	26.6	PLN	DTVPLN	-DTVP1067
29	WFME-TV	WEST MILFORD NJ	26.6	LIC	BLEDT	-20040712ACP
30	WFUT-DT	NEWARK NJ	3.6	CP	BPCDT	-20080619AEI
30	WFUT-TV	NEWARK NJ	3.7	PLN	DTVPLN	-DTVP1101
33	WCBS-TV	NEW YORK NY	7.2	APP	BMPCDT	-20080619AAZ
33	WCBS-TV	NEW YORK NY	7.2	PLN	DTVPLN	-DTVP1217
33	WCBS-TV	NEW YORK NY	3.6	CP	BPCDT	-20090924AAQ
34	WCAU	PHILADELPHIA PA	134.8	CP	BPCDT	-20080620AKG
34	WCAU	PHILADELPHIA PA	134.8	PLN	DTVPLN	-DTVP1262
40	WXTV-DT	PATERSON NJ	3.6	LIC	BLCDDT	-20050214AGS
40	WXTV	PATERSON NJ	3.6	PLN	DTVPLN	-DTVP1439
41	WEDY-DR	NEW HAVEN CT	108.1	APP	BPRM	-20090713ABS
41	WNAI-LP	SPRINGVILLE NJ	134.8	CP	BDFCDTL	-20090326ABU
41	W60AI	NEW YORK NY	2.5	CP MOD	BMPDTL	-20090202BMN
41	W41DN-D	PORT JERVIS NY	61.8	CP MOD	BMPDTL	-20090630AHF
23	WDVB	NEW YORK NY	3.6	APP	USERRECORD-01	

Total scenarios = 240

Result key: 284  
 Scenario 1 Affected station 32 WNXV-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 1

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 1

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 285  
Scenario 2 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 2

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 2

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 286  
Scenario 3 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 3

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BPCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 3

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC

26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 287  
 Scenario 4 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 4

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 4

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 288  
 Scenario 5 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
------------------------------	-------	-------------	-----

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 5

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 5

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 289  
 Scenario 6 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 6

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN

27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 6

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 290  
 Scenario 7 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 7

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 7

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 291  
 Scenario 8 Affected station 32 WNNY-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 8

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 8

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 292  
Scenario 9 Affected station 32 WNNY-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 9

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 9

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 293  
Scenario 10 Affected station 32 WNNY-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	



Potential Interfering Stations Included in above Scenario 10

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 10

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 294  
 Scenario 11 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 11

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 11

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 295  
Scenario 12 Affected station 32 WNXV-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 12

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 12

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC

26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 296  
 Scenario 13 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 13

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 13

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 297  
 Scenario 14 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 14

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 14

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 298  
Scenario 15 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 15

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC

26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 15

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 299  
 Scenario 16 Affected station 32 WNX-YP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 16

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	

lost to all IX 6909092 943.9

Potential Interfering Stations Included in above Scenario 16

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 300

Scenario 17 Affected station 32 WNXV-LP

Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 17

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 17

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

23A NY NEW YORK                      USERRECORD01                      APP

Percent new IX =        0.0000%

Result key:            301  
Scenario            18   Affected station            32   WNX-YP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario        18

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario        18

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01	APP	

Percent new IX =        0.0000%

Result key:            302  
Scenario            19   Affected station            32   WNX-YP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 19

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 19

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 303  
 Scenario 20 Affected station 32 WNX-YP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 20

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN



# After Analysis

Results for: 26N NY NEW YORK                      BLTTL              20070621AFF    LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario      20

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX =      0.0000%

Result key:              304  
Scenario              21    Affected station              32    WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK                      BLTTL              20070621AFF    LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario      21

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

# After Analysis

Results for: 26N NY NEW YORK                      BLTTL              20070621AFF    LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario      21

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP

26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 305  
 Scenario 22 Affected station 32 WNX-YP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 22

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 22

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 306  
 Scenario 23 Affected station 32 WNX-YP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 23

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 23

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 307  
Scenario 24 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 24

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN

26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 24

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 308  
 Scenario 25 Affected station 32 WNXV-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 25

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	

lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 25

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 309  
 Scenario 26 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 26

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 26

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP

40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 310  
Scenario 27 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 27

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 27

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 311  
Scenario 28 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	

lost to all IX 6909092 943.9

Potential Interfering Stations Included in above Scenario 28

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 28

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 312  
Scenario 29 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 29

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

# After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 29

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 313  
 Scenario 30 Affected station 32 WNXV-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 30

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

# After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 30

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN



25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 314  
 Scenario 31 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 31

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 31

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 315  
 Scenario 32 Affected station 32 WNX-Y-LP

# Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 32

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

# After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 32

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 316  
 Scenario 33 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 33

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP

26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 33

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 317  
 Scenario 34 Affected station 32 WNXV-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 34

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	

lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 34

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 318  
 Scenario 35 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 35

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 35

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN

33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 319  
 Scenario 36 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 36

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 36

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 320  
 Scenario 37 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	

lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 37

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 37

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 321  
Scenario 38 Affected station 32 WNXV-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 38

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP

40A NJ PATERSON DTVPLN DTVP1439 PLN

After Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC  
POPULATION AREA (sq km)  
within Noise Limited Contour 7136558 1000.6  
not affected by terrain losses 7107316 981.7  
lost to NTSC IX 0 0.0  
lost to additional IX by ATV 6909092 943.9  
lost to all IX 6909092 943.9

Potential Interfering Stations Included in above Scenario 38

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 322  
Scenario 39 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC  
POPULATION AREA (sq km)  
within Noise Limited Contour 7136558 1000.6  
not affected by terrain losses 7107316 981.7  
lost to NTSC IX 0 0.0  
lost to additional IX by ATV 6909092 943.9  
lost to all IX 6909092 943.9

Potential Interfering Stations Included in above Scenario 39

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC  
POPULATION AREA (sq km)  
within Noise Limited Contour 7136558 1000.6  
not affected by terrain losses 7107316 981.7  
lost to NTSC IX 0 0.0  
lost to additional IX by ATV 6909092 943.9  
lost to all IX 6909092 943.9

Potential Interfering Stations Included in above Scenario 39

18A NJ NEWTON	BPCDT	20080620ABX	CP
---------------	-------	-------------	----

24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 323  
 Scenario 40 Affected station 32 WNNY-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 40

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 40

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 324



Scenario 41 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 41

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 41

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 325

Scenario 42 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 42

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC

25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 42

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 326  
 Scenario 43 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 43

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	

not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 43

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 327  
 Scenario 44 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 44

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 44

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP

30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 328  
 Scenario 45 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 45

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 45

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 329  
 Scenario 46 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	

lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 46

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 46

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 330  
 Scenario 47 Affected station 32 WNXV-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 47

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN

33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 47

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 331  
Scenario 48 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 48

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 48

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 332  
 Scenario 49 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 49

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 49

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 333  
 Scenario 50 Affected station 32 WNX-YP  
 Before Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC  
 POPULATION AREA (sq km)  
 within Noise Limited Contour 7136558 1000.6  
 not affected by terrain losses 7107316 981.7  
 lost to NTSC IX 0 0.0  
 lost to additional IX by ATV 3819186 329.9  
 lost to all IX 3819186 329.9

Potential Interfering Stations Included in above Scenario 50

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC  
 POPULATION AREA (sq km)  
 within Noise Limited Contour 7136558 1000.6  
 not affected by terrain losses 7107316 981.7  
 lost to NTSC IX 0 0.0  
 lost to additional IX by ATV 3819186 329.9  
 lost to all IX 3819186 329.9

Potential Interfering Stations Included in above Scenario 50

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 334  
 Scenario 51 Affected station 32 WNX-YP  
 Before Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC  
 POPULATION AREA (sq km)  
 within Noise Limited Contour 7136558 1000.6  
 not affected by terrain losses 7107316 981.7  
 lost to NTSC IX 0 0.0  
 lost to additional IX by ATV 3819186 329.9  
 lost to all IX 3819186 329.9

Potential Interfering Stations Included in above Scenario 51

18A NJ NEWTON	BPCDT	20080620ABX	CP
---------------	-------	-------------	----



24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 51

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 335  
 Scenario 52 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 52

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	

within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3819186	329.9
lost to all IX	3819186	329.9

Potential Interfering Stations Included in above Scenario 52

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 336  
 Scenario 53 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3819186	329.9
lost to all IX	3819186	329.9

Potential Interfering Stations Included in above Scenario 53

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPEDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BPCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3819186	329.9
lost to all IX	3819186	329.9

Potential Interfering Stations Included in above Scenario 53

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP

28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 337  
 Scenario 54 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 54

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 54

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 338  
 Scenario 55 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	

not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3819186	329.9
lost to all IX	3819186	329.9

Potential Interfering Stations Included in above Scenario 55

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 55

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 339  
 Scenario 56 Affected station 32 WNNY-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 56

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP

30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 56

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 340  
 Scenario 57 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 57

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 57

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 341  
 Scenario 58 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 58

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 58

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 342  
 Scenario 59 Affected station 32 WNX-YP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 59

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 59

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 343  
 Scenario 60 Affected station 32 WNX-YP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 60

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

# After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 60

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 344  
Scenario 61 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 61

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

# After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
------------------------------	-------	-------------	-----



	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3800983	324.9
lost to all IX	3800983	324.9

Potential Interfering Stations Included in above Scenario 61

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 345  
 Scenario 62 Affected station 32 WNXV-LP  
 Before Analysis

Results for: 26N NY NEW YORK

	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 62

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK

	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 62

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN

27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 346  
 Scenario 63 Affected station 32 WNX-YP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 63

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 63

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 347  
 Scenario 64 Affected station 32 WNX-YP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	

within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3800983	324.9
lost to all IX	3800983	324.9

Potential Interfering Stations Included in above Scenario 64

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 64

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 348  
 Scenario 65 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 65

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP

28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 65

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 349  
 Scenario 66 Affected station 32 WNXV-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 66

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 66

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 350  
 Scenario 67 Affected station 32 WNX-YP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 67

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BPCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 67

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BPCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 351  
Scenario 68 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 68

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 68

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 352  
Scenario 69 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 69

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 69

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 353  
 Scenario 70 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 70

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 70

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 354  
Scenario 71 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 71

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BPCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 71

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC



26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 355  
 Scenario 72 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 72

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 72

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 356  
 Scenario 73 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
------------------------------	-------	-------------	-----

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 73

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 73

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 357  
 Scenario 74 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 74

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN

27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 74

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 358  
 Scenario 75 Affected station 32 WNXV-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 75

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 75

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 359  
 Scenario 76 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 76

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 76

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 360  
Scenario 77 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 77

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 77

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 361  
Scenario 78 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 78

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 78

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 362  
 Scenario 79 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 79

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 79

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 363  
Scenario 80 Affected station 32 WNXV-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 80

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 80

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN

26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 364  
 Scenario 81 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 81

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 81

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 365  
 Scenario 82 Affected station 32 WNX-Y-LP  
 Before Analysis



Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 82

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 82

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 366  
Scenario 83 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 83

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP

26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 83

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 367  
 Scenario 84 Affected station 32 WNX-YP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 84

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	

lost to all IX 3819186 329.9

Potential Interfering Stations Included in above Scenario 84

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 368

Scenario 85 Affected station 32 WNXV-LP

Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 85

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 85

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

23A NY NEW YORK                      USERRECORD01                      APP

Percent new IX =        0.0000%

Result key:            369  
Scenario            86    Affected station            32    WNX-YP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario        86

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario        86

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX =        0.0000%

Result key:            370  
Scenario            87    Affected station            32    WNX-YP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 87

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 87

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 371  
 Scenario 88 Affected station 32 WNXV-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 88

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

# After Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3819186	329.9
lost to all IX	3819186	329.9

Potential Interfering Stations Included in above Scenario 88

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 372  
 Scenario 89 Affected station 32 WNXV-LP  
 Before Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3800983	324.9
lost to all IX	3800983	324.9

Potential Interfering Stations Included in above Scenario 89

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

# After Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3800983	324.9
lost to all IX	3800983	324.9

Potential Interfering Stations Included in above Scenario 89

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP

26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 373  
 Scenario 90 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 90

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 90

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 374  
 Scenario 91 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 91

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 91

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 375  
Scenario 92 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 92

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC



26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 92

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 376  
 Scenario 93 Affected station 32 WNXV-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 93

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPEDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	

lost to additional IX by ATV	3800983	324.9
lost to all IX	3800983	324.9

Potential Interfering Stations Included in above Scenario 93

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 377

Scenario 94 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 94

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 94

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP

40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 378  
 Scenario 95 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 95

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 95

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 379  
 Scenario 96 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	

lost to all IX 3800983 324.9

Potential Interfering Stations Included in above Scenario 96

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 96

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 380  
Scenario 97 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 97

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

# After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 97

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 381  
 Scenario 98 Affected station 32 WNXV-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 98

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

# After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 98

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP

25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 382  
 Scenario 99 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 99

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 99

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 383  
 Scenario 100 Affected station 32 WNX-Y-LP

# Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 100

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

# After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 100

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 384  
 Scenario 101 Affected station 32 WNXV-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 101

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP

26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 101

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 385  
 Scenario 102 Affected station 32 WNXV-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 102

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	



lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 102

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDDT	20060104ACC	LIC
26A NY NEW YORK	BLDDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDDT	20080619ABY	CP
28A NY NEW YORK	BMPCDDT	20080314ACO	CP
30A NJ NEWARK	BPCDDT	20080619AEI	CP
33A NY NEW YORK	BPCDDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 386  
 Scenario 103 Affected station 32 WNNY-LP  
 Before Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 103

18A NJ NEWTON	BPCDDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDDT	20060104ACC	LIC
26A NY NEW YORK	BLDDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDDT	20080619ABY	CP
28A NY NEW YORK	BMPCDDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDDT	20090924AAQ	CP
40A NJ PATERSON	BLCDDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 103

18A NJ NEWTON	BPCDDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDDT	20060104ACC	LIC
26A NY NEW YORK	BLDDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDDT	20080619ABY	CP
28A NY NEW YORK	BMPCDDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN

33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 387  
 Scenario 104 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 104

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 104

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 388  
 Scenario 105 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	

lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 105

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 105

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 389  
 Scenario 106 Affected station 32 WNXV-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 106

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP

40A NJ PATERSON DTVPLN DTVP1439 PLN

After Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC  
POPULATION AREA (sq km)  
within Noise Limited Contour 7136558 1000.6  
not affected by terrain losses 7107316 981.7  
lost to NTSC IX 0 0.0  
lost to additional IX by ATV 6909092 943.9  
lost to all IX 6909092 943.9

Potential Interfering Stations Included in above Scenario 106

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 390  
Scenario 107 Affected station 32 WNNY-LP  
Before Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC  
POPULATION AREA (sq km)  
within Noise Limited Contour 7136558 1000.6  
not affected by terrain losses 7107316 981.7  
lost to NTSC IX 0 0.0  
lost to additional IX by ATV 6909092 943.9  
lost to all IX 6909092 943.9

Potential Interfering Stations Included in above Scenario 107

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC  
POPULATION AREA (sq km)  
within Noise Limited Contour 7136558 1000.6  
not affected by terrain losses 7107316 981.7  
lost to NTSC IX 0 0.0  
lost to additional IX by ATV 6909092 943.9  
lost to all IX 6909092 943.9

Potential Interfering Stations Included in above Scenario 107

18A NJ NEWTON	BPCDT	20080620ABX	CP
---------------	-------	-------------	----

24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDDT	20090924AAQ	CP
40A NJ PATERSON	BLCDDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 391  
 Scenario 108 Affected station 32 WNNY-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 108

18A NJ NEWTON	BPCDDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 108

18A NJ NEWTON	BPCDDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 392

Scenario 109 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 109

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 109

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 393

Scenario 110 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 110

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP

25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 110

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 394  
 Scenario 111 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 111

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	

not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 111

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 395  
 Scenario 112 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 112

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 112

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BMPEDT	20070124AAX	CP
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP



30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 396  
 Scenario 113 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 113

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BPCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 113

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BPCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 397  
 Scenario 114 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	

lost to NTSC IX	0	0.0
lost to additional IX by ATV	3819186	329.9
lost to all IX	3819186	329.9

Potential Interfering Stations Included in above Scenario 114

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 114

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 398  
Scenario 115 Affected station 32 WNXV-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 115

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN

33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 115

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 399  
Scenario 116 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 116

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 116

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 400  
 Scenario 117 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 117

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 117

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 401  
Scenario 118 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 118

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 118

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 402  
Scenario 119 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 119

18A NJ NEWTON	BPCDT	20080620ABX	CP
---------------	-------	-------------	----

24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 119

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 403  
 Scenario 120 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 120

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	

within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3819186	329.9
lost to all IX	3819186	329.9

Potential Interfering Stations Included in above Scenario 120

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 404

Scenario 121 Affected station 32 WNXV-LP  
Before Analysis

Results for: 26N NY NEW YORK

	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 121

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK

	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 121

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP

28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 405  
 Scenario 122 Affected station 32 WNX-YP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 122

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 122

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 406  
 Scenario 123 Affected station 32 WNX-YP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	



not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3800983	324.9
lost to all IX	3800983	324.9

Potential Interfering Stations Included in above Scenario 123

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 123

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 407  
 Scenario 124 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 124

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA

30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 124

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 408  
 Scenario 125 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 125

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 125

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 409

Scenario 126 Affected station 32 WNXV-LP

Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 126

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 126

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 410  
 Scenario 127 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 127

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 127

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 411  
 Scenario 128 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 128

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 128

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 412  
 Scenario 129 Affected station 32 WNNY-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 129

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
------------------------------	-------	-------------	-----

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 129

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 413  
 Scenario 130 Affected station 32 WNNY-LP  
 Before Analysis

Results for: 26N NY NEW YORK

	POPULATION	AREA (sq km)	BLTTL	20070621AFF	LIC
within Noise Limited Contour	7136558	1000.6			
not affected by terrain losses	7107316	981.7			
lost to NTSC IX	0	0.0			
lost to additional IX by ATV	6909092	943.9			
lost to all IX	6909092	943.9			

Potential Interfering Stations Included in above Scenario 130

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK

	POPULATION	AREA (sq km)	BLTTL	20070621AFF	LIC
within Noise Limited Contour	7136558	1000.6			
not affected by terrain losses	7107316	981.7			
lost to NTSC IX	0	0.0			
lost to additional IX by ATV	6909092	943.9			
lost to all IX	6909092	943.9			

Potential Interfering Stations Included in above Scenario 130

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP

27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 414  
 Scenario 131 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 131

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 131

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 415  
 Scenario 132 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	

within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 132

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 132

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 416  
 Scenario 133 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 133

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP



28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 133

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 417  
 Scenario 134 Affected station 32 WNXV-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 134

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 134

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 418

Scenario 135 Affected station 32 WNX-YP

Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 135

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BPCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 135

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BPCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 419  
Scenario 136 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 136

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 136

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 420  
Scenario 137 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 137

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 137

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 421  
 Scenario 138 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 138

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 138

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 422  
Scenario 139 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 139

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BPCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 139

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC

26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 423

Scenario 140 Affected station 32 WNX-Y-LP

Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 140

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 140

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 424

Scenario 141 Affected station 32 WNX-Y-LP

Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
------------------------------	-------	-------------	-----

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 141

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 141

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 425  
 Scenario 142 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 142

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN

27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 142

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 426  
 Scenario 143 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 143

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	



Potential Interfering Stations Included in above Scenario 143

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 427  
 Scenario 144 Affected station 32 WNX-YP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 144

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 144

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 428

Scenario 145 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 145

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 145

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 429

Scenario 146 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 146

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 146

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 430  
 Scenario 147 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 147

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 147

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 431  
Scenario 148 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 148

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 148

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC

26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 432  
 Scenario 149 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 149

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 149

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 433  
 Scenario 150 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 150

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 150

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 434  
Scenario 151 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 151

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP

26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 151

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 435  
 Scenario 152 Affected station 32 WNX-YP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 152

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	

lost to all IX 3819186 329.9

Potential Interfering Stations Included in above Scenario 152

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 436

Scenario 153 Affected station 32 WNXV-LP

Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 153

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 153

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC



23A NY NEW YORK                      USERRECORD01                      APP

Percent new IX =        0.0000%

Result key:            437  
Scenario        154    Affected station            32    WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario    154

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario    154

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX =        0.0000%

Result key:            438  
Scenario        155    Affected station            32    WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 155

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 155

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 439  
 Scenario 156 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 156

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

# After Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3800983	324.9
lost to all IX	3800983	324.9

Potential Interfering Stations Included in above Scenario 156

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 440  
 Scenario 157 Affected station 32 WNXV-LP  
 Before Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3800983	324.9
lost to all IX	3800983	324.9

Potential Interfering Stations Included in above Scenario 157

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

# After Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3800983	324.9
lost to all IX	3800983	324.9

Potential Interfering Stations Included in above Scenario 157

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP

26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 441  
 Scenario 158 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 158

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 158

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 442  
 Scenario 159 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 159

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 159

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 443  
 Scenario 160 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 160

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC

26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 160

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 444  
 Scenario 161 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 161

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	

lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 161

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 445

Scenario 162 Affected station 32 WNXV-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 162

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 162

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP

40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 446  
 Scenario 163 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 163

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 163

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 447  
 Scenario 164 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	



lost to all IX 6909092 943.9

Potential Interfering Stations Included in above Scenario 164

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 164

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 448  
Scenario 165 Affected station 32 WNNY-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 165

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

# After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 165

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 449  
 Scenario 166 Affected station 32 WNXV-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 166

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

# After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 166

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 450  
 Scenario 167 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 167

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 167

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 451  
 Scenario 168 Affected station 32 WNX-Y-LP

# Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 168

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

# After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 168

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 452  
Scenario 169 Affected station 32 WNX-YP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 169

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP

26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 169

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 453  
 Scenario 170 Affected station 32 WNXV-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 170

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	

lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 170

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 454  
 Scenario 171 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 171

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 171

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN

33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 455  
 Scenario 172 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 172

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 172

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 456  
 Scenario 173 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	

lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 173

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 173

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 457  
Scenario 174 Affected station 32 WNXV-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 174

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP



40A NJ PATERSON DTVPLN DTVP1439 PLN

After Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC  
POPULATION AREA (sq km)  
within Noise Limited Contour 7136558 1000.6  
not affected by terrain losses 7107316 981.7  
lost to NTSC IX 0 0.0  
lost to additional IX by ATV 6909092 943.9  
lost to all IX 6909092 943.9

Potential Interfering Stations Included in above Scenario 174

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 458  
Scenario 175 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC  
POPULATION AREA (sq km)  
within Noise Limited Contour 7136558 1000.6  
not affected by terrain losses 7107316 981.7  
lost to NTSC IX 0 0.0  
lost to additional IX by ATV 6909092 943.9  
lost to all IX 6909092 943.9

Potential Interfering Stations Included in above Scenario 175

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC  
POPULATION AREA (sq km)  
within Noise Limited Contour 7136558 1000.6  
not affected by terrain losses 7107316 981.7  
lost to NTSC IX 0 0.0  
lost to additional IX by ATV 6909092 943.9  
lost to all IX 6909092 943.9

Potential Interfering Stations Included in above Scenario 175

18A NJ NEWTON	BPCDT	20080620ABX	CP
---------------	-------	-------------	----

24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 459  
 Scenario 176 Affected station 32 WNNY-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 176

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 176

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	DTVPLN	DTVP0882	PLN
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 460

Scenario 177 Affected station 32 WNX- LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 177

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 177

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 461

Scenario 178 Affected station 32 WNX- LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 178

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC

25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 178

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 462  
 Scenario 179 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 179

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	

not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3819186	329.9
lost to all IX	3819186	329.9

Potential Interfering Stations Included in above Scenario 179

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 463  
 Scenario 180 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3819186	329.9
lost to all IX	3819186	329.9

Potential Interfering Stations Included in above Scenario 180

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3819186	329.9
lost to all IX	3819186	329.9

Potential Interfering Stations Included in above Scenario 180

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA

30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 464  
 Scenario 181 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 181

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 181

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 465  
 Scenario 182 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	

lost to NTSC IX	0	0.0
lost to additional IX by ATV	3819186	329.9
lost to all IX	3819186	329.9

Potential Interfering Stations Included in above Scenario 182

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 182

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 466  
Scenario 183 Affected station 32 WNXV-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 183

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN

33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 183

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 467  
Scenario 184 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 184

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 184



18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 468  
 Scenario 185 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 185

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 185

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 469  
 Scenario 186 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 186

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 186

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 470  
 Scenario 187 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 187

18A NJ NEWTON	BPCDT	20080620ABX	CP
---------------	-------	-------------	----

24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 187

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 471  
 Scenario 188 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 188

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	

within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3800983	324.9
lost to all IX	3800983	324.9

Potential Interfering Stations Included in above Scenario 188

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 472

Scenario 189 Affected station 32 WNXV-LP  
Before Analysis

Results for: 26N NY NEW YORK

	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 189

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK

	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 189

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP

28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 473  
 Scenario 190 Affected station 32 WNX-YP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 190

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 190

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 474  
 Scenario 191 Affected station 32 WNX-YP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	

not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3800983	324.9
lost to all IX	3800983	324.9

Potential Interfering Stations Included in above Scenario 191

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 191

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 475  
 Scenario 192 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 192

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP

30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 192

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 476  
 Scenario 193 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 193

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 193

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 477

Scenario 194 Affected station 32 WNXV-LP

Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 194

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 194

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%



Result key: 478  
 Scenario 195 Affected station 32 WNNY-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 195

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 195

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 479  
 Scenario 196 Affected station 32 WNNY-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 196

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

# After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 196

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 480  
Scenario 197 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 197

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

# After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
------------------------------	-------	-------------	-----

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 197

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 481  
 Scenario 198 Affected station 32 WNNY-LP  
 Before Analysis

Results for: 26N NY NEW YORK

	POPULATION	AREA (sq km)	BLTTL	20070621AFF	LIC
within Noise Limited Contour	7136558	1000.6			
not affected by terrain losses	7107316	981.7			
lost to NTSC IX	0	0.0			
lost to additional IX by ATV	6909092	943.9			
lost to all IX	6909092	943.9			

Potential Interfering Stations Included in above Scenario 198

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK

	POPULATION	AREA (sq km)	BLTTL	20070621AFF	LIC
within Noise Limited Contour	7136558	1000.6			
not affected by terrain losses	7107316	981.7			
lost to NTSC IX	0	0.0			
lost to additional IX by ATV	6909092	943.9			
lost to all IX	6909092	943.9			

Potential Interfering Stations Included in above Scenario 198

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP

27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 482  
 Scenario 199 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 199

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 199

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 483  
 Scenario 200 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	

within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 200

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 200

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 484  
 Scenario 201 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 201

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP

28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 201

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 485  
 Scenario 202 Affected station 32 WNXV-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 202

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 202

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 486  
 Scenario 203 Affected station 32 WNXV-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 203

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 203

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 487  
Scenario 204 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 204

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 204

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 488  
Scenario 205 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 205



18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 205

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 489  
 Scenario 206 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 206

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 206

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 490  
Scenario 207 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 207

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 207

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC

26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 491

Scenario 208 Affected station 32 WNX-Y-LP

Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 208

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 208

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	DTVPLN	DTVP0953	PLN
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 492

Scenario 209 Affected station 32 WNX-Y-LP

Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
------------------------------	-------	-------------	-----

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3819186	329.9
lost to all IX	3819186	329.9

Potential Interfering Stations Included in above Scenario 209

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3819186	329.9
lost to all IX	3819186	329.9

Potential Interfering Stations Included in above Scenario 209

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 493  
 Scenario 210 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3819186	329.9
lost to all IX	3819186	329.9

Potential Interfering Stations Included in above Scenario 210

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP

27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVPL1439	PLN

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 210

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVPL1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 494  
 Scenario 211 Affected station 32 WNXV-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 211

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVPL1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

#### After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 211

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 495  
 Scenario 212 Affected station 32 WNX-YP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 212

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 212

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 496

Scenario 213 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 213

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 213

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 497

Scenario 214 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 214

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 214

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 498  
 Scenario 215 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 215

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis



Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 215

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 499  
Scenario 216 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 216

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3819186	329.9	
lost to all IX	3819186	329.9	

Potential Interfering Stations Included in above Scenario 216

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC

26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 500  
 Scenario 217 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 217

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLED	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLC	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLC	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 217

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLED	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLC	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLC	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 501  
 Scenario 218 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 218

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 218

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 502  
Scenario 219 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 219

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP

26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 219

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 503  
 Scenario 220 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 220

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	

lost to all IX 3800983 324.9

Potential Interfering Stations Included in above Scenario 220

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 504

Scenario 221 Affected station 32 WNXV-LP

Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 221

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 221

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

23A NY NEW YORK                      USERRECORD01                      APP

Percent new IX =        0.0000%

Result key:            505  
Scenario        222    Affected station            32    WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario    222

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario    222

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX =        0.0000%

Result key:            506  
Scenario        223    Affected station            32    WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 223

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 223

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 507  
 Scenario 224 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	3800983	324.9	
lost to all IX	3800983	324.9	

Potential Interfering Stations Included in above Scenario 224

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

# After Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3800983	324.9
lost to all IX	3800983	324.9

Potential Interfering Stations Included in above Scenario 224

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BPDTL	20100111ADH	APP
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 508  
 Scenario 225 Affected station 32 WNXV-LP  
 Before Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 225

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

# After Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 225

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP



26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 509  
 Scenario 226 Affected station 32 WNX-YP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 226

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 226

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 510  
 Scenario 227 Affected station 32 WNX-YP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 227

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 227

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 511  
Scenario 228 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 228

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC

26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 228

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 512  
 Scenario 229 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 229

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	

lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 229

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 513  
 Scenario 230 Affected station 32 WNXV-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 230

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 230

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP

40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 514  
 Scenario 231 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 231

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 231

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 515  
 Scenario 232 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	

lost to all IX 6909092 943.9

Potential Interfering Stations Included in above Scenario 232

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 232

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	BPCDT	20080620ABO	CP
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 516  
Scenario 233 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 233

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

# After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 233

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 517  
 Scenario 234 Affected station 32 WNXV-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 234

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

# After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 234

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC

25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 518  
 Scenario 235 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 235

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 235

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 519  
 Scenario 236 Affected station 32 WNX-Y-LP



# Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 236

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

# After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 236

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BDSTA	20041220ADE	STA
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 520  
Scenario 237 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 237

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP

26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 237

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 521  
 Scenario 238 Affected station 32 WNXV-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 238

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	

lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 238

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	BPCDT	20080619AEI	CP
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 522  
Scenario 239 Affected station 32 WNX-Y-LP  
Before Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 239

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC

After Analysis

Results for: 26N NY NEW YORK BLTTL 20070621AFF LIC

	POPULATION	AREA (sq km)
within Noise Limited Contour	7136558	1000.6
not affected by terrain losses	7107316	981.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6909092	943.9
lost to all IX	6909092	943.9

Potential Interfering Stations Included in above Scenario 239

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN

33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	BLCDT	20050214AGS	LIC
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 523  
 Scenario 240 Affected station 32 WNX-Y-LP  
 Before Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 240

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN

After Analysis

Results for: 26N NY NEW YORK	BLTTL	20070621AFF	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	7136558	1000.6	
not affected by terrain losses	7107316	981.7	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6909092	943.9	
lost to all IX	6909092	943.9	

Potential Interfering Stations Included in above Scenario 240

18A NJ NEWTON	BPCDT	20080620ABX	CP
24A NY NEW YORK	BLEDT	20071228ABM	LIC
25A NY PORT JERVIS	BMPDTL	20080924ADQ	CP
26A NY ALBANY	BLCDT	20060104ACC	LIC
26A NY NEW YORK	BLDTL	20091123AAX	LIC
26A PA PHILADELPHIA	DTVPLN	DTVP0959	PLN
27A NY POUGHKEEPSIE	BPCDT	20080619ABY	CP
28A NY NEW YORK	BMPCDT	20080314ACO	CP
30A NJ NEWARK	DTVPLN	DTVP1101	PLN
33A NY NEW YORK	BPCDT	20090924AAQ	CP
40A NJ PATERSON	DTVPLN	DTVP1439	PLN
23A NY NEW YORK	USERRECORD01		APP

Percent new IX = 0.0000%

Worst case new IX 0.0000% Scenario 1

#####

Analysis of Interference to Affected Station 33

Analysis of current record

Channel	Call	City/State	Application Ref. No.
26	W26CE	NEW YORK NY	BSTA -20070821AEJ

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
18	WMBC-TV	NEWTON NJ	120.3	PLN	DTVPLN -DTVP0632
18	WMBC-TV	NEWTON NJ	120.3	CP	BPCDT -20080620ABX
18	WMBC-TV	NEWTON NJ	120.3	LIC	BLCDT -20060803AMO
23	WFTY-DT	SMITHTOWN NY	15.9	LIC	BLCDT -20030113ABS
23	WFTY-TV	SMITHTOWN NY	15.9	PLN	DTVPLN -DTVP0843
23	WFTY-DT	SMITHTOWN NY	15.9	CP	BPCDT -20080613ACJ
24	WNYE-TV	NEW YORK NY	103.0	CP MOD	BMPEDT -20070124AAX
24	WNYE-TV	NEW YORK NY	103.0	PLN	DTVPLN -DTVP0882
24	WNYE-TV	NEW YORK NY	103.0	LIC	BLEDT -20071228ABM
25	WFXZ-CA	BOSTON MA	206.3	APP	BDISDTA -20090902ABE
25	W27AL	MONTICELLO NY	183.5	APP	BDISDTT -20090518ADO
25	WASA-LD	PORT JERVIS NY	103.0	CP MOD	BMPDTL -20080924ADQ
26	WHPX-TV	NEW LONDON CT	78.7	CP MOD	BMPCDT -20080619AEO
26	WHPX	NEW LONDON CT	78.7	PLN	DTVPLN -DTVP0936
26	WHPX-TV	NEW LONDON CT	78.7	CP	BPCDT -20080313ABQ
26	WHDN-LD	BOSTON MA	219.4	LIC	BLTTL -20031231AAX
26	W63DC	OCEAN CITY MD	364.5	CP	BDFCDTL -20080305AEP
26	WMTW	PORTLAND ME	373.6	CP	BDRTCDT -20090814ABB
26	WTEN	ALBANY NY	222.0	PLN	DTVPLN -DTVP0953
26	WTEN	ALBANY NY	222.0	LIC	BLCDT -20060104ACC
26	W26DC	HEMPSTEAD NY	57.9	LIC	BLTTL -20080522ABK
26	WLG-LD	MINEOLA NY	70.0	LIC	BLDTL -20071217ACU
26	WRNN-LD	NEW YORK NY	75.8	APP	BPDTL -20100111ADH
26	WRNN-LD	NEW YORK NY	99.5	LIC	BLDTL -20091123AAX
26	WNYX-LP	NEW YORK NY	99.5	LIC	BLTTL -20070621AFF
26	WNYX-LP	NEW YORK NY	99.5	CP	BDFCDTL -20080317AFK
26	WNGN-LP	TROY NY	226.1	APP	BPTTL -20030513AAE
26	W26CV-D	MANSFIELD PA	361.2	LIC	BLDTT -20090810AAC
26	KYW-TV	PHILADELPHIA PA	227.8	CP	BPCDT -20080620ABO
26	KYW-TV	PHILADELPHIA PA	227.8	PLN	DTVPLN -DTVP0959
26	W26DE-D	STROUDSBURG PA	203.6	LIC	BLDTT -20081126ASY
27	W27AL	MONTICELLO NY	183.5	CP MOD	BMPDTL -20090428AAT
27	WTBY-TV	POUGHKEEPSIE NY	121.2	CP	BPCDT -20080619ABY
27	WTBY-TV	POUGHKEEPSIE NY	121.2	PLN	DTVPLN -DTVP0996
27	WTBY-TV	POUGHKEEPSIE NY	121.2	LIC	BMLCDT -20061031ACG
28	WNBC	NEW YORK NY	105.9	PLN	DTVPLN -DTVP1032
28	WNBC	NEW YORK NY	103.0	STA	BDSTA -20041220ADE
28	WNBC	NEW YORK NY	105.9	APP	BPCDT -20080620ADL
28	WNBC	NEW YORK NY	103.0	CP MOD	BMPCDT -20080314ACO
29	WFME-TV	WEST MILFORD NJ	125.2	PLN	DTVPLN -DTVP1067
29	WFME-TV	WEST MILFORD NJ	125.2	LIC	BLEDT -20040712ACP
30	WFUT-DT	NEWARK NJ	103.0	CP	BPCDT -20080619AEI
30	WFUT-TV	NEWARK NJ	103.0	PLN	DTVPLN -DTVP1101
33	WFSB	HARTFORD CT	102.3	PLN	DTVPLN -DTVP1205
33	WFSB	HARTFORD CT	102.3	CP	BPCDT -20080619AFT
33	WFSB	HARTFORD CT	102.3	LIC	BLCDT -20041029AIL
33	WCBS-TV	NEW YORK NY	105.9	APP	BMPCDT -20080619AAZ
33	WCBS-TV	NEW YORK NY	105.9	PLN	DTVPLN -DTVP1217
33	WCBS-TV	NEW YORK NY	103.0	CP	BPCDT -20090924AAQ
40	WXTV-DT	PATERSON NJ	103.0	LIC	BLCDT -20050214AGS
40	WXTV	PATERSON NJ	103.0	PLN	DTVPLN -DTVP1439
41	WEDY-DR	NEW HAVEN CT	53.9	APP	BPRM -20090713ABS
41	W60AI	NEW YORK NY	101.4	CP MOD	BMPDTL -20090202BMN
23	WDVB	NEW YORK NY	103.0	APP	USERRECORD-01

Proposed station is beyond the site to  
nearest cell evaluation distance

#####

## Analysis of current record

Channel	Call	City/State	Application Ref. No.
26	W26CE	NEW YORK NY	BLTTL -20080306ABU

## Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
18	WMBC-TV	NEWTON NJ	120.3	PLN	DTVPLN -DTVP0632
18	WMBC-TV	NEWTON NJ	120.3	CP	BPCDT -20080620ABX
18	WMBC-TV	NEWTON NJ	120.3	LIC	BLCDDT -20060803AMO
23	WFTY-DT	SMITHTOWN NY	15.9	LIC	BLCDDT -20030113ABS
23	WFTY-TV	SMITHTOWN NY	15.9	PLN	DTVPLN -DTVP0843
23	WFTY-DT	SMITHTOWN NY	15.9	CP	BPCDT -20080613ACJ
24	WNYE-TV	NEW YORK NY	103.0	CP MOD	BMPEDT -20070124AAX
24	WNYE-TV	NEW YORK NY	103.0	PLN	DTVPLN -DTVP0882
24	WNYE-TV	NEW YORK NY	103.0	LIC	BLEDT -20071228ABM
25	WFXZ-CA	BOSTON MA	206.3	APP	BDISDTA -20090902ABE
25	W27AL	MONTICELLO NY	183.5	APP	BDISDTT -20090518ADO
25	WASA-LD	PORT JERVIS NY	103.0	CP MOD	BMPDTL -20080924ADQ
26	WHPX-TV	NEW LONDON CT	78.7	CP MOD	BMPCDT -20080619AEO
26	WHPX	NEW LONDON CT	78.7	PLN	DTVPLN -DTVP0936
26	WHPX-TV	NEW LONDON CT	78.7	CP	BPCDT -20080313ABQ
26	WHDN-LD	BOSTON MA	219.4	LIC	BLTTL -20031231AAX
26	W63DC	OCEAN CITY MD	364.5	CP	BDFCDTL -20080305AEP
26	WMTW	PORTLAND ME	373.6	CP	BDRTCDT -20090814ABB
26	WTEN	ALBANY NY	222.0	PLN	DTVPLN -DTVP0953
26	WTEN	ALBANY NY	222.0	LIC	BLCDDT -20060104ACC
26	W26DC	HEMPSTEAD NY	57.9	LIC	BLTTL -20080522ABK
26	WLIG-LD	MINEOLA NY	70.0	LIC	BLDTL -20071217ACU
26	WRNN-LD	NEW YORK NY	75.8	APP	BPDTL -20100111ADH
26	WRNN-LD	NEW YORK NY	99.5	LIC	BLDTL -20091123AAX
26	WNXY-LP	NEW YORK NY	99.5	LIC	BLTTL -20070621AFF
26	WNXY-LP	NEW YORK NY	99.5	CP	BDFCDTL -20080317AFK
26	WNGN-LP	TROY NY	226.1	APP	BPTTL -20030513AAE
26	W26CV-D	MANSFIELD PA	361.2	LIC	BLDTT -20090810AAC
26	KYW-TV	PHILADELPHIA PA	227.8	CP	BPCDT -20080620ABO
26	KYW-TV	PHILADELPHIA PA	227.8	PLN	DTVPLN -DTVP0959
26	W26DE-D	STROUDSBURG PA	203.6	LIC	BLDTT -20081126ASY
27	W27AL	MONTICELLO NY	183.5	CP MOD	BMPDTL -20090428AAT
27	WTBY-TV	POUGHKEEPSIE NY	121.2	CP	BPCDT -20080619ABY
27	WTBY-TV	POUGHKEEPSIE NY	121.2	PLN	DTVPLN -DTVP0996
27	WTBY-TV	POUGHKEEPSIE NY	121.2	LIC	BMLCDT -20061031ACG
28	WNBC	NEW YORK NY	105.9	PLN	DTVPLN -DTVP1032
28	WNBC	NEW YORK NY	103.0	STA	BDSTA -20041220ADE
28	WNBC	NEW YORK NY	105.9	APP	BPCDT -20080620ADL
28	WNBC	NEW YORK NY	103.0	CP MOD	BMPCDT -20080314ACO
29	WFME-TV	WEST MILFORD NJ	125.2	PLN	DTVPLN -DTVP1067
29	WFME-TV	WEST MILFORD NJ	125.2	LIC	BLEDT -20040712ACP
30	WFUT-DT	NEWARK NJ	103.0	CP	BPCDT -20080619AEI
30	WFUT-TV	NEWARK NJ	103.0	PLN	DTVPLN -DTVP1101
33	WFSB	HARTFORD CT	102.3	PLN	DTVPLN -DTVP1205
33	WFSB	HARTFORD CT	102.3	CP	BPCDT -20080619AFT
33	WFSB	HARTFORD CT	102.3	LIC	BLCDDT -20041029AIL
33	WCBS-TV	NEW YORK NY	105.9	APP	BMPCDT -20080619AAZ
33	WCBS-TV	NEW YORK NY	105.9	PLN	DTVPLN -DTVP1217
33	WCBS-TV	NEW YORK NY	103.0	CP	BPCDT -20090924AAQ
40	WXTV-DT	PATERSON NJ	103.0	LIC	BLCDDT -20050214AGS
40	WXTV	PATERSON NJ	103.0	PLN	DTVPLN -DTVP1439
41	WEDY-DR	NEW HAVEN CT	53.9	APP	BPRM -20090713ABS
41	W60AI	NEW YORK NY	101.4	CP MOD	BMPDTL -20090202BMN
23	WDVB	NEW YORK NY	103.0	APP	USERRECORD-01

Proposed station is beyond the site to  
nearest cell evaluation distance

#####

## Analysis of current record

Channel	Call	City/State	Application Ref. No.
26	W26DB	PORT JERVIS NY	BLTTL -20070223AHI

## Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
18	WMBC-TV	NEWTON NJ	68.4	PLN	DTVPLN -DTVP0632
18	WMBC-TV	NEWTON NJ	68.4	CP	BPCDT -20080620ABX
18	WMBC-TV	NEWTON NJ	68.4	LIC	BLCDDT -20060803AMO
24	WNYE-TV	NEW YORK NY	89.0	CP MOD	BMPEDT -20070124AAX
24	WNYE-TV	NEW YORK NY	89.0	PLN	DTVPLN -DTVP0882
24	WNYE-TV	NEW YORK NY	89.0	LIC	BLEDT -20071228ABM
25	W27AL	MONTICELLO NY	33.0	APP	BDISDTT -20090518ADO
25	WASA-LD	PORT JERVIS NY	89.0	CP MOD	BMPDTL -20080924ADQ
25	W25AQ-D	TOWANDA PA	154.3	LIC	BLDTT -20090727ADM
25	WYOU	WAYMART PA	69.0	LIC	BLCDDT -20091211ACN
26	WHPX-TV	NEW LONDON CT	206.8	CP MOD	BMPCDT -20080619AEO
26	WHPX	NEW LONDON CT	206.8	PLN	DTVPLN -DTVP0936
26	WHPX-TV	NEW LONDON CT	206.8	CP	BPCDT -20080313ABQ
26	WZDC-LD	WASHINGTON DC	338.0	APP	BDCCDTL -20061027ABW
26	WHDN-LD	BOSTON MA	319.3	LIC	BLTTL -20031231AAX
26	WHAG-TV	HAGERSTOWN MD	336.0	CP MOD	BMPCDT -20080619AJL
26	WHAG-TV	HAGERSTOWN MD	336.0	PLN	DTVPLN -DTVP0944
26	W63DC	OCEAN CITY MD	338.1	CP	BDFCDTL -20080305AEP
26	WTEN	ALBANY NY	150.7	PLN	DTVPLN -DTVP0953
26	WTEN	ALBANY NY	150.7	LIC	BLCDDT -20060104ACC
26	WNYB	JAMESTOWN NY	393.6	APP	BMPCDT -20080619AFD
26	WNYB	JAMESTOWN NY	393.6	PLN	DTVPLN -DTVP0954
26	WNYB	JAMESTOWN NY	393.6	CP	BPCDT -20080313ACK
26	WLIG-LD	MINEOLA NY	116.8	LIC	BLDTL -20071217ACU
26	WRNN-LD	NEW YORK NY	105.3	APP	BPDTL -20100111ADH
26	WRNN-LD	NEW YORK NY	92.1	LIC	BLDTL -20091123AAX
26	W26CE	NEW YORK NY	170.0	APP	BSTA -20061003ABI
26	W26CE	NEW YORK NY	169.5	CP	BDFCDTL -20080111ACY
26	WNXY-LP	NEW YORK NY	91.9	LIC	BLTTL -20070621AFF
26	W26CE	NEW YORK NY	169.5	APP	BSTA -20070821AEJ
26	WNXY-LP	NEW YORK NY	92.1	CP	BDFCDTL -20080317AFK
26	NEW	POTSDAM NY	366.1	APP	BNPDTL -20090825BCA
26	WNGN-LP	TROY NY	180.2	APP	BPTTL -20030513AAE
26	WJAC-TV	DU BOIS PA	338.4	APP	BDRTCDT -20090626AAU
26	W26CV-D	MANSFIELD PA	192.0	LIC	BLDTT -20090810AAC
26	KYW-TV	PHILADELPHIA PA	154.4	CP	BPCDT -20080620ABO
26	KYW-TV	PHILADELPHIA PA	154.4	PLN	DTVPLN -DTVP0959
26	W26CD	SCRANTON PA	84.9	LIC	BLTT -20020726AAP
26	W26DE-D	STROUDSBURG PA	60.8	LIC	BLDTT -20081126ASY
27	NEW	ITHACA NY	206.0	APP	BSFDTT -20060630DCG
27	W27AL	MONTICELLO NY	33.0	CP MOD	BMPDTL -20090428AAT
27	WTBY-TV	POUGHKEEPSIE NY	62.4	CP	BPCDT -20080619ABY
27	WTBY-TV	POUGHKEEPSIE NY	62.4	PLN	DTVPLN -DTVP0996
27	WTBY-TV	POUGHKEEPSIE NY	62.4	LIC	BMLCDT -20061031ACG
28	WNBC	NEW YORK NY	91.4	PLN	DTVPLN -DTVP1032
28	WNBC	NEW YORK NY	89.7	STA	BDSTA -20041220ADE
28	WNBC	NEW YORK NY	91.3	APP	BPCDT -20080620ADL
28	WNBC	NEW YORK NY	89.7	CP MOD	BMPCDT -20080314ACO
29	WFME-TV	WEST MILFORD NJ	73.1	PLN	DTVPLN -DTVP1067
29	WFME-TV	WEST MILFORD NJ	73.1	LIC	BLEDT -20040712ACP
30	WFUT-DT	NEWARK NJ	89.7	CP	BPCDT -20080619AEI
30	WFUT-TV	NEWARK NJ	89.0	PLN	DTVPLN -DTVP1101
33	WCBS-TV	NEW YORK NY	91.3	APP	BMPCDT -20080619AAZ
33	WCBS-TV	NEW YORK NY	91.4	PLN	DTVPLN -DTVP1217
33	WCBS-TV	NEW YORK NY	89.7	CP	BPCDT -20090924AAQ
34	WIVT	BINGHAMTON NY	130.5	CP	BPCDT -20080314ACR

34	WIVT	BINGHAMTON NY	130.5	PLN	DTVPLN	-DTVP1257
40	WXTV-DT	PATERSON NJ	89.7	LIC	BLCDDT	-20050214AGS
40	WXTV	PATERSON NJ	89.7	PLN	DTVPLN	-DTVP1439
41	W60AI	NEW YORK NY	89.5	CP MOD	BMPDTL	-20090202BMN
41	W41DN-D	PORT JERVIS NY	40.0	CP MOD	BMPDTL	-20090630AHF
41	WVIA-TV	SCRANTON PA	101.7	PLN	DTVPLN	-DTVP1477
41	WVIA-TV	SCRANTON PA	101.7	LIC	BLEDT	-20010109AAP
41	WVIA-TV	SCRANTON PA	101.7	CP	BPEDT	-20090721AAG
23	WDVB	NEW YORK NY	89.7	APP	USERRECORD-01	

Proposed station is beyond the site to  
nearest cell evaluation distance

#####

# Analysis of Interference to Affected Station 36

## Analysis of current record

Channel	Call	City/State	Application	Ref. No.
27	W27CD	STAMFORD CT	BLTTL	-20070209AAH

## Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
20	WTXX	WATERBURY CT	92.3	APP	BMPCDT	-20080620AHG
20	WTXX	WATERBURY CT	92.3	PLN	DTVPLN	-DTVP0706
20	WTXX	WATERBURY CT	92.3	CP	BPCDT	-20080328AIO
23	WFTY-DT	SMITHTOWN NY	52.3	LIC	BLCDDT	-20030113ABS
23	WFTY-TV	SMITHTOWN NY	52.3	PLN	DTVPLN	-DTVP0843
23	WFTY-DT	SMITHTOWN NY	52.3	CP	BPCDT	-20080613ACJ
24	WNYE-TV	NEW YORK NY	51.0	CP MOD	BMPEDT	-20070124AAX
24	WNYE-TV	NEW YORK NY	51.0	PLN	DTVPLN	-DTVP0882
24	WNYE-TV	NEW YORK NY	51.0	LIC	BLEDT	-20071228ABM
26	WHPX-TV	NEW LONDON CT	118.4	CP MOD	BMPCDT	-20080619AEO
26	WHPX	NEW LONDON CT	118.4	PLN	DTVPLN	-DTVP0936
26	WHPX-TV	NEW LONDON CT	118.4	CP	BPCDT	-20080313ABQ
26	WLIG-LD	MINEOLA NY	38.5	LIC	BLDTL	-20071217ACU
26	WRNN-LD	NEW YORK NY	31.2	APP	BPDTL	-20100111ADH
26	WRNN-LD	NEW YORK NY	49.0	LIC	BLDTL	-20091123AAX
26	W26CE	NEW YORK NY	68.1	CP	BDFCDTL	-20080111ACY
26	WNXY-LP	NEW YORK NY	49.0	CP	BDFCDTL	-20080317AFK
26	W26DE-D	STROUDSBURG PA	139.1	LIC	BLDTT	-20081126ASY
27	WETA-TV	WASHINGTON DC	382.3	LIC	BLEDT	-20070727ACJ
27	WETA-TV	WASHINGTON DC	382.3	PLN	DTVPLN	-DTVP0976
27	WUTF-DT	MARLBOROUGH MA	224.2	CP MOD	BMPCDT	-20080617ABU
27	WUTF-TV	MARLBOROUGH MA	224.2	PLN	DTVPLN	-DTVP0986
27	WGTW-TV	BURLINGTON NJ	183.1	PLN	DTVPLN	-DTVP0992
27	WGTW-TV	BURLINGTON NJ	183.1	LIC	BLCDDT	-20060105AAR
27	NEW	ITHACA NY	302.0	APP	BSFDDT	-20060630DCG
27	W27AL	MONTICELLO NY	117.0	CP MOD	BMPDTL	-20090428AAT
27	WTBY-TV	POUGHKEEPSIE NY	58.8	CP	BPCDT	-20080619ABY
27	WTBY-TV	POUGHKEEPSIE NY	58.8	PLN	DTVPLN	-DTVP0996
27	WTBY-TV	POUGHKEEPSIE NY	58.8	LIC	BMLCDT	-20061031ACG
27	WFXV	UTICA NY	270.3	PLN	DTVPLN	-DTVP0997
27	WFXV	UTICA NY	268.3	CP MOD	BMPCDT	-20080620AKB
27	WFXV	UTICA NY	270.6	APP	BMPCDT	-20080114ABF
27	WGAL	CARLISLE PA	315.5	APP	BDRTCDT	-20090824ADP
27	WGAL	RED LION PA	288.0	APP	BDRTCDT	-20090824ADX
27	WHVL-LD	STATE COLLEGE, ETC. PA	372.8	LIC	BLDTL	-20090310ADQ
28	W28DA-D	PITTSFIELD MA	153.1	LIC	BLDTT	-20090604ABU
28	WFXQ-CA	SPRINGFIELD MA	151.5	CP	BDFCDTA	-20060327AEV
28	WNBC	NEW YORK NY	56.0	PLN	DTVPLN	-DTVP1032
28	WNBC	NEW YORK NY	51.5	STA	BDSTA	-20041220ADE
28	WNBC	NEW YORK NY	55.9	APP	BPCDT	-20080620ADL
28	WNBC	NEW YORK NY	51.5	CP MOD	BMPCDT	-20080314ACO
28	W28DE-D	SCHOHARIE, ETC. NY	191.2	CP	BDCCDDT	-20061027ACP



28	WBRE-TV	WAYMART PA	170.1	LIC	BLCDDT	-20091211ADO
29	WFME-TV	WEST MILFORD NJ	67.7	PLN	DTVPLN	-DTVP1067
29	WFME-TV	WEST MILFORD NJ	67.7	LIC	BLEDT	-20040712ACP
30	WFUT-DT	NEWARK NJ	51.5	CP	BPCDDT	-20080619AEI
30	WFUT-TV	NEWARK NJ	51.0	PLN	DTVPLN	-DTVP1101
31	WTIC-TV	HARTFORD CT	92.3	PLN	DTVPLN	-DTVP1121
31	WTIC-TV	HARTFORD CT	92.3	CP MOD	BMPCDDT	-20080620ADP
31	WPXN-TV	NEW YORK NY	56.0	PLN	DTVPLN	-DTVP1144
31	WPXN-TV	NEW YORK NY	55.9	APP	BMPCDDT	-20080620ALZ
31	WPXN-TV	NEW YORK NY	51.5	CP MOD	BMPCDDT	-20080926ACT
35	WVIT	NEW BRITAIN CT	92.0	LIC	BLCDDT	-20041203AEF
35	WVIT	NEW BRITAIN CT	92.0	PLN	DTVPLN	-DTVP1276
41	WEDY-DR	NEW HAVEN CT	60.3	APP	BPRM	-20090713ABS
42	WSAH	BRIDGEPORT CT	48.5	LIC	BLCDDT	-20061218ACB
42	WSAH	BRIDGEPORT CT	48.5	PLN	DTVPLN	-DTVP1489
42	WSAH	BRIDGEPORT CT	51.5	APP	BPCDDT	-20080620ALT
42	W42CX	PORT JERVIS NY	70.7	CP	BDFCDDL	-20080215AGD
23	WDVB	NEW YORK NY	51.5	APP	USERRECORD-01	

Proposed station is beyond the site to  
nearest cell evaluation distance

#####

# Analysis of Interference to Affected Station 37

## Analysis of current record

Channel	Call	City/State	Application Ref. No.
27	W27AL	MONTICELLO NY	BLTTL -19940207JF

## Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
24	WNYE-TV	NEW YORK NY	116.2	CP MOD	BMPEDT -20070124AAX
24	WNYE-TV	NEW YORK NY	116.2	PLN	DTVPLN -DTVP0882
24	WNYE-TV	NEW YORK NY	116.2	LIC	BLEDT -20071228ABM
26	WTEN	ALBANY NY	120.8	PLN	DTVPLN -DTVP0953
26	WTEN	ALBANY NY	120.8	LIC	BLCDDT -20060104ACC
26	WLIG-LD	MINEOLA NY	139.7	LIC	BLDDL -20071217ACU
26	WRNN-LD	NEW YORK NY	127.9	APP	BPDDL -20100111ADH
26	WRNN-LD	NEW YORK NY	118.9	LIC	BLDDL -20091123AAX
26	W26CE	NEW YORK NY	183.3	CP	BDFCDDL -20080111ACY
26	WNXY-LP	NEW YORK NY	118.9	CP	BDFCDDL -20080317AFK
26	W26CV-D	MANSFIELD PA	186.2	LIC	BLDTT -20090810AAC
26	W26DE-D	STROUDSBURG PA	87.1	LIC	BLDTT -20081126ASY
27	W27CD	STAMFORD CT	116.8	LIC	BLTTL -20070209AAH
27	WETA-TV	WASHINGTON DC	363.2	LIC	BLEDT -20070727ACJ
27	WETA-TV	WASHINGTON DC	363.2	PLN	DTVPLN -DTVP0976
27	WUTF-DT	MARLBOROUGH MA	275.5	CP MOD	BMPCDDT -20080617ABU
27	WUTF-TV	MARLBOROUGH MA	275.5	PLN	DTVPLN -DTVP0986
27	WGTW-TV	BURLINGTON NJ	185.8	PLN	DTVPLN -DTVP0992
27	WGTW-TV	BURLINGTON NJ	185.8	LIC	BLCDDT -20060105AAR
27	NEW	CORNING NY	205.1	APP	BNPTTL -20000830BKK
27	NEW	ITHACA NY	185.2	APP	BSFDTT -20060630DCG
27	WTBY-TV	POUGHKEEPSIE NY	64.1	CP	BPCDDT -20080619ABY
27	WTBY-TV	POUGHKEEPSIE NY	64.1	PLN	DTVPLN -DTVP0996
27	WTBY-TV	POUGHKEEPSIE NY	64.1	LIC	BMLCDDT -20061031ACG
27	WFXV	UTICA NY	165.3	PLN	DTVPLN -DTVP0997
27	WFXV	UTICA NY	169.9	CP MOD	BMPCDDT -20080620AKB
27	WFXV	UTICA NY	165.5	APP	BMPCDDT -20080114ABF
27	WGAL	CARLISLE PA	255.9	APP	BDRTCDT -20090824ADP
27	WGAL	RED LION PA	252.1	APP	BDRTCDT -20090824ADX
27	WHVL-LD	STATE COLLEGE, ETC. PA	286.8	LIC	BLDDL -20090310ADQ
28	W28DA-D	PITTSFIELD MA	144.7	LIC	BLDTT -20090604ABU
28	WFXQ-CA	SPRINGFIELD MA	180.9	CP	BDFCDDA -20060327AEV
28	W21BW	ELMIRA NY	178.7	CP	BDISDDL -20090224AAQ

28	WNBC	NEW YORK NY	119.4	PLN	DTVPLN	-DTVP1032
28	WNBC	NEW YORK NY	117.0	STA	BDSTA	-20041220ADE
28	WNBC	NEW YORK NY	119.3	APP	BPCDT	-20080620ADL
28	WNBC	NEW YORK NY	117.0	CP MOD	BMPCDT	-20080314ACO
28	W28DE-D	SCHOHARIE, ETC. NY	116.8	CP	BDCCDTT	-20061027ACP
28	W28DP-D	POTTSVILLE PA	167.3	LIC	BLDTT	-20091009ADU
28	WBRE-TV	WAYMART PA	61.6	LIC	BLCDDT	-20091211ADO
29	WFME-TV	WEST MILFORD NJ	103.3	PLN	DTVPLN	-DTVP1067
29	WFME-TV	WEST MILFORD NJ	103.3	LIC	BLEDT	-20040712ACP
30	WFUT-DT	NEWARK NJ	117.0	CP	BPCDT	-20080619AEI
30	WFUT-TV	NEWARK NJ	116.2	PLN	DTVPLN	-DTVP1101
31	WPXN-TV	NEW YORK NY	119.4	PLN	DTVPLN	-DTVP1144
31	WPXN-TV	NEW YORK NY	119.3	APP	BMPCDT	-20080620ALZ
31	WPXN-TV	NEW YORK NY	117.0	CP MOD	BMPCDT	-20080926ACT
31	WSWB	SCRANTON PA	90.4	PLN	DTVPLN	-DTVP1147
31	WSWB-DR	SCRANTON PA	90.4	APP	BPRM	-20080619ALI
34	WIVT	BINGHAMTON NY	113.3	CP	BPCDT	-20080314ACR
34	WIVT	BINGHAMTON NY	113.3	PLN	DTVPLN	-DTVP1257
34	WMHT	SCHENECTADY NY	120.8	LIC	BLEDT	-20040108ALV
34	WMHT	SCHENECTADY NY	120.8	PLN	DTVPLN	-DTVP1258
41	WVIA-TV	SCRANTON PA	112.3	PLN	DTVPLN	-DTVP1477
41	WVIA-TV	SCRANTON PA	112.3	LIC	BLEDT	-20010109AAP
41	WVIA-TV	SCRANTON PA	112.3	CP	BPEDT	-20090721AAG
42	WSAH	BRIDGEPORT CT	134.9	LIC	BLCDDT	-20061218ACB
42	WSAH	BRIDGEPORT CT	134.9	PLN	DTVPLN	-DTVP1489
42	WSAH	BRIDGEPORT CT	117.0	APP	BPCDT	-20080620ALT
42	WSKG-TV	BINGHAMTON NY	113.5	LIC	BLEDT	-20050526ACA
42	WSKG-TV	BINGHAMTON NY	113.5	PLN	DTVPLN	-DTVP1508
42	W42CX	PORT JERVIS NY	57.2	CP	BDFCDTL	-20080215AGD
42	WNGX-LD	SCHENECTADY NY	141.7	LIC	BLDTL	-20090903AAL
23	WDVB	NEW YORK NY	117.0	APP	USERRECORD-01	

Proposed station is beyond the site to  
nearest cell evaluation distance

#####

# Analysis of Interference to Affected Station 38

## Analysis of current record

Channel	Call	City/State	Application	Ref. No.
30	W30AZ	LIBERTY NY	BLTT	-19911028IF

## Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
26	WTEN	ALBANY NY	113.1	PLN	DTVPLN	-DTVP0953
26	WTEN	ALBANY NY	113.1	LIC	BLCDDT	-20060104ACC
27	WTBY-TV	POUGHKEEPSIE NY	70.3	CP	BPCDT	-20080619ABY
27	WTBY-TV	POUGHKEEPSIE NY	70.3	PLN	DTVPLN	-DTVP0996
27	WTBY-TV	POUGHKEEPSIE NY	70.3	LIC	BMLCDDT	-20061031ACG
28	WNBC	NEW YORK NY	129.7	PLN	DTVPLN	-DTVP1032
28	WNBC	NEW YORK NY	127.2	STA	BDSTA	-20041220ADE
28	WNBC	NEW YORK NY	129.7	APP	BPCDT	-20080620ADL
28	WNBC	NEW YORK NY	127.2	CP MOD	BMPCDT	-20080314ACO
29	WFME-TV	WEST MILFORD NJ	113.9	PLN	DTVPLN	-DTVP1067
29	WFME-TV	WEST MILFORD NJ	113.9	LIC	BLEDT	-20040712ACP
30	WBZ-TV	BOSTON MA	293.9	LIC	BLCDDT	-20060420ABG
30	WBZ-TV	BOSTON MA	293.9	PLN	DTVPLN	-DTVP1097
30	WBZ-TV	BOSTON MA	293.9	CP	BPCDT	-20080616ABK
30	WRAV-LD	OCEAN CITY MD	376.8	CP	BDCCDTL	-20070829ACZ
30	WFUT-DT	NEWARK NJ	127.2	CP	BPCDT	-20080619AEI
30	WFUT-TV	NEWARK NJ	126.4	PLN	DTVPLN	-DTVP1101
30	WSKA	CORNING NY	199.9	LIC	BLEDT	-20060705ABL
30	WSKA	CORNING NY	199.9	PLN	DTVPLN	-DTVP1102
30	WPXN-TV	NEW YORK NY	126.6	STA	BDSTAB	-20071023AAA

30	W30AJ	SYRACUSE NY	186.2	LIC	BLTTL	-19910528JX
30	WUTR	UTICA NY	159.3	PLN	DTVPLN	-DTVP1103
30	WUTR	UTICA NY	159.3	LIC	BLCDT	-20040217ADC
30	WJAC-TV	BEDFORD PA	375.9	APP	BDRTCDT	-20090626AAV
30	WELL-LD	PHILADELPHIA PA	195.4	CP	BDCCDTL	-20081215AAS
30	WELL-LD	PHILADELPHIA PA	195.1	APP	BSTA	-20090826AAO
30	WGCB-TV	RED LION PA	258.5	PLN	DTVPLN	-DTVP1107
30	WGCB-TV	RED LION PA	258.5	LIC	BLCDT	-20050615AAB
30	W30CN-D	MANCHESTER, ETC. VT	204.7	CP	BDCCDTT	-20061020AAR
30	W34DW-D	HAMPSHIRE, ETC. WV	399.6	APP	BDISDTT	-20090622ABM
31	WNCE-CA	GLENS FALLS NY	188.5	CP	BDISDTA	-20081002AGC
31	WPXN-TV	NEW YORK NY	129.7	PLN	DTVPLN	-DTVP1144
31	WPXN-TV	NEW YORK NY	129.7	APP	BMPCDT	-20080620ALZ
31	WPXN-TV	NEW YORK NY	127.2	CP MOD	BMPCDT	-20080926ACT
31	WSWB	SCRANTON PA	91.2	PLN	DTVPLN	-DTVP1147
31	WSWB-DR	SCRANTON PA	91.2	APP	BPRM	-20080619ALI
32	WQPX	SCRANTON PA	91.0	PLN	DTVPLN	-DTVP1186
32	WQPX-TV	SCRANTON PA	91.0	LIC	BLCDT	-20060629AFR
33	WCBS-TV	NEW YORK NY	129.7	APP	BMPCDT	-20080619AAZ
33	WCBS-TV	NEW YORK NY	129.7	PLN	DTVPLN	-DTVP1217
33	WCBS-TV	NEW YORK NY	127.2	CP	BPCDT	-20090924AAQ
34	WIVT	BINGHAMTON NY	107.1	CP	BPCDT	-20080314ACR
34	WIVT	BINGHAMTON NY	107.1	PLN	DTVPLN	-DTVP1257
34	WMHT	SCHENECTADY NY	113.1	LIC	BLEDT	-20040108ALV
34	WMHT	SCHENECTADY NY	113.1	PLN	DTVPLN	-DTVP1258
38	WWOR-TV	SECAUCUS NJ	127.2	CP MOD	BMPCDT	-20080620AHC
38	WWOR-TV	SECAUCUS NJ	129.7	PLN	DTVPLN	-DTVP1368
44	WNYW	NEW YORK NY	127.2	LIC	BLCDT	-19990826KF
44	WNYW	NEW YORK NY	129.7	PLN	DTVPLN	-DTVP1585
44	WNYW	NEW YORK NY	127.2	STA	BDSTA	-20011102ABO
44	WNYW	NEW YORK NY	127.2	CP	BPCDT	-20080620AJQ
45	W45DH-D	PORT JERVIS NY	42.2	CP	BDISDTL	-20080219BKJ
45	WOLF-TV	HAZLETON PA	115.0	PLN	DTVPLN	-DTVP1625
23	WDVB	NEW YORK NY	127.2	APP	USERRECORD-01	

Proposed station is beyond the site to  
nearest cell evaluation distance

#####

#### Analysis of Interference to Affected Station 39

##### Analysis of current record

Channel	Call	City/State	Application Ref. No.
23	WDVB	NEW YORK NY	USERRECORD-01

##### Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
22	WNYZ-LP	NEW YORK NY	3.6	APP	BDISDTL -20091118AFX
22	WCBS-TV	PLAINVIEW NY	45.1	CP	BDRTCDT -20090630AEB
22	WNEP-TV	WAYMART PA	155.4	LIC	BLCDT -20091216AAH
23	W23DF-D	SALISBURY MD	297.2	LIC	BLDTL -20090731AFF
23	W23AZ	HACKETTSTOWN NJ	72.2	LIC	BLTTL -20021007AAH
23	WBPN-LD	BINGHAMTON NY	218.6	CP	BDCCDTL -20061030AGK
23	WFTY-DT	SMITHTOWN NY	88.3	LIC	BLCDT -20030113ABS
23	WFTY-TV	SMITHTOWN NY	88.3	PLN	DTVPLN -DTVP0843
23	WFTY-DT	SMITHTOWN NY	88.3	CP	BPCDT -20080613ACJ
23	WNGN-LP	TROY NY	228.4	APP	BDISDTL -20090824ALE
23	WLYH-TV	LANCASTER PA	216.3	LIC	BLCDT -20040922AAC
23	WLYH-TV	LANCASTER PA	216.3	PLN	DTVPLN -DTVP0845
24	WNYE-TV	NEW YORK NY	0.9	CP MOD	BMPEDT -20070124AAH
24	WNYE-TV	NEW YORK NY	0.9	PLN	DTVPLN -DTVP0882
24	WNYE-TV	NEW YORK NY	0.9	LIC	BLEDT -20071228ABM
24	W24CS	READING PA	167.4	CP	BDFCDTT -20060331AXW

Total scenarios = 54

Result key: 524  
Scenario 1 Affected station 39 WDV  
Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP  
HAAT 301.0 m, ATV ERP 7.0 kW  
POPULATION AREA (sq km)  
within Noise Limited Contour 11328585 4913.8  
not affected by terrain losses 11323913 4889.9  
lost to NTSC IX 0 0.0  
lost to additional IX by ATV 4011933 907.6  
lost to ATV IX only 4011933 907.6  
lost to all IX 4011933 907.6

Potential Interfering Stations Included in above Scenario 1

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BMPEDT	20070124AAX	CP

Result key: 525  
Scenario 2 Affected station 39 WDV  
Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP  
HAAT 301.0 m, ATV ERP 7.0 kW  
POPULATION AREA (sq km)  
within Noise Limited Contour 11328585 4913.8  
not affected by terrain losses 11323913 4889.9  
lost to NTSC IX 0 0.0  
lost to additional IX by ATV 4011933 907.6  
lost to ATV IX only 4011933 907.6  
lost to all IX 4011933 907.6

Potential Interfering Stations Included in above Scenario 2

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

Result key: 526  
Scenario 3 Affected station 39 WDV  
Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP  
HAAT 301.0 m, ATV ERP 7.0 kW  
POPULATION AREA (sq km)  
within Noise Limited Contour 11328585 4913.8  
not affected by terrain losses 11323913 4889.9  
lost to NTSC IX 0 0.0  
lost to additional IX by ATV 4011933 907.6  
lost to ATV IX only 4011933 907.6  
lost to all IX 4011933 907.6

Potential Interfering Stations Included in above Scenario 3

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BLEDT	20071228ABM	LIC

Result key: 527  
Scenario 4 Affected station 39 WDV  
Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP

HAAT	301.0 m,	ATV ERP	7.0 kW
		POPULATION	AREA (sq km)
within Noise Limited Contour		11328585	4913.8
not affected by terrain losses		11323913	4889.9
lost to NTSC IX		0	0.0
lost to additional IX by ATV		4011933	907.6
lost to ATV IX only		4011933	907.6
lost to all IX		4011933	907.6

Potential Interfering Stations Included in above Scenario 4

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BMPEDT	20070124AAX	CP

Result key: 528  
 Scenario 5 Affected station 39 WDV B  
 Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP  
 HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4011933	907.6
lost to ATV IX only	4011933	907.6
lost to all IX	4011933	907.6

Potential Interfering Stations Included in above Scenario 5

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

Result key: 529  
 Scenario 6 Affected station 39 WDV B  
 Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP  
 HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4011933	907.6
lost to ATV IX only	4011933	907.6
lost to all IX	4011933	907.6

Potential Interfering Stations Included in above Scenario 6

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BLEDT	20071228ABM	LIC

Result key: 530  
 Scenario 7 Affected station 39 WDV B  
 Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP  
 HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4011933	907.6
lost to ATV IX only	4011933	907.6
lost to all IX	4011933	907.6

Potential Interfering Stations Included in above Scenario 7

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BMPEDT	20070124AAX	CP

Result key: 531  
Scenario 8 Affected station 39 WDV B  
Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP

HAAT 301.0 m, ATV ERP 7.0 kW	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4011933	907.6
lost to ATV IX only	4011933	907.6
lost to all IX	4011933	907.6

Potential Interfering Stations Included in above Scenario 8

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

Result key: 532  
Scenario 9 Affected station 39 WDV B  
Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP

HAAT 301.0 m, ATV ERP 7.0 kW	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4011933	907.6
lost to ATV IX only	4011933	907.6
lost to all IX	4011933	907.6

Potential Interfering Stations Included in above Scenario 9

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BLEDT	20071228ABM	LIC

Result key: 533  
Scenario 10 Affected station 39 WDV B  
Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP

HAAT 301.0 m, ATV ERP 7.0 kW	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4011933	907.6
lost to ATV IX only	4011933	907.6
lost to all IX	4011933	907.6

Potential Interfering Stations Included in above Scenario 10

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BMPEDT	20070124AAX	CP

Result key: 534

Scenario 11 Affected station 39 WDV  
Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP

HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4011933	907.6
lost to ATV IX only	4011933	907.6
lost to all IX	4011933	907.6

Potential Interfering Stations Included in above Scenario 11

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

Result key: 535

Scenario 12 Affected station 39 WDV  
Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP

HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4011933	907.6
lost to ATV IX only	4011933	907.6
lost to all IX	4011933	907.6

Potential Interfering Stations Included in above Scenario 12

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BLEDT	20071228ABM	LIC

Result key: 536

Scenario 13 Affected station 39 WDV  
Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP

HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3956521	840.0
lost to ATV IX only	3956521	840.0
lost to all IX	3956521	840.0

Potential Interfering Stations Included in above Scenario 13

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BMPEDT	20070124AAX	CP

Result key: 537

Scenario 14 Affected station 39 WDV  
Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP

HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9

lost to NTSC IX	0	0.0
lost to additional IX by ATV	3956521	840.0
lost to ATV IX only	3956521	840.0
lost to all IX	3956521	840.0

Potential Interfering Stations Included in above Scenario 14

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

Result key: 538  
 Scenario 15 Affected station 39 WDVb  
 Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP  
 HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3956521	840.0
lost to ATV IX only	3956521	840.0
lost to all IX	3956521	840.0

Potential Interfering Stations Included in above Scenario 15

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BLEDT	20071228ABM	LIC

Result key: 539  
 Scenario 16 Affected station 39 WDVb  
 Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP  
 HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3956521	840.0
lost to ATV IX only	3956521	840.0
lost to all IX	3956521	840.0

Potential Interfering Stations Included in above Scenario 16

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BMPEDT	20070124AAX	CP

Result key: 540  
 Scenario 17 Affected station 39 WDVb  
 Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP  
 HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3956521	840.0
lost to ATV IX only	3956521	840.0
lost to all IX	3956521	840.0

Potential Interfering Stations Included in above Scenario 17

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
------------------	-------	-------------	----



23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

Result key: 541  
 Scenario 18 Affected station 39 WDV  
 Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP  
 HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3956521	840.0
lost to ATV IX only	3956521	840.0
lost to all IX	3956521	840.0

Potential Interfering Stations Included in above Scenario 18

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BLEDT	20071228ABM	LIC

Result key: 542  
 Scenario 19 Affected station 39 WDV  
 Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP  
 HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4061314	909.6
lost to ATV IX only	4061314	909.6
lost to all IX	4061314	909.6

Potential Interfering Stations Included in above Scenario 19

22A NY NEW YORK	BDISDTL	20091118AFX	APP
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BMPEDT	20070124AAX	CP

Result key: 543  
 Scenario 20 Affected station 39 WDV  
 Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP  
 HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4061314	909.6
lost to ATV IX only	4061314	909.6
lost to all IX	4061314	909.6

Potential Interfering Stations Included in above Scenario 20

22A NY NEW YORK	BDISDTL	20091118AFX	APP
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

Result key: 544  
 Scenario 21 Affected station 39 WDV  
 Before Analysis

Results for: 23A NY NEW YORK                      USERRECORD01                      APP

HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4061314	909.6
lost to ATV IX only	4061314	909.6
lost to all IX	4061314	909.6

Potential Interfering Stations Included in above Scenario 21

22A NY NEW YORK	BDISDTL	20091118AFX	APP
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BLEDT	20071228ABM	LIC

Result key: 545  
Scenario 22 Affected station 39 WDV  
Before Analysis

Results for: 23A NY NEW YORK                      USERRECORD01                      APP

HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4061314	909.6
lost to ATV IX only	4061314	909.6
lost to all IX	4061314	909.6

Potential Interfering Stations Included in above Scenario 22

22A NY NEW YORK	BDISDTL	20091118AFX	APP
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BMPEDT	20070124AAX	CP

Result key: 546  
Scenario 23 Affected station 39 WDV  
Before Analysis

Results for: 23A NY NEW YORK                      USERRECORD01                      APP

HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4061314	909.6
lost to ATV IX only	4061314	909.6
lost to all IX	4061314	909.6

Potential Interfering Stations Included in above Scenario 23

22A NY NEW YORK	BDISDTL	20091118AFX	APP
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

Result key: 547  
Scenario 24 Affected station 39 WDV  
Before Analysis

Results for: 23A NY NEW YORK                      USERRECORD01                      APP

HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8

not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4061314	909.6
lost to ATV IX only	4061314	909.6
lost to all IX	4061314	909.6

Potential Interfering Stations Included in above Scenario 24

22A NY NEW YORK	BDISDTL	20091118AFX	APP
23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BLEDT	20071228ABM	LIC

Result key: 548  
 Scenario 25 Affected station 39 WDV  
 Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP

HAAT 301.0 m, ATV ERP 7.0 kW		
	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4061314	909.6
lost to ATV IX only	4061314	909.6
lost to all IX	4061314	909.6

Potential Interfering Stations Included in above Scenario 25

22A NY NEW YORK	BDISDTL	20091118AFX	APP
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BMPEDT	20070124AAX	CP

Result key: 549  
 Scenario 26 Affected station 39 WDV  
 Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP

HAAT 301.0 m, ATV ERP 7.0 kW		
	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4061314	909.6
lost to ATV IX only	4061314	909.6
lost to all IX	4061314	909.6

Potential Interfering Stations Included in above Scenario 26

22A NY NEW YORK	BDISDTL	20091118AFX	APP
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

Result key: 550  
 Scenario 27 Affected station 39 WDV  
 Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP

HAAT 301.0 m, ATV ERP 7.0 kW		
	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4061314	909.6
lost to ATV IX only	4061314	909.6
lost to all IX	4061314	909.6

Potential Interfering Stations Included in above Scenario 27

22A NY NEW YORK	BDISDTL	20091118AFX	APP
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BLEDT	20071228ABM	LIC

Result key: 551  
 Scenario 28 Affected station 39 WDV B  
 Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP

HAAT 301.0 m, ATV ERP 7.0 kW	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4061314	909.6
lost to ATV IX only	4061314	909.6
lost to all IX	4061314	909.6

Potential Interfering Stations Included in above Scenario 28

22A NY NEW YORK	BDISDTL	20091118AFX	APP
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BMPEDT	20070124AAX	CP

Result key: 552  
 Scenario 29 Affected station 39 WDV B  
 Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP

HAAT 301.0 m, ATV ERP 7.0 kW	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4061314	909.6
lost to ATV IX only	4061314	909.6
lost to all IX	4061314	909.6

Potential Interfering Stations Included in above Scenario 29

22A NY NEW YORK	BDISDTL	20091118AFX	APP
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

Result key: 553  
 Scenario 30 Affected station 39 WDV B  
 Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP

HAAT 301.0 m, ATV ERP 7.0 kW	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4061314	909.6
lost to ATV IX only	4061314	909.6
lost to all IX	4061314	909.6

Potential Interfering Stations Included in above Scenario 30

22A NY NEW YORK	BDISDTL	20091118AFX	APP
23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN

23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BLEDT	20071228ABM	LIC

Result key: 554  
Scenario 31 Affected station 39 WDVB  
Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP  
HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4005902	842.0
lost to ATV IX only	4005902	842.0
lost to all IX	4005902	842.0

Potential Interfering Stations Included in above Scenario 31

22A NY NEW YORK	BDISDTL	20091118AFX	APP
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BMPEDT	20070124AAX	CP

Result key: 555  
Scenario 32 Affected station 39 WDVB  
Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP  
HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4005902	842.0
lost to ATV IX only	4005902	842.0
lost to all IX	4005902	842.0

Potential Interfering Stations Included in above Scenario 32

22A NY NEW YORK	BDISDTL	20091118AFX	APP
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

Result key: 556  
Scenario 33 Affected station 39 WDVB  
Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP  
HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4005902	842.0
lost to ATV IX only	4005902	842.0
lost to all IX	4005902	842.0

Potential Interfering Stations Included in above Scenario 33

22A NY NEW YORK	BDISDTL	20091118AFX	APP
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BLEDT	20071228ABM	LIC

Result key: 557  
Scenario 34 Affected station 39 WDVB

# Before Analysis

Results for: 23A NY NEW YORK                      USERRECORD01                      APP  
 HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4005902	842.0
lost to ATV IX only	4005902	842.0
lost to all IX	4005902	842.0

Potential Interfering Stations Included in above Scenario 34

22A NY NEW YORK	BDISDTL	20091118AFX	APP
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BMPEDT	20070124AAX	CP

Result key: 558  
 Scenario 35 Affected station 39 WDVb  
 Before Analysis

Results for: 23A NY NEW YORK                      USERRECORD01                      APP  
 HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4005902	842.0
lost to ATV IX only	4005902	842.0
lost to all IX	4005902	842.0

Potential Interfering Stations Included in above Scenario 35

22A NY NEW YORK	BDISDTL	20091118AFX	APP
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

Result key: 559  
 Scenario 36 Affected station 39 WDVb  
 Before Analysis

Results for: 23A NY NEW YORK                      USERRECORD01                      APP  
 HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4005902	842.0
lost to ATV IX only	4005902	842.0
lost to all IX	4005902	842.0

Potential Interfering Stations Included in above Scenario 36

22A NY NEW YORK	BDISDTL	20091118AFX	APP
23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BLEDT	20071228ABM	LIC

Result key: 560  
 Scenario 37 Affected station 39 WDVb  
 Before Analysis

Results for: 23A NY NEW YORK                      USERRECORD01                      APP  
 HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
--	------------	--------------

within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4011933	907.6
lost to ATV IX only	4011933	907.6
lost to all IX	4011933	907.6

Potential Interfering Stations Included in above Scenario 37

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BMPEDT	20070124AAX	CP

Result key: 561  
 Scenario 38 Affected station 39 WDV  
 Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP

HAAT 301.0 m, ATV ERP 7.0 kW	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4011933	907.6
lost to ATV IX only	4011933	907.6
lost to all IX	4011933	907.6

Potential Interfering Stations Included in above Scenario 38

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

Result key: 562  
 Scenario 39 Affected station 39 WDV  
 Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP

HAAT 301.0 m, ATV ERP 7.0 kW	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4011933	907.6
lost to ATV IX only	4011933	907.6
lost to all IX	4011933	907.6

Potential Interfering Stations Included in above Scenario 39

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BLEDT	20071228ABM	LIC

Result key: 563  
 Scenario 40 Affected station 39 WDV  
 Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP

HAAT 301.0 m, ATV ERP 7.0 kW	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4011933	907.6
lost to ATV IX only	4011933	907.6
lost to all IX	4011933	907.6

Potential Interfering Stations Included in above Scenario 40

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BMPEDT	20070124AAX	CP

Result key: 564  
Scenario 41 Affected station 39 WDV  
Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP

HAAT 301.0 m, ATV ERP 7.0 kW	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4011933	907.6
lost to ATV IX only	4011933	907.6
lost to all IX	4011933	907.6

Potential Interfering Stations Included in above Scenario 41

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

Result key: 565  
Scenario 42 Affected station 39 WDV  
Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP

HAAT 301.0 m, ATV ERP 7.0 kW	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4011933	907.6
lost to ATV IX only	4011933	907.6
lost to all IX	4011933	907.6

Potential Interfering Stations Included in above Scenario 42

23A NY SMITHTOWN	BLCDT	20030113ABS	LIC
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BLEDT	20071228ABM	LIC

Result key: 566  
Scenario 43 Affected station 39 WDV  
Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP

HAAT 301.0 m, ATV ERP 7.0 kW	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4011933	907.6
lost to ATV IX only	4011933	907.6
lost to all IX	4011933	907.6

Potential Interfering Stations Included in above Scenario 43

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BMPEDT	20070124AAX	CP

Result key: 567  
Scenario 44 Affected station 39 WDV  
Before Analysis



Results for: 23A NY NEW YORK                      USERRECORD01                      APP  
 HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4011933	907.6
lost to ATV IX only	4011933	907.6
lost to all IX	4011933	907.6

Potential Interfering Stations Included in above Scenario 44

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

Result key: 568  
 Scenario 45 Affected station 39 WDV B  
 Before Analysis

Results for: 23A NY NEW YORK                      USERRECORD01                      APP  
 HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4011933	907.6
lost to ATV IX only	4011933	907.6
lost to all IX	4011933	907.6

Potential Interfering Stations Included in above Scenario 45

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BLEDT	20071228ABM	LIC

Result key: 569  
 Scenario 46 Affected station 39 WDV B  
 Before Analysis

Results for: 23A NY NEW YORK                      USERRECORD01                      APP  
 HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4011933	907.6
lost to ATV IX only	4011933	907.6
lost to all IX	4011933	907.6

Potential Interfering Stations Included in above Scenario 46

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BMPEDT	20070124AAX	CP

Result key: 570  
 Scenario 47 Affected station 39 WDV B  
 Before Analysis

Results for: 23A NY NEW YORK                      USERRECORD01                      APP  
 HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4011933	907.6

lost to ATV IX only	4011933	907.6
lost to all IX	4011933	907.6

Potential Interfering Stations Included in above Scenario 47

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

Result key: 571  
 Scenario 48 Affected station 39 WDV  
 Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP  
 HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4011933	907.6
lost to ATV IX only	4011933	907.6
lost to all IX	4011933	907.6

Potential Interfering Stations Included in above Scenario 48

23A NY SMITHTOWN	DTVPLN	DTVP0843	PLN
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BLEDT	20071228ABM	LIC

Result key: 572  
 Scenario 49 Affected station 39 WDV  
 Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP  
 HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3956521	840.0
lost to ATV IX only	3956521	840.0
lost to all IX	3956521	840.0

Potential Interfering Stations Included in above Scenario 49

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BMPEDT	20070124AAX	CP

Result key: 573  
 Scenario 50 Affected station 39 WDV  
 Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP  
 HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3956521	840.0
lost to ATV IX only	3956521	840.0
lost to all IX	3956521	840.0

Potential Interfering Stations Included in above Scenario 50

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

Result key: 574  
Scenario 51 Affected station 39 WDV  
Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP  
HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3956521	840.0
lost to ATV IX only	3956521	840.0
lost to all IX	3956521	840.0

Potential Interfering Stations Included in above Scenario 51

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A PA LANCASTER	BLCDT	20040922AAC	LIC
24A NY NEW YORK	BLEDT	20071228ABM	LIC

Result key: 575  
Scenario 52 Affected station 39 WDV  
Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP  
HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3956521	840.0
lost to ATV IX only	3956521	840.0
lost to all IX	3956521	840.0

Potential Interfering Stations Included in above Scenario 52

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BMPEDT	20070124AAX	CP

Result key: 576  
Scenario 53 Affected station 39 WDV  
Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP  
HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3956521	840.0
lost to ATV IX only	3956521	840.0
lost to all IX	3956521	840.0

Potential Interfering Stations Included in above Scenario 53

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	DTVPLN	DTVP0882	PLN

Result key: 577  
Scenario 54 Affected station 39 WDV  
Before Analysis

Results for: 23A NY NEW YORK USERRECORD01 APP  
HAAT 301.0 m, ATV ERP 7.0 kW

	POPULATION	AREA (sq km)
--	------------	--------------

within Noise Limited Contour	11328585	4913.8
not affected by terrain losses	11323913	4889.9
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3956521	840.0
lost to ATV IX only	3956521	840.0
lost to all IX	3956521	840.0

Potential Interfering Stations Included in above Scenario 54

23A NY SMITHTOWN	BPCDT	20080613ACJ	CP
23A PA LANCASTER	DTVPLN	DTVP0845	PLN
24A NY NEW YORK	BLEDT	20071228ABM	LIC

#####

FINISHED FINISHED FINISHED FINISHED FINISHED FINISHED