


AM Directional Pattern



Theo RMS: 347.79 mV/m@1km
Std RMS: 365.913 mV/m@1km
Q: 22.057 mV/m@1km

Standard Horizontal Plane Pattern

— Pattern (mV/m @ 1km)
- - Pattern X10

#	Field Ratio	Phase (deg)	Spacing (deg)	Orient (deg)	Height (deg)	Ref Switch	TL Switch	A (deg)	B (deg)	C (deg)	D (deg)
1	1.000	0.0	0.0	0.0	78.4	0	0	0.0	0.0	0.0	0.0
2	0.711	-151.9	78.4	131.0	78.4	0	0	0.0	0.0	0.0	0.0
3	0.204	92.3	84.7	189.0	78.4	0	0	0.0	0.0	0.0	0.0
4	0.779	164.1	78.4	311.0	78.4	0	0	0.0	0.0	0.0	0.0

EXHIBIT 11 - FIGURE 1
PROPOSED NIGHTTIME
RADIATION PATTERN

prepared October 2008 for
Potomac Radio, LLC
WAGE(AM) Leesburg, Virginia
Facility ID 54876
1190 kHz 50 kW-D 1.3 kW-N DA-2

Cavell, Mertz & Associates, Inc.
Manassas, Virginia