

Searching at ASR 1006761 **Rcr Of Randolph County, Ltd.**

REFERENCE		CH# 291D - 106.1 MHz, Pwr= 0.099 kW DA, HAAT= 302.1 M, COR= 543 M						DISPLAY DATES			
35 58 10.2 N.		Average Protected F(50-50)= 18.0 km						DATA 04-16-18			
79 49 30.5 W.		Standard Directional						SEARCH 04-16-18			
CH CITY	CALL	TYPE STATE	ANT	AZI. <--	DIST FILE #	LAT. LNG.	Pwr(kW) HAAT(M)	INT(km) COR(M)	PRO(km) LICENSEE	*IN* (Overlap in km)	*OUT*
291C1 Knightsdale	WTKK	LIC	C NC	105.3 286.0	121.72 BLH20090601APS	35 40 28.0 78 31 40.0	27.500 489	161.8 567	71.3 Capstar Tx, Lic	-52.0*	15.6
291D Lexington	W291DD	CP	DC NC	307.6 127.4	37.60 BNPFT20170707AAV	36 10 31.7 80 09 24.0	0.250 417	49.9	13.9 Clearcast, Inc.	-15.7*	13.2
291D Greensboro	1776734!	APP	DV NC	0.0 0.0	0.00 BNPFT20180125AFE	35 58 10.2 79 49 30.5	0.099	0.00 530	0.00 Rcr Of Randolph County, Lt	-64.5R	64.5M
289C1 Clemmons	WVBZ	LIC	NCX NC	313.0 132.7	66.60 BLH20110902AAJ	36 22 36.4 80 22 08.6	30.000 472	8.7 794	74.5 Clear Channel Broadcasting	54.8	-7.9*
291L1 Mount Zion	WEJM-LP	LIC		38.6 218.7	16.60 BLL20060215AAL	36 05 10.0 79 42 35.0	0.100 21	255	M&m Community Development,	-3.9*	1.2
290D Siler City	1777126	APP	C NC	131.1 311.3	39.90 BNPFT20180130AAT	35 43 59.0 79 29 32.0	0.250 237	13.2	7.5 Chatham Broadcasting Co.,	12.4	8.8
293C1 Salisbury	WEND	LIC	CN NC	240.2 59.7	83.86 BLH19990302KD	35 35 32.0 80 37 44.0	84.000 319	10.1 552	72.7 Capstar Tx, Lic	59.7	10.8
291C2 Waxhaw	WOLS	LIC	NCX NC	216.3 35.7	149.16 BLH20081014ADN	34 53 01.0 80 47 37.0	21.000 188	120.8 358	46.7 Ghb Of Waxhaw, Inc.	11.6	50.0
292D Burlington	W292FF	CP	DV NC	54.4 234.6	33.32 BNPFT20171201AMX	36 08 36.5 79 31 25.0	0.220 335	11.4	6.8 Truth Broadcasting Corpora	18.4	22.1
290D Burlington	W290CX	LIC	C NC	64.5 244.7	37.36 BLFT20160727ADJ	36 06 48.0 79 27 01.0	0.250 260	12.0	8.1 Gray Broadcasting, Lic	20.1	25.7
294C2 Semora	WKVK	LIC	CX NC	48.3 228.6	75.33 BMLED20150130ADO	36 25 07.0 79 11 49.0	50.000 150	5.9 315	51.3 Educational Media Foundati	66.1	23.3

Terrain database is USGS 03 SEC, R= 73.215 qualifying spacings or FCC minimum spacings in KM, M= Margin in KM
 In & Out distances between contours are shown at closest points. Reference Zone= East Zone, Co to 3rd adjacent.
 All separation margins (if shown) include rounding. Call signs with exclamation marks need not be protected.
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, _= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)
 "*"affixed to 'IN' or 'OUT' values = site inside restricted contour.

Short space to WVBZ will be addressed with the use of Section 74.1204(d).

Bromo Communications, Inc.