

EXHIBIT 28.0

CONTOUR PROTECTION TOWARDS KMXF (max facilities)




EXHIBIT 28.0

CONTOUR PROTECTION TOWARDS KMXF (max facilities)

10-30-2001 30 Sec. Terrain Data

KHST
Channel = 269C3
Max ERP = 22 kW
RCAMSL = 393 M
N. Lat = 37 25 27
W. Lng = 94 16 11

KMXF (max facilities)
Channel = 270C2
Max ERP = 50 kW
RCAMSL = 553 M
N. Lat = 36 26 28
W. Lng = 93 58 22

Protected
60 dBu

Interfering
54 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
160.0	022.0000	0096.0	037.4	349.6	050.0000	0118.2	075.2	53.3
161.0	022.0000	0096.4	037.5	349.1	050.0000	0121.3	075.1	53.6
162.0	022.0000	0096.6	037.5	348.6	050.0000	0121.3	074.9	53.6
163.0	022.0000	0096.7	037.5	348.1	050.0000	0124.4	074.8	53.8
164.0	022.0000	0096.7	037.5	347.6	050.0000	0124.4	074.8	53.8
165.0	022.0000	0096.6	037.5	347.1	050.0000	0125.9	074.8	53.9
166.0	022.0000	0096.5	037.5	346.6	050.0000	0125.9	074.8	53.9
167.0	022.0000	0096.6	037.5	346.1	050.0000	0125.0	074.8	53.8
168.0	022.0000	0096.8	037.5	345.6	050.0000	0125.0	074.8	53.8
169.0	022.0000	0097.0	037.6	345.1	050.0000	0123.1	074.8	53.7
170.0	022.0000	0097.2	037.6	344.6	050.0000	0123.1	074.8	53.7
171.0	022.0000	0097.3	037.6	344.1	050.0000	0122.4	074.8	53.7
172.0	022.0000	0097.3	037.6	343.6	050.0000	0122.4	074.9	53.6
173.0	022.0000	0097.5	037.6	343.1	050.0000	0122.7	075.0	53.6
174.0	022.0000	0097.7	037.7	342.7	050.0000	0122.7	075.1	53.6
175.0	022.0000	0098.0	037.7	342.2	050.0000	0124.0	075.2	53.6
176.0	022.0000	0098.2	037.8	341.7	050.0000	0124.0	075.3	53.6
177.0	022.0000	0098.5	037.8	341.2	050.0000	0127.3	075.4	53.7
178.0	022.0000	0098.9	037.9	340.7	050.0000	0127.3	075.5	53.7
179.0	022.0000	0099.4	038.0	340.2	050.0000	0131.8	075.7	53.9
180.0	022.0000	0099.7	038.0	339.7	050.0000	0131.8	075.9	53.8
181.0	022.0000	0100.1	038.1	339.2	050.0000	0136.3	076.0	54.0
182.0	022.0000	0100.4	038.1	338.8	050.0000	0136.3	076.3	53.9
183.0	022.0000	0100.4	038.1	338.3	050.0000	0139.1	076.5	54.0
184.0	022.0000	0100.5	038.1	337.9	050.0000	0139.1	076.8	53.9
185.0	022.0000	0100.9	038.2	337.4	050.0000	0140.8	077.0	53.9
186.0	022.0000	0101.3	038.3	336.9	050.0000	0140.8	077.3	53.8
187.0	022.0000	0101.5	038.3	336.5	050.0000	0140.8	077.6	53.7
188.0	022.0000	0101.9	038.4	336.1	050.0000	0142.5	077.9	53.7
189.0	022.0000	0102.6	038.5	335.6	050.0000	0142.5	078.2	53.6
190.0	022.0000	0103.3	038.6	335.2	050.0000	0144.2	078.5	53.6
191.0	022.0000	0104.0	038.7	334.7	050.0000	0144.2	078.8	53.5
192.0	022.0000	0104.9	038.8	334.3	050.0000	0145.6	079.1	53.5
193.0	022.0000	0105.8	039.0	333.8	050.0000	0145.6	079.4	53.4
194.0	022.0000	0106.6	039.1	333.4	050.0000	0146.8	079.7	53.4
195.0	022.0000	0107.3	039.2	333.0	050.0000	0146.8	080.1	53.2
196.0	022.0000	0108.0	039.3	332.6	050.0000	0146.8	080.5	53.1

EXHIBIT 28.0

CONTOUR PROTECTION TOWARDS KMXF (max facilities)

10-30-2001 30 Sec. Terrain Data

KMXF (max facilities)KA

Channel = 270C2

Max ERP = 50 kW

RCAMSL = 553 M

N. Lat = 36 26 28

W. Lng = 93 58 22

KHST

Channel = 269C3

Max ERP = 22 kW

RCAMSL = 393 M

N. Lat = 37 25 27

W. Lng = 94 16 11

Protected
60 dBu

Interfering
54 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
335.0	050.0000	0144.2	051.4	175.7	022.0000	0098.2	062.7	52.5
336.0	050.0000	0142.5	051.2	174.9	022.0000	0098.0	062.6	52.5
337.0	050.0000	0140.8	050.9	174.1	022.0000	0097.7	062.5	52.5
338.0	050.0000	0139.1	050.7	173.2	022.0000	0097.5	062.5	52.5
339.0	050.0000	0136.3	050.3	172.3	022.0000	0097.3	062.7	52.4
340.0	050.0000	0131.8	049.7	171.4	022.0000	0097.3	063.1	52.3
341.0	050.0000	0127.3	049.0	170.6	022.0000	0097.3	063.6	52.1
342.0	050.0000	0124.0	048.5	169.8	022.0000	0097.2	063.9	52.0
343.0	050.0000	0122.7	048.4	169.0	022.0000	0097.0	064.0	52.0
344.0	050.0000	0122.4	048.3	168.2	022.0000	0096.8	064.0	52.0
345.0	050.0000	0123.1	048.4	167.5	022.0000	0096.6	063.8	52.0
346.0	050.0000	0125.0	048.7	166.7	022.0000	0096.6	063.5	52.1
347.0	050.0000	0125.9	048.8	166.0	022.0000	0096.5	063.4	52.1
348.0	050.0000	0124.4	048.6	165.2	022.0000	0096.6	063.7	52.1
349.0	050.0000	0121.3	048.2	164.5	022.0000	0096.7	064.2	51.9
350.0	050.0000	0118.2	047.7	163.8	022.0000	0096.7	064.7	51.8
351.0	050.0000	0115.1	047.2	163.1	022.0000	0096.7	065.3	51.6
352.0	050.0000	0111.5	046.7	162.5	022.0000	0096.6	065.9	51.4
353.0	050.0000	0108.0	046.1	161.8	022.0000	0096.6	066.6	51.2
354.0	050.0000	0105.6	045.7	161.2	022.0000	0096.4	067.2	51.0
355.0	050.0000	0104.1	045.5	160.6	022.0000	0096.4	067.6	50.9
356.0	050.0000	0103.8	045.4	160.0	022.0000	0096.0	067.9	50.8
357.0	050.0000	0103.8	045.4	159.4	022.0000	0095.5	068.1	50.7
358.0	050.0000	0104.2	045.5	158.7	022.0000	0095.5	068.3	50.6
359.0	050.0000	0103.8	045.4	158.1	022.0000	0094.8	068.6	50.5
000.0	050.0000	0102.6	045.2	157.6	022.0000	0094.8	069.1	50.3
001.0	050.0000	0101.6	045.0	157.0	022.0000	0093.9	069.6	50.1
002.0	050.0000	0100.6	044.9	156.5	022.0000	0093.0	070.1	49.9
003.0	050.0000	0100.0	044.8	156.0	022.0000	0093.0	070.5	49.8
004.0	050.0000	0100.1	044.8	155.4	022.0000	0092.3	070.9	49.7
005.0	050.0000	0101.0	044.9	154.8	022.0000	0092.3	071.1	49.6
006.0	050.0000	0102.5	045.2	154.1	022.0000	0091.9	071.3	49.5
007.0	050.0000	0103.5	045.4	153.5	022.0000	0091.9	071.6	49.4
008.0	050.0000	0104.5	045.5	152.9	022.0000	0091.6	071.9	49.3
009.0	050.0000	0104.4	045.5	152.4	022.0000	0091.4	072.4	49.2
010.0	050.0000	0103.5	045.4	152.0	022.0000	0091.4	073.0	49.0

MUNN-REESE, INC.

Broadcast Engineering Consultants
Coldwater, MI 49036