

Exhibit - 18f

KHEC- KDOB- FMOver

06-29-2015

Terrain Data: FCC NGDC 30 Sec

FMOver Analysis

KHEC

KDOB BLED20130513ADJ

Channel = 216A
Max ERP = 0.125 kW
RCAMSL = 119.46 M
N. Lat. 41 45 26.0
W. Lng. 124 12 02.8
Protected
60 dBu

Channel = 218A
Max ERP = 0.43 kW
RCAMSL = 549 M
N. Lat. 42 07 23.0
W. Lng. 124 17 56.0
Interfering
100 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)	IX (km)
289.0	000.1250	0119.4	011.8	184.7	000.4300	0524.7	037.0	60.23	
290.0	000.1250	0119.3	011.8	184.7	000.4300	0524.6	036.8	60.32	
291.0	000.1250	0119.3	011.8	184.6	000.4300	0524.5	036.6	60.40	
292.0	000.1250	0119.3	011.8	184.5	000.4300	0524.4	036.4	60.49	
293.0	000.1250	0119.2	011.8	184.4	000.4300	0524.3	036.2	60.57	
294.0	000.1250	0119.2	011.8	184.2	000.4300	0524.1	036.0	60.65	
295.0	000.1250	0119.1	011.8	184.1	000.4300	0524.0	035.8	60.74	
296.0	000.1250	0119.1	011.8	184.0	000.4300	0523.9	035.6	60.82	
297.0	000.1250	0119.0	011.8	183.9	000.4300	0523.8	035.4	60.90	
298.0	000.1250	0119.0	011.8	183.7	000.4300	0523.6	035.2	60.98	
299.0	000.1250	0118.9	011.8	183.6	000.4300	0523.5	035.0	61.06	
300.0	000.1250	0118.9	011.8	183.4	000.4300	0523.3	034.8	61.14	
301.0	000.1250	0118.9	011.8	183.3	000.4300	0523.2	034.7	61.22	
302.0	000.1250	0118.8	011.8	183.1	000.4300	0523.0	034.5	61.30	
303.0	000.1250	0118.8	011.8	183.0	000.4300	0522.8	034.3	61.38	
304.0	000.1250	0118.8	011.8	182.8	000.4300	0522.6	034.1	61.45	
305.0	000.1250	0118.8	011.8	182.6	000.4300	0522.4	033.9	61.53	
306.0	000.1250	0118.8	011.8	182.4	000.4300	0522.2	033.8	61.60	
307.0	000.1250	0118.8	011.8	182.2	000.4300	0522.0	033.6	61.68	
308.0	000.1250	0118.8	011.8	182.0	000.4300	0521.8	033.4	61.75	
309.0	000.1250	0118.8	011.8	181.8	000.4300	0521.6	033.3	61.82	
310.0	000.1250	0118.8	011.8	181.6	000.4300	0521.4	033.1	61.89	
311.0	000.1250	0118.8	011.8	181.4	000.4300	0521.1	032.9	61.96	
312.0	000.1250	0118.9	011.8	181.1	000.4300	0521.0	032.8	62.03	
313.0	000.1250	0119.0	011.8	180.9	000.4300	0520.8	032.6	62.10	
314.0	000.1250	0119.0	011.8	180.7	000.4300	0520.5	032.5	62.17	
315.0	000.1250	0119.1	011.8	180.4	000.4300	0520.1	032.3	62.23	
316.0	000.1250	0119.2	011.8	180.1	000.4300	0519.7	032.2	62.29	
317.0	000.1250	0119.3	011.8	179.9	000.4300	0519.3	032.0	62.35	
318.0	000.1250	0119.3	011.8	179.6	000.4300	0518.9	031.9	62.41	
319.0	000.1250	0119.4	011.8	179.3	000.4300	0518.4	031.8	62.46	
320.0	000.1250	0119.4	011.8	179.1	000.4300	0518.0	031.6	62.52	
321.0	000.1250	0119.4	011.8	178.8	000.4300	0517.5	031.5	62.57	
322.0	000.1250	0119.4	011.8	178.5	000.4300	0517.0	031.4	62.63	
323.0	000.1250	0119.5	011.8	178.2	000.4300	0516.5	031.2	62.68	
324.0	000.1250	0119.5	011.8	177.8	000.4300	0516.0	031.1	62.73	
325.0	000.1250	0119.5	011.8	177.5	000.4300	0515.4	031.0	62.77	
326.0	000.1250	0119.5	011.8	177.2	000.4300	0514.9	030.9	62.82	
327.0	000.1250	0119.5	011.8	176.9	000.4300	0514.3	030.8	62.86	
328.0	000.1250	0119.5	011.8	176.5	000.4300	0513.8	030.7	62.90	
329.0	000.1250	0119.5	011.8	176.2	000.4300	0513.2	030.6	62.94	
330.0	000.1250	0119.5	011.8	175.8	000.4300	0512.6	030.5	62.98	
331.0	000.1250	0119.5	011.8	175.5	000.4300	0512.0	030.4	63.02	

KHEC- KDOB- FMOver. txt

332.0	000.1250	0119.5	011.8	175.1	000.4300	0511.4	030.3	63.05
333.0	000.1250	0119.5	011.8	174.8	000.4300	0510.9	030.3	63.08
334.0	000.1250	0119.5	011.8	174.4	000.4300	0510.4	030.2	63.11
335.0	000.1250	0119.5	011.8	174.0	000.4300	0509.8	030.1	63.14
336.0	000.1250	0119.5	011.8	173.7	000.4300	0509.2	030.0	63.16
337.0	000.1250	0119.5	011.8	173.3	000.4300	0508.6	030.0	63.19
338.0	000.1250	0119.5	011.8	172.9	000.4300	0508.1	029.9	63.21
339.0	000.1250	0119.5	011.8	172.5	000.4300	0507.4	029.9	63.22
340.0	000.1250	0119.5	011.8	172.1	000.4300	0506.7	029.8	63.24
341.0	000.1250	0119.5	011.8	171.8	000.4300	0505.8	029.8	63.24
342.0	000.1250	0119.5	011.8	171.4	000.4300	0504.9	029.8	63.25
343.0	000.1250	0119.5	011.8	171.0	000.4300	0504.0	029.7	63.25
344.0	000.1250	0119.5	011.8	170.6	000.4300	0503.1	029.7	63.25
345.0	000.1250	0119.5	011.8	170.2	000.4300	0502.2	029.7	63.24
346.0	000.1250	0119.5	011.8	169.8	000.4300	0501.2	029.7	63.23
347.0	000.1250	0119.5	011.8	169.4	000.4300	0500.3	029.7	63.22
348.0	000.1250	0119.5	011.8	169.0	000.4300	0499.3	029.6	63.21
349.0	000.1250	0119.5	011.8	168.6	000.4300	0498.3	029.6	63.19
350.0	000.1250	0119.4	011.8	168.2	000.4300	0497.3	029.6	63.17
351.0	000.1250	0119.4	011.8	167.8	000.4300	0496.3	029.7	63.15
352.0	000.1250	0119.3	011.8	167.4	000.4300	0495.3	029.7	63.12
353.0	000.1250	0119.2	011.8	167.0	000.4300	0494.2	029.7	63.09
354.0	000.1250	0119.0	011.8	166.6	000.4300	0493.1	029.7	63.05
355.0	000.1250	0118.6	011.8	166.2	000.4300	0492.0	029.8	63.01
356.0	000.1250	0117.8	011.8	165.8	000.4300	0490.9	029.8	62.95
357.0	000.1250	0116.2	011.7	165.5	000.4300	0489.9	030.0	62.87
358.0	000.1250	0112.6	011.5	165.2	000.4300	0489.0	030.2	62.74
359.0	000.1250	0108.0	011.3	164.9	000.4300	0488.3	030.4	62.59
000.0	000.1250	0103.4	011.1	164.7	000.4300	0487.7	030.7	62.43
001.0	000.1250	0101.3	011.0	164.4	000.4300	0486.9	030.9	62.34
002.0	000.1250	0100.6	010.9	164.0	000.4300	0486.2	030.9	62.28
003.0	000.1250	0100.1	010.9	163.7	000.4300	0485.6	031.0	62.22
004.0	000.1250	0100.5	010.9	163.4	000.4300	0484.9	031.1	62.19
005.0	000.1250	0100.8	010.9	163.0	000.4300	0484.4	031.1	62.15
006.0	000.1250	0099.9	010.9	162.8	000.4300	0484.0	031.3	62.08
007.0	000.1250	0097.3	010.7	162.5	000.4300	0483.7	031.4	61.98
008.0	000.1250	0094.2	010.6	162.4	000.4300	0483.5	031.7	61.86
009.0	000.1250	0091.9	010.5	162.2	000.4300	0483.3	031.9	61.77
010.0	000.1250	0090.0	010.4	162.0	000.4300	0483.1	032.0	61.68
011.0	000.1250	0088.3	010.3	161.8	000.4300	0482.8	032.2	61.59
012.0	000.1250	0087.2	010.2	161.5	000.4300	0482.6	032.4	61.52
013.0	000.1250	0086.2	010.1	161.3	000.4300	0482.4	032.5	61.45
014.0	000.1250	0085.3	010.1	161.1	000.4300	0482.1	032.6	61.38
015.0	000.1250	0084.7	010.1	160.9	000.4300	0481.8	032.8	61.32
016.0	000.1250	0084.2	010.0	160.7	000.4300	0481.4	032.9	61.25
017.0	000.1250	0083.6	010.0	160.4	000.4300	0481.0	033.0	61.18
018.0	000.1250	0082.8	009.9	160.3	000.4300	0480.7	033.2	61.11
019.0	000.1250	0081.7	009.9	160.1	000.4300	0480.3	033.3	61.03
020.0	000.1250	0080.6	009.8	159.9	000.4300	0479.9	033.5	60.95
021.0	000.1250	0078.8	009.7	159.8	000.4300	0479.6	033.7	60.85
022.0	000.1250	0075.6	009.5	159.8	000.4300	0479.6	033.9	60.74
023.0	000.1250	0072.1	009.3	159.9	000.4300	0479.7	034.2	60.61
024.0	000.1250	0067.9	009.0	160.0	000.4300	0480.1	034.5	60.48
025.0	000.1250	0063.5	008.7	160.2	000.4300	0480.5	034.8	60.34
026.0	000.1250	0060.0	008.5	160.3	000.4300	0480.7	035.1	60.22
027.0	000.1250	0058.0	008.4	160.3	000.4300	0480.7	035.3	60.13
028.0	000.1250	0056.5	008.2	160.2	000.4300	0480.6	035.5	60.04
029.0	000.1250	0055.0	008.1	160.2	000.4300	0480.6	035.7	59.95
030.0	000.1250	0053.1	007.9	160.3	000.4300	0480.7	035.9	59.86
031.0	000.1250	0047.9	007.5	160.7	000.4300	0481.5	036.3	59.70
032.0	000.1250	0041.0	006.9	161.3	000.4300	0482.4	036.8	59.50
033.0	000.1250	0034.4	006.3	161.9	000.4300	0483.0	037.2	59.32
034.0	000.1250	0028.1	006.0	162.2	000.4300	0483.3	037.5	59.18

KHEC- KDOB- FMOver. txt									
035.0	000.1250	0022.0	006.0	162.1	000.4300	0483.2	037.6	59.15	
036.0	000.1250	0016.9	006.0	162.0	000.4300	0483.1	037.7	59.11	
037.0	000.1250	0013.0	006.0	161.9	000.4300	0483.0	037.8	59.07	
038.0	000.1250	0009.3	006.0	161.8	000.4300	0482.9	037.9	59.03	
039.0	000.1250	0004.1	006.0	161.8	000.4300	0482.8	037.9	58.99	
040.0	000.1250	-0002.8	006.0	161.7	000.4300	0482.8	038.0	58.95	
041.0	000.1250	-0010.8	006.0	161.6	000.4300	0482.7	038.1	58.91	
042.0	000.1250	-0018.3	006.0	161.5	000.4300	0482.6	038.2	58.87	
043.0	000.1250	-0023.4	006.0	161.4	000.4300	0482.5	038.3	58.83	
044.0	000.1250	-0024.2	006.0	161.4	000.4300	0482.5	038.4	58.79	
045.0	000.1250	-0022.5	006.0	161.3	000.4300	0482.4	038.5	58.74	
046.0	000.1250	-0021.4	006.0	161.2	000.4300	0482.3	038.6	58.70	
047.0	000.1250	-0022.7	006.0	161.2	000.4300	0482.2	038.7	58.66	
048.0	000.1250	-0025.3	006.0	161.1	000.4300	0482.1	038.8	58.62	

06-29-2015 Terrain Data: FCC NGDC 30 Sec FMOver Analysis

KDOB BLED20130513ADJ

KHEC

Channel = 218A
Max ERP = 0.43 kW
RCAMSL = 549 M
N. Lat. 42 07 23.0
W. Lng. 124 17 56.0
Protected
60 dBu

Channel = 216A
Max ERP = 0.125 kW
RCAMSL = 119.46 M
N. Lat. 41 45 26.0
W. Lng. 124 12 02.8
Interfering
100 dBu

Azi muth (degrees)	ERP (kW)	HAAT (m)	Di st (km)	Azi muth (degrees)	ERP (kW)	HAAT (m)	Di st (km)	Actual (dBu)	IX (km)
109.0	000.4300	0325.1	026.6	028.1	000.1250	0056.3	036.3	35.63	
110.0	000.4300	0333.7	027.0	028.8	000.1250	0055.3	035.8	35.65	
111.0	000.4300	0342.2	027.3	029.5	000.1250	0054.4	035.4	35.68	
112.0	000.4300	0352.9	027.8	030.3	000.1250	0051.9	035.0	35.47	
113.0	000.4300	0363.6	028.2	031.1	000.1250	0047.6	034.6	34.89	
114.0	000.4300	0374.7	028.6	031.9	000.1250	0041.9	034.2	34.01	
115.0	000.4300	0382.5	028.9	032.4	000.1250	0038.1	033.7	33.43	
116.0	000.4300	0384.0	028.9	032.6	000.1250	0036.9	033.2	33.38	
117.0	000.4300	0378.9	028.8	032.4	000.1250	0038.3	032.7	33.87	
118.0	000.4300	0367.4	028.3	031.7	000.1250	0042.7	032.2	34.98	
119.0	000.4300	0354.9	027.9	030.9	000.1250	0048.4	031.6	36.28	
120.0	000.4300	0344.0	027.4	030.1	000.1250	0052.5	031.2	37.22	
121.0	000.4300	0334.8	027.0	029.4	000.1250	0054.5	030.7	37.76	
122.0	000.4300	0328.8	026.8	028.9	000.1250	0055.1	030.2	38.09	
123.0	000.4300	0326.5	026.7	028.7	000.1250	0055.4	029.8	38.39	
124.0	000.4300	0325.8	026.7	028.6	000.1250	0055.6	029.3	38.67	
125.0	000.4300	0326.0	026.7	028.5	000.1250	0055.7	028.8	38.94	
126.0	000.4300	0328.0	026.8	028.5	000.1250	0055.6	028.4	39.21	
127.0	000.4300	0331.3	026.9	028.7	000.1250	0055.5	027.9	39.48	
128.0	000.4300	0337.0	027.1	029.0	000.1250	0055.0	027.4	39.72	
129.0	000.4300	0342.7	027.4	029.3	000.1250	0054.7	026.9	39.99	
130.0	000.4300	0348.4	027.6	029.6	000.1250	0054.2	026.4	40.25	
131.0	000.4300	0354.0	027.8	029.9	000.1250	0053.5	025.8	40.48	
132.0	000.4300	0358.8	028.0	030.1	000.1250	0052.7	025.3	40.71	
133.0	000.4300	0364.7	028.2	030.4	000.1250	0051.5	024.8	40.87	
134.0	000.4300	0373.1	028.6	030.8	000.1250	0048.9	024.2	40.81	
135.0	000.4300	0383.0	028.9	031.3	000.1250	0045.8	023.7	40.62	
136.0	000.4300	0391.6	029.2	031.7	000.1250	0042.7	023.1	40.40	
137.0	000.4300	0398.0	029.4	031.9	000.1250	0041.4	022.6	40.53	

KHEC- KDOB- FMOver. txt

138.0	000.4300	0401.0	029.5	031.8	000.1250	0042.2	022.0	41.09
139.0	000.4300	0399.5	029.4	031.3	000.1250	0046.2	021.6	42.30
140.0	000.4300	0392.8	029.2	030.3	000.1250	0051.9	021.2	43.71
141.0	000.4300	0381.2	028.8	028.8	000.1250	0055.3	020.8	44.56
142.0	000.4300	0364.6	028.2	026.7	000.1250	0058.5	020.6	45.21
143.0	000.4300	0347.6	027.6	024.4	000.1250	0065.9	020.5	46.26
144.0	000.4300	0334.1	027.0	022.4	000.1250	0074.1	020.3	47.35
145.0	000.4300	0326.3	026.7	021.0	000.1250	0078.9	020.1	48.08
146.0	000.4300	0324.9	026.6	020.1	000.1250	0080.5	019.8	48.54
147.0	000.4300	0330.3	026.9	019.8	000.1250	0080.9	019.3	49.00
148.0	000.4300	0343.0	027.4	020.1	000.1250	0080.5	018.6	49.52
149.0	000.4300	0360.8	028.1	020.9	000.1250	0078.9	017.8	50.04
150.0	000.4300	0380.8	028.8	021.8	000.1250	0076.2	016.9	50.45
151.0	000.4300	0399.7	029.5	022.5	000.1250	0073.9	016.1	50.88
152.0	000.4300	0415.4	030.0	022.8	000.1250	0072.8	015.4	51.40
153.0	000.4300	0429.1	030.5	022.9	000.1250	0072.3	014.7	51.86
154.0	000.4300	0440.7	030.9	022.8	000.1250	0072.7	014.0	52.74
155.0	000.4300	0451.1	031.3	022.5	000.1250	0073.9	013.3	53.74
156.0	000.4300	0459.7	031.6	021.9	000.1250	0076.0	012.7	54.85
157.0	000.4300	0466.7	031.9	020.9	000.1250	0078.9	012.1	56.03
158.0	000.4300	0472.3	032.1	019.7	000.1250	0081.0	011.6	57.08
159.0	000.4300	0476.8	032.3	018.1	000.1250	0082.7	011.1	58.05
160.0	000.4300	0480.1	032.4	016.1	000.1250	0084.1	010.6	58.95
161.0	000.4300	0482.0	032.5	013.8	000.1250	0085.5	010.3	59.74
162.0	000.4300	0483.1	032.5	011.2	000.1250	0088.1	009.9	60.57
163.0	000.4300	0484.3	032.6	008.4	000.1250	0093.4	009.6	61.62
164.0	000.4300	0486.1	032.6	005.4	000.1250	0100.8	009.3	62.82
165.0	000.4300	0488.6	032.7	002.2	000.1250	0100.5	009.0	63.32
166.0	000.4300	0491.4	032.9	358.8	000.1250	0108.8	008.8	64.51
167.0	000.4300	0494.2	033.0	355.2	000.1250	0118.4	008.6	65.66
168.0	000.4300	0496.8	033.1	351.4	000.1250	0119.4	008.4	66.05
169.0	000.4300	0499.3	033.2	347.5	000.1250	0119.5	008.3	66.28
170.0	000.4300	0501.7	033.3	343.4	000.1250	0119.5	008.2	66.39
171.0	000.4300	0504.1	033.4	339.3	000.1250	0119.5	008.2	66.40
172.0	000.4300	0506.4	033.5	335.3	000.1250	0119.5	008.3	66.29
173.0	000.4300	0508.2	033.5	331.3	000.1250	0119.5	008.4	66.04
174.0	000.4300	0509.7	033.6	327.5	000.1250	0119.5	008.6	65.67
175.0	000.4300	0511.2	033.7	324.0	000.1250	0119.5	008.8	65.22
176.0	000.4300	0512.8	033.7	320.6	000.1250	0119.4	009.1	64.70
177.0	000.4300	0514.6	033.8	317.4	000.1250	0119.3	009.4	64.11
178.0	000.4300	0516.2	033.9	314.5	000.1250	0119.1	009.7	63.46
179.0	000.4300	0517.9	033.9	311.8	000.1250	0118.9	010.1	62.78
180.0	000.4300	0519.5	034.0	309.4	000.1250	0118.8	010.5	62.07
181.0	000.4300	0520.9	034.1	307.2	000.1250	0118.8	011.0	61.34
182.0	000.4300	0521.8	034.1	305.3	000.1250	0118.8	011.4	60.59
183.0	000.4300	0522.9	034.1	303.6	000.1250	0118.8	011.9	59.84
184.0	000.4300	0523.9	034.2	302.0	000.1250	0118.8	012.4	59.11
185.0	000.4300	0524.9	034.2	300.7	000.1250	0118.9	012.9	58.39
186.0	000.4300	0525.9	034.3	299.4	000.1250	0118.9	013.4	57.69
187.0	000.4300	0526.9	034.3	298.3	000.1250	0119.0	014.0	57.02
188.0	000.4300	0527.9	034.3	297.3	000.1250	0119.0	014.5	56.38
189.0	000.4300	0528.8	034.4	296.4	000.1250	0119.1	015.1	55.92
190.0	000.4300	0529.8	034.4	295.7	000.1250	0119.1	015.7	55.45
191.0	000.4300	0530.6	034.5	295.0	000.1250	0119.1	016.2	54.97
192.0	000.4300	0531.4	034.5	294.4	000.1250	0119.2	016.8	54.49
193.0	000.4300	0532.2	034.5	293.9	000.1250	0119.2	017.4	54.01
194.0	000.4300	0532.8	034.6	293.5	000.1250	0119.2	018.0	53.53
195.0	000.4300	0533.3	034.6	293.1	000.1250	0119.2	018.6	53.05
196.0	000.4300	0533.8	034.6	292.8	000.1250	0119.2	019.2	52.57
197.0	000.4300	0534.4	034.6	292.6	000.1250	0119.2	019.8	52.09
198.0	000.4300	0535.0	034.6	292.3	000.1250	0119.2	020.4	51.62
199.0	000.4300	0535.7	034.7	292.2	000.1250	0119.3	021.0	51.15
200.0	000.4300	0536.3	034.7	292.0	000.1250	0119.3	021.6	50.68

KHEC- KDOB- FMOver. txt									
201.0	000.4300	0537.0	034.7	291.9	000.1250	0119.3	022.2	50.22	
202.0	000.4300	0537.4	034.7	291.8	000.1250	0119.3	022.8	49.76	
203.0	000.4300	0537.7	034.8	291.8	000.1250	0119.3	023.4	49.31	
204.0	000.4300	0537.8	034.8	291.9	000.1250	0119.3	024.0	48.87	
205.0	000.4300	0537.8	034.8	291.9	000.1250	0119.3	024.6	48.43	
206.0	000.4300	0537.8	034.8	292.0	000.1250	0119.3	025.2	48.01	
207.0	000.4300	0537.7	034.8	292.1	000.1250	0119.3	025.8	47.59	
208.0	000.4300	0537.6	034.8	292.3	000.1250	0119.2	026.4	47.18	
209.0	000.4300	0537.5	034.7	292.4	000.1250	0119.2	027.0	46.78	
210.0	000.4300	0537.3	034.7	292.6	000.1250	0119.2	027.6	46.39	
211.0	000.4300	0537.2	034.7	292.8	000.1250	0119.2	028.2	46.01	
212.0	000.4300	0537.1	034.7	293.0	000.1250	0119.2	028.8	45.65	
213.0	000.4300	0537.0	034.7	293.2	000.1250	0119.2	029.4	45.29	
214.0	000.4300	0536.9	034.7	293.4	000.1250	0119.2	030.0	44.95	
215.0	000.4300	0536.8	034.7	293.6	000.1250	0119.2	030.6	44.62	
216.0	000.4300	0536.8	034.7	293.8	000.1250	0119.2	031.2	44.30	
217.0	000.4300	0536.9	034.7	294.1	000.1250	0119.2	031.8	43.99	
218.0	000.4300	0537.0	034.7	294.3	000.1250	0119.2	032.4	43.69	
219.0	000.4300	0537.2	034.7	294.6	000.1250	0119.1	033.0	43.40	
220.0	000.4300	0537.6	034.8	294.8	000.1250	0119.1	033.6	43.11	
221.0	000.4300	0538.1	034.8	295.1	000.1250	0119.1	034.1	42.83	
222.0	000.4300	0538.6	034.8	295.3	000.1250	0119.1	034.7	42.55	
223.0	000.4300	0539.1	034.8	295.6	000.1250	0119.1	035.3	42.27	
224.0	000.4300	0539.6	034.8	295.8	000.1250	0119.1	035.9	41.99	
225.0	000.4300	0540.1	034.9	296.1	000.1250	0119.1	036.5	41.72	
226.0	000.4300	0540.4	034.9	296.4	000.1250	0119.1	037.1	41.45	
227.0	000.4300	0540.6	034.9	296.7	000.1250	0119.0	037.6	41.19	
228.0	000.4300	0540.7	034.9	297.0	000.1250	0119.0	038.2	40.93	