



ORIGINAL

1300 NORTH 17th STREET, 11th FLOOR
ARLINGTON, VIRGINIA 22209

OFFICE: (703) 812-0400
FAX: (703) 812-0486
www.fhhlaw.com
www.commlawblog.com

January 31, 2020

MARK N. LIPP
703-812-0445
LIPP@FHHLAW.COM

BY HAND

Marlene H. Dortch, Esq.
Secretary
Federal Communications Commission
445 12th Street, SW
Washington, DC 20554

Accepted / Filed

JAN 31 2020

Federal Communications Commission
Office of the Secretary

ATTN: Media Bureau

Re: **Request for Cancellation of License**
Radio License Holding CBC, LLC
Station WIBR(AM), Baton Rouge, Louisiana
Facility Identifier Number 61275
File Number BZ-20020417ABI

Dear Ms. Dortch:

This letter, filed on behalf of Radio License Holding CBC, LLC ("RLH"), licensee of Station WIBR(AM), Baton Rouge, Louisiana, requests cancellation of its license identified by the above referenced file number. For convenience, a copy of the license is included as Attachment A. Please cancel this license and update your records to reflect this change.

If you have any questions, please contact undersigned counsel.

Sincerely,

Mark N. Lipp
Radio License Holding CBC, LLC

Enclosure

Attachment A



United States of America
FEDERAL COMMUNICATIONS COMMISSION Accepted / Filed
AM BROADCAST STATION LICENSE

JAN 31 2020

Federal Communications Commission
Office of the Secretary

Authorizing Official:

Official Mailing Address:

RADIO LICENSE HOLDING CBC, LLC
3280 PEACHTREE ROAD, NW
SUITE 2200
ATLANTA GA 30305

Son Nguyen
Supervisory Engineer
Audio Division
Media Bureau

Grant Date: August 02, 2002

Facility Id: 61275

Call Sign: WIBR

This license expires 3:00 a.m.
local time, June 01, 2004.

License File Number: BZ-20020417ABI

DM

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:
Local Standard Time (Non-Advanced)

Jan.	7:00 AM	5:30 PM	Jul.	5:15 AM	7:15 PM
Feb.	6:45 AM	5:45 PM	Aug.	5:30 AM	6:45 PM
Mar.	6:15 AM	6:15 PM	Sep.	5:45 AM	6:15 PM
Apr.	5:45 AM	6:30 PM	Oct.	6:00 AM	5:30 PM
May	5:15 AM	6:45 PM	Nov.	6:30 AM	5:15 PM
Jun.	5:00 AM	7:15 PM	Dec.	7:00 AM	5:00 PM

Callsign: WIBR

License No.: BZ-20020417ABI

Name of Licensee: RADIO LICENSE HOLDING CBC, LLC

Station Location: BATON ROUGE, LA

Frequency (kHz): 1300

Station Class: B

Antenna Coordinates:

Day

Latitude: N 30 Deg 28 Min 25 Sec

Longitude: W 91 Deg 13 Min 34 Sec

Night

Latitude: N 30 Deg 28 Min 25 Sec

Longitude: W 91 Deg 13 Min 34 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 5.0 Night: 1.0

Antenna Input Power (kW): Day: 5.4 Night: 1.08

Antenna Mode: Day: DA Night: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Current (amperes): Day: 10.4 Night: 4.65

Resistance (ohms): Day: 49.8 Night: 50

Antenna Registration Number(s):

Day:

Tower No.	ASRN	
1	None	60.7
2	None	60.7
3	None	60.7

Night:

Tower No.	ASRN	
1	None	60.7
2	None	60.7
3	None	60.7

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Day: 724.2 Night: 295.31

Standard RMS (mV/m/km):

Augmented RMS (mV/m/km): Day: 764.51 Night: 318.11

Q Factor: Day: Night:

Theoretical Parameters:

Day Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	0.000	0.0000	0.000	0	93.2
2	1.1810	114.500	88.7500	334.700	0	93.2
3	0.3720	229.000	177.5000	334.700	0	93.2

* Tower Reference Switch

- 0 = Spacing and orientation from reference tower
- 1 = Spacing and orientation from previous tower

Augmentation Parameters:

Aug No.	Central Azimuth (Deg. T)	Span (Deg.)	Radiation at Central Azimuth (mV/m @ 1 km)
1	334.7	177.0	207.61

Theoretical Parameters:

Night Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.8200	0.000	0.0000	0.000	0	93.2
2	1.0000	-95.000	188.5000	146.000	0	93.2
3	1.0000	78.000	177.5000	334.700	0	93.2

* Tower Reference Switch

- 0 = Spacing and orientation from reference tower
- 1 = Spacing and orientation from previous tower

Augmentation Parameters:

Aug No.	Central Azimuth (Deg. T)	Span (Deg.)	Radiation at Central Azimuth (mV/m @ 1 km)
1	10.0	40.0	69.20
2	30.0	30.0	33.80
3	45.0	20.0	64.37
4	60.0	10.0	284.85
5	90.0	60.0	557.48
6	120.0	60.0	366.53

Augmentation Parameters:

Aug No.	Central Azimuth (Deg. T)	Span (Deg.)	Radiation at Central Azimuth (mV/m @ 1 km)
7	150.0	40.0	240.95
8	170.0	40.0	299.58
9	190.0	40.0	434.22
10	225.0	70.0	476.27
11	260.0	20.0	113.60
12	270.0	20.0	123.63
13	285.0	30.0	121.02
14	307.5	45.0	201.17
15	330.0	40.0	267.63
16	350.0	40.0	215.75

Day Directional Operation:

Twr. Phase No. (Deg.)	Antenna Monitor Sample Current Ratio
1 165	0.695
2 0	1
3 117.5	0.265

Night Directional Operation:

Twr. Phase No. (Deg.)	Antenna Monitor Sample Current Ratio
1 0	1
2 96.5	0.545
3 152	0.48

Antenna Monitor: POTOMAC INSTRUMENTS AM-19 (204)

Sampling System Approved Under Section 73.68 of the Rules.

Special operating conditions or restrictions:

1 MONITOR POINT DESCRIPTIONS

17 - Located on the edge of the pavement at the corner of the cemetery, 9.01 km from site, max 8.2 mV/m daytime.

30 - Located on the south side of curve on G. Leon Netterville, Jr. Road near tree line, 5.94 km from site, max 3.9 mV/m nighttime.

150 - From intersection of Avenue D and Whitehead Boulevard, proceed south on Whitehead 0.56 km to point locate in drainage ditch 10 feet south of paved parking area, 3.7 km from site, max 47.2 mV/m nighttime.

260 - From intersection of Louisiana Hwy 987-3 and Louisiana Hwy 415, proceed south on Hwy 415 0.97 km to office building parking lot on east side of highway, point located 50 feet south of office building and 25 feet east of highway, 2.33 km from site, max 61 mV/m nighttime.

285 - From intersection of Hwy 190 and Hwy 1145, proceed south on Hwy 1145 0.32 km to point located at east edge of road where 285 painted on road, 4.8 km from site, max 33 mV/m nighttime.

292.5 - From intersection of Hwy 415 and Hwy 190, proceed west on Hwy 190 for 1.37 km to paved road, proceed north on paved road 0.24 km located at turn in road on east edge at field road, 4.8 km from site, max 37 mV/m daytime.

330 - From intersection of Hwy 987-1 and 986, proceed north on Hwy 986 4.83 km to point located on south shoulder where 330 painted on road, 3.8 km from site, max 81.8 mV/m nighttime.

335 - From intersection of Hwy 987-1 and Hwy 986, proceed north on Hwy 986 4.5 km to point located on south shoulder where 335 painted on road, 3.7 km from site, max 65 mV/m daytime.

*** END OF AUTHORIZATION ***