

**KBLR-DT – Modification of Construction Permit**  
Comparison of authorized and proposed operation

**Exhibit 42**

BMPCDT20050126AJL			Proposed		Distance from licensed antenna location to DTV service (41.2 dBu) contours		
Bearing	ERP kW	HAAT	ERP kW	HAAT	Authorized	Proposed	Difference
0	139.1	518	170.1	484	97.0	95.9	-1.1
1	135.8	518	166.6	484	96.8	95.7	-1.1
2	132.5	510	160.0	476	96.0	94.8	-1.2
3	129.0	507	156.2	472	95.5	94.3	-1.2
4	125.8	508	152.4	473	95.4	94.1	-1.2
5	122.6	504	148.7	468	94.8	93.6	-1.3
6	119.5	497	145.0	465	94.1	93.2	-0.9
7	116.4	510	141.4	476	94.9	93.8	-1.1
8	113.1	515	137.4	481	95.0	93.9	-1.1
9	110.1	517	133.9	482	95.0	93.8	-1.2
10	107.2	515	130.4	480	94.6	93.4	-1.2
11	104.3	516	126.6	482	94.4	93.3	-1.1
12	101.1	514	123.2	480	94.0	93.0	-1.0
13	98.3	506	119.6	471	93.2	92.1	-1.1
14	95.2	500	116.3	468	92.5	91.7	-0.8
15	92.5	503	112.7	469	92.5	91.5	-1.0
16	89.5	508	109.5	474	92.6	91.7	-0.9
17	86.9	511	106.0	476	92.6	91.6	-1.0
18	84.0	508	102.9	474	92.1	91.2	-0.9
19	81.4	505	99.6	473	91.7	90.9	-0.8
20	78.6	514	96.6	479	92.0	91.1	-1.0
21	76.4	523	93.3	486	92.5	91.3	-1.1
22	73.9	524	90.4	493	92.3	91.6	-0.7
23	71.8	535	87.6	497	92.8	91.6	-1.2
24	69.4	535	84.7	499	92.5	91.5	-1.0
25	67.3	530	82.0	495	92.0	91.0	-1.0
26	65.0	536	79.3	503	92.1	91.3	-0.8
27	62.9	542	76.8	508	92.2	91.4	-0.8
28	60.7	541	74.2	507	91.9	91.1	-0.8
29	58.8	548	71.9	513	92.1	91.3	-0.8
30	56.6	550	69.6	515	91.9	91.2	-0.8
31	54.9	552	67.3	517	91.8	91.1	-0.8
32	53.5	553	65.1	517	91.7	90.8	-0.9
33	51.8	555	62.9	521	91.5	90.8	-0.7
34	50.2	556	61.0	520	91.4	90.5	-0.8
35	48.8	551	59.1	518	90.8	90.1	-0.7
36	47.2	549	57.3	509	90.4	89.3	-1.1
37	45.7	540	55.5	499	89.6	88.4	-1.2
38	44.2	533	53.7	497	88.9	88.0	-0.8
39	42.9	527	52.1	489	88.3	87.3	-0.9
40	41.4	519	50.6	483	87.5	86.8	-0.8
41	40.5	510	49.1	474	86.8	86.0	-0.8
42	39.4	509	47.6	474	86.6	85.8	-0.7
43	38.5	508	46.4	473	86.3	85.6	-0.7
44	37.5	505	44.9	469	86.0	85.2	-0.8
45	36.6	497	43.7	462	85.4	84.7	-0.7
46	35.6	492	42.7	455	84.9	84.2	-0.7
47	34.8	480	41.5	444	84.1	83.5	-0.6
48	33.8	476	40.6	440	83.7	83.1	-0.6
49	33.0	465	39.4	426	83.0	82.3	-0.7
50	32.0	449	38.7	414	82.0	81.5	-0.5
51	31.4	448	37.7	406	81.9	80.9	-1.0
52	30.7	439	36.8	404	81.3	80.6	-0.7
53	30.1	424	36.1	390	80.4	79.6	-0.9
54	29.5	420	35.2	386	80.1	79.1	-1.0
55	29.0	415	34.5	378	79.7	78.4	-1.3
56	28.4	403	33.7	368	78.9	77.5	-1.4
57	27.8	402	33.0	361	78.7	76.8	-1.9
58	27.2	398	32.3	363	78.3	76.8	-1.4
59	26.7	398	31.7	363	78.1	76.7	-1.4
60	26.1	394	31.2	354	77.7	75.9	-1.9
61	25.6	387	30.5	352	77.1	75.6	-1.6
62	25.2	381	30.0	344	76.6	74.8	-1.8
63	24.8	379	29.5	345	76.3	74.8	-1.6
64	24.4	376	29.0	340	76.0	74.3	-1.8
65	23.9	368	28.5	331	75.3	73.4	-1.9
66	23.4	364	28.0	328	74.8	73.1	-1.7
67	23.0	360	27.4	320	74.4	72.4	-2.1
68	22.6	351	27.1	314	73.6	71.8	-1.8
69	22.2	337	26.4	302	72.4	70.9	-1.6
70	21.8	331	26.0	301	71.9	70.7	-1.2
71	21.3	333	25.5	293	71.9	70.0	-1.8

**KBLR-DT – Modification of Construction Permit**  
Comparison of authorized and proposed operation

**Exhibit 37**

BMPCDT20050126AJL			Proposed		Distance from licensed antenna location to DTV service (41.2 dBu) contours		
Bearing	ERP kW	HAAT	ERP kW	HAAT	Authorized	Proposed	Difference
72	20.7	330	25.1	288	71.5	69.6	-1.9
73	20.4	314	24.6	272	70.3	68.4	-1.8
74	19.9	302	24.0	263	69.3	67.7	-1.6
75	19.3	296	23.6	259	68.8	67.3	-1.4
76	18.9	281	23.0	257	67.6	67.1	-0.6
77	18.4	294	22.4	259	68.4	67.1	-1.3
78	18.0	304	21.8	271	68.9	67.8	-1.2
79	17.5	302	21.4	268	68.6	67.5	-1.2
80	17.1	295	20.8	260	68.0	66.8	-1.2
81	16.5	297	20.2	263	68.0	66.8	-1.2
82	15.9	300	19.6	265	68.0	66.8	-1.2
83	15.4	300	19.1	266	67.8	66.7	-1.1
84	14.8	298	18.4	260	67.5	66.2	-1.3
85	14.4	291	17.8	263	66.9	66.2	-0.7
86	13.8	299	17.3	270	67.2	66.5	-0.7
87	13.3	304	16.6	263	67.3	65.8	-1.4
88	12.8	304	16.0	264	67.1	65.7	-1.4
89	12.3	300	15.4	261	66.6	65.3	-1.3
90	11.8	290	14.8	254	65.8	64.6	-1.1
91	11.3	290	14.2	254	65.5	64.4	-1.1
92	10.8	285	13.6	245	64.9	63.6	-1.3
93	10.3	281	12.9	244	64.5	63.3	-1.2
94	9.9	273	12.4	239	63.7	62.7	-1.0
95	9.4	262	11.9	232	62.8	62.1	-0.7
96	8.9	269	11.2	234	62.9	61.9	-1.0
97	8.5	264	10.6	228	62.3	61.2	-1.1
98	8.1	268	10.1	234	62.3	61.4	-1.0
99	7.6	266	9.7	232	61.9	61.0	-0.9
100	7.2	267	9.2	232	61.7	60.8	-0.9
101	7.1	271	8.8	237	61.8	60.8	-1.0
102	6.9	272	8.3	241	61.7	60.8	-0.9
103	6.7	277	8.0	245	61.9	60.8	-1.1
104	6.5	281	7.6	251	62.0	61.0	-1.0
105	6.3	289	7.3	254	62.3	60.9	-1.4
106	6.2	294	7.0	259	62.5	61.0	-1.5
107	6.0	300	6.8	267	62.7	61.4	-1.3
108	5.9	307	6.6	272	63.0	61.5	-1.5
109	5.6	308	6.4	273	62.8	61.5	-1.4
110	5.5	311	6.3	278	62.9	61.7	-1.2
111	5.8	318	6.3	285	63.5	62.1	-1.4
112	6.0	321	6.3	287	63.9	62.2	-1.6
113	6.3	330	6.4	299	64.6	63.0	-1.6
114	6.5	336	6.6	303	65.2	63.4	-1.8
115	6.8	340	6.7	308	65.6	63.8	-1.8
116	7.1	342	7.0	308	66.0	64.0	-2.0
117	7.3	345	7.2	311	66.4	64.4	-2.0
118	7.6	346	7.6	314	66.7	64.8	-1.8
119	7.8	346	8.0	313	66.8	65.0	-1.8
120	8.2	352	8.4	315	67.4	65.4	-2.0
121	8.7	353	8.8	321	67.9	66.0	-1.8
122	9.3	358	9.4	322	68.5	66.4	-2.1
123	9.9	361	10.0	326	69.1	67.0	-2.1
124	10.4	357	10.5	326	69.2	67.3	-1.9
125	11.0	358	11.2	324	69.6	67.5	-2.1
126	11.6	359	11.9	324	70.0	67.8	-2.1
127	12.3	363	12.6	329	70.6	68.5	-2.1
128	12.9	365	13.3	331	71.0	68.9	-2.1
129	13.6	362	14.0	328	71.2	69.0	-2.1
130	14.3	362	14.8	331	71.5	69.6	-1.9
131	14.8	363	15.7	328	71.7	69.7	-2.1
132	15.5	363	16.4	330	72.0	70.1	-2.0
133	16.0	360	17.1	325	72.0	70.0	-2.1
134	16.6	352	18.0	319	71.6	69.8	-1.8
135	17.3	353	18.7	316	72.0	69.8	-2.1
136	17.9	352	19.5	321	72.1	70.4	-1.7
137	18.5	360	20.3	324	72.9	70.9	-2.1
138	19.1	358	21.0	318	73.0	70.6	-2.3
139	19.9	354	21.7	322	72.9	71.1	-1.8
140	20.5	350	22.4	316	72.8	70.8	-1.9
141	20.7	352	23.0	320	73.0	71.3	-1.7
142	21.0	348	23.6	311	72.8	70.7	-2.0
143	21.3	349	24.1	314	72.9	71.1	-1.8

**KBLR-DT – Modification of Construction Permit**  
Comparison of authorized and proposed operation

**Exhibit 42**

Bearing	BMPCDT20050126AJL		Proposed		Distance from licensed antenna location to DTV service (41.2 dBu) contours		
	ERP kW	HAAT	ERP kW	HAAT	Authorized	Proposed	Difference
144	21.5	343	24.6	307	72.5	70.7	-1.8
145	21.8	339	25.1	305	72.3	70.6	-1.6
146	21.9	344	25.4	317	72.7	71.6	-1.1
147	22.2	349	25.7	313	73.2	71.3	-1.8
148	22.5	350	26.0	315	73.3	71.6	-1.7
149	22.7	355	26.1	325	73.8	72.3	-1.4
150	23.0	359	26.3	324	74.1	72.3	-1.9
151	22.7	362	26.4	328	74.3	72.6	-1.7
152	22.5	367	26.4	335	74.6	73.2	-1.4
153	22.2	366	26.4	332	74.4	72.9	-1.5
154	21.9	365	26.3	331	74.3	72.8	-1.5
155	21.8	363	26.1	332	74.1	72.8	-1.2
156	21.5	361	26.0	322	73.8	72.0	-1.8
157	21.3	359	25.7	319	73.6	71.7	-1.9
158	21.0	348	25.4	312	72.7	71.2	-1.5
159	20.7	342	25.1	308	72.1	70.8	-1.4
160	20.5	334	24.6	302	71.5	70.3	-1.2
161	19.9	334	24.1	300	71.3	70.0	-1.2
162	19.1	330	23.6	298	70.8	69.8	-1.0
163	18.5	328	23.0	295	70.4	69.4	-1.0
164	17.9	324	22.4	284	69.9	68.5	-1.4
165	17.3	324	21.7	285	69.8	68.4	-1.3
166	16.6	323	21.0	285	69.4	68.2	-1.2
167	16.0	319	20.3	283	69.0	67.9	-1.0
168	15.5	323	19.5	284	69.0	67.8	-1.3
169	14.8	323	18.7	289	68.8	67.9	-0.9
170	14.3	320	18.0	284	68.4	67.4	-1.0
171	13.6	317	17.1	281	67.9	66.9	-1.0
172	12.9	315	16.4	280	67.5	66.6	-0.9
173	12.3	313	15.7	278	67.1	66.2	-0.9
174	11.6	313	14.8	280	66.8	66.1	-0.7
175	11.0	308	14.0	274	66.2	65.4	-0.8
176	10.4	301	13.3	269	65.5	64.8	-0.7
177	9.9	298	12.6	265	65.0	64.2	-0.7
178	9.3	291	11.9	259	64.2	63.5	-0.7
179	8.7	279	11.2	247	63.2	62.5	-0.7
180	8.2	279	10.5	247	62.8	62.2	-0.6
181	7.8	261	10.0	228	61.5	60.7	-0.8
182	7.6	252	9.4	219	60.8	59.8	-1.0
183	7.3	240	8.8	204	59.8	58.5	-1.3
184	7.1	235	8.4	198	59.3	57.9	-1.4
185	6.8	223	8.0	188	58.4	57.0	-1.3
186	6.5	202	7.6	171	56.8	55.8	-1.1
187	6.3	172	7.2	144	54.8	53.7	-1.2
188	6.0	143	7.0	114	52.7	51.4	-1.3
189	5.8	126	6.7	93	51.4	49.0	-2.4
190	5.5	98	6.6	70	48.6	45.4	-3.2
191	5.6	51	6.4	30	40.9	35.2	-5.7
192	5.9	27	6.3	-8	34.8	35.2	0.4
193	6.0	-2	6.3	-38	34.9	35.2	0.3
194	6.2	-31	6.3	-58	35.1	35.2	0.1
195	6.3	-51	6.4	-74	35.2	35.2	0.1
196	6.5	-76	6.6	-104	35.2	35.3	0.1
197	6.7	-83	6.8	-114	35.4	35.5	0.1
198	6.9	-118	7.0	-139	35.5	35.6	0.1
199	7.1	-124	7.3	-157	35.6	35.8	0.2
200	7.2	-116	7.6	-158	35.7	36.0	0.3
201	7.6	-107	8.0	-147	35.9	36.2	0.2
202	8.1	-98	8.3	-136	36.2	36.3	0.2
203	8.5	-84	8.8	-121	36.4	36.6	0.2
204	8.9	-90	9.2	-128	36.6	36.8	0.2
205	9.4	-76	9.7	-117	36.8	37.0	0.1
206	9.9	-63	10.1	-96	37.0	37.2	0.2
207	10.3	-54	10.6	-86	37.2	37.4	0.2
208	10.8	-29	11.2	-68	37.4	37.6	0.2
209	11.3	-12	11.9	-50	37.6	37.9	0.2
210	11.8	2	12.4	-33	37.8	38.0	0.2
211	12.3	13	12.9	-24	38.0	38.2	0.2
212	12.8	31	13.6	-7	38.5	38.4	0.0
213	13.3	43	14.2	2	42.6	38.6	-4.0
214	13.8	56	14.8	17	46.4	38.8	-7.6
215	14.4	68	15.4	31	48.8	39.3	-9.5

**KBLR-DT – Modification of Construction Permit**  
Comparison of authorized and proposed operation

**Exhibit 42**

BMPCDT20050126AJL					Distance from licensed antenna location to DTV service (41.2 dBu) contours		
Bearing	ERP kW	HAAT	Proposed ERP kW	HAAT	Authorized	Proposed	Difference
216	14.8	77	16.0	39	50.4	42.2	-8.2
217	15.4	85	16.6	49	51.7	45.4	-6.3
218	15.9	94	17.3	57	53.1	47.7	-5.4
219	16.5	103	17.8	64	54.3	49.1	-5.2
220	17.1	109	18.4	68	55.1	50.0	-5.1
221	17.5	117	19.1	76	55.9	51.4	-4.5
222	18.0	122	19.6	83	56.4	52.6	-3.8
223	18.4	128	20.2	92	56.9	53.9	-3.0
224	18.9	131	20.8	96	57.3	54.6	-2.7
225	19.3	142	21.4	103	58.2	55.5	-2.7
226	19.9	147	21.8	111	58.7	56.4	-2.3
227	20.4	154	22.4	115	59.3	56.9	-2.4
228	20.7	160	23.0	124	59.9	57.7	-2.2
229	21.3	175	23.6	133	61.0	58.5	-2.6
230	21.8	180	24.0	145	61.5	59.5	-2.0
231	22.2	190	24.6	149	62.2	59.9	-2.4
232	22.6	198	25.1	159	62.9	60.7	-2.2
233	23.0	197	25.5	163	62.9	61.1	-1.8
234	23.4	202	26.0	166	63.3	61.4	-1.9
235	23.9	208	26.4	172	63.9	61.9	-1.9
236	24.4	219	27.1	179	64.7	62.5	-2.2
237	24.8	221	27.4	186	64.9	63.0	-1.9
238	25.2	229	28.0	192	65.6	63.6	-2.0
239	25.6	240	28.5	198	66.4	64.1	-2.4
240	26.1	240	29.0	206	66.5	64.7	-1.8
241	26.7	246	29.5	209	67.0	65.0	-2.0
242	27.2	247	30.0	214	67.2	65.4	-1.8
243	27.8	252	30.5	215	67.7	65.6	-2.1
244	28.4	254	31.2	219	67.9	66.0	-1.9
245	29.0	255	31.7	219	68.1	66.1	-2.0
246	29.5	263	32.3	220	68.7	66.3	-2.5
247	30.1	267	33.0	232	69.1	67.2	-1.9
248	30.7	278	33.7	238	70.0	67.7	-2.2
249	31.4	282	34.5	245	70.4	68.3	-2.1
250	32.0	286	35.2	250	70.8	68.8	-2.0
251	33.0	290	36.1	253	71.2	69.1	-2.1
252	33.8	293	36.8	257	71.6	69.5	-2.1
253	34.8	296	37.7	260	71.9	69.8	-2.1
254	35.6	302	38.7	264	72.5	70.2	-2.3
255	36.6	308	39.4	270	73.1	70.7	-2.4
256	37.5	316	40.6	276	73.9	71.3	-2.6
257	38.5	320	41.5	284	74.4	72.0	-2.4
258	39.4	325	42.7	289	74.9	72.5	-2.4
259	40.5	331	43.7	294	75.6	73.0	-2.6
260	41.4	333	44.9	298	75.9	73.5	-2.4
261	42.9	337	46.4	301	76.5	73.9	-2.6
262	44.2	340	47.6	304	77.0	74.3	-2.6
263	45.7	344	49.1	308	77.5	74.8	-2.7
264	47.2	348	50.6	311	78.1	75.2	-2.9
265	48.8	353	52.1	316	78.8	75.8	-2.9
266	50.2	356	53.7	320	79.2	76.4	-2.9
267	51.8	358	55.5	323	79.6	76.8	-2.8
268	53.5	361	57.3	326	80.1	77.3	-2.8
269	54.9	362	59.1	328	80.4	77.7	-2.7
270	56.6	362	61.0	328	80.6	77.9	-2.7
271	58.8	373	62.9	333	81.7	78.5	-3.2
272	60.7	373	65.1	338	82.0	79.2	-2.7
273	62.9	375	67.3	339	82.4	79.6	-2.8
274	65.0	377	69.6	341	82.7	80.0	-2.8
275	67.3	379	71.9	344	83.1	80.5	-2.7
276	69.4	381	74.2	346	83.5	80.9	-2.6
277	71.8	383	76.8	347	83.9	81.2	-2.7
278	73.9	385	79.3	349	84.2	81.6	-2.6
279	76.4	387	82.0	352	84.6	82.1	-2.5
280	78.6	389	84.7	353	84.9	82.4	-2.5
281	81.4	390	87.6	356	85.2	82.9	-2.3
282	84.0	394	90.4	359	85.7	83.4	-2.3
283	86.9	396	93.3	361	86.0	83.8	-2.2
284	89.5	397	96.6	363	86.3	84.2	-2.1
285	92.5	400	99.6	365	86.7	84.6	-2.1
286	95.2	403	102.9	366	87.1	85.0	-2.1
287	98.3	405	106.0	369	87.4	85.4	-2.0

**KBLR-DT – Modification of Construction Permit**  
Comparison of authorized and proposed operation

**Exhibit 42**

BMPCDT20050126AJL			Proposed		Distance from licensed antenna location to DTV service (41.2 dBu) contours		
Bearing	ERP kW	HAAT	ERP kW	HAAT	Authorized	Proposed	Difference
288	101.1	408	109.5	371	87.8	85.8	-2.0
289	104.3	411	112.7	375	88.1	86.3	-1.8
290	107.2	413	116.3	378	88.4	86.8	-1.7
291	110.1	415	119.6	380	88.7	87.1	-1.6
292	113.1	417	123.2	382	89.0	87.5	-1.5
293	116.4	419	127.0	384	89.3	87.8	-1.5
294	119.5	422	130.4	386	89.6	88.1	-1.5
295	122.6	423	133.9	388	89.9	88.5	-1.4
296	125.8	425	137.8	390	90.1	88.8	-1.4
297	129.0	428	141.4	392	90.5	89.1	-1.4
298	132.5	429	145.0	394	90.7	89.4	-1.3
299	135.8	431	148.7	396	91.0	89.7	-1.3
300	139.1	433	152.4	398	91.3	90.0	-1.3
301	142.1	435	156.2	400	91.5	90.3	-1.3
302	144.8	437	160.0	402	91.8	90.5	-1.2
303	147.9	439	163.8	405	92.0	90.9	-1.1
304	151.0	442	167.4	407	92.3	91.1	-1.2
305	154.2	443	170.9	409	92.5	91.4	-1.2
306	157.0	445	174.5	411	92.8	91.6	-1.2
307	160.2	448	178.1	412	93.1	91.8	-1.3
308	163.4	450	181.8	416	93.4	92.2	-1.2
309	166.4	452	185.1	417	93.6	92.4	-1.3
310	169.7	454	188.4	420	93.9	92.7	-1.3
311	171.9	457	191.7	422	94.2	92.9	-1.3
312	174.1	459	195.1	424	94.5	93.1	-1.3
313	176.0	460	198.1	426	94.6	93.4	-1.3
314	178.2	462	201.1	428	94.8	93.6	-1.3
315	180.5	464	204.1	430	95.1	93.8	-1.3
316	182.8	467	206.7	432	95.4	94.0	-1.4
317	185.1	470	209.3	435	95.7	94.3	-1.5
318	187.0	472	212.0	437	96.0	94.5	-1.5
319	189.4	475	214.2	439	96.3	94.7	-1.6
320	191.7	477	216.4	442	96.6	95.0	-1.6
321	192.5	479	218.6	444	96.8	95.2	-1.6
322	193.3	481	220.4	446	97.0	95.4	-1.6
323	194.1	485	222.3	450	97.3	95.7	-1.6
324	194.8	487	223.6	453	97.5	95.9	-1.6
325	196.0	490	225.0	457	97.8	96.3	-1.5
326	196.8	494	226.3	459	98.2	96.5	-1.7
327	197.6	499	227.3	463	98.6	96.8	-1.8
328	198.4	503	228.6	468	99.0	97.3	-1.7
329	199.2	506	229.1	471	99.3	97.5	-1.8
330	200.0	510	229.5	475	99.7	97.9	-1.8
331	199.2	513	230.0	478	99.9	98.1	-1.7
332	198.4	515	230.0	481	100.0	98.4	-1.6
333	197.6	518	230.0	483	100.2	98.5	-1.7
334	196.8	521	229.5	485	100.4	98.7	-1.7
335	196.0	522	229.1	488	100.4	98.9	-1.5
336	194.8	525	228.6	490	100.6	99.1	-1.5
337	194.1	527	227.7	492	100.7	99.2	-1.5
338	193.3	528	226.3	494	100.7	99.3	-1.5
339	192.5	530	225.4	494	100.9	99.3	-1.6
340	191.7	531	224.1	496	100.9	99.4	-1.5
341	189.4	532	222.3	497	100.9	99.4	-1.5
342	187.0	533	220.4	498	100.8	99.4	-1.4
343	185.1	533	218.6	499	100.7	99.4	-1.3
344	182.8	534	216.4	500	100.7	99.4	-1.3
345	180.5	535	214.2	500	100.6	99.3	-1.4
346	178.2	535	211.5	501	100.5	99.3	-1.3
347	176.0	537	209.3	502	100.6	99.2	-1.3
348	174.1	537	206.7	502	100.5	99.1	-1.3
349	171.9	538	203.7	503	100.4	99.1	-1.3
350	169.7	538	201.1	503	100.3	99.0	-1.3
351	166.4	537	198.1	502	100.1	98.7	-1.3
352	163.4	535	195.1	500	99.7	98.4	-1.3
353	160.2	533	192.1	498	99.4	98.1	-1.3
354	157.0	532	188.8	497	99.2	97.9	-1.3
355	154.2	530	185.9	495	98.9	97.6	-1.3
356	151.0	527	182.6	492	98.4	97.2	-1.3
357	147.9	524	179.7	490	98.0	96.9	-1.2
358	144.8	524	176.5	489	97.8	96.6	-1.2
359	142.1	521	173.3	486	97.4	96.2	-1.2