



United States of America
FEDERAL COMMUNICATIONS COMMISSION
AM BROADCAST STATION LICENSE

Authorizing Official:

Official Mailing Address:

BEASLEY MEDIA GROUP LICENSES, LLC
 3033 RIVIERA DRIVE
 SUITE 200
 NAPLES FL 34103

Son Nguyen
 Supervisory Engineer
 Audio Division
 Media Bureau

Facility Id: 54686

Call Sign: KDWN

License File Number: BMML-20200507AAN

Grant Date: November 24, 2020

This license expires 3:00 a.m.
 local time, October 01, 2021.

This license covers Permit No.: BP-20190531AAN

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:
 Local Standard Time (Non-Advanced)

Jan.	6:45 AM	4:45 PM	Jul.	4:30 AM	7:00 PM
Feb.	6:30 AM	5:15 PM	Aug.	5:00 AM	6:30 PM
Mar.	5:45 AM	5:45 PM	Sep.	5:15 AM	5:45 PM
Apr.	5:15 AM	6:15 PM	Oct.	5:45 AM	5:00 PM
May	4:30 AM	6:45 PM	Nov.	6:15 AM	4:30 PM
Jun.	4:15 AM	7:00 PM	Dec.	6:45 AM	4:30 PM

Callsign: KDWN

License No.: BMML-20200507AAN

Name of Licensee: BEASLEY MEDIA GROUP LICENSES, LLC

Station Location: LAS VEGAS, NV

Frequency (kHz): 720

Station Class: B

Antenna Coordinates:

Day

Latitude: N 36 Deg 16 Min 04 Sec

Longitude: W 115 Deg 02 Min 42 Sec

Night

Latitude: N 36 Deg 16 Min 04 Sec

Longitude: W 115 Deg 02 Min 42 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 25.0 Night: 7.5

Antenna Input Power (kW): Day: 25.0 Night: 7.9

Antenna Mode: Day: ND Night: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Current (amperes): Day: 22.14 Night: 12.57

Resistance (ohms): Day: 51 Night: 50

Non-Directional Antenna: Day

Radiator Height: 89.3 meters; 77.2 deg

Theoretical Efficiency: 297.6 mV/m/kw at 1km

Antenna Registration Number(s):

Day:

Tower No.	ASRN	Overall Height (m)
1	1291307	

Night:

Tower No.	ASRN	Overall Height (m)
1	1058337	
2	1291307	
3	1058338	

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Night: 812.9
 Standard RMS (mV/m/km): Night: 854
 Augmented RMS (mV/m/km):
 Q Factor: Night:

Theoretical Parameters:

Night Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	0.000	0.0000	0.000	0	63.3
2	1.1000	246.500	53.4000	209.200	0	77.2
3	0.4500	15.500	122.3000	129.100	0	63.3

* Tower Reference Switch

0 = Spacing and orientation from reference tower
 1 = Spacing and orientation from previous tower

Night Directional Operation:

Twr. No.	Phase (Deg.)	Antenna Monitor Sample Current Ratio
1	110.1	1.49
2	0	1
3	124.5	0.657

Antenna Monitor: POTOMAC INSTRUMENTS AM-1901-3 (S/N 706)

Special operating conditions or restrictions:

- The ground system consists of 120 equally spaced, buried, copper radials, about the base of each tower, each 65.7 meters in length around nighttime towers #1(N) and #3(E), and 89.2 meters around daytime/nighttime tower #2(W), except where intersecting radials are shortened and bonded to a transverse copper strap midway between adjacent towers, plus 120 interspersed radials 15.2 meters in length around nighttime towers #1(N) and #3(E), and 7.3 meters around daytime/nighttime tower #2(W).

Special operating conditions or restrictions:

- 2 The licensee/permittee must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.

*** END OF AUTHORIZATION ***