

MINOR CHANGE APPLICATION
GLORY COMMUNICATIONS, INC.
WEAF AM RADIO STATION
has: 1130 kHz - 0.007/1.0 kW ND
CAMDEN, SOUTH CAROLINA
req: 1130 kHz - 0.009/1.0 kW ND
SPRINGDALE, SOUTH CAROLINA
January 2007

EXHIBIT #3A

Night Allocation Protection Report

Call: WEAF Freq: 1130 kHz CAMDEN, SC, US
 Lat: 33-57-34 N Lng: 081-02-28 W
 Power: 0.009 kW Theo RMS: 335.28 mV/m @ 1km

#	Field Ratio	Phase (deg)	Spacing (deg)	Orient (deg)	Height (deg)	Ref Switch	TL Switch	A (deg)	B (deg)	C (deg)	D (deg)					
1	1.000	0.0	0.0	0.0	134.0	0	0	0.0	0.0	0.0	0.0					
Call Letters	Ct	St	City	Azi (deg)	Ang Low (deg)	Ang High (deg)	SWFF (100uV/m)	Req Prot (mV/m)	Permis (mV/m)	Cur Rad (mV/m)	Margin (mV/m)					
WBBR (180)	US	NY	NEW YORK	42.95	7.29	13.18	51.11	1.236	120.93g	31.24	89.70					
WBBR (185)	US	NY	NEW YORK	42.87	7.50	13.49	52.74	0.827	78.40s	31.21	47.20					
WBBR (190)	US	NY	NEW YORK	42.77	7.76	13.88	54.76	0.677	61.79s	31.16	30.64					
WBBR (195)	US	NY	NEW YORK	42.77	8.13	14.43	57.71	0.587	50.87s	31.11	19.76					
WBBR (200)	US	NY	NEW YORK	48.30	10.78	18.36	80.56	0.500	31.03s	30.58	0.46					
WBBR (205)	US	NY	NEW YORK	44.22	10.22	17.53	75.39	0.500	33.16s	30.71	2.46					
WBBR (210)	US	NY	NEW YORK	40.68	9.26	16.11	66.99	0.500	37.32s	30.89	6.43					
WBBR (215)	US	NY	NEW YORK	37.44	6.85	12.54	47.49	0.500	52.64s	31.30	21.34					
WBBR (220)	US	NY	NEW YORK	37.08	6.80	12.45	47.04	0.500	53.15s	31.31	21.84					
WBBR (225)	US	NY	NEW YORK	36.79	6.73	12.36	46.55	0.500	53.70s	31.33	22.37					
WBBR (230)	US	NY	NEW YORK	36.54	6.67	12.27	46.11	0.500	54.22s	31.33	22.90					
WBBR (235)	US	NY	NEW YORK	36.37	6.61	12.17	45.58	0.500	54.84s	31.34	23.50					
WBBR (240)	US	NY	NEW YORK	36.27	6.53	12.05	45.00	0.500	55.55s	31.36	24.20					
WBBR (245)	US	NY	NEW YORK	36.19	6.47	11.97	44.59	0.500	56.07s	31.36	24.71					
WBBR (250)	US	NY	NEW YORK	36.02	6.46	11.95	44.49	0.500	56.20s	31.36	24.84					
WBBR (255)	US	NY	NEW YORK	35.79	6.46	11.96	44.51	0.500	56.17s	31.36	24.82					
WBBR (260)	US	NY	NEW YORK	35.57	6.46	11.95	44.46	0.500	56.23s	31.36	24.87					
WBBR (265)	US	NY	NEW YORK	35.38	6.44	11.92	44.31	0.500	56.41s	31.37	25.05					
WBBR (270)	US	NY	NEW YORK	35.19	6.42	11.90	44.16	0.500	56.61s	31.37	25.24					
WBBR (275)	US	NY	NEW YORK	34.98	6.40	11.87	44.00	0.500	56.81s	31.37	25.44					
WBBR (280)	US	NY	NEW YORK	30.13	6.81	12.47	46.80	0.500	53.42s	31.31	22.10					
WBBR (285)	US	NY	NEW YORK	29.11	6.74	12.36	46.21	0.500	54.10s	31.33	22.77					
WBBR (290)	US	NY	NEW YORK	28.39	6.62	12.20	45.32	0.500	55.16s	31.34	23.82					
WBBR (295)	US	NY	NEW YORK	27.52	6.49	12.00	44.33	0.500	56.39s	31.36	25.04					
WBBR (300)	US	NY	NEW YORK	26.34	6.34	11.78	43.17	0.500	57.92s	31.38	26.53					
WBBR (305)	US	NY	NEW YORK	24.72	6.14	11.49	41.67	0.500	60.00s	31.41	28.59					
WBBR (310)	US	NY	NEW YORK	22.69	5.87	11.09	39.65	0.500	63.05s	31.43	31.61					
WBBR (315)	US	NY	NEW YORK	20.42	5.50	10.55	37.03	0.500	67.52s	31.48	36.03					
WBBR (320)	US	NY	NEW YORK	18.28	5.05	9.88	33.91	0.500	73.73s	31.53	42.20					
WBBR (325)	US	NY	NEW YORK	17.57	4.65	9.30	31.32	0.540	86.15s	31.57	54.58					
WBBR (330)	US	NY	NEW YORK	17.89	4.34	8.85	29.37	0.609	103.68s	31.61	72.07					
WBBR (335)	US	NY	NEW YORK	18.45	4.04	8.42	27.61	0.676	122.48s	31.64	90.85					
KWKH (0)	US	LA	SHREVEPORT	269.96	4.21	8.66	33.86	0.500	73.02s	31.62	42.21					
KWKH (5)	US	LA	SHREVEPORT	269.80	4.25	8.72	34.11	0.500	73.30s	31.61	41.69					
KWKH (10)	US	LA	SHREVEPORT	269.63	4.29	8.77	34.33	0.500	72.81s	31.61	41.21					
KWKH (15)	US	LA	SHREVEPORT	269.48	4.32	8.83	34.55	0.500	72.36s	31.61	40.75					
KWKH (20)	US	LA	SHREVEPORT	269.48	4.37	8.89	34.82	0.500	71.79s	31.60	40.19					
KWKH (25)	US	LA	SHREVEPORT	269.37	4.41	8.95	35.07	0.500	71.29s	31.60	39.69					
KWKH (30)	US	LA	SHREVEPORT	269.20	4.44	9.00	35.28	0.500	70.87s	31.60	39.27					
KWKH (35)	US	LA	SHREVEPORT	268.98	4.47	9.04	35.45	0.500	70.52s	31.59	38.93					
KWKH (40)	US	LA	SHREVEPORT	268.82	4.50	9.09	35.66	0.500	70.10s	31.59	38.51					
KWKH (45)	US	LA	SHREVEPORT	268.65	4.54	9.14	35.89	0.500	69.66s	31.59	38.07					
KWKH (50)	US	LA	SHREVEPORT	268.61	4.61	9.25	36.35	0.500	68.79s	31.58	37.21					
KWKH (55)	US	LA	SHREVEPORT	268.42	4.66	9.32	36.65	0.500	68.21s	31.57	36.64					
KWKH (60)	US	LA	SHREVEPORT	268.13	4.68	9.35	36.80	0.500	67.94s	31.57	36.37					
KWKH (65)	US	LA	SHREVEPORT	267.84	4.71	9.38	36.95	0.500	67.66s	31.57	36.09					
KWKH (70)	US	LA	SHREVEPORT	267.52	4.71	9.39	37.01	0.500	67.55s	31.57	35.98					
KWKH (75)	US	LA	SHREVEPORT	267.20	4.72	9.40	37.06	0.500	67.45s	31.57	35.88					
KWKH (80)	US	LA	SHREVEPORT	266.88	4.75	9.44	37.27	0.500	67.08s	31.57	35.51					
KWKH (85)	US	LA	SHREVEPORT	266.50	4.83	9.56	37.77	0.500	66.19s	31.56	34.63					
KWKH (90)	US	LA	SHREVEPORT	266.02	4.91	9.68	38.34	0.500	65.20s	31.55	33.66					
KWKH (95)	US	LA	SHREVEPORT	265.42	5.00	9.81	38.92	0.500	64.23s	31.54	32.69					
KWKH (100)	US	LA	SHREVEPORT	264.71	5.07	9.92	39.43	0.500	63.41s	31.53	31.88					
KWKH (105)	US	LA	SHREVEPORT	247.52	9.53	16.51	73.14	0.500	34.18s	30.85	3.33					
KWKH (110)	US	LA	SHREVEPORT	234.18	10.45	17.87	81.23	0.596	36.68s	30.66	6.02					
KWKH (115)	US	LA	SHREVEPORT	239.07	8.74	15.34	67.01	0.789	58.84s	31.00	27.84					
KWKH (120)	US	LA	SHREVEPORT	240.36	7.78	13.90	59.40	0.949	79.92s	31.16	48.76					
KWKH (125)	US	LA	SHREVEPORT	238.67	7.19	13.04	55.07	1.096	99.52s	31.25	68.26					
KWKH (130)	US	LA	SHREVEPORT	236.06	6.66	12.25	51.28	1.193	116.38s	31.33	85.05					

MINOR CHANGE APPLICATION
GLORY COMMUNICATIONS, INC.
WEAF AM RADIO STATION
has: 1130 kHz - 0.007/1.0 kW ND
CAMDEN, SOUTH CAROLINA
req: 1130 kHz - 0.009/1.0 kW ND
SPRINGDALE, SOUTH CAROLINA
January 2007

EXHIBIT #3A (Continued)

Night Allocation Protection Report

Call Letters	Ct	St	City	Azi (deg)	Ang Low (deg)	Ang High (deg)	SWFF (100uV/m)	Req Prot (mV/m)	Permis (mV/m)	Cur Rad (mV/m)	Margin (mV/m)
KWKH (0)	US	LA	SHREVEPORT	269.96	4.21	8.66	33.86	0.500	73.82S	31.62	42.21
KWKH (5)	US	LA	SHREVEPORT	269.80	4.25	8.72	34.11	0.500	73.30S	31.61	41.69
KWKH (10)	US	LA	SHREVEPORT	269.63	4.29	8.77	34.33	0.500	72.81S	31.61	41.21
KWKH (15)	US	LA	SHREVEPORT	269.48	4.32	8.83	34.55	0.500	72.36S	31.61	40.75
KWKH (20)	US	LA	SHREVEPORT	269.48	4.37	8.89	34.82	0.500	71.79S	31.60	40.19
KWKH (25)	US	LA	SHREVEPORT	269.37	4.41	8.95	35.07	0.500	71.29S	31.60	39.69
KWKH (30)	US	LA	SHREVEPORT	269.20	4.44	9.00	35.28	0.500	70.87S	31.60	39.27
KWKH (35)	US	LA	SHREVEPORT	268.98	4.47	9.04	35.45	0.500	70.52S	31.59	38.93
KWKH (40)	US	LA	SHREVEPORT	268.82	4.50	9.09	35.66	0.500	70.10S	31.59	38.51
KWKH (45)	US	LA	SHREVEPORT	268.65	4.54	9.14	35.89	0.500	69.66S	31.59	38.07
KWKH (50)	US	LA	SHREVEPORT	268.61	4.61	9.25	36.35	0.500	68.79S	31.58	37.21
KWKH (55)	US	LA	SHREVEPORT	268.42	4.66	9.32	36.65	0.500	68.21S	31.57	36.64
KWKH (60)	US	LA	SHREVEPORT	268.13	4.68	9.35	36.80	0.500	67.94S	31.57	36.37
KWKH (65)	US	LA	SHREVEPORT	267.84	4.71	9.38	36.95	0.500	67.66S	31.57	36.09
KWKH (70)	US	LA	SHREVEPORT	267.52	4.71	9.39	37.01	0.500	67.55S	31.57	35.98
KWKH (75)	US	LA	SHREVEPORT	267.20	4.72	9.40	37.06	0.500	67.45S	31.57	35.88
KWKH (80)	US	LA	SHREVEPORT	266.88	4.75	9.44	37.27	0.500	67.08S	31.57	35.51
KWKH (85)	US	LA	SHREVEPORT	266.50	4.83	9.56	37.77	0.500	66.19S	31.56	34.63
KWKH (90)	US	LA	SHREVEPORT	266.02	4.91	9.68	38.34	0.500	65.20S	31.55	33.66
KWKH (95)	US	LA	SHREVEPORT	265.42	5.00	9.81	38.92	0.500	64.23S	31.54	32.69
KWKH (100)	US	LA	SHREVEPORT	264.71	5.07	9.92	39.43	0.500	63.41S	31.53	31.88
KWKH (105)	US	LA	SHREVEPORT	247.52	9.53	16.51	73.14	0.500	34.18S	30.85	3.33
KWKH (110)	US	LA	SHREVEPORT	234.18	10.45	17.87	81.23	0.596	36.68s	30.66	6.02
KWKH (115)	US	LA	SHREVEPORT	239.07	8.74	15.34	67.01	0.789	58.84s	31.00	27.84
KWKH (120)	US	LA	SHREVEPORT	240.36	7.78	13.90	59.40	0.949	79.92s	31.16	48.76
KWKH (125)	US	LA	SHREVEPORT	238.67	7.19	13.04	55.07	1.096	99.52s	31.25	68.26
KWKH (130)	US	LA	SHREVEPORT	236.06	6.66	12.25	51.28	1.193	116.38s	31.33	85.05

MINOR CHANGE APPLICATION
GLORY COMMUNICATIONS, INC.
WEAF AM RADIO STATION
has: 1130 kHz - 0.007/1.0 kW ND
CAMDEN, SOUTH CAROLINA
req: 1130 kHz - 0.009/1.0 kW ND
SPRINGDALE, SOUTH CAROLINA
January 2007

EXHIBIT #3B

Night Radiation Limit Report for WEAF

Frequency: 1130 kHz

Latitude: 33-57-34 N

Longitude: 081-02-28 W

Radiation limits above 100.0 mV/m@1km are not shown.

	Ct	St	City	Azimuth (Deg)	Min Theta (Deg)	Max Theta (Deg)	Limit (mV/m @ 1km)
WBBR (320)	US	NY	NEW YORK	18.3	5.1	9.9	73.7
WBBR (315)	US	NY	NEW YORK	20.4	5.5	10.5	67.5
WBBR (310)	US	NY	NEW YORK	22.7	5.9	11.1	63.0
WBBR (305)	US	NY	NEW YORK	24.7	6.1	11.5	60.0
WBBR (300)	US	NY	NEW YORK	26.3	6.3	11.8	57.9
WBBR (290)	US	NY	NEW YORK	28.4	6.6	12.2	55.2
WBBR (285)	US	NY	NEW YORK	29.1	6.7	12.4	54.1
WBBR (280)	US	NY	NEW YORK	30.1	6.8	12.5	53.4
WBBR (270)	US	NY	NEW YORK	35.2	6.4	11.9	56.6
WBBR (235)	US	NY	NEW YORK	36.4	6.6	12.2	54.8
WBBR (220)	US	NY	NEW YORK	37.1	6.8	12.4	53.2
WBBR (215)	US	NY	NEW YORK	37.4	6.9	12.5	52.6
WBBR (210)	US	NY	NEW YORK	40.7	9.3	16.1	37.3
WBBR (195)	US	NY	NEW YORK	42.8	8.1	14.4	50.9
WBBR (205)	US	NY	NEW YORK	44.2	10.2	17.5	33.2
WBBR (200)	US	NY	NEW YORK	48.3	10.8	18.4	31.0
WFXH	US	SC	HILTON HEAD ISL	171.3	35.6	49.9	32.3
KWKH (110)	US	LA	SHREVEPORT	234.2	10.4	17.9	36.7
KWKH (115)	US	LA	SHREVEPORT	239.1	8.7	15.3	58.8
KWKH (120)	US	LA	SHREVEPORT	240.4	7.8	13.9	79.9
KWKH (105)	US	LA	SHREVEPORT	247.5	9.5	16.5	34.2
KWKH (100)	US	LA	SHREVEPORT	264.7	5.1	9.9	63.4
KWKH (90)	US	LA	SHREVEPORT	266.0	4.9	9.7	65.2
KWKH (85)	US	LA	SHREVEPORT	266.5	4.8	9.6	66.2
KWKH (70)	US	LA	SHREVEPORT	267.5	4.7	9.4	67.5
KWKH (50)	US	LA	SHREVEPORT	268.6	4.6	9.2	68.8
KWKH (15)	US	LA	SHREVEPORT	269.5	4.3	8.8	72.4