

Exhibit 17.1

Allocation Study for Channel 202B1

REFERENCE CH# 202B1 - 88.3 MHz, Pwr= 2.4 kW, HAAT=214.8M, COR= 462 M DISPLAY DATES
 41 06 33 N Average Protected F(50-50)= 32.6 km DATA 02-16-02
 85 11 42 W Ave. F(50-10) 40 dBu= 89.2 54 dBu= 49.0 80 dBu= 10.7 100 dBu= 2.7

CH CITY	CALL	TYPE STATE	AZI. <--	DIST FILE #	LAT. LNG.	Pwr(kW) HAAT(M)	COR(M) INT(km)	PRO(km) LICENSEE	*IN* (Overlap in km)	*OUT*
202B1	WLAB	LIC DCN	104.5	4.31	41 05 58	7.000	349	29.9	-118.10	-114.72
Fort Wayne Accepted by Canada 910415										
202A	990714	APP VN	209.2	34.90	40 50 06	0.200	398	11.6	-37.43	-65.87
Muncie Vertical Polarization Only										
202A	*WEAX	LIC CN	14.8	60.02	41 37 53	0.920	348	12.7	0.68	1.87
Angola > Reference HAAT at 14.8°= 204.0 M, Pwr= 000.07686 kW, Pro. Dist. = 13.75 km, Int Dist. = 45.44 km										
203B1	*AP203	APP V	207.5	68.13	40 33 54	0.180	344	11.1	18.76	6.86
Marion > Reference HAAT at 207.5°= 225.1 M, Pwr= 002.4 kW, Pro. Dist. = 33.42 km, Int Dist. = 50.16 km										
201B	*WVPE	LIC CN	304.4	100.89	41 36 59	10.500	404	38.9	19.68	27.20
Elkhart > Reference HAAT at 304.4°= 203.5 M, Pwr= 000.62033 kW, Pro. Dist. = 23.24 km, Int Dist. = 34.78 km										
204D	W204BF	CP C	114.6	1.49	41 06 13	0.010	420	3.2	-31.36	-4.40
Fort Wayne Vertical Polarization Only										
202B1	*WAYK	LIC DVN	344.1	138.42	42 18 23	0.826	380	18.6	63.58	70.11
Kalamazoo > Reference HAAT at 344.1°= 204.0 M, Pwr= 000.11379 kW, Pro. Dist. = 15.17 km, Int Dist. = 49.68 km										
203A	*AP203	APP CX	331.4	62.06	41 35 55	1.000	311	10.3	30.52	26.09
Newbury Township > Reference HAAT at 331.4°= 203.8 M, Pwr= 000.17911 kW, Pro. Dist. = 17.15 km, Int Dist. = 25.65 km										
202A	*990120	APP VN	215.1	110.84	40 17 29	0.225	355	12.4	35.06	8.27
Tipton > Reference HAAT at 215.1°= 223.7 M, Pwr= 002.4 kW, Pro. Dist. = 33.32 km, Int Dist. = 90.22 km Accepted by Canada on 990713 as a Class A										
202A	AP202	APP VX	148.1	114.22	40 14 06	0.650	372	13.7	33.48	11.38
Versailles OH										
201A	WHCI	LIC DE	192.2	70.87	40 29 07	0.100	288	5.6	30.25	16.21
Hartford City IN										
203B1	*WYSA	LIC C	59.0	98.11	41 33 29	10.000	312	31.1	29.41	37.09
Wauseon > Reference HAAT at 59.0°= 222.1 M, Pwr= 000.28644 kW, Pro. Dist. = 20.17 km, Int Dist. = 29.94 km										
201A	WBCJ	LIC CN	122.7	81.39	40 42 41	2.600	396	28.0	6.40	4.40
Spencerville OH Satellite operation for WBCL, Fort Wayne, Indiana										
06Z1C	WRTV	LI HN	212.6	159.06	39 53 59	100.000	551	103.7	55.3R	103.7M
Indianapolis IN										

*** = ERP and HAAT on direct line to and from reference station. "<" = Contour Overlap

Bold stations have full contour protection studies prepared in Exhibit(s) 17.3 and 17.4

BPED-19990714ME Muncie, IN shows overlap to the WLAB facility, however this application is technically deficient with the original WLAB operation and therefore not relevant in this allocation

MUNN-REESE, INC.
 Broadcast Engineering Consultants
 Coldwater, MI 49036