



Proposal Number **DCA-10732**
Date **28-Oct-04**
Call Letters
Location **Mobile, AL**
Customer
Antenna Type **DCBR-O3-9FMB/27H-2-N**

ELEVATION PATTERN

RMS Gain at Main Lobe	4.30	(6.33 dB)	Beam Tilt	0.50 deg
RMS Gain at Horizontal	4.25	(6.28 dB)	Frequency	92.90 MHz
Calculated / Measured	Calculated		Drawing #	09C093050-90





EXHIBIT #C



Proposal Number	DCA-10732
Date	28-Oct-04
Call Letters	
Location	Mobile, AL
Customer	
Antenna Type	DCBR-O3-9FMB/27H-2-N

ELEVATION PATTERN

RMS Gain at Main Lobe	4.30 (6.33 dB)	Beam Tilt	0.50 deg
RMS Gain at Horizontal	4.25 (6.28 dB)	Frequency	92.90 MHz
Calculated / Measured	Calculated	Drawing #	09C093050





Proposal Number **DCA-10732**

Date **28-Oct-04**

Call Letters

Location **Mobile, AL**

Customer

Antenna Type **DCBR-O3-9FMB/27H-2-N**

TABULATION OF ELEVATION PATTERN

Elevation Pattern Drawing #: **09C093050-90**

Angle	Field	Angle	Field	Angle	Field	Angle	Field	Angle	Field	Angle	Field
-10.0	0.232	2.4	0.887	10.6	0.234	30.5	0.003	51.0	0.048	71.5	0.072
-9.5	0.234	2.6	0.864	10.8	0.234	31.0	0.022	51.5	0.057	72.0	0.070
-9.0	0.226	2.8	0.838	11.0	0.233	31.5	0.039	52.0	0.064	72.5	0.068
-8.5	0.208	3.0	0.810	11.5	0.223	32.0	0.054	52.5	0.071	73.0	0.065
-8.0	0.179	3.2	0.781	12.0	0.205	32.5	0.067	53.0	0.076	73.5	0.062
-7.5	0.142	3.4	0.750	12.5	0.179	33.0	0.078	53.5	0.080	74.0	0.059
-7.0	0.105	3.6	0.718	13.0	0.148	33.5	0.085	54.0	0.082	74.5	0.056
-6.5	0.091	3.8	0.684	13.5	0.113	34.0	0.090	54.5	0.083	75.0	0.053
-6.0	0.129	4.0	0.650	14.0	0.076	34.5	0.092	55.0	0.083	75.5	0.049
-5.5	0.198	4.2	0.614	14.5	0.039	35.0	0.090	55.5	0.081	76.0	0.046
-5.0	0.282	4.4	0.578	15.0	0.016	35.5	0.086	56.0	0.078	76.5	0.043
-4.5	0.373	4.6	0.541	15.5	0.040	36.0	0.079	56.5	0.074	77.0	0.040
-4.0	0.467	4.8	0.504	16.0	0.069	36.5	0.069	57.0	0.069	77.5	0.037
-3.5	0.560	5.0	0.467	16.5	0.095	37.0	0.058	57.5	0.063	78.0	0.034
-3.0	0.650	5.2	0.429	17.0	0.115	37.5	0.045	58.0	0.056	78.5	0.031
-2.8	0.685	5.4	0.392	17.5	0.130	38.0	0.030	58.5	0.048	79.0	0.028
-2.6	0.718	5.6	0.355	18.0	0.138	38.5	0.016	59.0	0.040	79.5	0.025
-2.4	0.751	5.8	0.318	18.5	0.140	39.0	0.000	59.5	0.032	80.0	0.023
-2.2	0.781	6.0	0.282	19.0	0.135	39.5	0.015	60.0	0.024	80.5	0.021
-2.0	0.811	6.2	0.248	19.5	0.126	40.0	0.029	60.5	0.016	81.0	0.019
-1.8	0.838	6.4	0.215	20.0	0.111	40.5	0.042	61.0	0.009	81.5	0.017
-1.6	0.864	6.6	0.183	20.5	0.093	41.0	0.054	61.5	0.009	82.0	0.015
-1.4	0.888	6.8	0.154	21.0	0.071	41.5	0.065	62.0	0.015	82.5	0.014
-1.2	0.910	7.0	0.129	21.5	0.048	42.0	0.073	62.5	0.022	83.0	0.012
-1.0	0.929	7.2	0.109	22.0	0.024	42.5	0.080	63.0	0.030	83.5	0.011
-0.8	0.947	7.4	0.095	22.5	0.008	43.0	0.084	63.5	0.037	84.0	0.010
-0.6	0.962	7.6	0.090	23.0	0.027	43.5	0.086	64.0	0.044	84.5	0.009
-0.4	0.974	7.8	0.094	23.5	0.049	44.0	0.086	64.5	0.051	85.0	0.008
-0.2	0.984	8.0	0.104	24.0	0.068	44.5	0.083	65.0	0.057	85.5	0.007
0.0	0.992	8.2	0.118	24.5	0.084	45.0	0.079	65.5	0.062	86.0	0.006
0.2	0.997	8.4	0.133	25.0	0.096	45.5	0.073	66.0	0.066	86.5	0.005
0.4	1.000	8.6	0.149	25.5	0.104	46.0	0.065	66.5	0.069	87.0	0.004
0.6	1.000	8.8	0.164	26.0	0.108	46.5	0.056	67.0	0.072	87.5	0.004
0.8	0.997	9.0	0.178	26.5	0.107	47.0	0.046	67.5	0.074	88.0	0.003
1.0	0.992	9.2	0.190	27.0	0.103	47.5	0.035	68.0	0.076	88.5	0.002
1.2	0.984	9.4	0.202	27.5	0.094	48.0	0.023	68.5	0.077	89.0	0.001
1.4	0.974	9.6	0.211	28.0	0.083	48.5	0.011	69.0	0.077	89.5	0.001
1.6	0.961	9.8	0.216	28.5	0.069	49.0	0.006	69.5	0.077	90.0	0.000
1.8	0.946	10.0	0.223	29.0	0.052	49.5	0.015	70.0	0.077		
2.0	0.929	10.2	0.228	29.5	0.034	50.0	0.027	70.5	0.076		
2.2	0.909	10.4	0.232	30.0	0.015	50.5	0.037	71.0	0.074		