

EXHIBIT 12

Waiver Request of Section 74.1204

Polson, MT K212DV 75 Watts ERP

Minor Channel Change 266

Calvary Chapel of Twin Falls, Inc. June 2008

The proposed site is contained entirely inside the service contour of second-adjacent station KIBG Bigfork, MT

KIBG

The proposed site is contained entirely inside the service contour of second-adjacent station KIBG, 264C, 85kW, Bigfork, MT. The level of least arriving protected F(50,50) signal at the proposed transmitter site is 99.8-dBu. Using the Undesired-to-Desired method for calculating proposed interference, the interfering contour is 139.8-dBu (free-space contour method employed). The interfering contour would, in the worst case at the maximum radial, extend 6 meters from the center of radiation which already exists at 31 meters AGL and will not be changed. This interference contour does not touch the ground and because this tower is located in a very sparsely populated area where there are no residences, businesses or the major roadways that will be affected by this interfering contour, Calvary Chapel of Twin Falls, Inc. respectfully requests a waiver of the FM translator contour overlap regulations with respect to second-adjacent channel station KIBG.

TERRAIN AND CONTOUR DATA

Calvary Chapel of Twin Fall, Inc.

June 2008

K212DV Polson minor channel change - IF 266

N. Lat. = 474037.0 W. Lng. = 1140833.0

HAAT and Distance to Contour - FCC Method - USGS 03 SEC

Azi.	AV EL	HAAT	ERP kW	dBk	Field	60-F5
000	886.8	180.2	0.0750	-11.25	1.000	12.91
030	882.0	185.0	0.0750	-11.25	1.000	13.06
060	1180.1	-113.1	0.0750	-11.25	1.000	5.24
090	1408.1	-341.1	0.0750	-11.25	1.000	5.24
120	1379.9	-312.9	0.0750	-11.25	1.000	5.24
150	989.3	77.7	0.0750	-11.25	1.000	8.44
180	953.5	113.5	0.0750	-11.25	1.000	10.22
210	990.5	76.5	0.0750	-11.25	1.000	8.37
240	946.0	121.0	0.0750	-11.25	1.000	10.52
270	922.3	144.7	0.0750	-11.25	1.000	11.50
300	1052.7	14.3	0.0750	-11.25	1.000	5.24
330	1021.2	45.8	0.0750	-11.25	1.000	6.44

Ave EI = 1051.03 M HAAT= 15.97 M AMSL= 1067.0

Contour.out

CANADIAN COMPLIANCE
TERRAIN AND CONTOUR DATA
CALVARY CHAPEL OF TWIN FALLS, INC.
K212DV POLSON MT MINOR CHANNEL CHANGE - IF 266
JUNE 2008
N. Lat. = 474037.0 W. Lng. = 1140833.0
HAAT and Distance to Contour - FCC Method - USGS 03 SEC

Azi.	AV EL	HAAT	ERP kW	dBk	Field	34-F1
000	886.8	180.2	0.0750	-11.25	1.000	57.75
030	882.0	185.0	0.0750	-11.25	1.000	58.32
060	1180.1	-113.1	0.0750	-11.25	1.000	24.87
090	1408.1	-341.1	0.0750	-11.25	1.000	24.87
120	1379.9	-312.9	0.0750	-11.25	1.000	24.87
150	989.3	77.7	0.0750	-11.25	1.000	40.97
180	953.5	113.5	0.0750	-11.25	1.000	48.69
210	990.5	76.5	0.0750	-11.25	1.000	40.67
240	946.0	121.0	0.0750	-11.25	1.000	49.82
270	922.3	144.7	0.0750	-11.25	1.000	53.08
300	1052.7	14.3	0.0750	-11.25	1.000	24.87
330	1021.2	45.8	0.0750	-11.25	1.000	30.74

Ave EI = 1051.03 M HAAT= 15.97 M AMSL= 1067.0