




United States of America
FEDERAL COMMUNICATIONS COMMISSION
FM BROADCAST STATION CONSTRUCTION PERMIT

Official Mailing Address:

LAHONTAN VALLEY BROADCASTING COMPANY, LLC
1155 GUMMOW DRIVE
FALLON NV 89406

Authorizing Official:

A handwritten signature in dark ink, appearing to read "Rodolfo F. Bonacci", is written over a horizontal line.

Rodolfo F. Bonacci

Assistant Chief

Audio Division

Media Bureau

Facility ID: 36244

Call Sign: KVLV-FM

Permit File Number: BPH-20090326ADJ

Grant Date: DEC 31 2009

This permit expires 3:00 a.m.
local time, 36 months after the
grant date specified above.

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Name of Permittee: LAHONTAN VALLEY BROADCASTING COMPANY, LLC

Station Location: NV-FALLON

Frequency (MHz): 99.5

Channel: 258

Class: A

Hours of Operation: Unlimited

Transmitter: Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Transmitter output power: As required to achieve authorized ERP.

Antenna type: Non-Directional

Antenna Coordinates: North Latitude: 39 deg 29 min 26 sec

West Longitude: 118 deg 49 min 08 sec

	Horizontally Polarized Antenna	Vertically Polarized Antenna
--	--------------------------------------	------------------------------------

Effective radiated power in the Horizontal Plane (kW):	6.0	6.0
--	-----	-----

Height of radiation center above ground (Meters):	68	68
---	----	----

Height of radiation center above mean sea level (Meters):	1275	1275
---	------	------

Height of radiation center above average terrain (Meters):	76	76
--	----	----

Antenna structure registration number: 1009567

Overall height of antenna structure above ground (including obstruction lighting if any) see the registration for this antenna structure.

Special operating conditions or restrictions:

1 The permittee/licensee in coordination with other users of the site must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.


2 During installation of the antenna authorized herein, AM Station(s) listed below shall determine operating power by the indirect method. Upon completion of the installation, antenna impedance measurements on the AM antenna shall be made and, prior to or simultaneous with the filing of the application for license to cover this permit, the results submitted to the Commission (along with a tower sketch of the installation) in an FCC Form 302-AM application for the AM station to return to the direct method of power determination.
(Revised January 28, 1983)

KVLV(AM), Facility ID No. 36243, Fallon, NV

3 Permittee shall submit a statement certifying that a fence has been constructed at least one meter from the base of the tower and in such a manner as to prevent the exposure of humans to radiofrequency electromagnetic fields in excess of the FCC Guidelines in OET bulletin No. 65, Edition 97-01 August 1997. The fence must be of a type which will preclude casual or inadvertent access, and must include warning signs at appropriate intervals which describe the nature of the hazard.

*** END OF AUTHORIZATION ***

KVLV-AM 980 MAR 26, 2011



DRAWING M.T.S
JLR

39-29-26N DMS
118-49-08W DMS


March 23, 2011

Permit No.: BPH-20090326ADJ
Callsign: KVLV-FM

Re: Special operating conditions or restrictions:

Statement No. 3 response,

There is now an inner wooden fence 2 meters high that is in excess of 2 meters away from the tower and an outer wooden fence that is 1.75 meters high that is 6 meters away from the inner fence. The outer fence does have warning signs on all sides. The antenna site does comply with FCC guidelines in the OET bulletin No. 65, Edition 97-01 August 1997.



Lynn Pearce
Managing Member
Chief Operator

DATED: 3/26/2011