


Degr.	Field	Kw	dBk	d dBk
0	0.1000	0.0006-32.2185	0.00000	
10	0.1000	0.0006-32.2185	0.00000	
20	0.1000	0.0006-32.2185	0.00000	
30	0.1000	0.0006-32.2185	0.00000	
40	0.1000	0.0006-32.2185	0.00000	
50	0.1000	0.0006-32.2185	0.00000	
60	0.1100	0.0007-31.3906	0.82785	
70	0.1650	0.0016-27.8688	3.52183	
80	0.1530	0.0014-28.5247	-0.65585	
90	0.1650	0.0016-27.8688	0.65585	
100	0.2210	0.0029-25.3306	2.53817	
110	0.2990	0.0054-22.7051	2.62558	
120	0.3780	0.0086-20.6687	2.03641	
130	0.4890	0.0143-18.4323	2.23634	
140	0.5960	0.0213-16.7136	1.71875	
150	0.6350	0.0242-16.1630	0.55055	
160	0.5330	0.0170-17.6839	-1.52093	
170	0.4330	0.0112-19.4887	-1.80479	
180	0.4240	0.0108-19.6712	-0.18244	
190	0.4790	0.0138-18.6118	1.05939	
200	0.3350	0.0067-21.7176	-3.10581	
210	0.6770	0.0275-15.6067	6.11088	
220	0.7680	0.0354-14.5113	1.09545	
230	0.8700	0.0454-13.4281	1.08316	
240	0.9700	0.0565-12.4831	0.94505	
250	0.9980	0.0598-12.2359	0.24718	
260	0.9980	0.0598-12.2359	0.00000	
270	0.8500	0.0434-13.6301	-1.39423	
280	0.7240	0.0315-15.0237	-1.39361	
290	0.5800	0.0202-16.9499	-1.92621	
300	0.4440	0.0118-19.2708	-2.32090	
310	0.3610	0.0078-21.0683	-1.79752	
320	0.2480	0.0037-24.3295	-3.26111	
330	0.1100	0.0007-31.3906	-7.06118	
340	0.1000	0.0006-32.2185	-0.82785	
350	0.1000	0.0006-32.2185	0.00000	



☐ Cardioid
 Dist (wv)
 

v

^

0

▼

☐ %
 Az
 

100

▼

0

▼


☐ %
 Az
 

100

▼

0

▼



☐ Cardioid
 Dist (wv)
 

v

^

0

▼

☐ %
 Az
 

100

▼

0

▼


☐ %
 Az
 

100

▼

0

▼



☐ Cardioid
 Dist (wv)
 

v

^

0

▼

☐ %
 Az
 

100

▼

0

▼

☐ %
 Az
 


100

▼


0

▼

Max. dB Change 7.0612 RMS 0.5045 HPat Gain 3.93% Max. Pk-Pk dB 19.983



RMS 0.5659 ☒ Is Ref  
 (89.2%)  
 MaxMin 14.992



☐ Cardioid
 Dist (wv)
 

<

>

0

▼

☐ %
 Az
 

100

▼

0

▼

☐ %
 Az
 

100

▼

0

▼

0

▼

Rotate by

340

50

Interpolate

Display Res.

☒ 36

☐ 360

0.01

km

0.01

dB

Trim

.019

Set Max ERP

Lin/Log Disp.

☒ Linear

☐ Log

☐ ARRL

☐ Combine

☐ Show Rec Protections

Form Print

Fill

1.0

0.3610

0.0078

-21.06834

CS Write

TrMax

New

Read

NEC

Get Mins

2dB/10

Print

Write