

PROTECTION CONSIDERATIONS
Northwest Television, Inc.
Galesburg, IL

Studies were conducted utilizing the procedures outlined in FCC OET Bulletin 69 and Section 73.623(c) of the FCC Rules to evaluate the predicted increase in interference to other domestic TV broadcast facilities, both NTSC and DTV, requiring protection consideration from the DTV facilities proposed in the attached amendment. These interference studies were conducted utilizing the FCC's "FLR" computer program modified to run on a Windows 98/Windows NT platform and recompiled under the Compaq (DEC) Visual Fortran compiler. The version of the "FLR" program utilized in conducting these studies employed the same 2 kilometer cell size as was employed by the FCC in conducting the initial DTV allotment studies. This implementation of the "FLR" program was run for several stations utilizing the databases employed by the FCC to generate the benchmark values contained in Appendix B of the December 18, 1998 Second Memorandum Opinion and Order on Reconsideration of the Fifth and Sixth Report and Orders in MM Docket 87-268 and yielded results essentially identical to those found in Appendix B for these stations. Thus, it is felt that this implementation of the "FLR" program faithfully reproduces the results obtained by the FCC in their implementation of this program.

These interference studies were conducted on all NTSC and DTV facilities for which the proposed site is located within the distances outlined in Table 7 of OET Bulletin 69 of the Grade B or Noise Limited contour. There are no NTSC stations requiring protection consideration whose Grade B contour comes within the distances specified in this table of the proposed site. Thus, it was not necessary to conduct interference

EXHIBIT 41
(Page 2 of 20)

studies to any NTSC stations. The allotment facilities were studied for all DTV facilities. Further studies were also conducted to the proposed or authorized facilities of DTV stations whose application or authorization specifies facilities exceeding those authorized by their DTV allotment (non-checklist facilities).

In conducting these interference studies, interfering NTSC stations holding a construction permit were considered to be operating with their construction permit facilities, while interfering NTSC stations not holding a construction permit were considered to be operating with their licensed facilities. Interfering DTV facilities who have not yet filed a construction permit application and authorized or proposed interfering DTV facilities which are based on a checklist application were considered to be operating with their DTV allotment facilities. For interfering DTV facilities which have a pending maximization application or have been authorized operating facilities based on a maximization application, the maximized facilities were considered in these studies only if they reduced the DTV Service population for the station being studied below the value which occurs when the same station's DTV allotment facilities are considered or when it was obvious by inspection that the maximized facilities have a significantly greater potential to cause interference to the station being studied than the associated DTV allotment facilities. The only exception to this was when the facilities proposed in an ungranted maximization application would result in more than 2% new interference to the station being studied. In this situation, the facilities proposed in this maximization application were not considered in these studies, since they are not likely to be granted.

EXHIBIT 41
(Page 3 of 20)

These studies were conducted to evaluate the impact of the proposed operating facilities on five other DTV stations:

KCRG-DT	Cedar Rapids, IA	Channel 52
WGBO-DT	Joliet, IL	Channel 53
WCFN-DT	Springfield, IL	Channel 53
WGEM-DT	Quincy, IL	Channel 54
WREX-DT	Rockford, IL	Channel 54

Pursuant to the note to Section 73.622(e)(2) of the FCC Rules, the “FLR” program was run in the “paired” mode for the interference studies to KCRG-DT, WGEM-DT, and WREX-DT in order to evaluate service and interference to the entire area within the Grade B contour of the associated NTSC station, including the portions of this area which fall outside the noise limited contour for the DTV facilities being studied. The results of these studies are tabulated in Tables 41.0 through 41.7. These tables contain a complete listing of the stations which were included in each study and the facilities which were considered for each station included in the study. They also contain the output of the “FLR” program for the station being studied both with and without the DTV facilities proposed in the attached amendment.

As shown by this data, the proposed DTV facilities would result in additional interference to each set of operating facilities studied for four of the other stations on which OET 69 interference studies were conducted:

KCRG-DT	Cedar Rapids, IA	Channel 52
WGBO-DT	Joliet, IL	Channel 53
WCFN-DT	Springfield, IL	Channel 53
WREX-DT	Rockford, IL	Channel 54

When rounded to the nearest 0.1%, pursuant to the procedures outlined in the FCC’s August 10, 1998 Public Notice, the predicted interference to both the allotment and construction permit facilities for WGBO-DT becomes 0.0%, and thus is not cogniza-

EXHIBIT 41
(Page 4 of 20)

ble. The new interference to the allotment facilities for KCRG-DT and WREX-DT and both the allotment and construction permit facilities for WCFN-DT, on the other hand, is cognizable but is less than 2%, thus complying with the 2% de minimis criteria for new interference outlined in Section 73.623(c) of the FCC Rules, which, pursuant to the FCC's February 6, 2002 Public Notice, is the appropriate protection criterion to be employed in this situation. Furthermore, the total interference to each of these stations when the proposed operating facilities are considered is less than 10%, thus complying with the 10% de minimis criteria for total interference outlined in this same rule section.

Based on the above information, the DTV operating facilities proposed in the attached amendment fully comply with the appropriate protection requirements to all other domestic TV broadcast facilities, both analog and DTV, requiring protection consideration.

The proposed facilities are also required to provide protection consideration to Class A TV stations and Class A eligible LPTV stations which timely filed a Class A license application. There are, however, no Class A stations or Class A eligible LPTV stations authorized on channels within the core spectrum requiring protection consideration located close enough to the proposed site to require protection consideration. Accordingly, the proposed DTV facilities fully comply with the applicable protection requirements to Class A TV facilities.

Finally, it should be noted that the proposed site is not located within the border coordination zone for either Canada or Mexico. Thus, there are no foreign protection issues which must be considered.

TABLE 41.0

OET 69 INTERFERENCE STUDIES
 KCRG-DT - CEDAR RAPIDS, IA
(ALLOTMENT FACILITIES)
 Northwest Television, Inc.
 Galesburg, IL

STATION BEING STUDIED

<u>Call</u>	<u>Location</u>	<u>Channel</u>	<u>Mode</u>	<u>Status</u>	<u>File Number</u>
KCRG-DT	Cedar Rapids, IA	52	DTV	Allotment	

STATIONS CONSIDERED IN STUDIES

<u>Call</u>	<u>Location</u>	<u>Channel</u>	<u>Mode</u>	<u>Status</u>	<u>File Number</u>
WWRS-TV	Mayville, WI	52	NTSC	CP	BMPCT-20001012AAY
KGAN-DT	Cedar Rapids, IA	51	DTV	Allotment	
WLS-DT	Chicago, IL	52	DTV	Allotment	
NEW	Galesburg, IL	53	DTV	Applicant	

STUDY RESULTS WITHOUT PROPOSED GALESBURG FACILITIES

	POPULATION	AREA (sq km)
within Noise Limited Contour	981828	45245.9
not affected by terrain losses	950090	44342.7
lost to NTSC IX	6148	229.8
lost to additional IX by ATV	66	28.2
lost to ATV IX only	352	56.5
lost to all IX	6214	258.1

STUDY RESULTS INCLUDING PROPOSED GALESBURG FACILITIES

	POPULATION	AREA (sq km)
within Noise Limited Contour	981828	45245.9
not affected by terrain losses	950090	44342.7
lost to NTSC IX	6148	229.8
lost to additional IX by ATV	9158	302.4
lost to ATV IX only	9474	338.7
lost to all IX	15306	532.3

TABLE 41.0(cont'd)

OET 69 INTERFERENCE STUDIES
 KCRG-DT - CEDAR RAPIDS, IA
(ALLOTMENT FACILITIES)

SUMMARY OF STUDY RESULTS

	Without Proposed <u>Galesburg</u>	With Proposed <u>Galesburg</u>	<u>Increase/(Decrease)</u>
DTV Service	943,876	934,784	(9,092)
Percent Loss(Gain)*	0.44%	1.39%	0.96%

*Percent Loss calculations are based on the benchmark DTV Service value of 948,000 from Appendix B of the December 18, 1998 Second Memorandum Opinion and Order on Reconsideration of the Fifth and Sixth Report and Orders in MM Docket 87-268.

TABLE 41.1

OET 69 INTERFERENCE STUDIES
 WGBO-DT - JOLIET, IL
(ALLOTMENT FACILITIES)
 Northwest Television, Inc.
 Galesburg, IL

STATION BEING STUDIED

<u>Call</u>	<u>Location</u>	<u>Channel</u>	<u>Mode</u>	<u>Status</u>	<u>File Number</u>
WGBO-DT	Joliet, IL	53	DTV	Allotment	

STATIONS CONSIDERED IN STUDIES

<u>Call</u>	<u>Location</u>	<u>Channel</u>	<u>Mode</u>	<u>Status</u>	<u>File Number</u>
WLAJ	Lansing, MI	53	NTSC	CP	BPCT-19991116AIS
WLS-DT	Chicago, IL	52	DTV	Allotment	
WREX-DT	Rockford, IL	54	DTV	Allotment	
WCFN-DT	Springfield, IL	53	DTV	CP	BPCDT-19991026ABC
WTTV-DT	Bloomington, IN	53	DTV	Allotment	
NEW	Galesburg, IL	53	DTV	Applicant	

STUDY RESULTS WITHOUT PROPOSED GALESBURG FACILITIES

	POPULATION	AREA (sq km)
within Noise Limited Contour	8003924	17816.5
not affected by terrain losses	8003924	17816.5
lost to NTSC IX	0	0.0
lost to additional IX by ATV	96742	1702.5
lost to ATV IX only	96742	1702.5
lost to all IX	96742	1702.5

STUDY RESULTS INCLUDING PROPOSED GALESBURG FACILITIES

	POPULATION	AREA (sq km)
within Noise Limited Contour	8003924	17816.5
not affected by terrain losses	8003924	17816.5
lost to NTSC IX	0	0.0
lost to additional IX by ATV	96916	1746.7
lost to ATV IX only	96916	1746.7
lost to all IX	96916	1746.7

TABLE 41.1(cont'd)

OET 69 INTERFERENCE STUDIES
 WGBO-DT - JOLIET, IL
(ALLOTMENT FACILITIES)

SUMMARY OF STUDY RESULTS

	Without Proposed <u>Galesburg</u>	With Proposed <u>Galesburg</u>	<u>Increase/(Decrease)</u>
DTV Service	7,907,182	7,907,008	(174)
Percent Loss(Gain)*	1.28%	1.29%	0.002%

*Percent Loss calculations are based on the benchmark NTSC Service value of 8,010,000 from Appendix B of the December 18, 1998 Second Memorandum Opinion and Order on Reconsideration of the Fifth and Sixth Report and Orders in MM Docket 87-268.

TABLE 41.2

OET 69 INTERFERENCE STUDIES
 WGBO-DT - JOLIET, IL
 (CONSTRUCTION PERMIT FACILITIES)

Northwest Television, Inc.
 Galesburg, IL

STATION BEING STUDIED

<u>Call</u>	<u>Location</u>	<u>Channel</u>	<u>Mode</u>	<u>Status</u>	<u>File Number</u>
WGBO-DT	Joliet, IL	53	DTV	CP	BPCDT-19991029AHU

STATIONS CONSIDERED IN STUDIES

<u>Call</u>	<u>Location</u>	<u>Channel</u>	<u>Mode</u>	<u>Status</u>	<u>File Number</u>
WGVK	Kalamazoo, MI	52	NTSC	Licensed	BLET-19841012KH
WLAJ	Lansing, MI	53	NTSC	CP	BPCT-19991116AIS
WLS-DT	Chicago, IL	52	DTV	Allotment	
WREX-DT	Rockford, IL	54	DTV	Allotment	
WCFN-DT	Springfield, IL	53	DTV	CP	BPCDT-19991026ABC
WTTV-DT	Bloomington, IN	53	DTV	Allotment	
NEW	Galesburg, IL	53	DTV	Applicant	

STUDY RESULTS WITHOUT PROPOSED GALESBURG FACILITIES

	POPULATION	AREA (sq km)
within Noise Limited Contour	8103344	20288.4
not affected by terrain losses	8102786	20280.4
lost to NTSC IX	0	0.0
lost to additional IX by ATV	41664	807.0
lost to ATV IX only	41664	807.0
lost to all IX	41664	807.0

STUDY RESULTS INCLUDING PROPOSED GALESBURG FACILITIES

	POPULATION	AREA (sq km)
within Noise Limited Contour	8103344	20288.4
not affected by terrain losses	8102786	20280.4
lost to NTSC IX	0	0.0
lost to additional IX by ATV	41898	835.1
lost to ATV IX only	41898	835.1
lost to all IX	41898	835.1

TABLE 41.2(cont'd)

OET 69 INTERFERENCE STUDIES
 WGBO-DT - JOLIET, IL
(CONSTRUCTION PERMIT FACILITIES)

SUMMARY OF STUDY RESULTS

	Without Proposed <u>Galesburg</u>	With Proposed <u>Galesburg</u>	<u>Increase/(Decrease)</u>
DTV Service	8,061,122	8,060,888	(234)
Percent Loss(Gain)*	(0.64)%	(0.64)%	0.003%

*Percent Loss calculations are based on the benchmark NTSC Service value of 8,010,000 from Appendix B of the December 18, 1998 Second Memorandum Opinion and Order on Reconsideration of the Fifth and Sixth Report and Orders in MM Docket 87-268.

TABLE 41.3

OET 69 INTERFERENCE STUDIES
WCFN-DT - SPRINGFIELD, IL
(ALLOTMENT FACILITIES)
Northwest Television, Inc.
Galesburg, IL

STATION BEING STUDIED

<u>Call</u>	<u>Location</u>	<u>Channel</u>	<u>Mode</u>	<u>Status</u>	<u>File Number</u>
WCFN-DT	Springfield, IL	53	DTV	Allotment	

STATIONS CONSIDERED IN STUDIES

<u>Call</u>	<u>Location</u>	<u>Channel</u>	<u>Mode</u>	<u>Status</u>	<u>File Number</u>
WGBO-DT	Joliet, IL	53	DTV	Allotment	
WGEM-DT	Quincy, IL	54	DTV	Allotment	
WTTV-DT	Bloomington, IN	53	DTV	Allotment	
NEW	Galesburg, IL	53	DTV	Applicant	

STUDY RESULTS WITHOUT PROPOSED GALESBURG FACILITIES

	POPULATION	AREA (sq km)
within Noise Limited Contour	352042	9972.1
not affected by terrain losses	352033	9968.1
lost to NTSC IX	0	0.0
lost to additional IX by ATV	0	0.0
lost to ATV IX only	0	0.0
lost to all IX	0	0.0

STUDY RESULTS INCLUDING PROPOSED GALESBURG FACILITIES

	POPULATION	AREA (sq km)
within Noise Limited Contour	352042	9972.1
not affected by terrain losses	352033	9968.1
lost to NTSC IX	0	0.0
lost to additional IX by ATV	652	108.1
lost to ATV IX only	652	108.1
lost to all IX	652	108.1

TABLE 41.3(cont'd)

OET 69 INTERFERENCE STUDIES
WCFN-DT - SPRINGFIELD, IL
(ALLOTMENT FACILITIES)

SUMMARY OF STUDY RESULTS

	Without Proposed <u>Galesburg</u>	With Proposed <u>Galesburg</u>	<u>Increase/(Decrease)</u>
DTV Service	352,033	351,381	(652)
Percent Loss(Gain)*	(54.40)%	(54.11)%	0.29%

*Percent Loss calculations are based on the benchmark DTV Service value of 228,000 from Appendix B of the December 18, 1998 Second Memorandum Opinion and Order on Reconsideration of the Fifth and Sixth Report and Orders in MM Docket 87-268.

TABLE 41.4

OET 69 INTERFERENCE STUDIES
WCFN-DT - SPRINGFIELD, IL
(CONSTRUCTION PERMIT FACILITIES)

Northwest Television, Inc.
Galesburg, IL

STATION BEING STUDIED

<u>Call</u>	<u>Location</u>	<u>Channel</u>	<u>Mode</u>	<u>Status</u>	<u>File Number</u>
WCFN-DT	Springfield, IL	53	DTV	CP	BPCDT-19991026ABC

STATIONS CONSIDERED IN STUDIES

<u>Call</u>	<u>Location</u>	<u>Channel</u>	<u>Mode</u>	<u>Status</u>	<u>File Number</u>
WGBO-DT	Joliet, IL	53	DTV	Allotment	
WGEM-DT	Quincy, IL	54	DTV	Allotment	
WTTV-DT	Bloomington, IN	53	DTV	Allotment	
NEW	Galesburg, IL	53	DTV	Applicant	

STUDY RESULTS WITHOUT PROPOSED GALESBURG FACILITIES

	POPULATION	AREA (sq km)
within Noise Limited Contour	545146	20064.5
not affected by terrain losses	544534	19988.5
lost to NTSC IX	0	0.0
lost to additional IX by ATV	81	12.0
lost to ATV IX only	81	12.0
lost to all IX	81	12.0

STUDY RESULTS INCLUDING PROPOSED GALESBURG FACILITIES

	POPULATION	AREA (sq km)
within Noise Limited Contour	545146	20064.5
not affected by terrain losses	544534	19988.5
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1537	136.0
lost to ATV IX only	1537	136.0
lost to all IX	1537	136.0

TABLE 41.4(cont'd)

OET 69 INTERFERENCE STUDIES
WCFN-DT - SPRINGFIELD, IL
(CONSTRUCTION PERMIT FACILITIES)

SUMMARY OF STUDY RESULTS

	Without Proposed <u>Galesburg</u>	With Proposed <u>Galesburg</u>	<u>Increase/(Decrease)</u>
DTV Service	544,453	542,997	(1,456)
Percent Loss(Gain)*	(138.80)%	(138.16)%	0.64%

*Percent Loss calculations are based on the benchmark DTV Service value of 228,000 from Appendix B of the December 18, 1998 Second Memorandum Opinion and Order on Reconsideration of the Fifth and Sixth Report and Orders in MM Docket 87-268.

TABLE 41.5

OET 69 INTERFERENCE STUDIES
 WGEM-DT - QUINCY, IL
(ALLOTMENT FACILITIES)
 Northwest Television, Inc.
 Galesburg, IL

STATION BEING STUDIED

<u>Call</u>	<u>Location</u>	<u>Channel</u>	<u>Mode</u>	<u>Status</u>	<u>File Number</u>
WGEM-DT	Quincy, IL	54	DTV	Allotment	

STATIONS CONSIDERED IN STUDIES

<u>Call</u>	<u>Location</u>	<u>Channel</u>	<u>Mode</u>	<u>Status</u>	<u>File Number</u>
WRSP-TV	Springfield, IL	55	NTSC	CP	BPCT-20000630AED
WREX-DT	Rockford, IL	54	DTV	Allotment	
WCFN-DT	Springfield, IL	53	DTV	CP	BPCDT-19991026ABC
NEW	Galesburg, IL	53	DTV	Applicant	

STUDY RESULTS WITHOUT PROPOSED GALESBURG FACILITIES

	POPULATION	AREA (sq km)
within Noise Limited Contour	313751	26472.2
not affected by terrain losses	312472	26216.8
lost to NTSC IX	22	12.0
lost to additional IX by ATV	49	27.9
lost to ATV IX only	63	35.9
lost to all IX	71	39.9

STUDY RESULTS INCLUDING PROPOSED GALESBURG FACILITIES

	POPULATION	AREA (sq km)
within Noise Limited Contour	313751	26472.2
not affected by terrain losses	312472	26216.8
lost to NTSC IX	22	12.0
lost to additional IX by ATV	49	27.9
lost to ATV IX only	63	35.9
lost to all IX	71	39.9

TABLE 41.5(cont'd)

OET 69 INTERFERENCE STUDIES
 WGEM-DT - QUINCY, IL
(ALLOTMENT FACILITIES)

SUMMARY OF STUDY RESULTS

	Without Proposed <u>Galesburg</u>	With Proposed <u>Galesburg</u>	<u>Increase/(Decrease)</u>
DTV Service	312,401	312,401	0
Percent Loss(Gain)*	0.19%	0.19%	0.00%

*Percent Loss calculations are based on the benchmark DTV Service value of 313,000 from Appendix B of the December 18, 1998 Second Memorandum Opinion and Order on Reconsideration of the Fifth and Sixth Report and Orders in MM Docket 87-268.

TABLE 41.6

OET 69 INTERFERENCE STUDIES
 WGEM-DT - QUINCY, IL
 (CONSTRUCTION PERMIT FACILITIES)

Northwest Television, Inc.
 Galesburg, IL

STATION BEING STUDIED

<u>Call</u>	<u>Location</u>	<u>Channel</u>	<u>Mode</u>	<u>Status</u>	<u>File Number</u>
WGEM-DT	Quincy, IL	54	DTV	CP	BPCDT-19991101AHX

STATIONS CONSIDERED IN STUDIES

<u>Call</u>	<u>Location</u>	<u>Channel</u>	<u>Mode</u>	<u>Status</u>	<u>File Number</u>
WRSP-TV	Springfield, IL	55	NTSC	CP	BPCT-20000630AED
WREX-DT	Rockford, IL	54	DTV	Allotment	
WCFN-DT	Springfield, IL	53	DTV	CP	BPCDT-19991026ABC
NEW	Galesburg, IL	53	DTV	Applicant	

STUDY RESULTS WITHOUT PROPOSED GALESBURG FACILITIES

	POPULATION	AREA (sq km)
within Noise Limited Contour	313751	26472.2
not affected by terrain losses	312054	26137.0
lost to NTSC IX	40	23.9
lost to additional IX by ATV	234	23.9
lost to ATV IX only	274	47.9
lost to all IX	274	47.9

STUDY RESULTS INCLUDING PROPOSED GALESBURG FACILITIES

	POPULATION	AREA (sq km)
within Noise Limited Contour	313751	26472.2
not affected by terrain losses	312054	26137.0
lost to NTSC IX	40	23.9
lost to additional IX by ATV	234	23.9
lost to ATV IX only	274	47.9
lost to all IX	274	47.9

TABLE 41.6(cont'd)

OET 69 INTERFERENCE STUDIES
 WGEM-DT - QUINCY, IL
(CONSTRUCTION PERMIT FACILITIES)

SUMMARY OF STUDY RESULTS

	Without Proposed <u>Galesburg</u>	With Proposed <u>Galesburg</u>	<u>Increase/(Decrease)</u>
DTV Service	311,780	311,780	0
Percent Loss(Gain)*	0.39%	0.39%	0.00%

*Percent Loss calculations are based on the benchmark DTV Service value of 313,000 from Appendix B of the December 18, 1998 Second Memorandum Opinion and Order on Reconsideration of the Fifth and Sixth Report and Orders in MM Docket 87-268.

TABLE 41.7

OET 69 INTERFERENCE STUDIES
 WREX-DT - ROCKFORD, IL
(ALLOTMENT FACILITIES)
 Northwest Television, Inc.
 Galesburg, IL

STATION BEING STUDIED

<u>Call</u>	<u>Location</u>	<u>Channel</u>	<u>Mode</u>	<u>Status</u>	<u>File Number</u>
WREX-DT	Rockford, IL	54	DTV	Allotment	

STATIONS CONSIDERED IN STUDIES

<u>Call</u>	<u>Location</u>	<u>Channel</u>	<u>Mode</u>	<u>Status</u>	<u>File Number</u>
WTLJ	Muskegon, MI	54	NTSC	Licensed	BLCT-19861110KI
WPXE	Kenosha, WI	55	NTSC	Licensed	BLCT-19970707KE
WGBO-DT	Joliet, IL	53	DTV	CP	BPCDT-19991029AHU
WGEM-DT	Quincy, IL	54	DTV	CP	BPCDT-19991101AHX
WTTK-DT	Kokomo, IN	54	DTV	CP	BPCDT-19991019ABC
NEW	Galesburg, IL	53	DTV	Applicant	

STUDY RESULTS WITHOUT PROPOSED GALESBURG FACILITIES

	POPULATION	AREA (sq km)
within Noise Limited Contour	1553590	24900.3
not affected by terrain losses	1506676	24295.4
lost to NTSC IX	15913	116.9
lost to additional IX by ATV	60353	185.5
lost to ATV IX only	66917	209.7
lost to all IX	76266	302.4

STUDY RESULTS INCLUDING PROPOSED GALESBURG FACILITIES

	POPULATION	AREA (sq km)
within Noise Limited Contour	1553590	24900.3
not affected by terrain losses	1506676	24295.4
lost to NTSC IX	15913	116.9
lost to additional IX by ATV	61188	225.8
lost to ATV IX only	67752	250.0
lost to all IX	77101	342.8

TABLE 41.7(cont'd)

OET 69 INTERFERENCE STUDIES
 WREX-DT - ROCKFORD, IL
(ALLOTMENT FACILITIES)

SUMMARY OF STUDY RESULTS

	Without Proposed <u>Galesburg</u>	With Proposed <u>Galesburg</u>	<u>Increase/(Decrease)</u>
DTV Service	1,430,410	1,429,575	(835)
Percent Loss(Gain)*	2.83%	2.88%	0.06%

*Percent Loss calculations are based on the benchmark DTV Service value of 1,472,000 from Appendix B of the December 18, 1998 Second Memorandum Opinion and Order on Reconsideration of the Fifth and Sixth Report and Orders in MM Docket 87-268.