Percent allowed new interference: 0.500
Percent allowed new interference to non Class A LPTV: 2.000
 TW Census data selected 2000
 Data Base Selected
 /space/software/cdbs/pt_tvdb.sff
              TV INTERFERENCE and SPACING ANALYSIS PROGRAM

 Date: 02-08-2012   Time: 12:23:57

 Record Selected for Analysis

          USERRECORD-01   US
 Channel 20 ERP 0.02   kW   HAAT   45. m RCAMSL 00076 m FULL SERVICE MASK
 Latitude 029-20-51 Longitude 0082-13-05
 Status APP   Zone 2   Border   Site number: 01
 Dir Antenna Make CDB Model 00000000023500 Beam tilt N Ref Azimuth 40.
 Last update   Cutoff date   Docket
 Comments
 Applicant

 Cell Size for Service Analysis 1.0 km/side

 Distance Increments for Longley-Rice Analysis 1.00 km

 Not full service station
 Service Class = LD
 Maximum height/power limits not checked

    Site number 1
    Azimuth   ERP   HAAT   51.0 dBu F(50,90)
     (Deg)   (kW)   (m)   (km)
      0.0   0.000   45.4   2.4
     45.0   0.016   54.7   8.1
     90.0   0.000   52.7   2.3
    135.0   0.000   47.3   2.2
    180.0   0.000   47.3   2.2
    225.0   0.000   36.5   1.9
    270.0   0.000   37.1   1.9
    315.0   0.000   36.9   1.9

        Contour Overlap to Proposed Station

        Contour Overlap Evaluation to Proposed Station Complete

                  NO LANDMOBILE SPACING VIOLATIONS FOUND

                  Checks to Site Number 01

 Proposed facility OK to FCC Monitoring Stations

 Proposed facility OK toward West Virginia quiet zone

 Proposed facility OK toward Table Mountain

 Proposed facility is beyond the Canadian coordination distance

Proposed facility is beyond the Mexican coordination distance

Proposed station is OK toward AM broadcast stations

****

Start of Interference Analysis

Proposed Station

Channel	Call	City/State	ARN
20			USERRECORD01

Stations Potentially Affected by Proposed Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
16	WVCI-LP	ORLANDO FL	114.2	LIC	BLTTL	-20030522AGC
19	NEW	GAINESVILLE FL	33.0	APP	BNPDTL	-20090825ANR
19	WTEV-TV	JACKSONVILLE FL	121.1	LIC	BLCDT	-20030328ANV
19	WMOR-TV	LAKELAND FL	169.9	LIC	BLCDT	-20050726ABO
19	NEW	HOMERVILLE GA	197.5	APP	BNPDTL	-20090825AGP
19	NEW	VALDOSTA GA	195.4	APP	BNPDTL	-20090825CAF
20	W42DJ-D	OCALA FL	9.1	APP	BDISDTT	-20101112AWF
20	NEW	DUNNELLON FL	31.0	APP	BNPDTL	-20090825BFT
20	NEW	GAINESVILLE FL	33.0	APP	BNPDTL	-20090825AOQ
20	NEW	LIVE OAK FL	122.2	APP	BNPDTL	-20090825CAK
20	NEW	MADISON FL	175.7	APP	BNPDTL	-20090825AHV
20	WSCF-LP	MELBOURNE FL	198.8	CP	BDISDTL	-20090630ACW
20	WSCF-LP	MELBOURNE FL	198.8	APP	BSTA	-20110919ACY
20	NEW	OCALA FL	11.1	APP	BNPDTL	-20090825AMY
20	NEW	PANAMA CITY FL	348.4	APP	BNPDTL	-20101026AAD
20	W20DM-D	SEBASTIAN FL	248.3	CP	BNPDTL	-20090825BZC
20	NEW	TALLAHASSEE FL	239.7	APP	BNPDTL	-20090825AJC
20	WARP-CD	TAMPA-ST. PETERSBURG FL	169.3	LIC	BLDTA	-20091029ABJ
20	NEW	WILLISTON FL	23.9	APP	BNPDTL	-20090825BUO
20	W20DO-D	ALBANY GA	311.6	CP	BNPDTL	-20100524ABX
20	NEW	BYRON GA	391.5	APP	BNPDTL	-20100510AFP
20	W20DL-D	MACON GA	399.2	CP	BNPDTL	-20100205ACG
20	W62DE	TIFTON GA	263.7	CP	BDFCDTL	-20091118AGP
20	W62DE	TIFTON GA	263.7	CP	BDISTTL	-20090414AGC
20	NEW	VALDOSTA GA	195.4	APP	BNPDTL	-20090825CAG
21	WCLF	CLEARWATER FL	169.9	CP	BPCDT	-20080619AHV
21	WCLF	CLEARWATER FL	169.9	LIC	BLCDT	-20060627AAQ
21	NEW	GAINESVILLE FL	33.0	APP	BNPDTL	-20090825AOI
21	W21AU	ORLANDO FL	110.8	LIC	BLTTL	-19920715IB
21	W21AU	ORLANDO FL	139.1	CP MOD	BMPDTL	-20110810AAT
21	W21CY-D	HOMERVILLE GA	197.5	CP	BNPDTL	-20090825AEZ
22	WQXT-CA	ST. AUGUSTINE FL	102.9	LIC	BLTTL	-20000420ABQ
23	W23AQ	LAKE CITY FL	104.2	LIC	BLTT	-19931215JE
27	WOCD-LP	DUNNELLON FL	49.1	LIC	BLTTL	-20090331AEX
27	WWRJ-LP	JACKSONVILLE FL	121.4	LIC	BLTTL	-20011213ABF
28	WDYB-LP	DAYTONA BEACH FL	115.2	CP	BDISTTA	-20060922ACY
28	WQXT-CA	ST. AUGUSTINE FL	101.7	CP	BDISTTA	-20070625AAL

%%

Analysis of Interference to Affected Station 1

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
16	WVCI-LP	ORLANDO FL	BLTTL	-20030522AGC

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.

14	WFLA-DR	TAMPA FL	117.3	APP	BPRM	-20110525AFC
15	WKME-CD	KISSIMMEE FL	27.6	LIC	BLDTA	-20110819AAO
16	WCJB-TV	GAINESVILLE FL	141.6	LIC	BLCDT	-20071119AJB
16	W43CE-D	LEALMAN FL	117.8	APP	BDISDTL	-20101105AAX
16	WPBF	TEQUESTA FL	192.1	LIC	BLCDT	-20100216ADP
17	WKCF	CLERMONT FL	32.9	LIC	BLCDT	-20020718AAR
19	WMOR-TV	LAKELAND FL	119.0	LIC	BLCDT	-20050726ABO
23	WMFE-TV	ORLANDO FL	31.9	LIC	BLEDT	-20090225ABF
30	WBCC	COCOA FL	35.2	LIC	BLEDT	-20030429ABH
30	WBCC	COCOA FL	35.2	CP	BPEDT	-20110610ACN
31	WOGX	OCALA FL	122.7	LIC	BLCDT	-20020730ABS
20			114.2	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

##

Analysis of Interference to Affected Station 2

Analysis of current record

Channel	Call	City/State	Application Ref. No.
19	NEW	GAINESVILLE FL	BNPDTL -20090825ANR

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
18	NEW	OCALA FL	25.2	APP	BDISDTL -20111104ALZ
19	WTEV-TV	JACKSONVILLE FL	134.6	LIC	BLCDT -20030328ANV
19	WMOR-TV	LAKELAND FL	179.9	LIC	BLCDT -20050726ABO
19	NEW	TALLAHASSEE FL	196.1	APP	BNPDTL -20090825BLU
19	NEW	HOMERVILLE GA	182.2	APP	BNPDTL -20090825AGP
20	W42DJ-D	OCALA FL	38.6	APP	BDISDTT -20101112AWF
20	NEW	DUNNELLON FL	30.7	APP	BNPDTL -20090825BFT
20	NEW	GAINESVILLE FL	0.0	APP	BNPDTL -20090825AOQ
20	NEW	OCALA FL	22.1	APP	BNPDTL -20090825AMY
20	NEW	WILLISTON FL	20.9	APP	BNPDTL -20090825BUO
20			33.0	APP	USERRECORD-01

Proposal causes no interference

##

Analysis of Interference to Affected Station 3

Analysis of current record

Channel	Call	City/State	Application Ref. No.
19	WTEV-TV	JACKSONVILLE FL	BLCDT -20030328ANV

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
19	WMOR-TV	LAKELAND FL	281.7	LIC	BLCDT -20050726ABO
20			121.1	APP	USERRECORD-01

Proposal causes no interference

##

Analysis of Interference to Affected Station 4

Analysis of current record

Channel	Call	City/State	Application Ref. No.

19	WMOR-TV	LAKELAND FL	BLCDT	-20050726ABO

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
19	WTEV-TV	JACKSONVILLE FL	281.7	LIC	BLCDT -20030328ANV
19	WSFL-TV	MIAMI FL	288.4	CP	BPCDT -20080620AFI
19	WSFL-TV	MIAMI FL	288.4	LIC	BLCDT -20070124ABF
20			169.9	APP	USERRECORD-01

Proposal causes no interference

##

Analysis of Interference to Affected Station 5

Analysis of current record

Channel	Call	City/State	Application Ref. No.
19	NEW	HOMERVILLE GA	BNPDTL -20090825AGP

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
18	NEW	VALDOSTA GA	50.0	APP	BNPDTL -20090825AHG
19	WTEV-TV	JACKSONVILLE FL	149.4	LIC	BLCDT -20030328ANV
19	WMOR-TV	LAKELAND FL	362.1	LIC	BLCDT -20050726ABO
19	NEW	TALLAHASSEE FL	112.8	APP	BNPDTL -20090825BLU
19	NEW	TALLAHASSEE FL	148.7	APP	BNPDTL -20090825AAO
19	NEW	ALBANY GA	137.4	APP	BNPDTL -20090825CAA
19	NEW	ALBANY GA	137.4	APP	BNPDTL -20090825AII
19	WGCL-TV	ATLANTA GA	337.9	LIC	BLCDT -20060113ACO
19	NEW	CAMILLA/MOULTRIE GA	117.0	APP	BNPDTL -20090825AYL
19	W19DN-D	MACON GA	201.6	CP	BNPDTL -20100420AAT
19	NEW	VALDOSTA GA	53.4	APP	BNPDTL -20090825CAF
19	WPHJ-CA	VIDALIA GA	135.0	CP	BPTTA -20020523AAY
20	W62DE	TIFTON GA	76.2	CP	BDFCDTL -20091118AGP
20	NEW	VALDOSTA GA	53.4	APP	BNPDTL -20090825CAG
20			197.5	APP	USERRECORD-01

Proposed station is beyond the site to
nearest cell evaluation distance

##

Analysis of Interference to Affected Station 6

Analysis of current record

Channel	Call	City/State	Application Ref. No.
19	NEW	VALDOSTA GA	BNPDTL -20090825CAF

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
18	NEW	VALDOSTA GA	3.4	APP	BNPDTL -20090825AHG
19	WTEV-TV	JACKSONVILLE FL	180.5	LIC	BLCDT -20030328ANV
19	WMOR-TV	LAKELAND FL	348.3	LIC	BLCDT -20050726ABO
19	NEW	TALLAHASSEE FL	60.5	APP	BNPDTL -20090825BLU
19	NEW	TALLAHASSEE FL	95.5	APP	BNPDTL -20090825AAO
19	NEW	ALBANY GA	116.5	APP	BNPDTL -20090825CAA
19	NEW	ALBANY GA	116.5	APP	BNPDTL -20090825AII
19	WGCL-TV	ATLANTA GA	346.4	LIC	BLCDT -20060113ACO
19	NEW	CAMILLA/MOULTRIE GA	78.3	APP	BNPDTL -20090825AYL
19	NEW	HOMERVILLE GA	53.4	APP	BNPDTL -20090825AGP
19	W19DN-D	MACON GA	217.1	CP	BNPDTL -20100420AAT

19	WPHJ-CA	VIDALIA GA	176.0	CP	BPTTA	-20020523AAY
20	NEW	LIVE OAK FL	73.8	APP	BNPDTL	-20090825CAK
20	NEW	MADISON FL	46.6	APP	BNPDTL	-20090825AHV
20	W62DE	TIFTON GA	72.5	CP	BDFCDTL	-20091118AGP
20	NEW	VALDOSTA GA	0.0	APP	BNPDTL	-20090825CAG
20			195.4	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

##

Analysis of Interference to Affected Station 7

Analysis of current record

Channel	Call	City/State	Application Ref. No.
20	W42DJ-D	OCALA FL	BDISDTT -20101112AWF

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
19	NEW	GAINESVILLE FL	38.6	APP	BNPDTL -20090825ANR
19	WTEV-TV	JACKSONVILLE FL	127.3	LIC	BLCDT -20030328ANV
20	NEW	DUNNELLON FL	28.4	APP	BNPDTL -20090825BFT
20	NEW	GAINESVILLE FL	38.6	APP	BNPDTL -20090825AOQ
20	NEW	LIVE OAK FL	130.8	APP	BNPDTL -20090825CAK
20	WSCF-LP	MELBOURNE FL	191.0	CP	BDISDTL -20090630ACW
20	NEW	OCALA FL	17.0	APP	BNPDTL -20090825AMY
20	WARP-CD	TAMPA-ST. PETERSBURG FL	161.6	LIC	BLDTA -20091029ABJ
20	NEW	WILLISTON FL	24.5	APP	BNPDTL -20090825BUO
21	NEW	GAINESVILLE FL	38.6	APP	BNPDTL -20090825AOI
20			9.1	APP	USERRECORD-01

Proposal causes no interference

##

Analysis of Interference to Affected Station 8

Analysis of current record

Channel	Call	City/State	Application Ref. No.
20	NEW	DUNNELLON FL	BNPDTL -20090825BFT

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
19	NEW	GAINESVILLE FL	30.7	APP	BNPDTL -20090825ANR
20	W42DJ-D	OCALA FL	28.4	APP	BDISDTT -20101112AWF
20	NEW	GAINESVILLE FL	30.7	APP	BNPDTL -20090825AOQ
20	NEW	LIVE OAK FL	129.2	APP	BNPDTL -20090825CAK
20	NEW	OCALA FL	25.4	APP	BNPDTL -20090825AMY
20	WARP-CD	TAMPA-ST. PETERSBURG FL	144.2	LIC	BLDTA -20091029ABJ
20	NEW	WILLISTON FL	11.2	APP	BNPDTL -20090825BUO
21	NEW	GAINESVILLE FL	30.7	APP	BNPDTL -20090825AOI
20			31.0	APP	USERRECORD-01

Total scenarios = 64

Result key: 1
Scenario 1 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP

```
   HAAT  134.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV           0          0.0
   lost to ATV IX only                    0          0.0
   lost to all IX                         0          0.0

 Potential Interfering Stations Included in above Scenario     1


After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV        4191        136.0
   lost to ATV IX only                 4191        136.0
   lost to all IX                      4191        136.0

 Potential Interfering Stations Included in above Scenario     1

20A                         USERRECORD01           APP

Percent new IX =    1.1525%

Result key:        2
Scenario        2  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      354200       6784.3
   lost to ATV IX only               354200       6784.3
   lost to all IX                    354200       6784.3

 Potential Interfering Stations Included in above Scenario     2

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      354200       6784.3
   lost to ATV IX only               354200       6784.3
   lost to all IX                    354200       6784.3

 Potential Interfering Stations Included in above Scenario     2
```

```
19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:        3
Scenario        3  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      354200       6784.3
   lost to ATV IX only               354200       6784.3
   lost to all IX                    354200       6784.3

 Potential Interfering Stations Included in above Scenario     3

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      354200       6784.3
   lost to ATV IX only               354200       6784.3
   lost to all IX                    354200       6784.3

 Potential Interfering Stations Included in above Scenario     3

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:        4
Scenario        4  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      277297       4001.8
   lost to ATV IX only               277297       4001.8
```

```
   lost to all IX                    277297       4001.8

 Potential Interfering Stations Included in above Scenario     4

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      277297       4001.8
   lost to ATV IX only               277297       4001.8
   lost to all IX                    277297       4001.8

 Potential Interfering Stations Included in above Scenario     4

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:        5
Scenario        5  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      277297       4001.8
   lost to ATV IX only               277297       4001.8
   lost to all IX                    277297       4001.8

 Potential Interfering Stations Included in above Scenario     5

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      277297       4001.8
   lost to ATV IX only               277297       4001.8
   lost to all IX                    277297       4001.8

 Potential Interfering Stations Included in above Scenario     5
```

```
19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:        6
Scenario        6  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      354044       6783.3
   lost to ATV IX only               354044       6783.3
   lost to all IX                    354044       6783.3

 Potential Interfering Stations Included in above Scenario     6

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      354044       6783.3
   lost to ATV IX only               354044       6783.3
   lost to all IX                    354044       6783.3

 Potential Interfering Stations Included in above Scenario     6

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:        7
Scenario        7  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      354044       6783.3
   lost to ATV IX only               354044       6783.3
   lost to all IX                    354044       6783.3
```

```
 Potential Interfering Stations Included in above Scenario     7

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      354044       6783.3
   lost to ATV IX only               354044       6783.3
   lost to all IX                    354044       6783.3

 Potential Interfering Stations Included in above Scenario     7

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:        8
Scenario        8  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      276045       3903.2
   lost to ATV IX only               276045       3903.2
   lost to all IX                    276045       3903.2

 Potential Interfering Stations Included in above Scenario     8

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      276045       3903.2
   lost to ATV IX only               276045       3903.2
   lost to all IX                    276045       3903.2

 Potential Interfering Stations Included in above Scenario     8

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
```

```
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:        9
Scenario        9  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      276045       3903.2
   lost to ATV IX only               276045       3903.2
   lost to all IX                    276045       3903.2

 Potential Interfering Stations Included in above Scenario     9

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      276045       3903.2
   lost to ATV IX only               276045       3903.2
   lost to all IX                    276045       3903.2

 Potential Interfering Stations Included in above Scenario     9

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       10
Scenario       10  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      354200       6784.3
   lost to ATV IX only               354200       6784.3
   lost to all IX                    354200       6784.3

 Potential Interfering Stations Included in above Scenario    10

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
```

21A FL GAINESVILLE BNPDTL 20090825AOI APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	354200	6784.3
lost to ATV IX only	354200	6784.3
lost to all IX	354200	6784.3

Potential Interfering Stations Included in above Scenario 10

19A FL GAINESVILLE BNPDTL 20090825ANR APP
20A FL OCALA BDISDTT 20101112AWF APP
20A FL OCALA BNPDTL 20090825AMY APP
20A FL WILLISTON BNPDTL 20090825BUO APP
21A FL GAINESVILLE BNPDTL 20090825AOI APP
20A USERRECORD01 APP

Percent new IX = 0.0000%

Result key: 11
Scenario 11 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	354200	6784.3
lost to ATV IX only	354200	6784.3
lost to all IX	354200	6784.3

Potential Interfering Stations Included in above Scenario 11

19A FL GAINESVILLE BNPDTL 20090825ANR APP
20A FL OCALA BDISDTT 20101112AWF APP
20A FL OCALA BNPDTL 20090825AMY APP
20A FL WILLISTON BNPDTL 20090825BUO APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	354200	6784.3
lost to ATV IX only	354200	6784.3
lost to all IX	354200	6784.3

Potential Interfering Stations Included in above Scenario 11

19A FL GAINESVILLE BNPDTL 20090825ANR APP
20A FL OCALA BDISDTT 20101112AWF APP
20A FL OCALA BNPDTL 20090825AMY APP
20A FL WILLISTON BNPDTL 20090825BUO APP
20A USERRECORD01 APP

Percent new IX = 0.0000%

Result key: 12
Scenario 12 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	277246	3909.1
lost to ATV IX only	277246	3909.1
lost to all IX	277246	3909.1

Potential Interfering Stations Included in above Scenario 12

19A FL GAINESVILLE	BNPDTL	20090825ANR	APP
20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL OCALA	BNPDTL	20090825AMY	APP
21A FL GAINESVILLE	BNPDTL	20090825AOI	APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	277246	3909.1
lost to ATV IX only	277246	3909.1
lost to all IX	277246	3909.1

Potential Interfering Stations Included in above Scenario 12

19A FL GAINESVILLE	BNPDTL	20090825ANR	APP
20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL OCALA	BNPDTL	20090825AMY	APP
21A FL GAINESVILLE	BNPDTL	20090825AOI	APP
20A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 13
Scenario 13 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	277246	3909.1
lost to ATV IX only	277246	3909.1
lost to all IX	277246	3909.1

Potential Interfering Stations Included in above Scenario 13

19A FL GAINESVILLE	BNPDTL	20090825ANR	APP
20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL OCALA	BNPDTL	20090825AMY	APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP

HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	277246	3909.1
lost to ATV IX only	277246	3909.1
lost to all IX	277246	3909.1

Potential Interfering Stations Included in above Scenario 13

19A FL GAINESVILLE	BNPDTL	20090825ANR	APP
20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL OCALA	BNPDTL	20090825AMY	APP
20A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 14
Scenario 14 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	354044	6783.3
lost to ATV IX only	354044	6783.3
lost to all IX	354044	6783.3

Potential Interfering Stations Included in above Scenario 14

19A FL GAINESVILLE	BNPDTL	20090825ANR	APP
20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL WILLISTON	BNPDTL	20090825BUO	APP
21A FL GAINESVILLE	BNPDTL	20090825AOI	APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	354044	6783.3
lost to ATV IX only	354044	6783.3
lost to all IX	354044	6783.3

Potential Interfering Stations Included in above Scenario 14

19A FL GAINESVILLE	BNPDTL	20090825ANR	APP
20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL WILLISTON	BNPDTL	20090825BUO	APP
21A FL GAINESVILLE	BNPDTL	20090825AOI	APP
20A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 15
Scenario 15 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	354044	6783.3
lost to ATV IX only	354044	6783.3
lost to all IX	354044	6783.3

Potential Interfering Stations Included in above Scenario 15

19A FL GAINESVILLE	BNPDTL	20090825ANR	APP
20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL WILLISTON	BNPDTL	20090825BUO	APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	354044	6783.3
lost to ATV IX only	354044	6783.3
lost to all IX	354044	6783.3

Potential Interfering Stations Included in above Scenario 15

19A FL GAINESVILLE	BNPDTL	20090825ANR	APP
20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL WILLISTON	BNPDTL	20090825BUO	APP
20A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 16
Scenario 16 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	270853	3679.5
lost to ATV IX only	270853	3679.5
lost to all IX	270853	3679.5

Potential Interfering Stations Included in above Scenario 16

19A FL GAINESVILLE	BNPDTL	20090825ANR	APP
20A FL OCALA	BDISDTT	20101112AWF	APP
21A FL GAINESVILLE	BNPDTL	20090825AOI	APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	270853	3679.5
lost to ATV IX only	270853	3679.5
lost to all IX	270853	3679.5

```
 Potential Interfering Stations Included in above Scenario    16

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       17
Scenario       17  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      270853       3678.5
   lost to ATV IX only               270853       3678.5
   lost to all IX                    270853       3678.5

 Potential Interfering Stations Included in above Scenario    17

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      270853       3678.5
   lost to ATV IX only               270853       3678.5
   lost to all IX                    270853       3678.5

 Potential Interfering Stations Included in above Scenario    17

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       18
Scenario       18  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      353557       6766.5
   lost to ATV IX only               353557       6766.5
   lost to all IX                    353557       6766.5

 Potential Interfering Stations Included in above Scenario    18

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
```

```
20A FL WILLISTON            BNPDTL    20090825BUO  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      353557       6766.5
   lost to ATV IX only               353557       6766.5
   lost to all IX                    353557       6766.5

 Potential Interfering Stations Included in above Scenario    18

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       19
Scenario       19  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      353557       6766.5
   lost to ATV IX only               353557       6766.5
   lost to all IX                    353557       6766.5

 Potential Interfering Stations Included in above Scenario    19

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      353557       6766.5
   lost to ATV IX only               353557       6766.5
   lost to all IX                    353557       6766.5

 Potential Interfering Stations Included in above Scenario    19

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
20A                         USERRECORD01           APP
```

Percent new IX =   0.0000%

Result key: 20
Scenario   20 Affected station   8
Before Analysis

Results for: 20A FL DUNNELLON   BNPDTL   20090825BFT APP
   HAAT 134.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour   363647   6998.2
   not affected by terrain losses   363647   6998.2
   lost to NTSC IX   0   0.0
   lost to additional IX by ATV   136488   2558.8
   lost to ATV IX only   136488   2558.8
   lost to all IX   136488   2558.8

 Potential Interfering Stations Included in above Scenario   20

19A FL GAINESVILLE   BNPDTL   20090825ANR APP
20A FL GAINESVILLE   BNPDTL   20090825AOQ APP
20A FL OCALA   BNPDTL   20090825AMY APP
21A FL GAINESVILLE   BNPDTL   20090825AOI APP

After Analysis

Results for: 20A FL DUNNELLON   BNPDTL   20090825BFT APP
   HAAT 134.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour   363647   6998.2
   not affected by terrain losses   363647   6998.2
   lost to NTSC IX   0   0.0
   lost to additional IX by ATV   136488   2558.8
   lost to ATV IX only   136488   2558.8
   lost to all IX   136488   2558.8

 Potential Interfering Stations Included in above Scenario   20

19A FL GAINESVILLE   BNPDTL   20090825ANR APP
20A FL GAINESVILLE   BNPDTL   20090825AOQ APP
20A FL OCALA   BNPDTL   20090825AMY APP
21A FL GAINESVILLE   BNPDTL   20090825AOI APP
20A   USERRECORD01   APP

Percent new IX =   0.0000%

Result key: 21
Scenario   21 Affected station   8
Before Analysis

Results for: 20A FL DUNNELLON   BNPDTL   20090825BFT APP
   HAAT 134.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour   363647   6998.2
   not affected by terrain losses   363647   6998.2
   lost to NTSC IX   0   0.0
   lost to additional IX by ATV   136488   2558.8
   lost to ATV IX only   136488   2558.8
   lost to all IX   136488   2558.8

 Potential Interfering Stations Included in above Scenario   21

19A FL GAINESVILLE   BNPDTL   20090825ANR APP
20A FL GAINESVILLE   BNPDTL   20090825AOQ APP
20A FL OCALA   BNPDTL   20090825AMY APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	136488	2558.8
lost to ATV IX only	136488	2558.8
lost to all IX	136488	2558.8

Potential Interfering Stations Included in above Scenario 21

19A FL GAINESVILLE	BNPDTL	20090825ANR	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
20A FL OCALA	BNPDTL	20090825AMY	APP
20A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 22
Scenario 22 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	352690	6752.7
lost to ATV IX only	352690	6752.7
lost to all IX	352690	6752.7

Potential Interfering Stations Included in above Scenario 22

19A FL GAINESVILLE	BNPDTL	20090825ANR	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
20A FL WILLISTON	BNPDTL	20090825BUO	APP
21A FL GAINESVILLE	BNPDTL	20090825AOI	APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	352690	6753.7
lost to ATV IX only	352690	6753.7
lost to all IX	352690	6753.7

Potential Interfering Stations Included in above Scenario 22

19A FL GAINESVILLE	BNPDTL	20090825ANR	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
20A FL WILLISTON	BNPDTL	20090825BUO	APP
21A FL GAINESVILLE	BNPDTL	20090825AOI	APP
20A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 23
Scenario 23 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP

HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	352690	6752.7
lost to ATV IX only	352690	6752.7
lost to all IX	352690	6752.7

Potential Interfering Stations Included in above Scenario 23

19A FL GAINESVILLE	BNPDTL	20090825ANR	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
20A FL WILLISTON	BNPDTL	20090825BUO	APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP

HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	352690	6753.7
lost to ATV IX only	352690	6753.7
lost to all IX	352690	6753.7

Potential Interfering Stations Included in above Scenario 23

19A FL GAINESVILLE	BNPDTL	20090825ANR	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
20A FL WILLISTON	BNPDTL	20090825BUO	APP
20A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 24
Scenario 24 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP

HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	27093	1337.5
lost to ATV IX only	27093	1337.5
lost to all IX	27093	1337.5

Potential Interfering Stations Included in above Scenario 24

19A FL GAINESVILLE	BNPDTL	20090825ANR	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
21A FL GAINESVILLE	BNPDTL	20090825AOI	APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP

HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	29281	1379.9
lost to ATV IX only	29281	1379.9
lost to all IX	29281	1379.9

```
 Potential Interfering Stations Included in above Scenario    24

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.6501%

Result key:       25
Scenario       25  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV       27093       1337.5
   lost to ATV IX only                27093       1337.5
   lost to all IX                     27093       1337.5

 Potential Interfering Stations Included in above Scenario    25

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV       29281       1379.9
   lost to ATV IX only                29281       1379.9
   lost to all IX                     29281       1379.9

 Potential Interfering Stations Included in above Scenario    25

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A                         USERRECORD01           APP

Percent new IX =    0.6501%

Result key:       26
Scenario       26  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      353557       6765.6
   lost to ATV IX only               353557       6765.6
   lost to all IX                    353557       6765.6

 Potential Interfering Stations Included in above Scenario    26

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
```

20A FL WILLISTON BNPDTL 20090825BUO APP
21A FL GAINESVILLE BNPDTL 20090825AOI APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	353557	6765.6
lost to ATV IX only	353557	6765.6
lost to all IX	353557	6765.6

Potential Interfering Stations Included in above Scenario 26

19A FL GAINESVILLE BNPDTL 20090825ANR APP
20A FL OCALA BNPDTL 20090825AMY APP
20A FL WILLISTON BNPDTL 20090825BUO APP
21A FL GAINESVILLE BNPDTL 20090825AOI APP
20A USERRECORD01 APP

Percent new IX = 0.0000%

Result key: 27
Scenario 27 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	353557	6765.6
lost to ATV IX only	353557	6765.6
lost to all IX	353557	6765.6

Potential Interfering Stations Included in above Scenario 27

19A FL GAINESVILLE BNPDTL 20090825ANR APP
20A FL OCALA BNPDTL 20090825AMY APP
20A FL WILLISTON BNPDTL 20090825BUO APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	353557	6765.6
lost to ATV IX only	353557	6765.6
lost to all IX	353557	6765.6

Potential Interfering Stations Included in above Scenario 27

19A FL GAINESVILLE BNPDTL 20090825ANR APP
20A FL OCALA BNPDTL 20090825AMY APP
20A FL WILLISTON BNPDTL 20090825BUO APP
20A USERRECORD01 APP

Percent new IX = 0.0000%

Result key: 28

Scenario 28 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	136360	2460.2
lost to ATV IX only	136360	2460.2
lost to all IX	136360	2460.2

Potential Interfering Stations Included in above Scenario 28

19A FL GAINESVILLE	BNPDTL	20090825ANR	APP
20A FL OCALA	BNPDTL	20090825AMY	APP
21A FL GAINESVILLE	BNPDTL	20090825AOI	APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	136360	2460.2
lost to ATV IX only	136360	2460.2
lost to all IX	136360	2460.2

Potential Interfering Stations Included in above Scenario 28

19A FL GAINESVILLE	BNPDTL	20090825ANR	APP
20A FL OCALA	BNPDTL	20090825AMY	APP
21A FL GAINESVILLE	BNPDTL	20090825AOI	APP
20A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 29
Scenario 29 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	136360	2460.2
lost to ATV IX only	136360	2460.2
lost to all IX	136360	2460.2

Potential Interfering Stations Included in above Scenario 29

19A FL GAINESVILLE	BNPDTL	20090825ANR	APP
20A FL OCALA	BNPDTL	20090825AMY	APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0

```
   lost to additional IX by ATV      136360       2460.2
   lost to ATV IX only               136360       2460.2
   lost to all IX                    136360       2460.2

 Potential Interfering Stations Included in above Scenario    29

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       30
Scenario       30  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      352462       6747.8
   lost to ATV IX only               352462       6747.8
   lost to all IX                    352462       6747.8

 Potential Interfering Stations Included in above Scenario    30

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      352462       6748.8
   lost to ATV IX only               352462       6748.8
   lost to all IX                    352462       6748.8

 Potential Interfering Stations Included in above Scenario    30

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       31
Scenario       31  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      352462       6747.8
   lost to ATV IX only               352462       6747.8
   lost to all IX                    352462       6747.8
```

Potential Interfering Stations Included in above Scenario 31

19A FL GAINESVILLE BNPDTL 20090825ANR APP
20A FL WILLISTON BNPDTL 20090825BUO APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	352462	6748.8
lost to ATV IX only	352462	6748.8
lost to all IX	352462	6748.8

Potential Interfering Stations Included in above Scenario 31

19A FL GAINESVILLE BNPDTL 20090825ANR APP
20A FL WILLISTON BNPDTL 20090825BUO APP
20A USERRECORD01 APP

Percent new IX = 0.0000%

Result key: 32
Scenario 32 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6820	268.1
lost to ATV IX only	6820	268.1
lost to all IX	6820	268.1

Potential Interfering Stations Included in above Scenario 32

19A FL GAINESVILLE BNPDTL 20090825ANR APP
21A FL GAINESVILLE BNPDTL 20090825AOI APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	11011	404.1
lost to ATV IX only	11011	404.1
lost to all IX	11011	404.1

Potential Interfering Stations Included in above Scenario 32

19A FL GAINESVILLE BNPDTL 20090825ANR APP
21A FL GAINESVILLE BNPDTL 20090825AOI APP
20A USERRECORD01 APP

Percent new IX = 1.1745%

Result key: 33
Scenario 33 Affected station 8
Before Analysis

```
Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV         325         29.6
   lost to ATV IX only                  325         29.6
   lost to all IX                       325         29.6

 Potential Interfering Stations Included in above Scenario    33

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV        4516        165.6
   lost to ATV IX only                 4516        165.6
   lost to all IX                      4516        165.6

 Potential Interfering Stations Included in above Scenario    33

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A                         USERRECORD01           APP

Percent new IX =    1.1535%

Result key:       34
Scenario       34  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      354200       6784.3
   lost to ATV IX only               354200       6784.3
   lost to all IX                    354200       6784.3

 Potential Interfering Stations Included in above Scenario    34

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      354200       6784.3
   lost to ATV IX only               354200       6784.3
   lost to all IX                    354200       6784.3
```

Potential Interfering Stations Included in above Scenario 34

20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
20A FL OCALA	BNPDTL	20090825AMY	APP
20A FL WILLISTON	BNPDTL	20090825BUO	APP
21A FL GAINESVILLE	BNPDTL	20090825AOI	APP
20A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 35
Scenario 35 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	354200	6784.3
lost to ATV IX only	354200	6784.3
lost to all IX	354200	6784.3

Potential Interfering Stations Included in above Scenario 35

20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
20A FL OCALA	BNPDTL	20090825AMY	APP
20A FL WILLISTON	BNPDTL	20090825BUO	APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	354200	6784.3
lost to ATV IX only	354200	6784.3
lost to all IX	354200	6784.3

Potential Interfering Stations Included in above Scenario 35

20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
20A FL OCALA	BNPDTL	20090825AMY	APP
20A FL WILLISTON	BNPDTL	20090825BUO	APP
20A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 36
Scenario 36 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	277297	4001.8
lost to ATV IX only	277297	4001.8

```
   lost to all IX                    277297       4001.8

 Potential Interfering Stations Included in above Scenario    36

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      277297       4001.8
   lost to ATV IX only               277297       4001.8
   lost to all IX                    277297       4001.8

 Potential Interfering Stations Included in above Scenario    36

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       37
Scenario       37  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      277297       4001.8
   lost to ATV IX only               277297       4001.8
   lost to all IX                    277297       4001.8

 Potential Interfering Stations Included in above Scenario    37

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      277297       4001.8
   lost to ATV IX only               277297       4001.8
   lost to all IX                    277297       4001.8

 Potential Interfering Stations Included in above Scenario    37

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
```

```
20A FL OCALA                BNPDTL    20090825AMY  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       38
Scenario       38  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      354044       6783.3
   lost to ATV IX only               354044       6783.3
   lost to all IX                    354044       6783.3

 Potential Interfering Stations Included in above Scenario    38

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      354044       6783.3
   lost to ATV IX only               354044       6783.3
   lost to all IX                    354044       6783.3

 Potential Interfering Stations Included in above Scenario    38

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       39
Scenario       39  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      354044       6783.3
   lost to ATV IX only               354044       6783.3
   lost to all IX                    354044       6783.3

 Potential Interfering Stations Included in above Scenario    39

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
```

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	354044	6783.3
lost to ATV IX only	354044	6783.3
lost to all IX	354044	6783.3

Potential Interfering Stations Included in above Scenario 39

20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
20A FL WILLISTON	BNPDTL	20090825BUO	APP
20A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 40
Scenario 40 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	276045	3903.2
lost to ATV IX only	276045	3903.2
lost to all IX	276045	3903.2

Potential Interfering Stations Included in above Scenario 40

20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
21A FL GAINESVILLE	BNPDTL	20090825AOI	APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	276045	3903.2
lost to ATV IX only	276045	3903.2
lost to all IX	276045	3903.2

Potential Interfering Stations Included in above Scenario 40

20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
21A FL GAINESVILLE	BNPDTL	20090825AOI	APP
20A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 41
Scenario 41 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	276045	3903.2
lost to ATV IX only	276045	3903.2
lost to all IX	276045	3903.2

Potential Interfering Stations Included in above Scenario 41

20A FL OCALA BDISDTT 20101112AWF APP
20A FL GAINESVILLE BNPDTL 20090825AOQ APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	276045	3903.2
lost to ATV IX only	276045	3903.2
lost to all IX	276045	3903.2

Potential Interfering Stations Included in above Scenario 41

20A FL OCALA BDISDTT 20101112AWF APP
20A FL GAINESVILLE BNPDTL 20090825AOQ APP
20A USERRECORD01 APP

Percent new IX = 0.0000%

Result key: 42
Scenario 42 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	354200	6784.3
lost to ATV IX only	354200	6784.3
lost to all IX	354200	6784.3

Potential Interfering Stations Included in above Scenario 42

20A FL OCALA BDISDTT 20101112AWF APP
20A FL OCALA BNPDTL 20090825AMY APP
20A FL WILLISTON BNPDTL 20090825BUO APP
21A FL GAINESVILLE BNPDTL 20090825AOI APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	354200	6784.3
lost to ATV IX only	354200	6784.3
lost to all IX	354200	6784.3

Potential Interfering Stations Included in above Scenario 42

20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL OCALA	BNPDTL	20090825AMY	APP
20A FL WILLISTON	BNPDTL	20090825BUO	APP
21A FL GAINESVILLE	BNPDTL	20090825AOI	APP
20A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 43
Scenario 43 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	354200	6784.3
lost to ATV IX only	354200	6784.3
lost to all IX	354200	6784.3

Potential Interfering Stations Included in above Scenario 43

20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL OCALA	BNPDTL	20090825AMY	APP
20A FL WILLISTON	BNPDTL	20090825BUO	APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	354200	6784.3
lost to ATV IX only	354200	6784.3
lost to all IX	354200	6784.3

Potential Interfering Stations Included in above Scenario 43

20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL OCALA	BNPDTL	20090825AMY	APP
20A FL WILLISTON	BNPDTL	20090825BUO	APP
20A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 44
Scenario 44 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	277246	3909.1
lost to ATV IX only	277246	3909.1
lost to all IX	277246	3909.1

Potential Interfering Stations Included in above Scenario 44

```
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      277246       3909.1
   lost to ATV IX only               277246       3909.1
   lost to all IX                    277246       3909.1

 Potential Interfering Stations Included in above Scenario    44

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       45
Scenario       45  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      277246       3909.1
   lost to ATV IX only               277246       3909.1
   lost to all IX                    277246       3909.1

 Potential Interfering Stations Included in above Scenario    45

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL OCALA                BNPDTL    20090825AMY  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      277246       3909.1
   lost to ATV IX only               277246       3909.1
   lost to all IX                    277246       3909.1

 Potential Interfering Stations Included in above Scenario    45

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       46
Scenario       46  Affected station        8
```

Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	354044	6783.3
lost to ATV IX only	354044	6783.3
lost to all IX	354044	6783.3

Potential Interfering Stations Included in above Scenario 46

20A FL OCALA BDISDTT 20101112AWF APP
20A FL WILLISTON BNPDTL 20090825BUO APP
21A FL GAINESVILLE BNPDTL 20090825AOI APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	354044	6783.3
lost to ATV IX only	354044	6783.3
lost to all IX	354044	6783.3

Potential Interfering Stations Included in above Scenario 46

20A FL OCALA BDISDTT 20101112AWF APP
20A FL WILLISTON BNPDTL 20090825BUO APP
21A FL GAINESVILLE BNPDTL 20090825AOI APP
20A USERRECORD01 APP

Percent new IX = 0.0000%

Result key: 47
Scenario 47 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	354044	6783.3
lost to ATV IX only	354044	6783.3
lost to all IX	354044	6783.3

Potential Interfering Stations Included in above Scenario 47

20A FL OCALA BDISDTT 20101112AWF APP
20A FL WILLISTON BNPDTL 20090825BUO APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	354044	6783.3

```
   lost to ATV IX only              354044       6783.3
   lost to all IX                   354044       6783.3

 Potential Interfering Stations Included in above Scenario    47

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       48
Scenario       48  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      270853       3679.5
   lost to ATV IX only               270853       3679.5
   lost to all IX                    270853       3679.5

 Potential Interfering Stations Included in above Scenario    48

20A FL  OCALA               BDISDTT   20101112AWF  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      270853       3679.5
   lost to ATV IX only               270853       3679.5
   lost to all IX                    270853       3679.5

 Potential Interfering Stations Included in above Scenario    48

20A FL  OCALA               BDISDTT   20101112AWF  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       49
Scenario       49  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      270853       3678.5
   lost to ATV IX only               270853       3678.5
   lost to all IX                    270853       3678.5

 Potential Interfering Stations Included in above Scenario    49

20A FL  OCALA               BDISDTT   20101112AWF  APP
```

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	270853	3678.5
lost to ATV IX only	270853	3678.5
lost to all IX	270853	3678.5

Potential Interfering Stations Included in above Scenario 49

20A FL OCALA BDISDTT 20101112AWF APP
20A USERRECORD01 APP

Percent new IX = 0.0000%

Result key: 50
Scenario 50 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	353557	6766.5
lost to ATV IX only	353557	6766.5
lost to all IX	353557	6766.5

Potential Interfering Stations Included in above Scenario 50

20A FL GAINESVILLE BNPDTL 20090825AOQ APP
20A FL OCALA BNPDTL 20090825AMY APP
20A FL WILLISTON BNPDTL 20090825BUO APP
21A FL GAINESVILLE BNPDTL 20090825AOI APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	353557	6766.5
lost to ATV IX only	353557	6766.5
lost to all IX	353557	6766.5

Potential Interfering Stations Included in above Scenario 50

20A FL GAINESVILLE BNPDTL 20090825AOQ APP
20A FL OCALA BNPDTL 20090825AMY APP
20A FL WILLISTON BNPDTL 20090825BUO APP
21A FL GAINESVILLE BNPDTL 20090825AOI APP
20A USERRECORD01 APP

Percent new IX = 0.0000%

Result key: 51
Scenario 51 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	353557	6766.5
lost to ATV IX only	353557	6766.5
lost to all IX	353557	6766.5

Potential Interfering Stations Included in above Scenario 51

20A FL GAINESVILLE BNPDTL 20090825AOQ APP
20A FL OCALA BNPDTL 20090825AMY APP
20A FL WILLISTON BNPDTL 20090825BUO APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	353557	6766.5
lost to ATV IX only	353557	6766.5
lost to all IX	353557	6766.5

Potential Interfering Stations Included in above Scenario 51

20A FL GAINESVILLE BNPDTL 20090825AOQ APP
20A FL OCALA BNPDTL 20090825AMY APP
20A FL WILLISTON BNPDTL 20090825BUO APP
20A USERRECORD01 APP

Percent new IX = 0.0000%

Result key: 52
Scenario 52 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	136488	2558.8
lost to ATV IX only	136488	2558.8
lost to all IX	136488	2558.8

Potential Interfering Stations Included in above Scenario 52

20A FL GAINESVILLE BNPDTL 20090825AOQ APP
20A FL OCALA BNPDTL 20090825AMY APP
21A FL GAINESVILLE BNPDTL 20090825AOI APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	136488	2558.8
lost to ATV IX only	136488	2558.8

```
   lost to all IX                    136488       2558.8

 Potential Interfering Stations Included in above Scenario    52

20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       53
Scenario       53  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      136488       2558.8
   lost to ATV IX only               136488       2558.8
   lost to all IX                    136488       2558.8

 Potential Interfering Stations Included in above Scenario    53

20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      136488       2558.8
   lost to ATV IX only               136488       2558.8
   lost to all IX                    136488       2558.8

 Potential Interfering Stations Included in above Scenario    53

20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       54
Scenario       54  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      352690       6752.7
   lost to ATV IX only               352690       6752.7
   lost to all IX                    352690       6752.7

 Potential Interfering Stations Included in above Scenario    54

20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
```

```
20A FL WILLISTON            BNPDTL    20090825BUO  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      352690       6753.7
   lost to ATV IX only               352690       6753.7
   lost to all IX                    352690       6753.7

 Potential Interfering Stations Included in above Scenario    54

20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       55
Scenario       55  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      352690       6752.7
   lost to ATV IX only               352690       6752.7
   lost to all IX                    352690       6752.7

 Potential Interfering Stations Included in above Scenario    55

20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      352690       6753.7
   lost to ATV IX only               352690       6753.7
   lost to all IX                    352690       6753.7

 Potential Interfering Stations Included in above Scenario    55

20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       56
Scenario       56  Affected station        8
Before Analysis
```

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	27093	1337.5
lost to ATV IX only	27093	1337.5
lost to all IX	27093	1337.5

Potential Interfering Stations Included in above Scenario 56

20A FL GAINESVILLE BNPDTL 20090825AOQ APP
21A FL GAINESVILLE BNPDTL 20090825AOI APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	29281	1379.9
lost to ATV IX only	29281	1379.9
lost to all IX	29281	1379.9

Potential Interfering Stations Included in above Scenario 56

20A FL GAINESVILLE BNPDTL 20090825AOQ APP
21A FL GAINESVILLE BNPDTL 20090825AOI APP
20A USERRECORD01 APP

Percent new IX = 0.6501%

Result key: 57
Scenario 57 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	27093	1337.5
lost to ATV IX only	27093	1337.5
lost to all IX	27093	1337.5

Potential Interfering Stations Included in above Scenario 57

20A FL GAINESVILLE BNPDTL 20090825AOQ APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	29281	1379.9
lost to ATV IX only	29281	1379.9
lost to all IX	29281	1379.9

Potential Interfering Stations Included in above Scenario 57

```
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A                         USERRECORD01           APP

Percent new IX =    0.6501%

Result key:       58
Scenario       58  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      353557       6765.6
   lost to ATV IX only               353557       6765.6
   lost to all IX                    353557       6765.6

 Potential Interfering Stations Included in above Scenario    58

20A FL OCALA                BNPDTL    20090825AMY  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      353557       6765.6
   lost to ATV IX only               353557       6765.6
   lost to all IX                    353557       6765.6

 Potential Interfering Stations Included in above Scenario    58

20A FL OCALA                BNPDTL    20090825AMY  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       59
Scenario       59  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      353557       6765.6
   lost to ATV IX only               353557       6765.6
   lost to all IX                    353557       6765.6

 Potential Interfering Stations Included in above Scenario    59

20A FL OCALA                BNPDTL    20090825AMY  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP

After Analysis
```

```
Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      353557       6765.6
   lost to ATV IX only               353557       6765.6
   lost to all IX                    353557       6765.6

 Potential Interfering Stations Included in above Scenario    59

20A FL OCALA                BNPDTL    20090825AMY  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       60
Scenario       60  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      136360       2460.2
   lost to ATV IX only               136360       2460.2
   lost to all IX                    136360       2460.2

 Potential Interfering Stations Included in above Scenario    60

20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      136360       2460.2
   lost to ATV IX only               136360       2460.2
   lost to all IX                    136360       2460.2

 Potential Interfering Stations Included in above Scenario    60

20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       61
Scenario       61  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
```

```
   lost to additional IX by ATV      136360       2460.2
   lost to ATV IX only               136360       2460.2
   lost to all IX                    136360       2460.2

 Potential Interfering Stations Included in above Scenario    61

20A FL OCALA                BNPDTL    20090825AMY  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      136360       2460.2
   lost to ATV IX only               136360       2460.2
   lost to all IX                    136360       2460.2

 Potential Interfering Stations Included in above Scenario    61

20A FL OCALA                BNPDTL    20090825AMY  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       62
Scenario       62  Affected station        8
Before Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      352462       6747.8
   lost to ATV IX only               352462       6747.8
   lost to all IX                    352462       6747.8

 Potential Interfering Stations Included in above Scenario    62

20A FL WILLISTON            BNPDTL    20090825BUO  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL DUNNELLON            BNPDTL    20090825BFT  APP
   HAAT  134.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      363647       6998.2
   not affected by terrain losses    363647       6998.2
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      352462       6748.8
   lost to ATV IX only               352462       6748.8
   lost to all IX                    352462       6748.8

 Potential Interfering Stations Included in above Scenario    62

20A FL WILLISTON            BNPDTL    20090825BUO  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       63
```

Scenario 63 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	352462	6747.8
lost to ATV IX only	352462	6747.8
lost to all IX	352462	6747.8

Potential Interfering Stations Included in above Scenario 63

20A FL WILLISTON BNPDTL 20090825BUO APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	352462	6748.8
lost to ATV IX only	352462	6748.8
lost to all IX	352462	6748.8

Potential Interfering Stations Included in above Scenario 63

20A FL WILLISTON BNPDTL 20090825BUO APP
20A USERRECORD01 APP

Percent new IX = 0.0000%

Result key: 64
Scenario 64 Affected station 8
Before Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6820	268.1
lost to ATV IX only	6820	268.1
lost to all IX	6820	268.1

Potential Interfering Stations Included in above Scenario 64

21A FL GAINESVILLE BNPDTL 20090825AOI APP

After Analysis

Results for: 20A FL DUNNELLON BNPDTL 20090825BFT APP
HAAT 134.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	363647	6998.2
not affected by terrain losses	363647	6998.2
lost to NTSC IX	0	0.0
lost to additional IX by ATV	11011	404.1
lost to ATV IX only	11011	404.1
lost to all IX	11011	404.1

Potential Interfering Stations Included in above Scenario 64

21A FL GAINESVILLE BNPDTL 20090825AOI APP
20A USERRECORD01 APP

Percent new IX = 1.1745%

Worst case new IX 1.1745% Scenario 32

##

Analysis of Interference to Affected Station 9

Analysis of current record

Channel	Call	City/State	Application Ref. No.
20	NEW	GAINESVILLE FL	BNPDTL -20090825AOQ

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
19	NEW	GAINESVILLE FL	0.0	APP	BNPDTL -20090825ANR
20	W42DJ-D	OCALA FL	38.6	APP	BDISDTT -20101112AWF
20	NEW	DUNNELLON FL	30.7	APP	BNPDTL -20090825BFT
20	NEW	LIVE OAK FL	98.7	APP	BNPDTL -20090825CAK
20	NEW	OCALA FL	22.1	APP	BNPDTL -20090825AMY
20	WARP-CD	TAMPA-ST. PETERSBURG FL	172.6	LIC	BLDTA -20091029ABJ
20	NEW	WILLISTON FL	20.9	APP	BNPDTL -20090825BUO
20	NEW	VALDOSTA GA	172.4	APP	BNPDTL -20090825CAG
21	NEW	GAINESVILLE FL	0.0	APP	BNPDTL -20090825AOI
20			33.0	APP	USERRECORD-01

Total scenarios = 16

Result key: 65
Scenario 1 Affected station 9
Before Analysis

Results for: 20A FL GAINESVILLE BNPDTL 20090825AOQ APP
HAAT 106.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	204595	3295.8
not affected by terrain losses	204595	3295.8
lost to NTSC IX	0	0.0
lost to additional IX by ATV	0	0.0
lost to ATV IX only	0	0.0
lost to all IX	0	0.0

Potential Interfering Stations Included in above Scenario 1

After Analysis

Results for: 20A FL GAINESVILLE BNPDTL 20090825AOQ APP
HAAT 106.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	204595	3295.8
not affected by terrain losses	204595	3295.8
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1646	45.2
lost to ATV IX only	1646	45.2
lost to all IX	1646	45.2

Potential Interfering Stations Included in above Scenario 1

20A USERRECORD01 APP

Percent new IX =   0.8045%

Result key: 66
Scenario   2 Affected station   9
Before Analysis

Results for: 20A FL GAINESVILLE   BNPDTL   20090825AOQ APP
   HAAT 106.0 m, ATV ERP   3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	204595	3295.8
not affected by terrain losses	204595	3295.8
lost to NTSC IX	0	0.0
lost to additional IX by ATV	198523	3129.7
lost to ATV IX only	198523	3129.7
lost to all IX	198523	3129.7

 Potential Interfering Stations Included in above Scenario   2

20A FL	OCALA	BDISDTT	20101112AWF APP
20A FL	DUNNELLON	BNPDTL	20090825BFT APP
20A FL	OCALA	BNPDTL	20090825AMY APP
20A FL	WILLISTON	BNPDTL	20090825BUO APP

After Analysis

Results for: 20A FL GAINESVILLE   BNPDTL   20090825AOQ APP
   HAAT 106.0 m, ATV ERP   3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	204595	3295.8
not affected by terrain losses	204595	3295.8
lost to NTSC IX	0	0.0
lost to additional IX by ATV	198523	3129.7
lost to ATV IX only	198523	3129.7
lost to all IX	198523	3129.7

 Potential Interfering Stations Included in above Scenario   2

20A FL	OCALA	BDISDTT	20101112AWF APP
20A FL	DUNNELLON	BNPDTL	20090825BFT APP
20A FL	OCALA	BNPDTL	20090825AMY APP
20A FL	WILLISTON	BNPDTL	20090825BUO APP
20A		USERRECORD01	APP

Percent new IX =   0.0000%

Result key: 67
Scenario   3 Affected station   9
Before Analysis

Results for: 20A FL GAINESVILLE   BNPDTL   20090825AOQ APP
   HAAT 106.0 m, ATV ERP   3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	204595	3295.8
not affected by terrain losses	204595	3295.8
lost to NTSC IX	0	0.0
lost to additional IX by ATV	192990	2812.3
lost to ATV IX only	192990	2812.3
lost to all IX	192990	2812.3

 Potential Interfering Stations Included in above Scenario   3

20A FL	OCALA	BDISDTT	20101112AWF APP
20A FL	DUNNELLON	BNPDTL	20090825BFT APP
20A FL	OCALA	BNPDTL	20090825AMY APP

After Analysis

Results for: 20A FL GAINESVILLE BNPDTL 20090825AOQ APP
HAAT 106.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	204595	3295.8
not affected by terrain losses	204595	3295.8
lost to NTSC IX	0	0.0
lost to additional IX by ATV	192990	2812.3
lost to ATV IX only	192990	2812.3
lost to all IX	192990	2812.3

Potential Interfering Stations Included in above Scenario 3

20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL DUNNELLON	BNPDTL	20090825BFT	APP
20A FL OCALA	BNPDTL	20090825AMY	APP
20A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 68
Scenario 4 Affected station 9
Before Analysis

Results for: 20A FL GAINESVILLE BNPDTL 20090825AOQ APP
HAAT 106.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	204595	3295.8
not affected by terrain losses	204595	3295.8
lost to NTSC IX	0	0.0
lost to additional IX by ATV	198434	3123.8
lost to ATV IX only	198434	3123.8
lost to all IX	198434	3123.8

Potential Interfering Stations Included in above Scenario 4

20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL DUNNELLON	BNPDTL	20090825BFT	APP
20A FL WILLISTON	BNPDTL	20090825BUO	APP

After Analysis

Results for: 20A FL GAINESVILLE BNPDTL 20090825AOQ APP
HAAT 106.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	204595	3295.8
not affected by terrain losses	204595	3295.8
lost to NTSC IX	0	0.0
lost to additional IX by ATV	198434	3123.8
lost to ATV IX only	198434	3123.8
lost to all IX	198434	3123.8

Potential Interfering Stations Included in above Scenario 4

20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL DUNNELLON	BNPDTL	20090825BFT	APP
20A FL WILLISTON	BNPDTL	20090825BUO	APP
20A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 69
Scenario 5 Affected station 9
Before Analysis

Results for: 20A FL GAINESVILLE BNPDTL 20090825AOQ APP
HAAT 106.0 m, ATV ERP 3.0 kW

```
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      204595       3295.8
   not affected by terrain losses    204595       3295.8
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      191617       2646.3
   lost to ATV IX only               191617       2646.3
   lost to all IX                    191617       2646.3

 Potential Interfering Stations Included in above Scenario     5

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP

After Analysis

Results for: 20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
   HAAT  106.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      204595       3295.8
   not affected by terrain losses    204595       3295.8
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      191617       2646.3
   lost to ATV IX only               191617       2646.3
   lost to all IX                    191617       2646.3

 Potential Interfering Stations Included in above Scenario     5

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       70
Scenario        6  Affected station        9
Before Analysis

Results for: 20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
   HAAT  106.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      204595       3295.8
   not affected by terrain losses    204595       3295.8
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      198523       3129.7
   lost to ATV IX only               198523       3129.7
   lost to all IX                    198523       3129.7

 Potential Interfering Stations Included in above Scenario     6

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP

After Analysis

Results for: 20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
   HAAT  106.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      204595       3295.8
   not affected by terrain losses    204595       3295.8
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      198523       3129.7
   lost to ATV IX only               198523       3129.7
   lost to all IX                    198523       3129.7

 Potential Interfering Stations Included in above Scenario     6
```

```
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       71
Scenario        7  Affected station        9
Before Analysis

Results for: 20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
   HAAT  106.0 m, ATV ERP    3.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      204595       3295.8
   not affected by terrain losses    204595       3295.8
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      184461       2564.7
   lost to ATV IX only               184461       2564.7
   lost to all IX                    184461       2564.7

 Potential Interfering Stations Included in above Scenario     7

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL OCALA                BNPDTL    20090825AMY  APP

After Analysis

Results for: 20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
   HAAT  106.0 m, ATV ERP    3.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      204595       3295.8
   not affected by terrain losses    204595       3295.8
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      184461       2564.7
   lost to ATV IX only               184461       2564.7
   lost to all IX                    184461       2564.7

 Potential Interfering Stations Included in above Scenario     7

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       72
Scenario        8  Affected station        9
Before Analysis

Results for: 20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
   HAAT  106.0 m, ATV ERP    3.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      204595       3295.8
   not affected by terrain losses    204595       3295.8
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      198434       3122.8
   lost to ATV IX only               198434       3122.8
   lost to all IX                    198434       3122.8

 Potential Interfering Stations Included in above Scenario     8

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP

After Analysis
```

```
Results for: 20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
   HAAT  106.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      204595       3295.8
   not affected by terrain losses    204595       3295.8
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      198434       3122.8
   lost to ATV IX only               198434       3122.8
   lost to all IX                    198434       3122.8

 Potential Interfering Stations Included in above Scenario     8

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       73
Scenario        9  Affected station        9
Before Analysis

Results for: 20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
   HAAT  106.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      204595       3295.8
   not affected by terrain losses    204595       3295.8
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      133242       1751.1
   lost to ATV IX only               133242       1751.1
   lost to all IX                    133242       1751.1

 Potential Interfering Stations Included in above Scenario     9

20A FL  OCALA               BDISDTT   20101112AWF  APP

After Analysis

Results for: 20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
   HAAT  106.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      204595       3295.8
   not affected by terrain losses    204595       3295.8
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      133242       1751.1
   lost to ATV IX only               133242       1751.1
   lost to all IX                    133242       1751.1

 Potential Interfering Stations Included in above Scenario     9

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       74
Scenario       10  Affected station        9
Before Analysis

Results for: 20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
   HAAT  106.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      204595       3295.8
   not affected by terrain losses    204595       3295.8
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      198523       3129.7
   lost to ATV IX only               198523       3129.7
```

```
   lost to all IX                    198523       3129.7

 Potential Interfering Stations Included in above Scenario    10

20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP

After Analysis

Results for: 20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
   HAAT  106.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      204595       3295.8
   not affected by terrain losses    204595       3295.8
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      198523       3129.7
   lost to ATV IX only               198523       3129.7
   lost to all IX                    198523       3129.7

 Potential Interfering Stations Included in above Scenario    10

20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       75
Scenario       11  Affected station        9
Before Analysis

Results for: 20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
   HAAT  106.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      204595       3295.8
   not affected by terrain losses    204595       3295.8
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      192990       2811.3
   lost to ATV IX only               192990       2811.3
   lost to all IX                    192990       2811.3

 Potential Interfering Stations Included in above Scenario    11

20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL OCALA                BNPDTL    20090825AMY  APP

After Analysis

Results for: 20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
   HAAT  106.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      204595       3295.8
   not affected by terrain losses    204595       3295.8
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      192990       2811.3
   lost to ATV IX only               192990       2811.3
   lost to all IX                    192990       2811.3

 Potential Interfering Stations Included in above Scenario    11

20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%
```

Result key: 76
Scenario 12 Affected station 9
Before Analysis

Results for: 20A FL GAINESVILLE BNPDTL 20090825AOQ APP
HAAT 106.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	204595	3295.8
not affected by terrain losses	204595	3295.8
lost to NTSC IX	0	0.0
lost to additional IX by ATV	198372	3116.0
lost to ATV IX only	198372	3116.0
lost to all IX	198372	3116.0

Potential Interfering Stations Included in above Scenario 12

20A FL DUNNELLON BNPDTL 20090825BFT APP
20A FL WILLISTON BNPDTL 20090825BUO APP

After Analysis

Results for: 20A FL GAINESVILLE BNPDTL 20090825AOQ APP
HAAT 106.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	204595	3295.8
not affected by terrain losses	204595	3295.8
lost to NTSC IX	0	0.0
lost to additional IX by ATV	198434	3116.9
lost to ATV IX only	198434	3116.9
lost to all IX	198434	3116.9

Potential Interfering Stations Included in above Scenario 12

20A FL DUNNELLON BNPDTL 20090825BFT APP
20A FL WILLISTON BNPDTL 20090825BUO APP
20A USERRECORD01 APP

Percent new IX = 0.9963%

Result key: 77
Scenario 13 Affected station 9
Before Analysis

Results for: 20A FL GAINESVILLE BNPDTL 20090825AOQ APP
HAAT 106.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	204595	3295.8
not affected by terrain losses	204595	3295.8
lost to NTSC IX	0	0.0
lost to additional IX by ATV	189715	2541.1
lost to ATV IX only	189715	2541.1
lost to all IX	189715	2541.1

Potential Interfering Stations Included in above Scenario 13

20A FL DUNNELLON BNPDTL 20090825BFT APP

After Analysis

Results for: 20A FL GAINESVILLE BNPDTL 20090825AOQ APP
HAAT 106.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	204595	3295.8
not affected by terrain losses	204595	3295.8
lost to NTSC IX	0	0.0
lost to additional IX by ATV	189777	2544.1

```
   lost to ATV IX only              189777       2544.1
   lost to all IX                   189777       2544.1

 Potential Interfering Stations Included in above Scenario    13

20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A                         USERRECORD01           APP

Percent new IX =    0.4167%

Result key:       78
Scenario       14  Affected station        9
Before Analysis

Results for: 20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
   HAAT  106.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      204595       3295.8
   not affected by terrain losses    204595       3295.8
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      198523       3129.7
   lost to ATV IX only               198523       3129.7
   lost to all IX                    198523       3129.7

 Potential Interfering Stations Included in above Scenario    14

20A FL OCALA                BNPDTL    20090825AMY  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP

After Analysis

Results for: 20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
   HAAT  106.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      204595       3295.8
   not affected by terrain losses    204595       3295.8
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      198523       3129.7
   lost to ATV IX only               198523       3129.7
   lost to all IX                    198523       3129.7

 Potential Interfering Stations Included in above Scenario    14

20A FL OCALA                BNPDTL    20090825AMY  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       79
Scenario       15  Affected station        9
Before Analysis

Results for: 20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
   HAAT  106.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      204595       3295.8
   not affected by terrain losses    204595       3295.8
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      183491       2555.8
   lost to ATV IX only               183491       2555.8
   lost to all IX                    183491       2555.8

 Potential Interfering Stations Included in above Scenario    15

20A FL OCALA                BNPDTL    20090825AMY  APP
```

After Analysis

Results for: 20A FL GAINESVILLE BNPDTL 20090825AOQ APP
HAAT 106.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	204595	3295.8
not affected by terrain losses	204595	3295.8
lost to NTSC IX	0	0.0
lost to additional IX by ATV	183491	2555.8
lost to ATV IX only	183491	2555.8
lost to all IX	183491	2555.8

Potential Interfering Stations Included in above Scenario 15

20A FL OCALA BNPDTL 20090825AMY APP
20A USERRECORD01 APP

Percent new IX = 0.0000%

Result key: 80
Scenario 16 Affected station 9
Before Analysis

Results for: 20A FL GAINESVILLE BNPDTL 20090825AOQ APP
HAAT 106.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	204595	3295.8
not affected by terrain losses	204595	3295.8
lost to NTSC IX	0	0.0
lost to additional IX by ATV	198033	3108.1
lost to ATV IX only	198033	3108.1
lost to all IX	198033	3108.1

Potential Interfering Stations Included in above Scenario 16

20A FL WILLISTON BNPDTL 20090825BUO APP

After Analysis

Results for: 20A FL GAINESVILLE BNPDTL 20090825AOQ APP
HAAT 106.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	204595	3295.8
not affected by terrain losses	204595	3295.8
lost to NTSC IX	0	0.0
lost to additional IX by ATV	198095	3110.1
lost to ATV IX only	198095	3110.1
lost to all IX	198095	3110.1

Potential Interfering Stations Included in above Scenario 16

20A FL WILLISTON BNPDTL 20090825BUO APP
20A USERRECORD01 APP

Percent new IX = 0.9448%

Worst case new IX 0.9963% Scenario 12

##

Analysis of Interference to Affected Station 10

Analysis of current record

Channel	Call	City/State	Application Ref. No.
20	NEW	LIVE OAK FL	BNPDTL -20090825CAK

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
19	NEW	TALLAHASSEE FL	107.2	APP	BNPDTL	-20090825BLU
19	NEW	VALDOSTA GA	73.8	APP	BNPDTL	-20090825CAF
20	WCOV-TV	MONTGOMERY AL	359.4	LIC	BLCDT	-20090312AAO
20	WCOV-DR	MONTGOMERY AL	359.4	APP	BPRM	-20080819ADH
20	W42DJ-D	OCALA FL	130.8	APP	BDISDTT	-20101112AWF
20	NEW	DUNNELLON FL	129.2	APP	BNPDTL	-20090825BFT
20	NEW	GAINESVILLE FL	98.7	APP	BNPDTL	-20090825AOQ
20	NEW	MADISON FL	58.7	APP	BNPDTL	-20090825AHV
20	NEW	OCALA FL	114.8	APP	BNPDTL	-20090825AMY
20	NEW	TALLAHASSEE FL	132.0	APP	BNPDTL	-20090825AJC
20	NEW	WILLISTON FL	119.5	APP	BNPDTL	-20090825BUO
20	W20DO-D	ALBANY GA	189.4	CP	BNPDTL	-20100524ABX
20	W62DE	TIFTON GA	144.7	CP	BDFCDTL	-20091118AGP
20	NEW	VALDOSTA GA	73.8	APP	BNPDTL	-20090825CAG
20			122.2	APP	USERRECORD	-01

Proposal causes no interference

##

Analysis of Interference to Affected Station 11

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
20	NEW	MADISON FL	BNPDTL	-20090825AHV

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
19	NEW	TALLAHASSEE FL	49.2	APP	BNPDTL	-20090825BLU
19	NEW	TALLAHASSEE FL	70.5	APP	BNPDTL	-20090825AAO
19	NEW	VALDOSTA GA	46.6	APP	BNPDTL	-20090825CAF
20	WMPV-TV	MOBILE AL	388.5	LIC	BLCDT	-20100420AAK
20	WCOV-TV	MONTGOMERY AL	302.0	LIC	BLCDT	-20090312AAO
20	WCOV-DR	MONTGOMERY AL	302.0	APP	BPRM	-20080819ADH
20	W42DJ-D	OCALA FL	183.7	APP	BDISDTT	-20101112AWF
20	NEW	DUNNELLON FL	176.6	APP	BNPDTL	-20090825BFT
20	NEW	GAINESVILLE FL	147.8	APP	BNPDTL	-20090825AOQ
20	NEW	LIVE OAK FL	58.7	APP	BNPDTL	-20090825CAK
20	NEW	TALLAHASSEE FL	74.7	APP	BNPDTL	-20090825AJC
20	NEW	WILLISTON FL	168.4	APP	BNPDTL	-20090825BUO
20	W20DO-D	ALBANY GA	143.0	CP	BNPDTL	-20100524ABX
20	WPCH-TV	ATLANTA GA	383.5	LIC	BLCDT	-20050204AAD
20	W62DE	TIFTON GA	113.6	CP	BDFCDTL	-20091118AGP
20	NEW	VALDOSTA GA	46.6	APP	BNPDTL	-20090825CAG
20			175.7	APP	USERRECORD	-01

Proposal causes no interference

##

Analysis of Interference to Affected Station 12

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
20	WSCF-LP	MELBOURNE FL	BDISDTL	-20090630ACW

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
20	W42DJ-D	OCALA FL	191.0	APP	BDISDTT	-20101112AWF

20	NEW	DUNNELLON FL	203.8	APP	BNPDTL	-20090825BFT
20	WLRN-TV	MIAMI FL	246.3	LIC	BLEDT	-20090611ABR
20	W20DM-D	SEBASTIAN FL	51.9	CP	BNPDTL	-20090825BZC
20	WARP-CD	TAMPA-ST. PETERSBURG FL	191.0	LIC	BLDTA	-20091029ABJ
20	NEW	WILLISTON FL	209.3	APP	BNPDTL	-20090825BUO
21	W21AU	ORLANDO FL	61.2	CP MOD	BMPDTL	-20110810AAT
20			198.8	APP	USERRECORD-01	

Proposal causes no interference

##

Analysis of Interference to Affected Station 13

Analysis of current record

Channel	Call	City/State	Application Ref. No.
20	WSCF-LP	MELBOURNE FL	BSTA -20110919ACY

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
20	W42DJ-D	OCALA FL	191.0	APP	BDISDTT -20101112AWF
20	NEW	DUNNELLON FL	203.8	APP	BNPDTL -20090825BFT
20	WLRN-TV	MIAMI FL	246.3	LIC	BLEDT -20090611ABR
20	W20DM-D	SEBASTIAN FL	51.9	CP	BNPDTL -20090825BZC
20	WARP-CD	TAMPA-ST. PETERSBURG FL	191.0	LIC	BLDTA -20091029ABJ
21	W21AU	ORLANDO FL	61.2	CP MOD	BMPDTL -20110810AAT
20			198.8	APP	USERRECORD-01

Proposal causes no interference

##

Analysis of Interference to Affected Station 14

Analysis of current record

Channel	Call	City/State	Application Ref. No.
20	NEW	OCALA FL	BNPDTL -20090825AMY

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
19	NEW	GAINESVILLE FL	22.1	APP	BNPDTL -20090825ANR
19	WTEV-TV	JACKSONVILLE FL	126.1	LIC	BLCDT -20030328ANV
20	W42DJ-D	OCALA FL	17.0	APP	BDISDTT -20101112AWF
20	NEW	DUNNELLON FL	25.4	APP	BNPDTL -20090825BFT
20	NEW	GAINESVILLE FL	22.1	APP	BNPDTL -20090825AOQ
20	NEW	LIVE OAK FL	114.8	APP	BNPDTL -20090825CAK
20	WARP-CD	TAMPA-ST. PETERSBURG FL	168.3	LIC	BLDTA -20091029ABJ
20	NEW	WILLISTON FL	15.6	APP	BNPDTL -20090825BUO
21	NEW	GAINESVILLE FL	22.1	APP	BNPDTL -20090825AOI
20			11.1	APP	USERRECORD-01

Total scenarios = 32

Result key: 81
Scenario 1 Affected station 14
Before Analysis

Results for: 20A FL OCALA BNPDTL 20090825AMY APP
HAAT 123.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	362567	4528.1
not affected by terrain losses	362567	4528.1

```
   lost to NTSC IX                          0          0.0
   lost to additional IX by ATV             0          0.0
   lost to ATV IX only                      0          0.0
   lost to all IX                           0          0.0

 Potential Interfering Stations Included in above Scenario     1


After Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV          54          2.0
   lost to ATV IX only                   54          2.0
   lost to all IX                        54          2.0

 Potential Interfering Stations Included in above Scenario     1

20A                         USERRECORD01           APP

Percent new IX =    0.0149%

Result key:       82
Scenario        2  Affected station       14
Before Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      358494       4451.4
   lost to ATV IX only               358494       4451.4
   lost to all IX                    358494       4451.4

 Potential Interfering Stations Included in above Scenario     2

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      358494       4451.4
   lost to ATV IX only               358494       4451.4
   lost to all IX                    358494       4451.4

 Potential Interfering Stations Included in above Scenario     2

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
```

```
20A                          USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       83
Scenario        3  Affected station       14
Before Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      358494       4451.4
   lost to ATV IX only               358494       4451.4
   lost to all IX                    358494       4451.4

 Potential Interfering Stations Included in above Scenario     3

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP

After Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      358494       4451.4
   lost to ATV IX only               358494       4451.4
   lost to all IX                    358494       4451.4

 Potential Interfering Stations Included in above Scenario     3

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       84
Scenario        4  Affected station       14
Before Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      357693       4406.1
   lost to ATV IX only               357693       4406.1
   lost to all IX                    357693       4406.1

 Potential Interfering Stations Included in above Scenario     4

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
```

After Analysis

Results for: 20A FL OCALA BNPDTL 20090825AMY APP
HAAT 123.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	362567	4528.1
not affected by terrain losses	362567	4528.1
lost to NTSC IX	0	0.0
lost to additional IX by ATV	357693	4406.1
lost to ATV IX only	357693	4406.1
lost to all IX	357693	4406.1

Potential Interfering Stations Included in above Scenario 4

20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL DUNNELLON	BNPDTL	20090825BFT	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
21A FL GAINESVILLE	BNPDTL	20090825AOI	APP
20A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 85
Scenario 5 Affected station 14
Before Analysis

Results for: 20A FL OCALA BNPDTL 20090825AMY APP
HAAT 123.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	362567	4528.1
not affected by terrain losses	362567	4528.1
lost to NTSC IX	0	0.0
lost to additional IX by ATV	357693	4406.1
lost to ATV IX only	357693	4406.1
lost to all IX	357693	4406.1

Potential Interfering Stations Included in above Scenario 5

20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL DUNNELLON	BNPDTL	20090825BFT	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP

After Analysis

Results for: 20A FL OCALA BNPDTL 20090825AMY APP
HAAT 123.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	362567	4528.1
not affected by terrain losses	362567	4528.1
lost to NTSC IX	0	0.0
lost to additional IX by ATV	357693	4406.1
lost to ATV IX only	357693	4406.1
lost to all IX	357693	4406.1

Potential Interfering Stations Included in above Scenario 5

20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL DUNNELLON	BNPDTL	20090825BFT	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
20A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 86
Scenario 6 Affected station 14
Before Analysis

Results for: 20A FL OCALA BNPDTL 20090825AMY APP
HAAT 123.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	362567	4528.1
not affected by terrain losses	362567	4528.1
lost to NTSC IX	0	0.0
lost to additional IX by ATV	358494	4451.4
lost to ATV IX only	358494	4451.4
lost to all IX	358494	4451.4

Potential Interfering Stations Included in above Scenario 6

20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL DUNNELLON	BNPDTL	20090825BFT	APP
20A FL WILLISTON	BNPDTL	20090825BUO	APP
21A FL GAINESVILLE	BNPDTL	20090825AOI	APP

After Analysis

Results for: 20A FL OCALA BNPDTL 20090825AMY APP
HAAT 123.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	362567	4528.1
not affected by terrain losses	362567	4528.1
lost to NTSC IX	0	0.0
lost to additional IX by ATV	358494	4451.4
lost to ATV IX only	358494	4451.4
lost to all IX	358494	4451.4

Potential Interfering Stations Included in above Scenario 6

20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL DUNNELLON	BNPDTL	20090825BFT	APP
20A FL WILLISTON	BNPDTL	20090825BUO	APP
21A FL GAINESVILLE	BNPDTL	20090825AOI	APP
20A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 87
Scenario 7 Affected station 14
Before Analysis

Results for: 20A FL OCALA BNPDTL 20090825AMY APP
HAAT 123.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	362567	4528.1
not affected by terrain losses	362567	4528.1
lost to NTSC IX	0	0.0
lost to additional IX by ATV	358494	4451.4
lost to ATV IX only	358494	4451.4
lost to all IX	358494	4451.4

Potential Interfering Stations Included in above Scenario 7

20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL DUNNELLON	BNPDTL	20090825BFT	APP
20A FL WILLISTON	BNPDTL	20090825BUO	APP

After Analysis

Results for: 20A FL OCALA BNPDTL 20090825AMY APP
HAAT 123.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	362567	4528.1
not affected by terrain losses	362567	4528.1

```
   lost to NTSC IX                          0          0.0
   lost to additional IX by ATV        358494       4451.4
   lost to ATV IX only                 358494       4451.4
   lost to all IX                      358494       4451.4

 Potential Interfering Stations Included in above Scenario     7

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       88
Scenario        8  Affected station       14
Before Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                    POPULATION   AREA (sq km)
   within Noise Limited Contour        362567       4528.1
   not affected by terrain losses      362567       4528.1
   lost to NTSC IX                          0          0.0
   lost to additional IX by ATV        357693       4406.1
   lost to ATV IX only                 357693       4406.1
   lost to all IX                      357693       4406.1

 Potential Interfering Stations Included in above Scenario     8

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                    POPULATION   AREA (sq km)
   within Noise Limited Contour        362567       4528.1
   not affected by terrain losses      362567       4528.1
   lost to NTSC IX                          0          0.0
   lost to additional IX by ATV        357693       4406.1
   lost to ATV IX only                 357693       4406.1
   lost to all IX                      357693       4406.1

 Potential Interfering Stations Included in above Scenario     8

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       89
Scenario        9  Affected station       14
Before Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                    POPULATION   AREA (sq km)
   within Noise Limited Contour        362567       4528.1
   not affected by terrain losses      362567       4528.1
   lost to NTSC IX                          0          0.0
   lost to additional IX by ATV        357693       4406.1
   lost to ATV IX only                 357693       4406.1
```

```
   lost to all IX                    357693       4406.1

 Potential Interfering Stations Included in above Scenario     9

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP

After Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      357693       4406.1
   lost to ATV IX only               357693       4406.1
   lost to all IX                    357693       4406.1

 Potential Interfering Stations Included in above Scenario     9

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       90
Scenario       10  Affected station       14
Before Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      358494       4450.4
   lost to ATV IX only               358494       4450.4
   lost to all IX                    358494       4450.4

 Potential Interfering Stations Included in above Scenario    10

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      358494       4450.4
   lost to ATV IX only               358494       4450.4
   lost to all IX                    358494       4450.4

 Potential Interfering Stations Included in above Scenario    10

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP
```

Percent new IX =   0.0000%

Result key: 91
Scenario   11 Affected station   14
Before Analysis

Results for: 20A FL OCALA   BNPDTL   20090825AMY APP
   HAAT 123.0 m, ATV ERP   3.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour   362567   4528.1
   not affected by terrain losses   362567   4528.1
   lost to NTSC IX   0   0.0
   lost to additional IX by ATV   358494   4450.4
   lost to ATV IX only   358494   4450.4
   lost to all IX   358494   4450.4

 Potential Interfering Stations Included in above Scenario   11

20A FL OCALA   BDISDTT   20101112AWF APP
20A FL GAINESVILLE   BNPDTL   20090825AOQ APP
20A FL WILLISTON   BNPDTL   20090825BUO APP

After Analysis

Results for: 20A FL OCALA   BNPDTL   20090825AMY APP
   HAAT 123.0 m, ATV ERP   3.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour   362567   4528.1
   not affected by terrain losses   362567   4528.1
   lost to NTSC IX   0   0.0
   lost to additional IX by ATV   358494   4450.4
   lost to ATV IX only   358494   4450.4
   lost to all IX   358494   4450.4

 Potential Interfering Stations Included in above Scenario   11

20A FL OCALA   BDISDTT   20101112AWF APP
20A FL GAINESVILLE   BNPDTL   20090825AOQ APP
20A FL WILLISTON   BNPDTL   20090825BUO APP
20A   USERRECORD01   APP

Percent new IX =   0.0000%

Result key: 92
Scenario   12 Affected station   14
Before Analysis

Results for: 20A FL OCALA   BNPDTL   20090825AMY APP
   HAAT 123.0 m, ATV ERP   3.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour   362567   4528.1
   not affected by terrain losses   362567   4528.1
   lost to NTSC IX   0   0.0
   lost to additional IX by ATV   356688   4351.0
   lost to ATV IX only   356688   4351.0
   lost to all IX   356688   4351.0

 Potential Interfering Stations Included in above Scenario   12

20A FL OCALA   BDISDTT   20101112AWF APP
20A FL GAINESVILLE   BNPDTL   20090825AOQ APP
21A FL GAINESVILLE   BNPDTL   20090825AOI APP

After Analysis

Results for: 20A FL OCALA   BNPDTL   20090825AMY APP

HAAT 123.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	362567	4528.1
not affected by terrain losses	362567	4528.1
lost to NTSC IX	0	0.0
lost to additional IX by ATV	356688	4351.0
lost to ATV IX only	356688	4351.0
lost to all IX	356688	4351.0

Potential Interfering Stations Included in above Scenario 12

20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
21A FL GAINESVILLE	BNPDTL	20090825AOI	APP
20A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 93
Scenario 13 Affected station 14
Before Analysis

Results for: 20A FL OCALA BNPDTL 20090825AMY APP
HAAT 123.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	362567	4528.1
not affected by terrain losses	362567	4528.1
lost to NTSC IX	0	0.0
lost to additional IX by ATV	356688	4351.0
lost to ATV IX only	356688	4351.0
lost to all IX	356688	4351.0

Potential Interfering Stations Included in above Scenario 13

20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP

After Analysis

Results for: 20A FL OCALA BNPDTL 20090825AMY APP
HAAT 123.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	362567	4528.1
not affected by terrain losses	362567	4528.1
lost to NTSC IX	0	0.0
lost to additional IX by ATV	356688	4351.0
lost to ATV IX only	356688	4351.0
lost to all IX	356688	4351.0

Potential Interfering Stations Included in above Scenario 13

20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
20A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 94
Scenario 14 Affected station 14
Before Analysis

Results for: 20A FL OCALA BNPDTL 20090825AMY APP
HAAT 123.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	362567	4528.1
not affected by terrain losses	362567	4528.1
lost to NTSC IX	0	0.0

```
   lost to additional IX by ATV      358494       4450.4
   lost to ATV IX only               358494       4450.4
   lost to all IX                    358494       4450.4

 Potential Interfering Stations Included in above Scenario    14

20A FL  OCALA              BDISDTT   20101112AWF  APP
20A FL WILLISTON           BNPDTL    20090825BUO  APP
21A FL GAINESVILLE         BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL OCALA               BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      358494       4450.4
   lost to ATV IX only               358494       4450.4
   lost to all IX                    358494       4450.4

 Potential Interfering Stations Included in above Scenario    14

20A FL  OCALA              BDISDTT   20101112AWF  APP
20A FL WILLISTON           BNPDTL    20090825BUO  APP
21A FL GAINESVILLE         BNPDTL    20090825AOI  APP
20A                        USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       95
Scenario       15  Affected station       14
Before Analysis

Results for: 20A FL OCALA               BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      358494       4450.4
   lost to ATV IX only               358494       4450.4
   lost to all IX                    358494       4450.4

 Potential Interfering Stations Included in above Scenario    15

20A FL  OCALA              BDISDTT   20101112AWF  APP
20A FL WILLISTON           BNPDTL    20090825BUO  APP

After Analysis

Results for: 20A FL OCALA               BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      358494       4450.4
   lost to ATV IX only               358494       4450.4
   lost to all IX                    358494       4450.4

 Potential Interfering Stations Included in above Scenario    15

20A FL  OCALA              BDISDTT   20101112AWF  APP
20A FL WILLISTON           BNPDTL    20090825BUO  APP
20A                        USERRECORD01           APP
```

Percent new IX =   0.0000%

Result key: 96
Scenario   16 Affected station   14
Before Analysis

Results for: 20A FL OCALA   BNPDTL   20090825AMY APP
   HAAT 123.0 m, ATV ERP   3.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour   362567   4528.1
   not affected by terrain losses   362567   4528.1
   lost to NTSC IX   0   0.0
   lost to additional IX by ATV   356569   4348.1
   lost to ATV IX only   356569   4348.1
   lost to all IX   356569   4348.1

 Potential Interfering Stations Included in above Scenario   16

20A FL OCALA   BDISDTT   20101112AWF APP
21A FL GAINESVILLE   BNPDTL   20090825AOI APP

After Analysis

Results for: 20A FL OCALA   BNPDTL   20090825AMY APP
   HAAT 123.0 m, ATV ERP   3.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour   362567   4528.1
   not affected by terrain losses   362567   4528.1
   lost to NTSC IX   0   0.0
   lost to additional IX by ATV   356569   4348.1
   lost to ATV IX only   356569   4348.1
   lost to all IX   356569   4348.1

 Potential Interfering Stations Included in above Scenario   16

20A FL OCALA   BDISDTT   20101112AWF APP
21A FL GAINESVILLE   BNPDTL   20090825AOI APP
20A   USERRECORD01   APP

Percent new IX =   0.0000%

Result key: 97
Scenario   17 Affected station   14
Before Analysis

Results for: 20A FL OCALA   BNPDTL   20090825AMY APP
   HAAT 123.0 m, ATV ERP   3.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour   362567   4528.1
   not affected by terrain losses   362567   4528.1
   lost to NTSC IX   0   0.0
   lost to additional IX by ATV   356569   4347.1
   lost to ATV IX only   356569   4347.1
   lost to all IX   356569   4347.1

 Potential Interfering Stations Included in above Scenario   17

20A FL OCALA   BDISDTT   20101112AWF APP

After Analysis

Results for: 20A FL OCALA   BNPDTL   20090825AMY APP
   HAAT 123.0 m, ATV ERP   3.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour   362567   4528.1
   not affected by terrain losses   362567   4528.1

```
   lost to NTSC IX                         0         0.0
   lost to additional IX by ATV       356569      4347.1
   lost to ATV IX only                356569      4347.1
   lost to all IX                     356569      4347.1

 Potential Interfering Stations Included in above Scenario    17

20A FL  OCALA              BDISDTT   20101112AWF  APP
20A                        USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       98
Scenario       18  Affected station       14
Before Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour       362567       4528.1
   not affected by terrain losses     362567       4528.1
   lost to NTSC IX                         0         0.0
   lost to additional IX by ATV       352393       4355.9
   lost to ATV IX only                352393       4355.9
   lost to all IX                     352393       4355.9

 Potential Interfering Stations Included in above Scenario    18

20A FL DUNNELLON           BNPDTL    20090825BFT  APP
20A FL GAINESVILLE         BNPDTL    20090825AOQ  APP
20A FL WILLISTON           BNPDTL    20090825BUO  APP
21A FL GAINESVILLE         BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour       362567       4528.1
   not affected by terrain losses     362567       4528.1
   lost to NTSC IX                         0         0.0
   lost to additional IX by ATV       352393       4355.9
   lost to ATV IX only                352393       4355.9
   lost to all IX                     352393       4355.9

 Potential Interfering Stations Included in above Scenario    18

20A FL DUNNELLON           BNPDTL    20090825BFT  APP
20A FL GAINESVILLE         BNPDTL    20090825AOQ  APP
20A FL WILLISTON           BNPDTL    20090825BUO  APP
21A FL GAINESVILLE         BNPDTL    20090825AOI  APP
20A                        USERRECORD01           APP

Percent new IX =    0.0000%

Result key:       99
Scenario       19  Affected station       14
Before Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour       362567       4528.1
   not affected by terrain losses     362567       4528.1
   lost to NTSC IX                         0         0.0
   lost to additional IX by ATV       352393       4355.9
   lost to ATV IX only                352393       4355.9
```

```
   lost to all IX                    352393       4355.9

 Potential Interfering Stations Included in above Scenario    19

20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP

After Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      352393       4355.9
   lost to ATV IX only               352393       4355.9
   lost to all IX                    352393       4355.9

 Potential Interfering Stations Included in above Scenario    19

20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      100
Scenario       20  Affected station       14
Before Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      338717       3974.3
   lost to ATV IX only               338717       3974.3
   lost to all IX                    338717       3974.3

 Potential Interfering Stations Included in above Scenario    20

20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      338771       3976.2
   lost to ATV IX only               338771       3976.2
   lost to all IX                    338771       3976.2

 Potential Interfering Stations Included in above Scenario    20

20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP
```

Percent new IX =   0.2264%

Result key: 101
Scenario   21 Affected station   14
Before Analysis

Results for: 20A FL OCALA   BNPDTL   20090825AMY APP
   HAAT 123.0 m, ATV ERP   3.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour   362567   4528.1
   not affected by terrain losses   362567   4528.1
   lost to NTSC IX   0   0.0
   lost to additional IX by ATV   338717   3974.3
   lost to ATV IX only   338717   3974.3
   lost to all IX   338717   3974.3

 Potential Interfering Stations Included in above Scenario   21

20A FL DUNNELLON   BNPDTL   20090825BFT APP
20A FL GAINESVILLE   BNPDTL   20090825AOQ APP

After Analysis

Results for: 20A FL OCALA   BNPDTL   20090825AMY APP
   HAAT 123.0 m, ATV ERP   3.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour   362567   4528.1
   not affected by terrain losses   362567   4528.1
   lost to NTSC IX   0   0.0
   lost to additional IX by ATV   338771   3976.2
   lost to ATV IX only   338771   3976.2
   lost to all IX   338771   3976.2

 Potential Interfering Stations Included in above Scenario   21

20A FL DUNNELLON   BNPDTL   20090825BFT APP
20A FL GAINESVILLE   BNPDTL   20090825AOQ APP
20A   USERRECORD01   APP

Percent new IX =   0.2264%

Result key: 102
Scenario   22 Affected station   14
Before Analysis

Results for: 20A FL OCALA   BNPDTL   20090825AMY APP
   HAAT 123.0 m, ATV ERP   3.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour   362567   4528.1
   not affected by terrain losses   362567   4528.1
   lost to NTSC IX   0   0.0
   lost to additional IX by ATV   352270   4355.0
   lost to ATV IX only   352270   4355.0
   lost to all IX   352270   4355.0

 Potential Interfering Stations Included in above Scenario   22

20A FL DUNNELLON   BNPDTL   20090825BFT APP
20A FL WILLISTON   BNPDTL   20090825BUO APP
21A FL GAINESVILLE   BNPDTL   20090825AOI APP

After Analysis

Results for: 20A FL OCALA   BNPDTL   20090825AMY APP
   HAAT 123.0 m, ATV ERP   3.0 kW
                                POPULATION   AREA (sq km)

```
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      352270       4355.0
   lost to ATV IX only               352270       4355.0
   lost to all IX                    352270       4355.0

 Potential Interfering Stations Included in above Scenario    22

20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      103
Scenario       23  Affected station       14
Before Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      352270       4355.0
   lost to ATV IX only               352270       4355.0
   lost to all IX                    352270       4355.0

 Potential Interfering Stations Included in above Scenario    23

20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP

After Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      352270       4355.0
   lost to ATV IX only               352270       4355.0
   lost to all IX                    352270       4355.0

 Potential Interfering Stations Included in above Scenario    23

20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      104
Scenario       24  Affected station       14
Before Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      337336       3887.7
   lost to ATV IX only               337336       3887.7
```

```
   lost to all IX                    337336       3887.7

 Potential Interfering Stations Included in above Scenario    24

20A FL DUNNELLON            BNPDTL    20090825BFT  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL OCALA               BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      337390       3889.7
   lost to ATV IX only               337390       3889.7
   lost to all IX                    337390       3889.7

 Potential Interfering Stations Included in above Scenario    24

20A FL DUNNELLON            BNPDTL    20090825BFT  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.2140%

Result key:      105
Scenario       25  Affected station       14
Before Analysis

Results for: 20A FL OCALA               BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      337268       3886.7
   lost to ATV IX only               337268       3886.7
   lost to all IX                    337268       3886.7

 Potential Interfering Stations Included in above Scenario    25

20A FL DUNNELLON            BNPDTL    20090825BFT  APP

After Analysis

Results for: 20A FL OCALA               BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      337322       3888.7
   lost to ATV IX only               337322       3888.7
   lost to all IX                    337322       3888.7

 Potential Interfering Stations Included in above Scenario    25

20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A                         USERRECORD01           APP

Percent new IX =    0.2134%

Result key:      106
Scenario       26  Affected station       14
Before Analysis
```

```
Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      350521       4344.1
   lost to ATV IX only               350521       4344.1
   lost to all IX                    350521       4344.1

 Potential Interfering Stations Included in above Scenario    26

20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      350521       4344.1
   lost to ATV IX only               350521       4344.1
   lost to all IX                    350521       4344.1

 Potential Interfering Stations Included in above Scenario    26

20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      107
Scenario       27  Affected station       14
Before Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      350521       4344.1
   lost to ATV IX only               350521       4344.1
   lost to all IX                    350521       4344.1

 Potential Interfering Stations Included in above Scenario    27

20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP

After Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      350521       4344.1
   lost to ATV IX only               350521       4344.1
```

```
   lost to all IX                    350521       4344.1

 Potential Interfering Stations Included in above Scenario    27

20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      108
Scenario       28  Affected station       14
Before Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      185736       1857.3
   lost to ATV IX only               185736       1857.3
   lost to all IX                    185736       1857.3

 Potential Interfering Stations Included in above Scenario    28

20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      185790       1859.2
   lost to ATV IX only               185790       1859.2
   lost to all IX                    185790       1859.2

 Potential Interfering Stations Included in above Scenario    28

20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0305%

Result key:      109
Scenario       29  Affected station       14
Before Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      362567       4528.1
   not affected by terrain losses    362567       4528.1
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      185736       1857.3
   lost to ATV IX only               185736       1857.3
   lost to all IX                    185736       1857.3

 Potential Interfering Stations Included in above Scenario    29

20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
```

After Analysis

Results for: 20A FL OCALA BNPDTL 20090825AMY APP
HAAT 123.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	362567	4528.1
not affected by terrain losses	362567	4528.1
lost to NTSC IX	0	0.0
lost to additional IX by ATV	185790	1859.2
lost to ATV IX only	185790	1859.2
lost to all IX	185790	1859.2

Potential Interfering Stations Included in above Scenario 29

20A FL GAINESVILLE BNPDTL 20090825AOQ APP
20A USERRECORD01 APP

Percent new IX = 0.0305%

Result key: 110
Scenario 30 Affected station 14
Before Analysis

Results for: 20A FL OCALA BNPDTL 20090825AMY APP
HAAT 123.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	362567	4528.1
not affected by terrain losses	362567	4528.1
lost to NTSC IX	0	0.0
lost to additional IX by ATV	350240	4341.2
lost to ATV IX only	350240	4341.2
lost to all IX	350240	4341.2

Potential Interfering Stations Included in above Scenario 30

20A FL WILLISTON BNPDTL 20090825BUO APP
21A FL GAINESVILLE BNPDTL 20090825AOI APP

After Analysis

Results for: 20A FL OCALA BNPDTL 20090825AMY APP
HAAT 123.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	362567	4528.1
not affected by terrain losses	362567	4528.1
lost to NTSC IX	0	0.0
lost to additional IX by ATV	350240	4341.2
lost to ATV IX only	350240	4341.2
lost to all IX	350240	4341.2

Potential Interfering Stations Included in above Scenario 30

20A FL WILLISTON BNPDTL 20090825BUO APP
21A FL GAINESVILLE BNPDTL 20090825AOI APP
20A USERRECORD01 APP

Percent new IX = 0.0000%

Result key: 111
Scenario 31 Affected station 14
Before Analysis

Results for: 20A FL OCALA BNPDTL 20090825AMY APP
HAAT 123.0 m, ATV ERP 3.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	362567	4528.1
not affected by terrain losses	362567	4528.1

```
   lost to NTSC IX                         0          0.0
   lost to additional IX by ATV       350240       4341.2
   lost to ATV IX only                350240       4341.2
   lost to all IX                     350240       4341.2

 Potential Interfering Stations Included in above Scenario    31

20A FL WILLISTON            BNPDTL    20090825BUO  APP

After Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour       362567       4528.1
   not affected by terrain losses     362567       4528.1
   lost to NTSC IX                         0          0.0
   lost to additional IX by ATV       350240       4341.2
   lost to ATV IX only                350240       4341.2
   lost to all IX                     350240       4341.2

 Potential Interfering Stations Included in above Scenario    31

20A FL WILLISTON            BNPDTL    20090825BUO  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      112
Scenario       32  Affected station       14
Before Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour       362567       4528.1
   not affected by terrain losses     362567       4528.1
   lost to NTSC IX                         0          0.0
   lost to additional IX by ATV         3683        230.2
   lost to ATV IX only                  3683        230.2
   lost to all IX                       3683        230.2

 Potential Interfering Stations Included in above Scenario    32

21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL OCALA                BNPDTL    20090825AMY  APP
   HAAT  123.0 m, ATV ERP    3.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour       362567       4528.1
   not affected by terrain losses     362567       4528.1
   lost to NTSC IX                         0          0.0
   lost to additional IX by ATV         3737        232.2
   lost to ATV IX only                  3737        232.2
   lost to all IX                       3737        232.2

 Potential Interfering Stations Included in above Scenario    32

21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0150%

Worst case new IX    0.2264% Scenario     20
```

##

Analysis of Interference to Affected Station 15

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
20	NEW	PANAMA CITY FL	BNPDTL	-20101026AAD

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
19	W19DM-D	PANAMA CITY FL	26.7	CP MOD	BMPDTL	-20110502ACP
20	WMPV-TV	MOBILE AL	189.7	LIC	BLCDT	-20100420AAK
20	WCOV-TV	MONTGOMERY AL	192.6	LIC	BLCDT	-20090312AAO
20	WCOV-DR	MONTGOMERY AL	192.6	APP	BPRM	-20080819ADH
20	NEW	TALLAHASSEE FL	129.2	APP	BNPDTL	-20090825AJC
21	WDHN	DOTHAN AL	110.2	LIC	BLCDT	-20090303ACR
20			348.4	APP	USERRECORD	-01

Proposed station is beyond the site to
nearest cell evaluation distance

##

Analysis of Interference to Affected Station 16

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
20	W20DM-D	SEBASTIAN FL	BNPDTL	-20090825BZC

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
19	WMMF-LP	VERO BEACH FL	16.2	LIC	BLTTL	-20070912ABV
20	WSCF-LP	MELBOURNE FL	51.9	CP	BDISDTL	-20090630ACW
20	WSCF-LP	MELBOURNE FL	51.9	APP	BSTA	-20110919ACY
20	WLRN-TV	MIAMI FL	196.9	LIC	BLEDT	-20090611ABR
20			248.3	APP	USERRECORD	-01

Proposal causes no interference

##

Analysis of Interference to Affected Station 17

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
20	NEW	TALLAHASSEE FL	BNPDTL	-20090825AJC

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
19	NEW	TALLAHASSEE FL	40.7	APP	BNPDTL	-20090825BLU
19	NEW	TALLAHASSEE FL	4.4	APP	BNPDTL	-20090825AAO
19	NEW	CAMILLA/MOULTRIE GA	74.6	APP	BNPDTL	-20090825AYL
20	WMPV-TV	MOBILE AL	313.8	LIC	BLCDT	-20100420AAK
20	WCOV-TV	MONTGOMERY AL	240.2	LIC	BLCDT	-20090312AAO
20	WCOV-DR	MONTGOMERY AL	240.2	APP	BPRM	-20080819ADH
20	NEW	LIVE OAK FL	132.0	APP	BNPDTL	-20090825CAK
20	NEW	MADISON FL	74.7	APP	BNPDTL	-20090825AHV
20	W20DO-D	ALBANY GA	125.6	CP	BNPDTL	-20100524ABX
20	WPCH-TV	ATLANTA GA	369.3	LIC	BLCDT	-20050204AAD

20	W62DE	TIFTON GA	132.3	CP	BDFCDTL	-20091118AGP
20	NEW	VALDOSTA GA	99.8	APP	BNPDTL	-20090825CAG
21	WDHN	DOTHAN AL	125.7	LIC	BLCDT	-20090303ACR
20			239.7	APP	USERRECORD-01	

Proposal causes no interference

##

Analysis of Interference to Affected Station 18

Analysis of current record

Channel	Call	City/State	Application Ref. No.
20	WARP-CD	TAMPA-ST. PETERSBURG FL	BLDTA -20091029ABJ

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
19	WMOR-TV	LAKELAND FL	36.1	LIC	BLCDT -20050726ABO
20	W42DJ-D	OCALA FL	161.6	APP	BDISDTT -20101112AWF
20	NEW	DUNNELLON FL	144.2	APP	BNPDTL -20090825BFT
20	NEW	GAINESVILLE FL	172.6	APP	BNPDTL -20090825AOQ
20	WSCF-LP	MELBOURNE FL	191.0	CP	BDISDTL -20090630ACW
20	WLRN-TV	MIAMI FL	319.2	LIC	BLEDT -20090611ABR
20	NEW	OCALA FL	168.3	APP	BNPDTL -20090825AMY
20	NEW	WILLISTON FL	155.4	APP	BNPDTL -20090825BUO
21	WCLF	CLEARWATER FL	36.1	CP	BPCDT -20080619AHV
21	WCLF	CLEARWATER FL	36.1	LIC	BLCDT -20060627AAQ
20			169.3	APP	USERRECORD-01

Proposal causes no interference

##

Analysis of Interference to Affected Station 19

Analysis of current record

Channel	Call	City/State	Application Ref. No.
20	NEW	WILLISTON FL	BNPDTL -20090825BUO

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
19	NEW	GAINESVILLE FL	20.9	APP	BNPDTL -20090825ANR
20	W42DJ-D	OCALA FL	24.5	APP	BDISDTT -20101112AWF
20	NEW	DUNNELLON FL	11.2	APP	BNPDTL -20090825BFT
20	NEW	GAINESVILLE FL	20.9	APP	BNPDTL -20090825AOQ
20	NEW	LIVE OAK FL	119.5	APP	BNPDTL -20090825CAK
20	NEW	OCALA FL	15.6	APP	BNPDTL -20090825AMY
20	WARP-CD	TAMPA-ST. PETERSBURG FL	155.4	LIC	BLDTA -20091029ABJ
21	NEW	GAINESVILLE FL	20.9	APP	BNPDTL -20090825AOI
20			23.9	APP	USERRECORD-01

Total scenarios = 64

Result key: 113
Scenario 1 Affected station 19
Before Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7

```
   lost to NTSC IX                          0          0.0
   lost to additional IX by ATV             0          0.0
   lost to ATV IX only                      0          0.0
   lost to all IX                           0          0.0

 Potential Interfering Stations Included in above Scenario     1


After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV        4538        194.0
   lost to ATV IX only                 4538        194.0
   lost to all IX                      4538        194.0

 Potential Interfering Stations Included in above Scenario     1

20A                          USERRECORD01           APP

Percent new IX =    1.1554%

Result key:      114
Scenario        2  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385888       6168.2
   lost to ATV IX only               385888       6168.2
   lost to all IX                    385888       6168.2

 Potential Interfering Stations Included in above Scenario     2

19A FL GAINESVILLE           BNPDTL    20090825ANR  APP
20A FL  OCALA                BDISDTT   20101112AWF  APP
20A FL DUNNELLON             BNPDTL    20090825BFT  APP
20A FL GAINESVILLE           BNPDTL    20090825AOQ  APP
20A FL OCALA                 BNPDTL    20090825AMY  APP
21A FL GAINESVILLE           BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385888       6168.2
   lost to ATV IX only               385888       6168.2
   lost to all IX                    385888       6168.2

 Potential Interfering Stations Included in above Scenario     2

19A FL GAINESVILLE           BNPDTL    20090825ANR  APP
20A FL  OCALA                BDISDTT   20101112AWF  APP
20A FL DUNNELLON             BNPDTL    20090825BFT  APP
20A FL GAINESVILLE           BNPDTL    20090825AOQ  APP
```

```
20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      115
Scenario        3  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385888       6168.2
   lost to ATV IX only               385888       6168.2
   lost to all IX                    385888       6168.2

 Potential Interfering Stations Included in above Scenario     3

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385888       6168.2
   lost to ATV IX only               385888       6168.2
   lost to all IX                    385888       6168.2

 Potential Interfering Stations Included in above Scenario     3

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      116
Scenario        4  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385704       6164.2
   lost to ATV IX only               385704       6164.2
   lost to all IX                    385704       6164.2

 Potential Interfering Stations Included in above Scenario     4
```

```
19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385704       6164.2
   lost to ATV IX only               385704       6164.2
   lost to all IX                    385704       6164.2

 Potential Interfering Stations Included in above Scenario     4

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      117
Scenario        5  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385704       6164.2
   lost to ATV IX only               385704       6164.2
   lost to all IX                    385704       6164.2

 Potential Interfering Stations Included in above Scenario     5

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385704       6164.2
   lost to ATV IX only               385704       6164.2
   lost to all IX                    385704       6164.2

 Potential Interfering Stations Included in above Scenario     5

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
```

```
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      118
Scenario        6  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385888       6168.2
   lost to ATV IX only               385888       6168.2
   lost to all IX                    385888       6168.2

 Potential Interfering Stations Included in above Scenario     6

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385888       6168.2
   lost to ATV IX only               385888       6168.2
   lost to all IX                    385888       6168.2

 Potential Interfering Stations Included in above Scenario     6

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      119
Scenario        7  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385888       6168.2
   lost to ATV IX only               385888       6168.2
   lost to all IX                    385888       6168.2

 Potential Interfering Stations Included in above Scenario     7

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
```

```
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL OCALA                BNPDTL    20090825AMY  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385888       6168.2
   lost to ATV IX only               385888       6168.2
   lost to all IX                    385888       6168.2

 Potential Interfering Stations Included in above Scenario     7

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      120
Scenario        8  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385704       6163.3
   lost to ATV IX only               385704       6163.3
   lost to all IX                    385704       6163.3

 Potential Interfering Stations Included in above Scenario     8

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385704       6163.3
   lost to ATV IX only               385704       6163.3
   lost to all IX                    385704       6163.3

 Potential Interfering Stations Included in above Scenario     8

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP
```

Percent new IX =   0.0000%

Result key: 121
Scenario   9 Affected station   19
Before Analysis

Results for: 20A FL WILLISTON   BNPDTL   20090825BUO APP
   HAAT 110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour   392758   6389.7
   not affected by terrain losses   392758   6389.7
   lost to NTSC IX   0   0.0
   lost to additional IX by ATV   385704   6163.3
   lost to ATV IX only   385704   6163.3
   lost to all IX   385704   6163.3

 Potential Interfering Stations Included in above Scenario   9

19A FL GAINESVILLE   BNPDTL   20090825ANR APP
20A FL OCALA   BDISDTT   20101112AWF APP
20A FL DUNNELLON   BNPDTL   20090825BFT APP

After Analysis

Results for: 20A FL WILLISTON   BNPDTL   20090825BUO APP
   HAAT 110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour   392758   6389.7
   not affected by terrain losses   392758   6389.7
   lost to NTSC IX   0   0.0
   lost to additional IX by ATV   385704   6163.3
   lost to ATV IX only   385704   6163.3
   lost to all IX   385704   6163.3

 Potential Interfering Stations Included in above Scenario   9

19A FL GAINESVILLE   BNPDTL   20090825ANR APP
20A FL OCALA   BDISDTT   20101112AWF APP
20A FL DUNNELLON   BNPDTL   20090825BFT APP
20A   USERRECORD01   APP

Percent new IX =   0.0000%

Result key: 122
Scenario   10 Affected station   19
Before Analysis

Results for: 20A FL WILLISTON   BNPDTL   20090825BUO APP
   HAAT 110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour   392758   6389.7
   not affected by terrain losses   392758   6389.7
   lost to NTSC IX   0   0.0
   lost to additional IX by ATV   359805   5105.7
   lost to ATV IX only   359805   5105.7
   lost to all IX   359805   5105.7

 Potential Interfering Stations Included in above Scenario   10

19A FL GAINESVILLE   BNPDTL   20090825ANR APP
20A FL OCALA   BDISDTT   20101112AWF APP
20A FL GAINESVILLE   BNPDTL   20090825AOQ APP
20A FL OCALA   BNPDTL   20090825AMY APP
21A FL GAINESVILLE   BNPDTL   20090825AOI APP

After Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	359805	5105.7
lost to ATV IX only	359805	5105.7
lost to all IX	359805	5105.7

Potential Interfering Stations Included in above Scenario 10

19A FL GAINESVILLE	BNPDTL	20090825ANR	APP
20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
20A FL OCALA	BNPDTL	20090825AMY	APP
21A FL GAINESVILLE	BNPDTL	20090825AOI	APP
20A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 123
Scenario 11 Affected station 19
Before Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	359805	5105.7
lost to ATV IX only	359805	5105.7
lost to all IX	359805	5105.7

Potential Interfering Stations Included in above Scenario 11

19A FL GAINESVILLE	BNPDTL	20090825ANR	APP
20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
20A FL OCALA	BNPDTL	20090825AMY	APP

After Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	359805	5105.7
lost to ATV IX only	359805	5105.7
lost to all IX	359805	5105.7

Potential Interfering Stations Included in above Scenario 11

19A FL GAINESVILLE	BNPDTL	20090825ANR	APP
20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
20A FL OCALA	BNPDTL	20090825AMY	APP
20A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 124
Scenario 12 Affected station 19
Before Analysis

```
Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      355544       4795.5
   lost to ATV IX only               355544       4795.5
   lost to all IX                    355544       4795.5

 Potential Interfering Stations Included in above Scenario    12

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      355544       4795.5
   lost to ATV IX only               355544       4795.5
   lost to all IX                    355544       4795.5

 Potential Interfering Stations Included in above Scenario    12

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      125
Scenario       13  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      355544       4795.5
   lost to ATV IX only               355544       4795.5
   lost to all IX                    355544       4795.5

 Potential Interfering Stations Included in above Scenario    13

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
```

```
   lost to NTSC IX                          0          0.0
   lost to additional IX by ATV        355544       4795.5
   lost to ATV IX only                 355544       4795.5
   lost to all IX                      355544       4795.5

 Potential Interfering Stations Included in above Scenario    13

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      126
Scenario       14  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour       392758       6389.7
   not affected by terrain losses     392758       6389.7
   lost to NTSC IX                         0          0.0
   lost to additional IX by ATV       357376       5044.6
   lost to ATV IX only                357376       5044.6
   lost to all IX                     357376       5044.6

 Potential Interfering Stations Included in above Scenario    14

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour       392758       6389.7
   not affected by terrain losses     392758       6389.7
   lost to NTSC IX                         0          0.0
   lost to additional IX by ATV       357376       5044.6
   lost to ATV IX only                357376       5044.6
   lost to all IX                     357376       5044.6

 Potential Interfering Stations Included in above Scenario    14

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      127
Scenario       15  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour       392758       6389.7
   not affected by terrain losses     392758       6389.7
   lost to NTSC IX                         0          0.0
```

```
   lost to additional IX by ATV      357376       5044.6
   lost to ATV IX only               357376       5044.6
   lost to all IX                    357376       5044.6

 Potential Interfering Stations Included in above Scenario    15

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL OCALA                BNPDTL    20090825AMY  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      357376       5044.6
   lost to ATV IX only               357376       5044.6
   lost to all IX                    357376       5044.6

 Potential Interfering Stations Included in above Scenario    15

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      128
Scenario       16  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      352093       4586.7
   lost to ATV IX only               352093       4586.7
   lost to all IX                    352093       4586.7

 Potential Interfering Stations Included in above Scenario    16

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      352093       4586.7
   lost to ATV IX only               352093       4586.7
   lost to all IX                    352093       4586.7

 Potential Interfering Stations Included in above Scenario    16

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
```

```
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      129
Scenario       17  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      352013       4583.8
   lost to ATV IX only               352013       4583.8
   lost to all IX                    352013       4583.8

 Potential Interfering Stations Included in above Scenario    17

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      352013       4583.8
   lost to ATV IX only               352013       4583.8
   lost to all IX                    352013       4583.8

 Potential Interfering Stations Included in above Scenario    17

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      130
Scenario       18  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385831       6164.2
   lost to ATV IX only               385831       6164.2
   lost to all IX                    385831       6164.2

 Potential Interfering Stations Included in above Scenario    18

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis
```

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	385831	6164.2
lost to ATV IX only	385831	6164.2
lost to all IX	385831	6164.2

Potential Interfering Stations Included in above Scenario 18

19A FL GAINESVILLE	BNPDTL	20090825ANR	APP
20A FL DUNNELLON	BNPDTL	20090825BFT	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
20A FL OCALA	BNPDTL	20090825AMY	APP
21A FL GAINESVILLE	BNPDTL	20090825AOI	APP
20A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 131
Scenario 19 Affected station 19
Before Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	385831	6164.2
lost to ATV IX only	385831	6164.2
lost to all IX	385831	6164.2

Potential Interfering Stations Included in above Scenario 19

19A FL GAINESVILLE	BNPDTL	20090825ANR	APP
20A FL DUNNELLON	BNPDTL	20090825BFT	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
20A FL OCALA	BNPDTL	20090825AMY	APP

After Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	385831	6164.2
lost to ATV IX only	385831	6164.2
lost to all IX	385831	6164.2

Potential Interfering Stations Included in above Scenario 19

19A FL GAINESVILLE	BNPDTL	20090825ANR	APP
20A FL DUNNELLON	BNPDTL	20090825BFT	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
20A FL OCALA	BNPDTL	20090825AMY	APP
20A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 132
Scenario 20 Affected station 19

Before Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	384901	6147.5
lost to ATV IX only	384901	6147.5
lost to all IX	384901	6147.5

Potential Interfering Stations Included in above Scenario 20

19A FL GAINESVILLE BNPDTL 20090825ANR APP
20A FL DUNNELLON BNPDTL 20090825BFT APP
20A FL GAINESVILLE BNPDTL 20090825AOQ APP
21A FL GAINESVILLE BNPDTL 20090825AOI APP

After Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	384901	6147.5
lost to ATV IX only	384901	6147.5
lost to all IX	384901	6147.5

Potential Interfering Stations Included in above Scenario 20

19A FL GAINESVILLE BNPDTL 20090825ANR APP
20A FL DUNNELLON BNPDTL 20090825BFT APP
20A FL GAINESVILLE BNPDTL 20090825AOQ APP
21A FL GAINESVILLE BNPDTL 20090825AOI APP
20A USERRECORD01 APP

Percent new IX = 0.0000%

Result key: 133
Scenario 21 Affected station 19
Before Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	384901	6147.5
lost to ATV IX only	384901	6147.5
lost to all IX	384901	6147.5

Potential Interfering Stations Included in above Scenario 21

19A FL GAINESVILLE BNPDTL 20090825ANR APP
20A FL DUNNELLON BNPDTL 20090825BFT APP
20A FL GAINESVILLE BNPDTL 20090825AOQ APP

After Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7

```
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      384901       6147.5
   lost to ATV IX only               384901       6147.5
   lost to all IX                    384901       6147.5

 Potential Interfering Stations Included in above Scenario    21

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      134
Scenario       22  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385831       6162.3
   lost to ATV IX only               385831       6162.3
   lost to all IX                    385831       6162.3

 Potential Interfering Stations Included in above Scenario    22

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385831       6162.3
   lost to ATV IX only               385831       6162.3
   lost to all IX                    385831       6162.3

 Potential Interfering Stations Included in above Scenario    22

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      135
Scenario       23  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
```

```
   lost to NTSC IX                          0          0.0
   lost to additional IX by ATV        385831       6162.3
   lost to ATV IX only                 385831       6162.3
   lost to all IX                      385831       6162.3

 Potential Interfering Stations Included in above Scenario    23

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL OCALA                BNPDTL    20090825AMY  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour       392758       6389.7
   not affected by terrain losses     392758       6389.7
   lost to NTSC IX                         0          0.0
   lost to additional IX by ATV       385831       6162.3
   lost to ATV IX only                385831       6162.3
   lost to all IX                     385831       6162.3

 Potential Interfering Stations Included in above Scenario    23

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      136
Scenario       24  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour       392758       6389.7
   not affected by terrain losses     392758       6389.7
   lost to NTSC IX                         0          0.0
   lost to additional IX by ATV       384684       6137.6
   lost to ATV IX only                384684       6137.6
   lost to all IX                     384684       6137.6

 Potential Interfering Stations Included in above Scenario    24

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour       392758       6389.7
   not affected by terrain losses     392758       6389.7
   lost to NTSC IX                         0          0.0
   lost to additional IX by ATV       384738       6138.6
   lost to ATV IX only                384738       6138.6
   lost to all IX                     384738       6138.6

 Potential Interfering Stations Included in above Scenario    24

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
```

```
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.6688%

Result key:      137
Scenario       25  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      384616       6136.7
   lost to ATV IX only               384616       6136.7
   lost to all IX                    384616       6136.7

 Potential Interfering Stations Included in above Scenario    25

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      384670       6137.6
   lost to ATV IX only               384670       6137.6
   lost to all IX                    384670       6137.6

 Potential Interfering Stations Included in above Scenario    25

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A                         USERRECORD01           APP

Percent new IX =    0.6632%

Result key:      138
Scenario       26  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      341436       4735.4
   lost to ATV IX only               341436       4735.4
   lost to all IX                    341436       4735.4

 Potential Interfering Stations Included in above Scenario    26

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis
```

```
Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      341436       4735.4
   lost to ATV IX only               341436       4735.4
   lost to all IX                    341436       4735.4

 Potential Interfering Stations Included in above Scenario    26

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      139
Scenario       27  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      341436       4735.4
   lost to ATV IX only               341436       4735.4
   lost to all IX                    341436       4735.4

 Potential Interfering Stations Included in above Scenario    27

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      341436       4735.4
   lost to ATV IX only               341436       4735.4
   lost to all IX                    341436       4735.4

 Potential Interfering Stations Included in above Scenario    27

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      140
Scenario       28  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
```

HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	127782	2120.1
lost to ATV IX only	127782	2120.1
lost to all IX	127782	2120.1

Potential Interfering Stations Included in above Scenario 28

19A FL GAINESVILLE	BNPDTL	20090825ANR	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
21A FL GAINESVILLE	BNPDTL	20090825AOI	APP

After Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP

HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	129057	2136.8
lost to ATV IX only	129057	2136.8
lost to all IX	129057	2136.8

Potential Interfering Stations Included in above Scenario 28

19A FL GAINESVILLE	BNPDTL	20090825ANR	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
21A FL GAINESVILLE	BNPDTL	20090825AOI	APP
20A	USERRECORD01		APP

Percent new IX = 0.4812%

Result key: 141
Scenario 29 Affected station 19
Before Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP

HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	127782	2120.1
lost to ATV IX only	127782	2120.1
lost to all IX	127782	2120.1

Potential Interfering Stations Included in above Scenario 29

19A FL GAINESVILLE	BNPDTL	20090825ANR	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP

After Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP

HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	129057	2136.8
lost to ATV IX only	129057	2136.8
lost to all IX	129057	2136.8

```
 Potential Interfering Stations Included in above Scenario    29

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A                         USERRECORD01           APP

Percent new IX =    0.4812%

Result key:      142
Scenario       30  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      338978       4671.4
   lost to ATV IX only               338978       4671.4
   lost to all IX                    338978       4671.4

 Potential Interfering Stations Included in above Scenario    30

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      338978       4671.4
   lost to ATV IX only               338978       4671.4
   lost to all IX                    338978       4671.4

 Potential Interfering Stations Included in above Scenario    30

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      143
Scenario       31  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      338978       4671.4
   lost to ATV IX only               338978       4671.4
   lost to all IX                    338978       4671.4

 Potential Interfering Stations Included in above Scenario    31

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
```

After Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	338978	4671.4
lost to ATV IX only	338978	4671.4
lost to all IX	338978	4671.4

Potential Interfering Stations Included in above Scenario 31

19A FL GAINESVILLE BNPDTL 20090825ANR APP
20A FL OCALA BNPDTL 20090825AMY APP
20A USERRECORD01 APP

Percent new IX = 0.0000%

Result key: 144
Scenario 32 Affected station 19
Before Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	4219	275.7
lost to ATV IX only	4219	275.7
lost to all IX	4219	275.7

Potential Interfering Stations Included in above Scenario 32

19A FL GAINESVILLE BNPDTL 20090825ANR APP
21A FL GAINESVILLE BNPDTL 20090825AOI APP

After Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	8757	469.7
lost to ATV IX only	8757	469.7
lost to all IX	8757	469.7

Potential Interfering Stations Included in above Scenario 32

19A FL GAINESVILLE BNPDTL 20090825ANR APP
21A FL GAINESVILLE BNPDTL 20090825AOI APP
20A USERRECORD01 APP

Percent new IX = 1.1680%

Result key: 145
Scenario 33 Affected station 19
Before Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)

```
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV          12          1.0
   lost to ATV IX only                   12          1.0
   lost to all IX                        12          1.0

 Potential Interfering Stations Included in above Scenario    33

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV        4550        195.0
   lost to ATV IX only                 4550        195.0
   lost to all IX                      4550        195.0

 Potential Interfering Stations Included in above Scenario    33

19A FL GAINESVILLE          BNPDTL    20090825ANR  APP
20A                         USERRECORD01           APP

Percent new IX =    1.1555%

Result key:      146
Scenario       34  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385888       6168.2
   lost to ATV IX only               385888       6168.2
   lost to all IX                    385888       6168.2

 Potential Interfering Stations Included in above Scenario    34

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385888       6168.2
   lost to ATV IX only               385888       6168.2
   lost to all IX                    385888       6168.2

 Potential Interfering Stations Included in above Scenario    34

20A FL  OCALA               BDISDTT   20101112AWF  APP
```

```
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      147
Scenario       35  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385888       6168.2
   lost to ATV IX only               385888       6168.2
   lost to all IX                    385888       6168.2

 Potential Interfering Stations Included in above Scenario    35

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385888       6168.2
   lost to ATV IX only               385888       6168.2
   lost to all IX                    385888       6168.2

 Potential Interfering Stations Included in above Scenario    35

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      148
Scenario       36  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385704       6164.2
   lost to ATV IX only               385704       6164.2
   lost to all IX                    385704       6164.2

 Potential Interfering Stations Included in above Scenario    36
```

```
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385704       6164.2
   lost to ATV IX only               385704       6164.2
   lost to all IX                    385704       6164.2

 Potential Interfering Stations Included in above Scenario    36

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      149
Scenario       37  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385704       6164.2
   lost to ATV IX only               385704       6164.2
   lost to all IX                    385704       6164.2

 Potential Interfering Stations Included in above Scenario    37

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385704       6164.2
   lost to ATV IX only               385704       6164.2
   lost to all IX                    385704       6164.2

 Potential Interfering Stations Included in above Scenario    37

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%
```

```
Result key:      150
Scenario       38  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385888       6168.2
   lost to ATV IX only               385888       6168.2
   lost to all IX                    385888       6168.2

 Potential Interfering Stations Included in above Scenario    38

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385888       6168.2
   lost to ATV IX only               385888       6168.2
   lost to all IX                    385888       6168.2

 Potential Interfering Stations Included in above Scenario    38

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      151
Scenario       39  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385888       6168.2
   lost to ATV IX only               385888       6168.2
   lost to all IX                    385888       6168.2

 Potential Interfering Stations Included in above Scenario    39

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL OCALA                BNPDTL    20090825AMY  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
```

HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	385888	6168.2
lost to ATV IX only	385888	6168.2
lost to all IX	385888	6168.2

Potential Interfering Stations Included in above Scenario 39

20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL DUNNELLON	BNPDTL	20090825BFT	APP
20A FL OCALA	BNPDTL	20090825AMY	APP
20A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 152
Scenario 40 Affected station 19
Before Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	385704	6163.3
lost to ATV IX only	385704	6163.3
lost to all IX	385704	6163.3

Potential Interfering Stations Included in above Scenario 40

20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL DUNNELLON	BNPDTL	20090825BFT	APP
21A FL GAINESVILLE	BNPDTL	20090825AOI	APP

After Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	385704	6163.3
lost to ATV IX only	385704	6163.3
lost to all IX	385704	6163.3

Potential Interfering Stations Included in above Scenario 40

20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL DUNNELLON	BNPDTL	20090825BFT	APP
21A FL GAINESVILLE	BNPDTL	20090825AOI	APP
20A	USERRECORD01		APP

Percent new IX = 0.0000%

Result key: 153
Scenario 41 Affected station 19
Before Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7

```
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                         0          0.0
   lost to additional IX by ATV      385704       6163.3
   lost to ATV IX only               385704       6163.3
   lost to all IX                    385704       6163.3

 Potential Interfering Stations Included in above Scenario    41

20A FL  OCALA              BDISDTT   20101112AWF  APP
20A FL DUNNELLON           BNPDTL    20090825BFT  APP

After Analysis

Results for: 20A FL WILLISTON           BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                         0          0.0
   lost to additional IX by ATV      385704       6163.3
   lost to ATV IX only               385704       6163.3
   lost to all IX                    385704       6163.3

 Potential Interfering Stations Included in above Scenario    41

20A FL  OCALA              BDISDTT   20101112AWF  APP
20A FL DUNNELLON           BNPDTL    20090825BFT  APP
20A                        USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      154
Scenario       42  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON           BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                         0          0.0
   lost to additional IX by ATV      359805       5105.7
   lost to ATV IX only               359805       5105.7
   lost to all IX                    359805       5105.7

 Potential Interfering Stations Included in above Scenario    42

20A FL  OCALA              BDISDTT   20101112AWF  APP
20A FL GAINESVILLE         BNPDTL    20090825AOQ  APP
20A FL OCALA               BNPDTL    20090825AMY  APP
21A FL GAINESVILLE         BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL WILLISTON           BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                         0          0.0
   lost to additional IX by ATV      359805       5105.7
   lost to ATV IX only               359805       5105.7
   lost to all IX                    359805       5105.7

 Potential Interfering Stations Included in above Scenario    42

20A FL  OCALA              BDISDTT   20101112AWF  APP
```

```
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      155
Scenario       43  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      359805       5105.7
   lost to ATV IX only               359805       5105.7
   lost to all IX                    359805       5105.7

 Potential Interfering Stations Included in above Scenario    43

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      359805       5105.7
   lost to ATV IX only               359805       5105.7
   lost to all IX                    359805       5105.7

 Potential Interfering Stations Included in above Scenario    43

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      156
Scenario       44  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      355544       4795.5
   lost to ATV IX only               355544       4795.5
   lost to all IX                    355544       4795.5

 Potential Interfering Stations Included in above Scenario    44

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
```

After Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	355544	4795.5
lost to ATV IX only	355544	4795.5
lost to all IX	355544	4795.5

Potential Interfering Stations Included in above Scenario 44

20A FL	OCALA	BDISDTT 20101112AWF	APP
20A FL	GAINESVILLE	BNPDTL 20090825AOQ	APP
21A FL	GAINESVILLE	BNPDTL 20090825AOI	APP
20A		USERRECORD01	APP

Percent new IX = 0.0000%

Result key: 157
Scenario 45 Affected station 19
Before Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	355544	4795.5
lost to ATV IX only	355544	4795.5
lost to all IX	355544	4795.5

Potential Interfering Stations Included in above Scenario 45

20A FL	OCALA	BDISDTT 20101112AWF	APP
20A FL	GAINESVILLE	BNPDTL 20090825AOQ	APP

After Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	355544	4795.5
lost to ATV IX only	355544	4795.5
lost to all IX	355544	4795.5

Potential Interfering Stations Included in above Scenario 45

20A FL	OCALA	BDISDTT 20101112AWF	APP
20A FL	GAINESVILLE	BNPDTL 20090825AOQ	APP
20A		USERRECORD01	APP

Percent new IX = 0.0000%

Result key: 158
Scenario 46 Affected station 19
Before Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

```
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      357376       5044.6
   lost to ATV IX only               357376       5044.6
   lost to all IX                    357376       5044.6

 Potential Interfering Stations Included in above Scenario    46

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      357376       5044.6
   lost to ATV IX only               357376       5044.6
   lost to all IX                    357376       5044.6

 Potential Interfering Stations Included in above Scenario    46

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      159
Scenario       47  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      357376       5044.6
   lost to ATV IX only               357376       5044.6
   lost to all IX                    357376       5044.6

 Potential Interfering Stations Included in above Scenario    47

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL OCALA                BNPDTL    20090825AMY  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      357376       5044.6
   lost to ATV IX only               357376       5044.6
   lost to all IX                    357376       5044.6

 Potential Interfering Stations Included in above Scenario    47
```

```
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      160
Scenario       48  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      352093       4586.7
   lost to ATV IX only               352093       4586.7
   lost to all IX                    352093       4586.7

 Potential Interfering Stations Included in above Scenario    48

20A FL  OCALA               BDISDTT   20101112AWF  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      352093       4586.7
   lost to ATV IX only               352093       4586.7
   lost to all IX                    352093       4586.7

 Potential Interfering Stations Included in above Scenario    48

20A FL  OCALA               BDISDTT   20101112AWF  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      161
Scenario       49  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      352001       4582.8
   lost to ATV IX only               352001       4582.8
   lost to all IX                    352001       4582.8

 Potential Interfering Stations Included in above Scenario    49

20A FL  OCALA               BDISDTT   20101112AWF  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
```

HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	352001	4582.8
lost to ATV IX only	352001	4582.8
lost to all IX	352001	4582.8

Potential Interfering Stations Included in above Scenario 49

20A FL OCALA BDISDTT 20101112AWF APP
20A USERRECORD01 APP

Percent new IX = 0.0000%

Result key: 162
Scenario 50 Affected station 19
Before Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	385831	6164.2
lost to ATV IX only	385831	6164.2
lost to all IX	385831	6164.2

Potential Interfering Stations Included in above Scenario 50

20A FL DUNNELLON BNPDTL 20090825BFT APP
20A FL GAINESVILLE BNPDTL 20090825AOQ APP
20A FL OCALA BNPDTL 20090825AMY APP
21A FL GAINESVILLE BNPDTL 20090825AOI APP

After Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	385831	6164.2
lost to ATV IX only	385831	6164.2
lost to all IX	385831	6164.2

Potential Interfering Stations Included in above Scenario 50

20A FL DUNNELLON BNPDTL 20090825BFT APP
20A FL GAINESVILLE BNPDTL 20090825AOQ APP
20A FL OCALA BNPDTL 20090825AMY APP
21A FL GAINESVILLE BNPDTL 20090825AOI APP
20A USERRECORD01 APP

Percent new IX = 0.0000%

Result key: 163
Scenario 51 Affected station 19
Before Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7

```
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385831       6164.2
   lost to ATV IX only               385831       6164.2
   lost to all IX                    385831       6164.2

 Potential Interfering Stations Included in above Scenario    51

20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385831       6164.2
   lost to ATV IX only               385831       6164.2
   lost to all IX                    385831       6164.2

 Potential Interfering Stations Included in above Scenario    51

20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      164
Scenario       52  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      384901       6147.5
   lost to ATV IX only               384901       6147.5
   lost to all IX                    384901       6147.5

 Potential Interfering Stations Included in above Scenario    52

20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      384901       6147.5
   lost to ATV IX only               384901       6147.5
   lost to all IX                    384901       6147.5

 Potential Interfering Stations Included in above Scenario    52
```

20A FL DUNNELLON BNPDTL 20090825BFT APP
20A FL GAINESVILLE BNPDTL 20090825AOQ APP
21A FL GAINESVILLE BNPDTL 20090825AOI APP
20A USERRECORD01 APP

Percent new IX = 0.0000%

Result key: 165
Scenario 53 Affected station 19
Before Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	384901	6147.5
lost to ATV IX only	384901	6147.5
lost to all IX	384901	6147.5

Potential Interfering Stations Included in above Scenario 53

20A FL DUNNELLON BNPDTL 20090825BFT APP
20A FL GAINESVILLE BNPDTL 20090825AOQ APP

After Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	384901	6147.5
lost to ATV IX only	384901	6147.5
lost to all IX	384901	6147.5

Potential Interfering Stations Included in above Scenario 53

20A FL DUNNELLON BNPDTL 20090825BFT APP
20A FL GAINESVILLE BNPDTL 20090825AOQ APP
20A USERRECORD01 APP

Percent new IX = 0.0000%

Result key: 166
Scenario 54 Affected station 19
Before Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	385831	6162.3
lost to ATV IX only	385831	6162.3
lost to all IX	385831	6162.3

Potential Interfering Stations Included in above Scenario 54

20A FL DUNNELLON BNPDTL 20090825BFT APP
20A FL OCALA BNPDTL 20090825AMY APP
21A FL GAINESVILLE BNPDTL 20090825AOI APP

After Analysis

```
Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385831       6162.3
   lost to ATV IX only               385831       6162.3
   lost to all IX                    385831       6162.3

 Potential Interfering Stations Included in above Scenario    54

20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      167
Scenario       55  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385831       6162.3
   lost to ATV IX only               385831       6162.3
   lost to all IX                    385831       6162.3

 Potential Interfering Stations Included in above Scenario    55

20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL OCALA                BNPDTL    20090825AMY  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      385831       6162.3
   lost to ATV IX only               385831       6162.3
   lost to all IX                    385831       6162.3

 Potential Interfering Stations Included in above Scenario    55

20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      168
Scenario       56  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
```

```
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                         0          0.0
   lost to additional IX by ATV      384684       6137.6
   lost to ATV IX only               384684       6137.6
   lost to all IX                    384684       6137.6

 Potential Interfering Stations Included in above Scenario    56

20A FL DUNNELLON            BNPDTL    20090825BFT  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                         0          0.0
   lost to additional IX by ATV      384738       6138.6
   lost to ATV IX only               384738       6138.6
   lost to all IX                    384738       6138.6

 Potential Interfering Stations Included in above Scenario    56

20A FL DUNNELLON            BNPDTL    20090825BFT  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.6688%

Result key:      169
Scenario       57  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                         0          0.0
   lost to additional IX by ATV      384616       6136.7
   lost to ATV IX only               384616       6136.7
   lost to all IX                    384616       6136.7

 Potential Interfering Stations Included in above Scenario    57

20A FL DUNNELLON            BNPDTL    20090825BFT  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                         0          0.0
   lost to additional IX by ATV      384670       6137.6
   lost to ATV IX only               384670       6137.6
   lost to all IX                    384670       6137.6

 Potential Interfering Stations Included in above Scenario    57

20A FL DUNNELLON            BNPDTL    20090825BFT  APP
20A                         USERRECORD01           APP

Percent new IX =    0.6632%
```

Result key: 170
Scenario 58 Affected station 19
Before Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	341436	4735.4
lost to ATV IX only	341436	4735.4
lost to all IX	341436	4735.4

Potential Interfering Stations Included in above Scenario 58

20A FL GAINESVILLE BNPDTL 20090825AOQ APP
20A FL OCALA BNPDTL 20090825AMY APP
21A FL GAINESVILLE BNPDTL 20090825AOI APP

After Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	341436	4735.4
lost to ATV IX only	341436	4735.4
lost to all IX	341436	4735.4

Potential Interfering Stations Included in above Scenario 58

20A FL GAINESVILLE BNPDTL 20090825AOQ APP
20A FL OCALA BNPDTL 20090825AMY APP
21A FL GAINESVILLE BNPDTL 20090825AOI APP
20A USERRECORD01 APP

Percent new IX = 0.0000%

Result key: 171
Scenario 59 Affected station 19
Before Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7
not affected by terrain losses	392758	6389.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	341436	4735.4
lost to ATV IX only	341436	4735.4
lost to all IX	341436	4735.4

Potential Interfering Stations Included in above Scenario 59

20A FL GAINESVILLE BNPDTL 20090825AOQ APP
20A FL OCALA BNPDTL 20090825AMY APP

After Analysis

Results for: 20A FL WILLISTON BNPDTL 20090825BUO APP
HAAT 110.0 m, ATV ERP 15.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	392758	6389.7

```
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                         0          0.0
   lost to additional IX by ATV      341436       4735.4
   lost to ATV IX only               341436       4735.4
   lost to all IX                    341436       4735.4

 Potential Interfering Stations Included in above Scenario    59

20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      172
Scenario       60  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                         0          0.0
   lost to additional IX by ATV      127782       2120.1
   lost to ATV IX only               127782       2120.1
   lost to all IX                    127782       2120.1

 Potential Interfering Stations Included in above Scenario    60

20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                         0          0.0
   lost to additional IX by ATV      129057       2136.8
   lost to ATV IX only               129057       2136.8
   lost to all IX                    129057       2136.8

 Potential Interfering Stations Included in above Scenario    60

20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.4812%

Result key:      173
Scenario       61  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                         0          0.0
   lost to additional IX by ATV      127782       2120.1
   lost to ATV IX only               127782       2120.1
   lost to all IX                    127782       2120.1
```

```
 Potential Interfering Stations Included in above Scenario    61

20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      129057       2136.8
   lost to ATV IX only               129057       2136.8
   lost to all IX                    129057       2136.8

 Potential Interfering Stations Included in above Scenario    61

20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A                         USERRECORD01           APP

Percent new IX =    0.4812%

Result key:      174
Scenario       62  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      338978       4671.4
   lost to ATV IX only               338978       4671.4
   lost to all IX                    338978       4671.4

 Potential Interfering Stations Included in above Scenario    62

20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                 POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      338978       4671.4
   lost to ATV IX only               338978       4671.4
   lost to all IX                    338978       4671.4

 Potential Interfering Stations Included in above Scenario    62

20A FL OCALA                BNPDTL    20090825AMY  APP
21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      175
Scenario       63  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
```

```
   HAAT  110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      338978       4671.4
   lost to ATV IX only               338978       4671.4
   lost to all IX                    338978       4671.4

 Potential Interfering Stations Included in above Scenario    63

20A FL OCALA                BNPDTL    20090825AMY  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV      338978       4671.4
   lost to ATV IX only               338978       4671.4
   lost to all IX                    338978       4671.4

 Potential Interfering Stations Included in above Scenario    63

20A FL OCALA                BNPDTL    20090825AMY  APP
20A                         USERRECORD01           APP

Percent new IX =    0.0000%

Result key:      176
Scenario       64  Affected station       19
Before Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV        4219        275.7
   lost to ATV IX only                 4219        275.7
   lost to all IX                      4219        275.7

 Potential Interfering Stations Included in above Scenario    64

21A FL GAINESVILLE          BNPDTL    20090825AOI  APP

After Analysis

Results for: 20A FL WILLISTON            BNPDTL    20090825BUO  APP
   HAAT  110.0 m, ATV ERP   15.0 kW
                                POPULATION   AREA (sq km)
   within Noise Limited Contour      392758       6389.7
   not affected by terrain losses    392758       6389.7
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV        8757        469.7
   lost to ATV IX only                 8757        469.7
   lost to all IX                      8757        469.7

 Potential Interfering Stations Included in above Scenario    64

21A FL GAINESVILLE          BNPDTL    20090825AOI  APP
20A                         USERRECORD01           APP
```

Percent new IX = 1.1680%

Worst case new IX 1.1680% Scenario 32

##

Analysis of Interference to Affected Station 20

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
20	W20DO-D	ALBANY GA	BNPDTL	-20100524ABX

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
19	NEW	TALLAHASSEE FL	104.0	APP	BNPDTL	-20090825BLU
19	NEW	ALBANY GA	0.0	APP	BNPDTL	-20090825CAA
19	NEW	ALBANY GA	0.0	APP	BNPDTL	-20090825AII
19	NEW	CAMILLA/MOULTRIE GA	53.8	APP	BNPDTL	-20090825AYL
20	WMPV-TV	MOBILE AL	347.1	LIC	BLCDT	-20100420AAK
20	WCOV-TV	MONTGOMERY AL	194.7	LIC	BLCDT	-20090312AAO
20	WCOV-DR	MONTGOMERY AL	194.7	APP	BPRM	-20080819ADH
20	NEW	LIVE OAK FL	189.4	APP	BNPDTL	-20090825CAK
20	NEW	MADISON FL	143.0	APP	BNPDTL	-20090825AHV
20	NEW	TALLAHASSEE FL	125.6	APP	BNPDTL	-20090825AJC
20	WPCH-TV	ATLANTA GA	245.6	LIC	BLCDT	-20050204AAD
20	NEW	BYRON GA	119.4	APP	BNPDTL	-20100510AFP
20	W20DL-D	MACON GA	139.1	CP	BNPDTL	-20100205ACG
20	W62DE	TIFTON GA	63.3	CP	BDFCDTL	-20091118AGP
20	W62DE	TIFTON GA	63.3	CP	BDISTTL	-20090414AGC
20	NEW	VALDOSTA GA	116.5	APP	BNPDTL	-20090825CAG
21	WDHN	DOTHAN AL	117.5	LIC	BLCDT	-20090303ACR
21	W21DE-D	UNADILLA GA	74.1	CP	BNPDTL	-20090825AYG
20			311.6	APP	USERRECORD	-01

Proposal causes no interference

##

Analysis of Interference to Affected Station 21

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
20	NEW	BYRON GA	BNPDTL	-20100510AFP

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
19	W19DN-D	MACON GA	22.0	CP	BNPDTL	-20100420AAT
20	WCOV-TV	MONTGOMERY AL	238.8	LIC	BLCDT	-20090312AAO
20	WCOV-DR	MONTGOMERY AL	238.8	APP	BPRM	-20080819ADH
20	W20DO-D	ALBANY GA	119.4	CP	BNPDTL	-20100524ABX
20	WPCH-TV	ATLANTA GA	143.3	LIC	BLCDT	-20050204AAD
20	W20CZ-D	AUGUSTA GA	163.5	CP	BNPDTL	-20090825BBT
20	W20DL-D	MACON GA	22.3	CP	BNPDTL	-20100205ACG
20	W62DE	TIFTON GA	132.6	CP	BDFCDTL	-20091118AGP
20	WBXX-TV	CROSSVILLE TN	391.7	LIC	BLCDT	-20090619ABD
21	W21DE-D	UNADILLA GA	48.9	CP	BNPDTL	-20090825AYG
20			391.5	APP	USERRECORD	-01

Proposed station is beyond the site to
nearest cell evaluation distance

##

Analysis of Interference to Affected Station 22

Analysis of current record

Channel	Call	City/State	Application Ref. No.
20	W20DL-D	MACON GA	BNPDTL -20100205ACG

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
19	W19DN-D	MACON GA	0.3	CP	BNPDTL -20100420AAT
20	WCOV-TV	MONTGOMERY AL	259.3	LIC	BLCDT -20090312AAO
20	WCOV-DR	MONTGOMERY AL	259.3	APP	BPRM -20080819ADH
20	W20DO-D	ALBANY GA	139.1	CP	BNPDTL -20100524ABX
20	WPCH-TV	ATLANTA GA	138.1	LIC	BLCDT -20050204AAD
20	W20CZ-D	AUGUSTA GA	141.8	CP	BNPDTL -20090825BBT
20	NEW	BYRON GA	22.3	APP	BNPDTL -20100510AFP
20	W62DE	TIFTON GA	145.5	CP	BDFCDTL -20091118AGP
20	WBXX-TV	CROSSVILLE TN	380.0	LIC	BLCDT -20090619ABD
21	WPBA	ATLANTA GA	133.3	LIC	BLEDT -20041013ABK
21	W21DA-D	DUBLIN GA	64.5	CP	BNPDTL -20090825AHZ
21	W21DE-D	UNADILLA GA	66.1	CP	BNPDTL -20090825AYG
20			399.2	APP	USERRECORD-01

Proposed station is beyond the site to nearest cell evaluation distance

##########

Analysis of Interference to Affected Station 23

Analysis of current record

Channel	Call	City/State	Application Ref. No.
20	W62DE	TIFTON GA	BDFCDTL -20091118AGP

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
19	NEW	TALLAHASSEE FL	95.6	APP	BNPDTL -20090825BLU
19	NEW	ALBANY GA	63.3	APP	BNPDTL -20090825CAA
19	NEW	ALBANY GA	63.3	APP	BNPDTL -20090825AII
19	NEW	CAMILLA/MOULTRIE GA	65.7	APP	BNPDTL -20090825AYL
19	NEW	VALDOSTA GA	72.5	APP	BNPDTL -20090825CAF
20	WCOV-TV	MONTGOMERY AL	257.9	LIC	BLCDT -20090312AAO
20	WCOV-DR	MONTGOMERY AL	257.9	APP	BPRM -20080819ADH
20	NEW	LIVE OAK FL	144.7	APP	BNPDTL -20090825CAK
20	NEW	MADISON FL	113.6	APP	BNPDTL -20090825AHV
20	NEW	TALLAHASSEE FL	132.3	APP	BNPDTL -20090825AJC
20	W20DO-D	ALBANY GA	63.3	CP	BNPDTL -20100524ABX
20	WPCH-TV	ATLANTA GA	274.1	LIC	BLCDT -20050204AAD
20	NEW	BYRON GA	132.6	APP	BNPDTL -20100510AFP
20	W20DL-D	MACON GA	145.5	CP	BNPDTL -20100205ACG
20	NEW	VALDOSTA GA	72.5	APP	BNPDTL -20090825CAG
21	W21DE-D	UNADILLA GA	85.2	CP	BNPDTL -20090825AYG
20			263.7	APP	USERRECORD-01

Proposal causes no interference

##########

Analysis of Interference to Affected Station 24

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
20	W62DE	TIFTON GA	BDISTTL	-20090414AGC

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
16	WGXA	MACON GA	145.3	LIC	BLCDT	-20070501AAI
20	WCOV-TV	MONTGOMERY AL	257.9	LIC	BLCDT	-20090312AAO
20	WCOV-DR	MONTGOMERY AL	257.9	APP	BPRM	-20080819ADH
20	W20DO-D	ALBANY GA	63.3	CP	BNPDTL	-20100524ABX
20	WPCH-TV	ATLANTA GA	274.1	LIC	BLCDT	-20050204AAD
20	NEW	VALDOSTA GA	72.5	APP	BNPDTL	-20090825CAG
24	WTLF	TALLAHASSEE FL	136.5	LIC	BLCDT	-20030303ABF
24	WTLF	TALLAHASSEE FL	136.5	CP	BPCDT	-20040514ACK
27	WTXL-TV	TALLAHASSEE FL	96.7	LIC	BLCDT	-20090217ABY
20			263.7	APP	USERRECORD	-01

Proposal causes no interference

##

Analysis of Interference to Affected Station 25

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
20	NEW	VALDOSTA GA	BNPDTL	-20090825CAG

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
19	NEW	TALLAHASSEE FL	60.5	APP	BNPDTL	-20090825BLU
19	NEW	CAMILLA/MOULTRIE GA	78.3	APP	BNPDTL	-20090825AYL
19	NEW	HOMERVILLE GA	53.4	APP	BNPDTL	-20090825AGP
19	NEW	VALDOSTA GA	0.0	APP	BNPDTL	-20090825CAF
20	WCOV-TV	MONTGOMERY AL	296.4	LIC	BLCDT	-20090312AAO
20	WCOV-DR	MONTGOMERY AL	296.4	APP	BPRM	-20080819ADH
20	W42DJ-D	OCALA FL	204.2	APP	BDISDTT	-20101112AWF
20	NEW	DUNNELLON FL	202.9	APP	BNPDTL	-20090825BFT
20	NEW	GAINESVILLE FL	172.4	APP	BNPDTL	-20090825AOQ
20	NEW	LIVE OAK FL	73.8	APP	BNPDTL	-20090825CAK
20	NEW	MADISON FL	46.6	APP	BNPDTL	-20090825AHV
20	NEW	TALLAHASSEE FL	99.8	APP	BNPDTL	-20090825AJC
20	NEW	WILLISTON FL	193.3	APP	BNPDTL	-20090825BUO
20	W20DO-D	ALBANY GA	116.5	CP	BNPDTL	-20100524ABX
20	WPCH-TV	ATLANTA GA	346.4	LIC	BLCDT	-20050204AAD
20	W62DE	TIFTON GA	72.5	CP	BDFCDTL	-20091118AGP
20	W62DE	TIFTON GA	72.5	CP	BDISTTL	-20090414AGC
21	W21CY-D	HOMERVILLE GA	53.4	CP	BNPDTL	-20090825AEZ
20			195.4	APP	USERRECORD	-01

Proposal causes no interference

##

Analysis of Interference to Affected Station 26

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
21	WCLF	CLEARWATER FL	BPCDT	-20080619AHV

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
22	WOFL	ORLANDO FL	144.3	LIC	BLCDT	-20110708AAV

```
 20                                        169.9  APP    USERRECORD-01
 Proposal causes no interference

################################################################################


     Analysis of Interference to Affected Station  27


Analysis of current record
Channel     Call           City/State        Application Ref. No.
   21      WCLF       CLEARWATER FL             BLCDT     -20060627AAQ

     Stations Potentially Affecting This Station

Chan   Call      City/State           Dist(km) Status  Application Ref. No.
 22   WOFL     ORLANDO FL               144.3  LIC    BLCDT     -20110708AAV
 20                                     169.9  APP    USERRECORD-01
 Proposal causes no interference

################################################################################


     Analysis of Interference to Affected Station  28


Analysis of current record
Channel     Call           City/State        Application Ref. No.
   21      NEW        GAINESVILLE FL            BNPDTL    -20090825AOI

     Stations Potentially Affecting This Station

Chan   Call      City/State           Dist(km) Status  Application Ref. No.
 20   W42DJ-D   OCALA FL                 38.6  APP    BDISDTT   -20101112AWF
 20   NEW      DUNNELLON FL              30.7  APP    BNPDTL    -20090825BFT
 20   NEW      GAINESVILLE FL             0.0  APP    BNPDTL    -20090825AOQ
 20   NEW      OCALA FL                  22.1  APP    BNPDTL    -20090825AMY
 20   NEW      WILLISTON FL              20.9  APP    BNPDTL    -20090825BUO
 21   WDHN     DOTHAN AL                333.6  LIC    BLCDT     -20090303ACR
 21   WCLF     CLEARWATER FL            179.9  CP     BPCDT     -20080619AHV
 21   WCLF     CLEARWATER FL            179.9  LIC    BLCDT     -20060627AAQ
 21   W21AU    ORLANDO FL               139.3  LIC    BLTTL     -19920715IB
 21   W21AU    ORLANDO FL               169.9  CP MOD BMPDTL    -20110810AAT
 21   W21CY-D  HOMERVILLE GA            182.2  CP     BNPDTL    -20090825AEZ
 20                                      33.0  APP    USERRECORD-01
 Proposal causes no interference

################################################################################


     Analysis of Interference to Affected Station  29


Analysis of current record
Channel     Call           City/State        Application Ref. No.
   21      W21AU      ORLANDO FL                BLTTL     -19920715IB

     Stations Potentially Affecting This Station

Chan   Call      City/State           Dist(km) Status  Application Ref. No.
 14   WFLA-DR  TAMPA FL                 115.9  APP    BPRM      -20110525AFC
 17   WKCF     CLERMONT FL               36.6  LIC    BLCDT     -20020718AAR
 19   WMOR-TV  LAKELAND FL              117.7  LIC    BLCDT     -20050726ABO
 21   WCLF     CLEARWATER FL            117.7  CP     BPCDT     -20080619AHV
 21   WCLF     CLEARWATER FL            117.7  LIC    BLCDT     -20060627AAQ
 22   WOFL     ORLANDO FL                36.1  LIC    BLCDT     -20110708AAV
 23   WMFE-TV  ORLANDO FL                35.4  LIC    BLEDT     -20090225ABF
```

25	WVEA-TV	VENICE FL	117.7	LIC	BLCDT	-20060627ABX
29	WFTS-TV	TAMPA FL	115.9	LIC	BLCDT	-20090320AGN
36	WZXZ-CA	ORLANDO, ETC. FL	37.3	LIC	BLTTA	-20040528AAT
20			110.8	APP	USERRECORD-01	

Proposal causes no interference

##

Analysis of Interference to Affected Station 30

Analysis of current record

Channel	Call	City/State	Application Ref. No.
21	W21AU	ORLANDO FL	BMPDTL -20110810AAT

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
20	WSCF-LP	MELBOURNE FL	61.2	CP	BDISDTL -20090630ACW
20	WSCF-LP	MELBOURNE FL	61.2	APP	BSTA -20110919ACY
21	WCLF	CLEARWATER FL	143.5	CP	BPCDT -20080619AHV
21	WCLF	CLEARWATER FL	143.5	LIC	BLCDT -20060627AAQ
21	NEW	GAINESVILLE FL	169.9	APP	BNPDTL -20090825AOI
22	WOFL	ORLANDO FL	1.9	LIC	BLCDT -20110708AAV
20			139.1	APP	USERRECORD-01

Proposal causes no interference

##

Analysis of Interference to Affected Station 31

Analysis of current record

Channel	Call	City/State	Application Ref. No.
21	W21CY-D	HOMERVILLE GA	BNPDTL -20090825AEZ

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
20	W62DE	TIFTON GA	76.2	CP	BDFCDTL -20091118AGP
20	NEW	VALDOSTA GA	53.4	APP	BNPDTL -20090825CAG
21	WDHN	DOTHAN AL	234.0	LIC	BLCDT -20090303ACR
21	WCLF	CLEARWATER FL	362.1	CP	BPCDT -20080619AHV
21	WCLF	CLEARWATER FL	362.1	LIC	BLCDT -20060627AAQ
21	WPBA	ATLANTA GA	332.8	LIC	BLEDT -20041013ABK
21	W21DA-D	DUBLIN GA	165.7	CP	BNPDTL -20090825AHZ
21	W21DE-D	UNADILLA GA	152.7	CP	BNPDTL -20090825AYG
20			197.5	APP	USERRECORD-01

Proposed station is beyond the site to
nearest cell evaluation distance

##

Analysis of Interference to Affected Station 32

Analysis of current record

Channel	Call	City/State	Application Ref. No.
22	WQXT-CA	ST. AUGUSTINE FL	BLTTL -20000420ABQ

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.

19	WTEV-TV	JACKSONVILLE FL	43.9	LIC	BLCDT	-20030328ANV
22	WOFL	ORLANDO FL	149.2	LIC	BLCDT	-20110708AAV
22	WJCL	SAVANNAH GA	237.6	LIC	BLCDT	-20091013AFS
24	WPXC-TV	BRUNSWICK GA	106.5	LIC	BLCDT	-20110426AAQ
36	WUFT	GAINESVILLE FL	100.5	LIC	BLEDT	-20040304AAF
20			102.9	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

##

Analysis of Interference to Affected Station 33

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
23	W23AQ	LAKE CITY FL	BLTT	-19931215JE

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
16	WCJB-TV	GAINESVILLE FL	77.5	LIC	BLCDT	-20071119AJB
19	WTEV-TV	JACKSONVILLE FL	113.9	LIC	BLCDT	-20030328ANV
22	W22EF-D	LAKE CITY FL	0.0	CP	BDCCDTL	-20110621ACG
23	W23DG-D	GAINESVILLE FL	58.8	LIC	BLDTL	-20111207AAM
23	WUBF-LP	JACKSONVILLE FL	101.1	APP	BDFCDTL	-20090127AEU
23	WMFE-TV	ORLANDO FL	236.3	LIC	BLEDT	-20090225ABF
23	WJSP-TV	COLUMBUS GA	351.4	LIC	BLEDT	-20080521AAH
23	NEW	VALDOSTA GA	91.2	APP	BNPDTL	-20090825AHJ
24	WPXC-TV	BRUNSWICK GA	121.4	LIC	BLCDT	-20110426AAQ
27	WTXL-TV	TALLAHASSEE FL	129.7	LIC	BLCDT	-20090217ABY
31	WOGX	OCALA FL	98.3	LIC	BLCDT	-20020730ABS
20			104.2	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

##

Analysis of Interference to Affected Station 34

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
27	WOCD-LP	DUNNELLON FL	BLTTL	-20090331AEX

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
26	W26DP-D	INVERNESS FL	33.7	LIC	BLDTT	-20100122AAL
27	NEW	GAINESVILLE FL	36.6	APP	BNPDTL	-20100622AFW
27	WWRJ-LP	JACKSONVILLE FL	165.9	LIC	BLTTL	-20011213ABF
27	WRDQ	ORLANDO FL	164.7	CP MOD	BPCDT	-20110112ACP
27	WRDQ	ORLANDO FL	164.7	LIC	BLCDT	-20090612ADN
27	WTXL-TV	TALLAHASSEE FL	216.8	LIC	BLCDT	-20090217ABY
27	WXEL-TV	WEST PALM BEACH FL	365.8	LIC	BLEDT	-20040713AAJ
28	WGFL	HIGH SPRINGS FL	59.5	LIC	BLCDT	-20060714ABC
29	WFTS-TV	TAMPA FL	144.2	LIC	BLCDT	-20090320AGN
31	WOGX	OCALA FL	41.6	LIC	BLCDT	-20020730ABS
34	WUSF-TV	TAMPA FL	143.6	LIC	BLEDT	-20060913ABQ
20			49.1	APP	USERRECORD-01	

Proposed station is beyond the site to
nearest cell evaluation distance

##

Analysis of Interference to Affected Station 35

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
27	WWRJ-LP	JACKSONVILLE FL	BLTTL	-20011213ABF

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
19	WTEV-TV	JACKSONVILLE FL	9.9	LIC	BLCDT	-20030328ANV
24	WPXC-TV	BRUNSWICK GA	56.3	LIC	BLCDT	-20110426AAQ
27	WOCD-LP	DUNNELLON FL	165.9	LIC	BLTTL	-20090331AEX
27	WRDQ	ORLANDO FL	203.9	CP MOD	BPCDT	-20110112ACP
27	WRDQ	ORLANDO FL	203.9	LIC	BLCDT	-20090612ADN
27	WTXL-TV	TALLAHASSEE FL	224.5	LIC	BLCDT	-20090217ABY
28	WGFL	HIGH SPRINGS FL	117.2	LIC	BLCDT	-20060714ABC
31	WOGX	OCALA FL	125.4	LIC	BLCDT	-20020730ABS
34	WCWJ	JACKSONVILLE FL	10.7	LIC	BLCDT	-20060630AFM
42	WJXT	JACKSONVILLE FL	11.7	LIC	BLCDT	-20020405AAX
20			121.4	APP	USERRECORD	-01

Proposed station is beyond the site to
nearest cell evaluation distance

##

Analysis of Interference to Affected Station 36

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
28	WDYB-LP	DAYTONA BEACH FL	BDISTTA	-20060922ACY

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
26	WKMG-TV	ORLANDO FL	69.3	LIC	BLCDT	-20090618ABB
27	WRDQ	ORLANDO FL	73.8	CP MOD	BPCDT	-20110112ACP
27	WRDQ	ORLANDO FL	73.8	LIC	BLCDT	-20090612ADN
28	WGFL	HIGH SPRINGS FL	155.1	LIC	BLCDT	-20060714ABC
28	WDTO-LP	ORLANDO FL	72.5	CP	BDISDTL	-20080507ACB
28	WQXT-CA	ST. AUGUSTINE FL	81.7	CP	BDISDTA	-20110919AFN
28	WQXT-CA	ST. AUGUSTINE FL	81.7	CP	BDISTTA	-20070625AAL
28	WFLX	WEST PALM BEACH FL	305.3	LIC	BLCDT	-20020417AAP
28	WTGS	HARDEEVILLE SC	314.0	LIC	BLCDT	-20090706AEU
30	WBCC	COCOA FL	69.3	LIC	BLEDT	-20030429ABH
30	WBCC	COCOA FL	69.3	CP	BPEDT	-20110610ACN
31	WOGX	OCALA FL	126.0	LIC	BLCDT	-20020730ABS
32	WAWS	JACKSONVILLE FL	127.4	LIC	BLCDT	-20030328ANQ
36	WUFT	GAINESVILLE FL	141.6	LIC	BLEDT	-20040304AAF
42	WJXT	JACKSONVILLE FL	126.0	LIC	BLCDT	-20020405AAX
43	WOTF-DT	MELBOURNE FL	71.9	LIC	BLCDT	-20090616ACO
20			115.2	APP	USERRECORD	-01

Proposed station is beyond the site to
nearest cell evaluation distance

##

Analysis of Interference to Affected Station 37

Analysis of current record

Channel	Call	City/State	Application Ref. No.
28	WQXT-CA	ST. AUGUSTINE FL	BDISTTA -20070625AAL

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
24	WPXC-TV	BRUNSWICK GA	108.3	LIC	BLCDT -20110426AAQ
27	WWRJ-LP	JACKSONVILLE FL	45.6	CP	BDFCDTL -20091020AAX
28	WDYB-LP	DAYTONA BEACH FL	81.7	CP	BDISTTA -20060922ACY
28	WGFL	HIGH SPRINGS FL	118.9	LIC	BLCDT -20060714ABC
28	WFLX	WEST PALM BEACH FL	386.3	LIC	BLCDT -20020417AAP
28	WTGS	HARDEEVILLE SC	238.1	LIC	BLCDT -20090706AEU
31	WOGX	OCALA FL	109.7	LIC	BLCDT -20020730ABS
32	WAWS	JACKSONVILLE FL	45.6	LIC	BLCDT -20030328ANQ
36	WUFT	GAINESVILLE FL	100.0	LIC	BLEDT -20040304AAF
42	WJXT	JACKSONVILLE FL	44.3	LIC	BLCDT -20020405AAX
43	WBXJ-CA	JACKSONVILLE FL	45.0	LIC	BLTTA -20020906AAF
20			101.7	APP	USERRECORD-01

Proposed station is beyond the site to
nearest cell evaluation distance

##

Analysis of Interference to Affected Station 38

Analysis of current record

Channel	Call	City/State	Application Ref. No.
20			USERRECORD-01

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
19	WTEV-TV	JACKSONVILLE FL	121.1	LIC	BLCDT -20030328ANV
20	W42DJ-D	OCALA FL	9.1	APP	BDISDTT -20101112AWF
20	NEW	DUNNELLON FL	31.0	APP	BNPDTL -20090825BFT
20	NEW	GAINESVILLE FL	33.0	APP	BNPDTL -20090825AOQ
20	NEW	LIVE OAK FL	122.2	APP	BNPDTL -20090825CAK
20	NEW	OCALA FL	11.1	APP	BNPDTL -20090825AMY
20	WARP-CD	TAMPA-ST. PETERSBURG FL	169.3	LIC	BLDTA -20091029ABJ
20	NEW	WILLISTON FL	23.9	APP	BNPDTL -20090825BUO
21	NEW	GAINESVILLE FL	33.0	APP	BNPDTL -20090825AOI

Total scenarios = 32

Result key: 177
Scenario 1 Affected station 38
Before Analysis

Results for: 20A USERRECORD01 APP
HAAT 45.0 m, ATV ERP 0.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1670	42.3
not affected by terrain losses	1670	42.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	0	0.0
lost to ATV IX only	0	0.0
lost to all IX	0	0.0

Potential Interfering Stations Included in above Scenario 1

Result key: 178
Scenario 2 Affected station 38
Before Analysis

Results for: 20A USERRECORD01 APP
HAAT 45.0 m, ATV ERP 0.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1670	42.3
not affected by terrain losses	1670	42.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1670	42.3
lost to ATV IX only	1670	42.3
lost to all IX	1670	42.3

Potential Interfering Stations Included in above Scenario 2

20A FL	OCALA	BDISDTT 20101112AWF	APP
20A FL	DUNNELLON	BNPDTL 20090825BFT	APP
20A FL	GAINESVILLE	BNPDTL 20090825AOQ	APP
20A FL	OCALA	BNPDTL 20090825AMY	APP
20A FL	WILLISTON	BNPDTL 20090825BUO	APP

Result key: 179
Scenario 3 Affected station 38
Before Analysis

Results for: 20A USERRECORD01 APP
HAAT 45.0 m, ATV ERP 0.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1670	42.3
not affected by terrain losses	1670	42.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1670	42.3
lost to ATV IX only	1670	42.3
lost to all IX	1670	42.3

Potential Interfering Stations Included in above Scenario 3

20A FL	OCALA	BDISDTT 20101112AWF	APP
20A FL	DUNNELLON	BNPDTL 20090825BFT	APP
20A FL	GAINESVILLE	BNPDTL 20090825AOQ	APP
20A FL	OCALA	BNPDTL 20090825AMY	APP

Result key: 180
Scenario 4 Affected station 38
Before Analysis

Results for: 20A USERRECORD01 APP
HAAT 45.0 m, ATV ERP 0.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1670	42.3
not affected by terrain losses	1670	42.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1670	42.3
lost to ATV IX only	1670	42.3
lost to all IX	1670	42.3

Potential Interfering Stations Included in above Scenario 4

20A FL	OCALA	BDISDTT 20101112AWF	APP
20A FL	DUNNELLON	BNPDTL 20090825BFT	APP
20A FL	GAINESVILLE	BNPDTL 20090825AOQ	APP
20A FL	WILLISTON	BNPDTL 20090825BUO	APP

Result key: 181
Scenario 5 Affected station 38

Before Analysis

Results for: 20A USERRECORD01 APP
HAAT 45.0 m, ATV ERP 0.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1670	42.3
not affected by terrain losses	1670	42.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1670	42.3
lost to ATV IX only	1670	42.3
lost to all IX	1670	42.3

Potential Interfering Stations Included in above Scenario 5

20A FL	OCALA	BDISDTT 20101112AWF	APP
20A FL	DUNNELLON	BNPDTL 20090825BFT	APP
20A FL	GAINESVILLE	BNPDTL 20090825AOQ	APP

Result key: 182
Scenario 6 Affected station 38
Before Analysis

Results for: 20A USERRECORD01 APP
HAAT 45.0 m, ATV ERP 0.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1670	42.3
not affected by terrain losses	1670	42.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1670	42.3
lost to ATV IX only	1670	42.3
lost to all IX	1670	42.3

Potential Interfering Stations Included in above Scenario 6

20A FL	OCALA	BDISDTT 20101112AWF	APP
20A FL	DUNNELLON	BNPDTL 20090825BFT	APP
20A FL	OCALA	BNPDTL 20090825AMY	APP
20A FL	WILLISTON	BNPDTL 20090825BUO	APP

Result key: 183
Scenario 7 Affected station 38
Before Analysis

Results for: 20A USERRECORD01 APP
HAAT 45.0 m, ATV ERP 0.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1670	42.3
not affected by terrain losses	1670	42.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1670	42.3
lost to ATV IX only	1670	42.3
lost to all IX	1670	42.3

Potential Interfering Stations Included in above Scenario 7

20A FL	OCALA	BDISDTT 20101112AWF	APP
20A FL	DUNNELLON	BNPDTL 20090825BFT	APP
20A FL	OCALA	BNPDTL 20090825AMY	APP

Result key: 184
Scenario 8 Affected station 38
Before Analysis

Results for: 20A USERRECORD01 APP
HAAT 45.0 m, ATV ERP 0.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1670	42.3

not affected by terrain losses	1670	42.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1670	42.3
lost to ATV IX only	1670	42.3
lost to all IX	1670	42.3

Potential Interfering Stations Included in above Scenario 8

20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL DUNNELLON	BNPDTL	20090825BFT	APP
20A FL WILLISTON	BNPDTL	20090825BUO	APP

Result key: 185
Scenario 9 Affected station 38
Before Analysis

Results for: 20A USERRECORD01 APP
HAAT 45.0 m, ATV ERP 0.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1670	42.3
not affected by terrain losses	1670	42.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1670	42.3
lost to ATV IX only	1670	42.3
lost to all IX	1670	42.3

Potential Interfering Stations Included in above Scenario 9

20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL DUNNELLON	BNPDTL	20090825BFT	APP

Result key: 186
Scenario 10 Affected station 38
Before Analysis

Results for: 20A USERRECORD01 APP
HAAT 45.0 m, ATV ERP 0.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1670	42.3
not affected by terrain losses	1670	42.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1670	42.3
lost to ATV IX only	1670	42.3
lost to all IX	1670	42.3

Potential Interfering Stations Included in above Scenario 10

20A FL OCALA	BDISDTT	20101112AWF	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
20A FL OCALA	BNPDTL	20090825AMY	APP
20A FL WILLISTON	BNPDTL	20090825BUO	APP

Result key: 187
Scenario 11 Affected station 38
Before Analysis

Results for: 20A USERRECORD01 APP
HAAT 45.0 m, ATV ERP 0.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1670	42.3
not affected by terrain losses	1670	42.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1670	42.3
lost to ATV IX only	1670	42.3
lost to all IX	1670	42.3

Potential Interfering Stations Included in above Scenario 11

```
20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP

Result key:      188
Scenario       12  Affected station       38
Before Analysis

Results for: 20A                          USERRECORD01           APP
   HAAT   45.0 m, ATV ERP    0.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour        1670         42.3
   not affected by terrain losses      1670         42.3
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV        1670         42.3
   lost to ATV IX only                 1670         42.3
   lost to all IX                      1670         42.3

 Potential Interfering Stations Included in above Scenario    12

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP

Result key:      189
Scenario       13  Affected station       38
Before Analysis

Results for: 20A                          USERRECORD01           APP
   HAAT   45.0 m, ATV ERP    0.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour        1670         42.3
   not affected by terrain losses      1670         42.3
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV        1670         42.3
   lost to ATV IX only                 1670         42.3
   lost to all IX                      1670         42.3

 Potential Interfering Stations Included in above Scenario    13

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP

Result key:      190
Scenario       14  Affected station       38
Before Analysis

Results for: 20A                          USERRECORD01           APP
   HAAT   45.0 m, ATV ERP    0.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour        1670         42.3
   not affected by terrain losses      1670         42.3
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV        1670         42.3
   lost to ATV IX only                 1670         42.3
   lost to all IX                      1670         42.3

 Potential Interfering Stations Included in above Scenario    14

20A FL  OCALA               BDISDTT   20101112AWF  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP

Result key:      191
Scenario       15  Affected station       38
Before Analysis
```

Results for: 20A USERRECORD01 APP
HAAT 45.0 m, ATV ERP 0.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1670	42.3
not affected by terrain losses	1670	42.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1670	42.3
lost to ATV IX only	1670	42.3
lost to all IX	1670	42.3

Potential Interfering Stations Included in above Scenario 15

20A FL	OCALA	BDISDTT 20101112AWF	APP
20A FL	OCALA	BNPDTL 20090825AMY	APP

Result key: 192
Scenario 16 Affected station 38
Before Analysis

Results for: 20A USERRECORD01 APP
HAAT 45.0 m, ATV ERP 0.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1670	42.3
not affected by terrain losses	1670	42.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1670	42.3
lost to ATV IX only	1670	42.3
lost to all IX	1670	42.3

Potential Interfering Stations Included in above Scenario 16

20A FL	OCALA	BDISDTT 20101112AWF	APP
20A FL	WILLISTON	BNPDTL 20090825BUO	APP

Result key: 193
Scenario 17 Affected station 38
Before Analysis

Results for: 20A USERRECORD01 APP
HAAT 45.0 m, ATV ERP 0.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1670	42.3
not affected by terrain losses	1670	42.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1670	42.3
lost to ATV IX only	1670	42.3
lost to all IX	1670	42.3

Potential Interfering Stations Included in above Scenario 17

20A FL	OCALA	BDISDTT 20101112AWF	APP

Result key: 194
Scenario 18 Affected station 38
Before Analysis

Results for: 20A USERRECORD01 APP
HAAT 45.0 m, ATV ERP 0.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1670	42.3
not affected by terrain losses	1670	42.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1670	42.3
lost to ATV IX only	1670	42.3
lost to all IX	1670	42.3

Potential Interfering Stations Included in above Scenario 18

20A FL DUNNELLON	BNPDTL	20090825BFT	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
20A FL OCALA	BNPDTL	20090825AMY	APP
20A FL WILLISTON	BNPDTL	20090825BUO	APP

Result key: 195
Scenario 19 Affected station 38
Before Analysis

Results for: 20A USERRECORD01 APP
HAAT 45.0 m, ATV ERP 0.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1670	42.3
not affected by terrain losses	1670	42.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1670	42.3
lost to ATV IX only	1670	42.3
lost to all IX	1670	42.3

Potential Interfering Stations Included in above Scenario 19

20A FL DUNNELLON	BNPDTL	20090825BFT	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
20A FL OCALA	BNPDTL	20090825AMY	APP

Result key: 196
Scenario 20 Affected station 38
Before Analysis

Results for: 20A USERRECORD01 APP
HAAT 45.0 m, ATV ERP 0.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1670	42.3
not affected by terrain losses	1670	42.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1670	42.3
lost to ATV IX only	1670	42.3
lost to all IX	1670	42.3

Potential Interfering Stations Included in above Scenario 20

20A FL DUNNELLON	BNPDTL	20090825BFT	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP
20A FL WILLISTON	BNPDTL	20090825BUO	APP

Result key: 197
Scenario 21 Affected station 38
Before Analysis

Results for: 20A USERRECORD01 APP
HAAT 45.0 m, ATV ERP 0.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1670	42.3
not affected by terrain losses	1670	42.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1670	42.3
lost to ATV IX only	1670	42.3
lost to all IX	1670	42.3

Potential Interfering Stations Included in above Scenario 21

20A FL DUNNELLON	BNPDTL	20090825BFT	APP
20A FL GAINESVILLE	BNPDTL	20090825AOQ	APP

Result key: 198

Scenario 22 Affected station 38
Before Analysis

Results for: 20A USERRECORD01 APP
HAAT 45.0 m, ATV ERP 0.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1670	42.3
not affected by terrain losses	1670	42.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1670	42.3
lost to ATV IX only	1670	42.3
lost to all IX	1670	42.3

Potential Interfering Stations Included in above Scenario 22

20A FL DUNNELLON	BNPDTL	20090825BFT	APP
20A FL OCALA	BNPDTL	20090825AMY	APP
20A FL WILLISTON	BNPDTL	20090825BUO	APP

Result key: 199
Scenario 23 Affected station 38
Before Analysis

Results for: 20A USERRECORD01 APP
HAAT 45.0 m, ATV ERP 0.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1670	42.3
not affected by terrain losses	1670	42.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1670	42.3
lost to ATV IX only	1670	42.3
lost to all IX	1670	42.3

Potential Interfering Stations Included in above Scenario 23

20A FL DUNNELLON	BNPDTL	20090825BFT	APP
20A FL OCALA	BNPDTL	20090825AMY	APP

Result key: 200
Scenario 24 Affected station 38
Before Analysis

Results for: 20A USERRECORD01 APP
HAAT 45.0 m, ATV ERP 0.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1670	42.3
not affected by terrain losses	1670	42.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1670	42.3
lost to ATV IX only	1670	42.3
lost to all IX	1670	42.3

Potential Interfering Stations Included in above Scenario 24

20A FL DUNNELLON	BNPDTL	20090825BFT	APP
20A FL WILLISTON	BNPDTL	20090825BUO	APP

Result key: 201
Scenario 25 Affected station 38
Before Analysis

Results for: 20A USERRECORD01 APP
HAAT 45.0 m, ATV ERP 0.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1670	42.3
not affected by terrain losses	1670	42.3
lost to NTSC IX	0	0.0

```
   lost to additional IX by ATV        1670         42.3
   lost to ATV IX only                 1670         42.3
   lost to all IX                      1670         42.3

 Potential Interfering Stations Included in above Scenario    25

20A FL DUNNELLON            BNPDTL    20090825BFT  APP

Result key:      202
Scenario       26  Affected station       38
Before Analysis

Results for: 20A                          USERRECORD01           APP
   HAAT   45.0 m, ATV ERP    0.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour        1670         42.3
   not affected by terrain losses      1670         42.3
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV        1670         42.3
   lost to ATV IX only                 1670         42.3
   lost to all IX                      1670         42.3

 Potential Interfering Stations Included in above Scenario    26

20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP

Result key:      203
Scenario       27  Affected station       38
Before Analysis

Results for: 20A                          USERRECORD01           APP
   HAAT   45.0 m, ATV ERP    0.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour        1670         42.3
   not affected by terrain losses      1670         42.3
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV        1670         42.3
   lost to ATV IX only                 1670         42.3
   lost to all IX                      1670         42.3

 Potential Interfering Stations Included in above Scenario    27

20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL OCALA                BNPDTL    20090825AMY  APP

Result key:      204
Scenario       28  Affected station       38
Before Analysis

Results for: 20A                          USERRECORD01           APP
   HAAT   45.0 m, ATV ERP    0.0 kW
                                  POPULATION   AREA (sq km)
   within Noise Limited Contour        1670         42.3
   not affected by terrain losses      1670         42.3
   lost to NTSC IX                        0          0.0
   lost to additional IX by ATV        1670         42.3
   lost to ATV IX only                 1670         42.3
   lost to all IX                      1670         42.3

 Potential Interfering Stations Included in above Scenario    28

20A FL GAINESVILLE          BNPDTL    20090825AOQ  APP
20A FL WILLISTON            BNPDTL    20090825BUO  APP

Result key:      205
```

Scenario 29 Affected station 38
Before Analysis

Results for: 20A USERRECORD01 APP
HAAT 45.0 m, ATV ERP 0.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1670	42.3
not affected by terrain losses	1670	42.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	226	12.8
lost to ATV IX only	226	12.8
lost to all IX	226	12.8

Potential Interfering Stations Included in above Scenario 29

20A FL GAINESVILLE BNPDTL 20090825AOQ APP

Result key: 206
Scenario 30 Affected station 38
Before Analysis

Results for: 20A USERRECORD01 APP
HAAT 45.0 m, ATV ERP 0.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1670	42.3
not affected by terrain losses	1670	42.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1670	42.3
lost to ATV IX only	1670	42.3
lost to all IX	1670	42.3

Potential Interfering Stations Included in above Scenario 30

20A FL OCALA BNPDTL 20090825AMY APP
20A FL WILLISTON BNPDTL 20090825BUO APP

Result key: 207
Scenario 31 Affected station 38
Before Analysis

Results for: 20A USERRECORD01 APP
HAAT 45.0 m, ATV ERP 0.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1670	42.3
not affected by terrain losses	1670	42.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1670	42.3
lost to ATV IX only	1670	42.3
lost to all IX	1670	42.3

Potential Interfering Stations Included in above Scenario 31

20A FL OCALA BNPDTL 20090825AMY APP

Result key: 208
Scenario 32 Affected station 38
Before Analysis

Results for: 20A USERRECORD01 APP
HAAT 45.0 m, ATV ERP 0.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1670	42.3
not affected by terrain losses	1670	42.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	1670	41.3
lost to ATV IX only	1670	41.3
lost to all IX	1670	41.3

Potential Interfering Stations Included in above Scenario 32

20A FL WILLISTON BNPDTL 20090825BUO APP

Proposal fails scenario	2	received IX increased to	100.0%
Proposal fails scenario	3	received IX increased to	100.0%
Proposal fails scenario	4	received IX increased to	100.0%
Proposal fails scenario	5	received IX increased to	100.0%
Proposal fails scenario	6	received IX increased to	100.0%
Proposal fails scenario	7	received IX increased to	100.0%
Proposal fails scenario	8	received IX increased to	100.0%
Proposal fails scenario	9	received IX increased to	100.0%
Proposal fails scenario	10	received IX increased to	100.0%
Proposal fails scenario	11	received IX increased to	100.0%
Proposal fails scenario	12	received IX increased to	100.0%
Proposal fails scenario	13	received IX increased to	100.0%
Proposal fails scenario	14	received IX increased to	100.0%
Proposal fails scenario	15	received IX increased to	100.0%
Proposal fails scenario	16	received IX increased to	100.0%
Proposal fails scenario	17	received IX increased to	100.0%
Proposal fails scenario	18	received IX increased to	100.0%
Proposal fails scenario	19	received IX increased to	100.0%
Proposal fails scenario	20	received IX increased to	100.0%
Proposal fails scenario	21	received IX increased to	100.0%
Proposal fails scenario	22	received IX increased to	100.0%
Proposal fails scenario	23	received IX increased to	100.0%
Proposal fails scenario	24	received IX increased to	100.0%
Proposal fails scenario	25	received IX increased to	100.0%
Proposal fails scenario	26	received IX increased to	100.0%
Proposal fails scenario	27	received IX increased to	100.0%
Proposal fails scenario	28	received IX increased to	100.0%
Proposal fails scenario	29	received IX increased to	13.5%
Proposal fails scenario	30	received IX increased to	100.0%
Proposal fails scenario	31	received IX increased to	100.0%
Proposal fails scenario	32	received IX increased to	100.0%

Proposed station below MX due to received interference
20A USERRECORD01 APP

Proposal MX with group in scenario 2 of station 38

Proposed station below MX due to received interference
20A USERRECORD01 APP

Proposal MX with group in scenario 3 of station 38

Proposed station below MX due to received interference
20A USERRECORD01 APP

Proposal MX with group in scenario 4 of station 38

Proposed station below MX due to received interference
20A USERRECORD01 APP

Proposal MX with group in scenario 5 of station 38

Proposed station below MX due to received interference
20A USERRECORD01 APP

Proposal MX with group in scenario 6 of station 38

Proposed station below MX due to received interference
20A USERRECORD01 APP

Proposal MX with group in scenario 7 of station 38

Proposed station below MX due to received interference
20A USERRECORD01 APP

Proposal MX with group in scenario 8 of station 38

Proposed station below MX due to received interference
20A USERRECORD01 APP

Proposal MX with group in scenario 9 of station 38

Proposed station below MX due to received interference
20A USERRECORD01 APP

Proposal MX with group in scenario 10 of station 38

Proposed station below MX due to received interference
20A USERRECORD01 APP

Proposal MX with group in scenario 11 of station 38

Proposed station below MX due to received interference
20A USERRECORD01 APP

Proposal MX with group in scenario 12 of station 38

Proposed station below MX due to received interference

20A USERRECORD01 APP

Proposal MX with group in scenario 13 of station 38

Proposed station below MX due to received interference
20A USERRECORD01 APP

Proposal MX with group in scenario 14 of station 38

Proposed station below MX due to received interference
20A USERRECORD01 APP

Proposal MX with group in scenario 15 of station 38

Proposed station below MX due to received interference
20A USERRECORD01 APP

Proposal MX with group in scenario 16 of station 38

Proposed station below MX due to received interference
20A USERRECORD01 APP

Proposal MX with group in scenario 17 of station 38

Proposed station below MX due to received interference
20A USERRECORD01 APP

Proposal MX with group in scenario 18 of station 38

Proposed station below MX due to received interference
20A USERRECORD01 APP

Proposal MX with group in scenario 19 of station 38

Proposed station below MX due to received interference
20A USERRECORD01 APP

Proposal MX with group in scenario 20 of station 38

Proposed station below MX due to received interference
20A USERRECORD01 APP

Proposal MX with group in scenario 21 of station 38

Proposed station below MX due to received interference
20A USERRECORD01 APP

Proposal MX with group in scenario 22 of station 38

Proposed station below MX due to received interference
20A USERRECORD01 APP

Proposal MX with group in scenario 23 of station 38

Proposed station below MX due to received interference
20A USERRECORD01 APP

```
 Proposal MX with group in scenario     24 of station   38


 Proposed station below MX due to received interference
20A                          USERRECORD01           APP

 Proposal MX with group in scenario     25 of station   38


 Proposed station below MX due to received interference
20A                          USERRECORD01           APP

 Proposal MX with group in scenario     26 of station   38


 Proposed station below MX due to received interference
20A                          USERRECORD01           APP

 Proposal MX with group in scenario     27 of station   38


 Proposed station below MX due to received interference
20A                          USERRECORD01           APP

 Proposal MX with group in scenario     28 of station   38


 Proposed station below MX due to received interference
20A                          USERRECORD01           APP

 Proposal MX with group in scenario     29 of station   38


 Proposed station below MX due to received interference
20A                          USERRECORD01           APP

 Proposal MX with group in scenario     30 of station   38


 Proposed station below MX due to received interference
20A                          USERRECORD01           APP

 Proposal MX with group in scenario     31 of station   38


 Proposed station below MX due to received interference
20A                          USERRECORD01           APP

 Proposal MX with group in scenario     32 of station   38


################################################################################

FINISHED FINISHED FINISHED FINISHED FINISHED FINISHED
```