

MINOR CHANGE APPLICATION
TAMA RADIO LICENSES
OF JACKSONVILLE, FL, INC.
WSJF (FM) RADIO STATION
CH 288C3 - 105.5 MHZ - 25.0 KW
ST. AUGUSTINE, FLORIDA
March 2006

EXHIBIT A

The proposed WSJF antenna location will be shortspaced to the contingent WJSJ application for Channel 287A at Yulee, Florida and the contingent application for WHJX, Channel 289C3, Baldwin, Florida .⁴ The relevant distance between the stations is shown on Exhibit A1. Tama proposes to use the provisions of §73.215 of the Commission's rules to address these shortspaced situations. The shortages to the contingent WJSJ and WHJX applications comply with §73.215(e) of the Commission's rules.

Exhibit A2 specifically demonstrates that there will be no prohibited overlap between the proposed WSJF and the proposed WJSJ and WHJX. The contours of WJSJ (proposed) and WHJX (proposed) are based on the application values, as those stations are also seeking processing pursuant to §73.215 of the rules. Attached as Exhibits A3 through A6 are the tabulated distances to the protected and interfering contours, along the pertinent arcs, of the proposed WSJF and proposed WJSJ and WHJX. Further, attached as Exhibit A7 are the tabulated and protected contours of the proposed facility, in ten degree increments. Again, there is no prohibited overlap between the facilities.

4) As the WSJF application is being filed contingently with WJSJ and WHJX, the licensed WJSJ and WHJX sites (and the allocation site at Yulee, Florida) are not considered

MINOR CHANGE APPLICATION
TAMA RADIO LICENSES
OF JACKSONVILLE, FL, INC.
WSJF (FM) RADIO STATION
CH 288C3 - 105.5 MHZ - 25.0 KW
ST. AUGUSTINE, FLORIDA
March 2006

EXHIBIT A1

Clearance Study for WSJF St. Augustine Beach, Florida
Using Proposed Site as Reference

REFERENCE	CLASS = C3	DISPLAY DATES
29 47 47 N.		DATA 03-24-06
81 19 53 W.	Current Spacings	SEARCH 03-24-06
----- Channel 288 - 105.5 MHz -----		

Call	Channel	Location	Azi	Dist	FCC	Margin
Lat.	Lng.	Ant	Power	HAAT		
WSJF.A	APP 288C3	St. Augustine BeachFL	0.0	0.00	153.0	-153.00
	29 47 47	81 19 53	25.000 kW	40 M		
	Tama Radio Licenses of Jacksonville, FL, Inc.					
WSJF	LIC-Z 288C3	St. Augustine BeachFL	0.8	5.94	153.0	-147.06
	29 51 00	81 19 50 ZC	16.000 kW	125 M		
	Tama Radio Licenses Of Jack. BLH-19991223AAS					
ALL	ALL 288C3	St. Augustine BeachFL	103.1	7.38	153.0	-145.62
	29 46 53	81 15 25	25.000 kW	100 M		
	> Reserved for WSJF per MB Docket #05-240					
* WJSJ.A	APP 287A	Yulee	FL	343.2	73.61	89.0 -15.39
	30 25 54	81 33 14	5.400 kW	105 M		
	Tama Radio Licenses of Jacksonville, FL, Inc.					
	> Contingent Application					
* WJSJ	LIC 287A	Fernandina Beach	FL	342.6	81.91	89.0 -7.09
	30 30 04	81 35 14 CN	3.900 kW	125 M		
	Tama Radio Licenses Of Jack. BLH-19991223ABY					
* WHJX	LIC-Z 289C3	Baldwin	FL	314.0	92.84	99.0 -6.16
	30 22 28	82 01 42 ZCX	25.000 kW	100 M		
	Tama Radio Licenses Of Jack. BLH-20031014AJX					
* WHJX.A	APP 289C3	Baldwin	FL	314.1	93.21	99.0 -5.79
	30 22 40	82 01 48	11.000 kW	150 M		
	Tama Radio Licenses of Jacksonville, FL, Inc.					
	> Contingent Application					
* ALL	ALL 287A	Yulee	FL	347.8	87.39	89.0 -1.61
	30 34 00	81 31 30	6.000 kW	100 M		
	> Reserved for WJSJ per MB Docket #05-240					
WOCL	LIC 290C	Deland	FL	179.3	97.02	96.0 1.02
	28 55 16	81 19 09 CY	100.000 kW	482 M		
	Infinity Radio Inc. BMLH-19970411KC					
WDUV	LIC 288C1	New Port Richey	FL	218.3	227.18	211.0 16.18
	28 10 56	82 46 06 CN	46.000 kW	410 M		
	CXR Holdings, L.L.C. BLH-19970915KE					

* Note: The WSJF application is being filed contingently with applications for WJSJ and WHJX. Therefore, only the contingent applications are considered in this instant application.

Graham Brock, Inc. - Broadcast Technical Consultants

WSJF
 Latitude: 29-47-47 N
 Longitude: 081-19-53 W
 ERP: 25.00 kW
 Channel: 288C3
 Frequency: 105.5 MHz
 AMSL Height: 44.0 m

WJSJ
 Latitude: 30-25-54 N
 Longitude: 081-33-14 W
 ERP: 5.40 kW
 Channel: 287A
 Frequency: 105.3 MHz
 AMSL Height: 107.93 m

WHJX
 Latitude: 30-22-40 N
 Longitude: 082-01-48 W
 ERP: 11.00 kW
 Channel: 289C3
 Frequency: 105.7 MHz
 AMSL Height: 174.0 m

Scale 1:1,000,000
 0 10 20 30 km




EXHIBIT A2
 MINOR CHANGE APPLICATION
 TAMA RADIO LICENSES OF
 JACKSONVILLE, FL, INC.
 WSJF RADIO STATION
 CH 288C3 - 105.5 MHz - 25.0 KW
 ST. AUGUSTINE BEACH, FLORIDA
 March 2006

MINOR CHANGE APPLICATION
TAMA RADIO LICENSES
OF JACKSONVILLE, FL, INC.
WSJF (FM) RADIO STATION
CH 288C3 - 105.5 MHZ - 25.0 KW
ST. AUGUSTINE, FLORIDA
March 2006

EXHIBIT A3

WSJF - Proposed
Channel = 288C3
Max ERP = 25 kW
RCAMSL = 44 M
N. Lat = 29 47 47
W. Lng = 81 19 53

WHJX - Proposed
Channel = 289C3
Max ERP = 11 kW
RCAMSL = 174 M
N. Lat = 30 22 40
W. Lng = 82 01 48

Protected
60 dBu

Interfering
54 dBu

30 Second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
295.0	025.0000	0038.0	025.1	140.4	011.0000	0152.7	069.9	50.1
296.0	025.0000	0038.0	025.1	140.1	011.0000	0152.7	069.7	50.2
297.0	025.0000	0038.0	025.1	139.7	011.0000	0152.7	069.6	50.3
298.0	025.0000	0038.0	025.1	139.4	011.0000	0152.6	069.4	50.3
299.0	025.0000	0038.0	025.1	139.1	011.0000	0152.6	069.2	50.4
300.0	025.0000	0038.0	025.1	138.7	011.0000	0152.6	069.1	50.4
301.0	025.0000	0038.0	025.1	138.4	011.0000	0152.4	069.0	50.4
302.0	025.0000	0038.0	025.1	138.0	011.0000	0152.4	068.8	50.5
303.0	025.0000	0038.0	025.1	137.7	011.0000	0152.4	068.7	50.5
304.0	025.0000	0038.0	025.1	137.3	011.0000	0152.3	068.6	50.6
305.0	025.0000	0038.0	025.1	137.0	011.0000	0152.3	068.5	50.6
306.0	025.0000	0038.0	025.1	136.6	011.0000	0152.3	068.4	50.6
307.0	025.0000	0038.0	025.1	136.3	011.0000	0152.1	068.3	50.6
308.0	025.0000	0038.0	025.1	135.9	011.0000	0152.1	068.3	50.7
309.0	025.0000	0038.0	025.1	135.5	011.0000	0152.1	068.2	50.7
310.0	025.0000	0038.0	025.1	135.2	011.0000	0152.0	068.2	50.7
311.0	025.0000	0038.0	025.1	134.8	011.0000	0152.0	068.1	50.7
312.0	025.0000	0038.0	025.1	134.4	011.0000	0151.9	068.1	50.7
313.0	025.0000	0038.0	025.1	134.1	011.0000	0151.9	068.1	50.7
314.0	025.0000	0038.0	025.1	133.7	011.0000	0151.9	068.1	50.7
315.0	025.0000	0038.0	025.1	133.3	011.0000	0151.7	068.1	50.7
316.0	025.0000	0037.9	025.1	133.0	011.0000	0151.7	068.1	50.7
317.0	025.0000	0037.9	025.0	132.6	011.0000	0151.7	068.2	50.7
318.0	025.0000	0037.7	025.0	132.2	011.0000	0151.6	068.3	50.6
319.0	025.0000	0037.4	024.9	131.9	011.0000	0151.6	068.4	50.6
320.0	025.0000	0036.9	024.7	131.5	011.0000	0151.6	068.6	50.5
321.0	025.0000	0036.2	024.6	131.2	011.0000	0151.5	068.9	50.4
322.0	025.0000	0035.7	024.4	130.9	011.0000	0151.5	069.1	50.3
323.0	025.0000	0035.6	024.3	130.5	011.0000	0151.5	069.3	50.3
324.0	025.0000	0035.6	024.4	130.2	011.0000	0151.4	069.3	50.3
325.0	025.0000	0035.9	024.4	129.8	011.0000	0151.4	069.4	50.3
326.0	025.0000	0036.1	024.5	129.5	011.0000	0151.4	069.4	50.2
327.0	025.0000	0036.3	024.6	129.1	011.0000	0151.4	069.5	50.2
328.0	025.0000	0036.4	024.6	128.8	011.0000	0151.4	069.6	50.2
329.0	025.0000	0036.6	024.6	128.4	011.0000	0151.4	069.7	50.2
330.0	025.0000	0036.7	024.7	128.1	011.0000	0151.4	069.8	50.1
331.0	025.0000	0036.8	024.7	127.7	011.0000	0151.4	069.9	50.1
332.0	025.0000	0036.9	024.7	127.4	011.0000	0151.5	070.1	50.0
333.0	025.0000	0037.0	024.8	127.1	011.0000	0151.5	070.3	50.0
334.0	025.0000	0037.2	024.8	126.8	011.0000	0151.5	070.4	49.9
335.0	025.0000	0037.4	024.9	126.4	011.0000	0151.6	070.5	49.9

MINOR CHANGE APPLICATION
TAMA RADIO LICENSES
OF JACKSONVILLE, FL, INC.
WSJF (FM) RADIO STATION
CH 288C3 - 105.5 MHZ - 25.0 KW
ST. AUGUSTINE, FLORIDA
March 2006

EXHIBIT A4

WHJX - Proposed
Channel = 289C3
Max ERP = 11 kW
RCAMSL = 174 M
N. Lat = 30 22 40
W. Lng = 82 01 48

WSJF - Proposed
Channel = 288C3
Max ERP = 25 kW
RCAMSL = 44 M
N. Lat = 29 47 47
W. Lng = 81 19 53

Protected
60 dBu

Interfering
54 dBu

30 Second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
115.0	011.0000	0153.3	039.4	326.7	025.0000	0036.3	057.3	49.2
116.0	011.0000	0153.2	039.4	326.1	025.0000	0036.1	057.0	49.3
117.0	011.0000	0153.1	039.4	325.5	025.0000	0035.9	056.7	49.3
118.0	011.0000	0152.9	039.4	324.8	025.0000	0035.9	056.4	49.4
119.0	011.0000	0152.7	039.4	324.2	025.0000	0035.6	056.1	49.4
120.0	011.0000	0152.5	039.3	323.6	025.0000	0035.6	055.8	49.5
121.0	011.0000	0152.4	039.3	322.9	025.0000	0035.6	055.6	49.5
122.0	011.0000	0152.2	039.3	322.2	025.0000	0035.7	055.4	49.6
123.0	011.0000	0152.0	039.3	321.5	025.0000	0035.7	055.2	49.7
124.0	011.0000	0151.9	039.3	320.9	025.0000	0036.2	055.0	49.8
125.0	011.0000	0151.7	039.2	320.2	025.0000	0036.9	054.8	49.9
126.0	011.0000	0151.6	039.2	319.5	025.0000	0037.4	054.6	50.0
127.0	011.0000	0151.5	039.2	318.8	025.0000	0037.4	054.5	50.1
128.0	011.0000	0151.4	039.2	318.1	025.0000	0037.7	054.4	50.1
129.0	011.0000	0151.4	039.2	317.3	025.0000	0037.9	054.3	50.2
130.0	011.0000	0151.4	039.2	316.6	025.0000	0037.9	054.2	50.2
131.0	011.0000	0151.5	039.2	315.9	025.0000	0037.9	054.1	50.2
132.0	011.0000	0151.6	039.2	315.2	025.0000	0038.0	054.1	50.2
133.0	011.0000	0151.7	039.2	314.5	025.0000	0038.0	054.0	50.3
134.0	011.0000	0151.9	039.3	313.7	025.0000	0038.0	054.0	50.3
135.0	011.0000	0152.0	039.3	313.0	025.0000	0038.0	054.0	50.3
136.0	011.0000	0152.1	039.3	312.3	025.0000	0038.0	054.0	50.3
137.0	011.0000	0152.3	039.3	311.6	025.0000	0038.0	054.1	50.2
138.0	011.0000	0152.4	039.3	310.8	025.0000	0038.0	054.1	50.2
139.0	011.0000	0152.6	039.3	310.1	025.0000	0038.0	054.2	50.2
140.0	011.0000	0152.7	039.4	309.4	025.0000	0038.0	054.3	50.2
141.0	011.0000	0152.8	039.4	308.7	025.0000	0038.0	054.5	50.2
142.0	011.0000	0152.9	039.4	308.0	025.0000	0038.0	054.6	50.1
143.0	011.0000	0153.0	039.4	307.3	025.0000	0038.0	054.8	50.1
144.0	011.0000	0153.1	039.4	306.6	025.0000	0038.0	055.0	50.0
145.0	011.0000	0153.2	039.4	305.9	025.0000	0038.0	055.2	50.0
146.0	011.0000	0153.4	039.4	305.2	025.0000	0038.0	055.4	49.9
147.0	011.0000	0153.5	039.5	304.6	025.0000	0038.0	055.6	49.9
148.0	011.0000	0153.6	039.5	303.9	025.0000	0038.0	055.9	49.8
149.0	011.0000	0153.7	039.5	303.3	025.0000	0038.0	056.2	49.7
150.0	011.0000	0153.7	039.5	302.6	025.0000	0038.0	056.5	49.7
151.0	011.0000	0153.8	039.5	302.0	025.0000	0038.0	056.8	49.6
152.0	011.0000	0153.9	039.5	301.4	025.0000	0038.0	057.1	49.5
153.0	011.0000	0154.1	039.5	300.8	025.0000	0038.0	057.5	49.4
154.0	011.0000	0154.1	039.5	300.2	025.0000	0038.0	057.9	49.3
155.0	011.0000	0154.1	039.5	299.7	025.0000	0038.0	058.3	49.2

MINOR CHANGE APPLICATION
TAMA RADIO LICENSES
OF JACKSONVILLE, FL, INC.
WSJF (FM) RADIO STATION
CH 288C3 - 105.5 MHZ - 25.0 KW
ST. AUGUSTINE, FLORIDA
March 2006

EXHIBIT A5

WJSJ - Proposed
Channel = 287A
Max ERP = 5.4 kW
RCAMSL = 107.9 M
N. Lat = 30 25 54
W. Lng = 81 33 14

WSJF - Proposed
Channel = 288C3
Max ERP = 25 kW
RCAMSL = 44 M
N. Lat = 29 47 47
W. Lng = 81 19 53

Protected
60 dBu

Interfering
54 dBu

30 Second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
145.0	005.4000	0101.8	027.9	353.5	025.0000	0038.2	047.9	51.8
146.0	005.4000	0101.9	027.9	353.0	025.0000	0038.2	047.7	51.9
147.0	005.4000	0102.0	027.9	352.5	025.0000	0038.1	047.4	51.9
148.0	005.4000	0102.2	027.9	351.9	025.0000	0038.1	047.2	52.0
149.0	005.4000	0102.4	027.9	351.4	025.0000	0038.0	047.0	52.0
150.0	005.4000	0102.6	028.0	350.9	025.0000	0038.0	046.8	52.1
151.0	005.4000	0102.8	028.0	350.3	025.0000	0038.0	046.6	52.1
152.0	005.4000	0103.1	028.0	349.8	025.0000	0038.0	046.4	52.2
153.0	005.4000	0103.3	028.1	349.2	025.0000	0038.0	046.2	52.2
154.0	005.4000	0103.6	028.1	348.6	025.0000	0038.0	046.1	52.3
155.0	005.4000	0103.8	028.1	348.0	025.0000	0038.0	045.9	52.3
156.0	005.4000	0103.8	028.1	347.4	025.0000	0038.0	045.8	52.3
157.0	005.4000	0103.7	028.1	346.8	025.0000	0038.0	045.8	52.4
158.0	005.4000	0103.5	028.1	346.2	025.0000	0038.0	045.7	52.4
159.0	005.4000	0103.2	028.0	345.6	025.0000	0038.0	045.7	52.4
160.0	005.4000	0102.9	028.0	345.0	025.0000	0038.0	045.7	52.4
161.0	005.4000	0102.9	028.0	344.4	025.0000	0038.0	045.6	52.4
162.0	005.4000	0102.9	028.0	343.8	025.0000	0038.0	045.6	52.4
163.0	005.4000	0103.0	028.0	343.2	025.0000	0038.0	045.6	52.4
164.0	005.4000	0102.8	028.0	342.6	025.0000	0038.0	045.6	52.4
165.0	005.4000	0102.7	028.0	342.0	025.0000	0038.0	045.7	52.4
166.0	005.4000	0102.7	028.0	341.4	025.0000	0038.0	045.7	52.4
167.0	005.4000	0102.7	028.0	340.8	025.0000	0038.0	045.7	52.4
168.0	005.4000	0102.6	028.0	340.2	025.0000	0038.0	045.8	52.3
169.0	005.4000	0102.5	028.0	339.6	025.0000	0038.0	045.9	52.3
170.0	005.4000	0102.2	027.9	339.0	025.0000	0038.0	046.0	52.3
171.0	005.4000	0102.0	027.9	338.4	025.0000	0038.0	046.2	52.2
172.0	005.4000	0101.8	027.9	337.8	025.0000	0038.0	046.3	52.2
173.0	005.4000	0101.5	027.8	337.2	025.0000	0037.9	046.5	52.1
174.0	005.4000	0101.2	027.8	336.7	025.0000	0037.9	046.6	52.1
175.0	005.4000	0100.9	027.7	336.2	025.0000	0037.6	046.8	52.0
176.0	005.4000	0100.5	027.7	335.6	025.0000	0037.6	047.0	51.9
177.0	005.4000	0100.1	027.6	335.1	025.0000	0037.4	047.3	51.8
178.0	005.4000	0099.8	027.6	334.6	025.0000	0037.4	047.5	51.8
179.0	005.4000	0099.8	027.6	334.1	025.0000	0037.2	047.7	51.7
180.0	005.4000	0099.8	027.6	333.5	025.0000	0037.2	047.9	51.6
181.0	005.4000	0099.8	027.6	333.0	025.0000	0037.0	048.1	51.6
182.0	005.4000	0100.0	027.6	332.5	025.0000	0037.0	048.3	51.5
183.0	005.4000	0100.6	027.7	332.0	025.0000	0036.9	048.5	51.5
184.0	005.4000	0101.1	027.8	331.5	025.0000	0036.8	048.7	51.4
185.0	005.4000	0101.6	027.8	330.9	025.0000	0036.8	048.9	51.3

MINOR CHANGE APPLICATION
TAMA RADIO LICENSES
OF JACKSONVILLE, FL, INC.
WSJF (FM) RADIO STATION
CH 288C3 - 105.5 MHZ - 25.0 KW
ST. AUGUSTINE, FLORIDA
March 2006

EXHIBIT A6

WSJF - Proposed
Channel = 288C3
Max ERP = 25 kW
RCAMSL = 44 M
N. Lat = 29 47 47
W. Lng = 81 19 53

WJSJ - Proposed
Channel = 287A
Max ERP = 5.4 kW
RCAMSL = 107.9 M
N. Lat = 30 25 54
W. Lng = 81 33 14

Protected
60 dBu

Interfering
54 dBu

30 Second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
325.0	025.0000	0035.9	024.4	171.7	005.4000	0101.8	050.9	50.9
326.0	025.0000	0036.1	024.5	171.3	005.4000	0102.0	050.7	51.0
327.0	025.0000	0036.3	024.6	170.9	005.4000	0102.0	050.5	51.1
328.0	025.0000	0036.4	024.6	170.4	005.4000	0102.2	050.3	51.2
329.0	025.0000	0036.6	024.6	170.0	005.4000	0102.2	050.1	51.3
330.0	025.0000	0036.7	024.7	169.5	005.4000	0102.2	049.9	51.4
331.0	025.0000	0036.8	024.7	169.1	005.4000	0102.5	049.7	51.4
332.0	025.0000	0036.9	024.7	168.6	005.4000	0102.5	049.6	51.5
333.0	025.0000	0037.0	024.8	168.1	005.4000	0102.6	049.4	51.6
334.0	025.0000	0037.2	024.8	167.7	005.4000	0102.6	049.3	51.6
335.0	025.0000	0037.4	024.9	167.2	005.4000	0102.7	049.1	51.7
336.0	025.0000	0037.6	025.0	166.7	005.4000	0102.7	048.9	51.7
337.0	025.0000	0037.9	025.0	166.2	005.4000	0102.7	048.8	51.8
338.0	025.0000	0038.0	025.1	165.7	005.4000	0102.7	048.7	51.8
339.0	025.0000	0038.0	025.1	165.2	005.4000	0102.7	048.6	51.9
340.0	025.0000	0038.0	025.1	164.7	005.4000	0102.7	048.6	51.9
341.0	025.0000	0038.0	025.1	164.2	005.4000	0102.8	048.6	51.9
342.0	025.0000	0038.0	025.1	163.7	005.4000	0102.8	048.5	51.9
343.0	025.0000	0038.0	025.1	163.2	005.4000	0103.0	048.5	51.9
344.0	025.0000	0038.0	025.1	162.7	005.4000	0103.0	048.5	51.9
345.0	025.0000	0038.0	025.1	162.1	005.4000	0102.9	048.6	51.9
346.0	025.0000	0038.0	025.1	161.6	005.4000	0102.9	048.6	51.9
347.0	025.0000	0038.0	025.1	161.1	005.4000	0102.9	048.6	51.9
348.0	025.0000	0038.0	025.1	160.6	005.4000	0102.9	048.7	51.9
349.0	025.0000	0038.0	025.1	160.1	005.4000	0102.9	048.7	51.8
350.0	025.0000	0038.0	025.1	159.6	005.4000	0102.9	048.8	51.8
351.0	025.0000	0038.0	025.1	159.1	005.4000	0103.2	048.9	51.8
352.0	025.0000	0038.1	025.1	158.6	005.4000	0103.2	049.0	51.8
353.0	025.0000	0038.2	025.1	158.1	005.4000	0103.5	049.0	51.8
354.0	025.0000	0038.6	025.3	157.5	005.4000	0103.5	049.0	51.8
355.0	025.0000	0039.0	025.4	157.0	005.4000	0103.7	049.1	51.8
356.0	025.0000	0039.5	025.5	156.5	005.4000	0103.8	049.1	51.8
357.0	025.0000	0039.6	025.6	156.0	005.4000	0103.8	049.2	51.7
358.0	025.0000	0039.7	025.6	155.5	005.4000	0103.8	049.3	51.7
359.0	025.0000	0039.9	025.6	155.0	005.4000	0103.8	049.5	51.6
000.0	025.0000	0040.3	025.8	154.4	005.4000	0103.6	049.5	51.6
001.0	025.0000	0040.6	025.9	153.9	005.4000	0103.6	049.6	51.5
002.0	025.0000	0041.0	026.0	153.4	005.4000	0103.3	049.8	51.5
003.0	025.0000	0041.4	026.1	152.9	005.4000	0103.3	049.9	51.4
004.0	025.0000	0041.6	026.1	152.4	005.4000	0103.1	050.1	51.3
005.0	025.0000	0041.6	026.1	152.0	005.4000	0103.1	050.3	51.2

MINOR CHANGE APPLICATION
TAMA RADIO LICENSES
OF JACKSONVILLE, FL, INC.
WSJF (FM) RADIO STATION
CH 288C3 - 105.5 MHZ - 25.0 KW
ST. AUGUSTINE, FLORIDA
March 2006

EXHIBIT A7

Predicted contour:

N. Lat. = 29 47 47 - Tabulated Protected and Interfering Contour Data
W. Lng. = 81 19 53 - WSJF Radio Station - St. Augustine Beach, Florida

HAAT and Distance to Contour - FCC Method - 30 Arc Second terrain database
Azi. HAAT ERP kW dBk Field 60-F5 40-F1 54-F1 100-F1

000	40.3	25.0000	13.98	1.000	25.75	102.10	41.65	2.62
010	42.2	25.0000	13.98	1.000	26.33	102.53	42.74	2.69
020	43.2	25.0000	13.98	1.000	26.60	102.74	43.26	2.72
030	43.9	25.0000	13.98	1.000	26.80	102.89	43.63	2.74
040	43.7	25.0000	13.98	1.000	26.77	102.87	43.56	2.73
050	43.8	25.0000	13.98	1.000	26.77	102.87	43.58	2.74
060	43.7	25.0000	13.98	1.000	26.76	102.86	43.55	2.73
070	43.7	25.0000	13.98	1.000	26.75	102.85	43.52	2.73
080	43.8	25.0000	13.98	1.000	26.77	102.87	43.57	2.73
090	43.6	25.0000	13.98	1.000	26.73	102.84	43.49	2.73
100	43.4	25.0000	13.98	1.000	26.66	102.78	43.36	2.72
110	43.2	25.0000	13.98	1.000	26.60	102.74	43.26	2.72
120	42.8	25.0000	13.98	1.000	26.50	102.66	43.06	2.71
130	42.3	25.0000	13.98	1.000	26.35	102.55	42.78	2.69
140	41.2	25.0000	13.98	1.000	26.02	102.30	42.15	2.65
150	38.9	25.0000	13.98	1.000	25.34	101.80	40.86	2.57
160	38.0	25.0000	13.98	1.000	25.08	101.61	40.35	2.54
170	38.0	25.0000	13.98	1.000	25.08	101.61	40.35	2.54
180	37.4	25.0000	13.98	1.000	24.88	101.46	39.97	2.52
190	36.4	25.0000	13.98	1.000	24.60	101.26	39.42	2.49
200	36.6	25.0000	13.98	1.000	24.67	101.31	39.55	2.49
210	36.8	25.0000	13.98	1.000	24.71	101.34	39.64	2.50
220	37.2	25.0000	13.98	1.000	24.85	101.44	39.90	2.51
230	37.2	25.0000	13.98	1.000	24.84	101.43	39.88	2.51
240	37.6	25.0000	13.98	1.000	24.96	101.52	40.12	2.53
250	37.5	25.0000	13.98	1.000	24.94	101.51	40.08	2.53
260	38.0	25.0000	13.98	1.000	25.07	101.60	40.34	2.54
270	37.3	25.0000	13.98	1.000	24.86	101.45	39.93	2.52
280	37.6	25.0000	13.98	1.000	24.94	101.51	40.09	2.53
290	37.8	25.0000	13.98	1.000	25.02	101.57	40.24	2.54
300	38.0	25.0000	13.98	1.000	25.08	101.61	40.35	2.54
310	38.0	25.0000	13.98	1.000	25.08	101.61	40.35	2.54
320	36.9	25.0000	13.98	1.000	24.74	101.36	39.69	2.50
330	36.7	25.0000	13.98	1.000	24.70	101.33	39.61	2.50
340	38.0	25.0000	13.98	1.000	25.08	101.61	40.35	2.54
350	38.0	25.0000	13.98	1.000	25.08	101.61	40.35	2.54

AMSL= 44 M