

Exhibit 18.1

Tabulation of NCE-FM (Reserved Band) Portion of Allocation

West Central Michigan Media Ministries											
REFERENCE	CH# 220C3- 91.9 MHz, Pwr= 2.1 kW, HAAT= 311.2 M, COR= 659 M								DISPLAY DATES		
44 16 33.0 N.	Average Protected F(50-50)= 37.6 km								DATA 07-18-11		
85 42 48.0 W.	Omni-directional								SEARCH 07-20-11		

CH	CALL	TYPE	ANT	AZI.	DIST	LAT.	Pwr (kW)	INT (km)	PRO (km)	*IN*	*OUT*
CITY		STATE		<--	FILE #	LNG.	HAAT (M)	COR (M)	LICENSEE	(Overlap in km)	

<u>220A</u>	<u>WGCP</u>	<u>LIC</u>	<u>ZCX</u>	<u>86.5</u>	<u>17.9</u>	<u>44 17 08.0</u>	<u>2.100</u>	<u>46.3</u>	<u>12.1</u>	<u>-61.2*<</u>	<u>-83.5<</u>
<u>Cadillac</u>		<u>MI</u>		<u>266.6</u>	<u>BLED20091201ASN</u>	<u>85 29 20.0</u>	<u>44</u>	<u>449</u>	<u>West Central Michigan Medi</u>		

220A	WZMI	CP	ZCX	167.5	44.2	43 53 14.0	2.400	39.2	11.0	-32.1<	-63.3<
Reed City		MI		347.6	BNPED20071017AIX	85 35 37.0	69	408	West Central Michigan Medi		
7/9/2008: Accepted on CH220A by Industry Canada in 6/24/2008 letter. Note: not specially negotiated.											

220C2	WHDI	CP	CX	315.0	152.8	45 14 19.0	13.000	107.5	40.3	4.5	8.1
Sister Bay			WI	134.1	BPED20100407AAI	87 05 27.0	145	328	State Of Wisconsin - Educa		
7/12/2010: Accepted on channel 220-B by Industry Canada in 6/28/2010 letter. Note: not short-spaced.											

219C0	WCML-FM	LIC	CX	51.4	155.9	45 08 17.3	92.000	111.1	75.6	10.5	28.9
Alpena			MI	232.5	BLED20101006AAG	84 09 43.6	364	641	Central Michigan Universit		

218C3	WICA	LIC	DC	3.0	53.4	44 45 22.0	4.000	3.1	34.9	13.3	15.8
Traverse City			MI	183.0	BLED20001114AAH	85 40 42.0	228	466	Interlochen Center For The		

220C3	WHDI	LIC	C	315.0	152.8	45 14 19.0	3.400	85.6	29.6	26.3	18.8
Sister Bay			WI	134.1	BLED19990924ABI	87 05 27.0	145	328	State Of Wisconsin - Educa		

220A	WDPW	LIC	ZVX	166.3	135.9	43 05 12.0	4.000	69.7	19.6	29.3	20.1
Greenville			MI	346.6	BLED20080818ABB	85 18 59.0	63	320	Larlen Communications Inc.		
From BNPED-19991115AAD: 7/6/2005: Accepted on Ch 220A by Canada in 6/22/05 letter, not short-spaced.											

220A	WSMO	CP	ZEX	100.8	135.3	44 02 11.0	3.800	76.3	23.8	24.8	20.4
Mount Forest			MI	282.0	BNPED20071019AIK	84 03 18.0	100	324	Smile Fm		
10/31/2008: Accepted on channel 220A by Industry Canada in 10/16/2008 letter. Note: not specially negoti											
iated.											

219A	WMCQ	LIC	DCX	188.5	108.5	43 18 37.0	6.000	43.4	28.1	27.3	23.7
Muskegon			MI	8.4	BLED20050401AOE	85 54 44.0	100	329	American Family Associatio		

218A	WXYP	CP	CX	235.6	70.3	43 55 01.0	0.610	1.6	15.3	28.4	52.0
Ludington			MI	55.1	BNPED20071018BAC	86 26 12.0	100	295	Sandy Shores Arts Society		
1/3/2008: Accepted on channel 218A by Canada in 12/19/07 letter, not specially negotiated.											

219A	WQQA	CP	DCX	283.9	145.8	44 34 32.0	4.000	38.8	25.5	65.5	57.9
Forestville			WI	102.6	BNPED20071019ALT	87 29 44.0	72	273	Radio 74 Internationale		
4/11/2008: Accepted on channel 219A by Industry Canada in 3/12/08 letter, not specially negotiated.											

221A	WLTU<	LIC	CN	264.4	154.0	44 07 31.0	3.700	46.8	30.9	88.5R	65.5M
Manitowoc			WI	83.1	BMLH19940223KM	87 37 41.0	128	333	Cub Radio, Inc.		

218C3	WMHW-FM	LIC	CX	135.7	108.3	43 34 33.0	9.100	3.7	37.7	70.7	67.8
Mount Pleasant			MI	316.3	BLED20100507ACW	84 46 29.0	164	405	Central Michigan Universit		

Terrain database is NED 03 SEC, R= 73.215 qualifying spacings or FCC minimum spacings in KM, M= Margin in KM
 Contour distances are on direct line to and from reference station. Reference Zone= - Zone 2, Co to 3rd adj.
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, _= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)
 "*"affixed to 'IN' or 'OUT' values = site inside protected contour.

< = Station meets FCC minimum distance spacing for its class.

< = Contour Overlap

Blue Underlined Text indicates the facility to be modified by this Form 340 filing.

This facility need not be protected.

Red Crossed-out Text denotes Construction Permit Facility WZMI.C - Reed City, MI (BNPED-20071017AIX. This Construction Permit will be surrendered concurrent with and contingent with the processing of this WGCP(FM) proposal.

Yellow Highlighted Text indicates supplemental \$73.509 contour protection studies as included in Exhibit(s) 18.2.

Exhibit 18.2 - Supplemental §73.509 Contour Protection Studies Toward WHDI.C - Sister Bay, WI

West Central Michigan Media Ministries

FMCommander Single Allocation Study - 07-20-2011 - NED 03 SEC
WGCP.P's Overlaps (In= 4.45 km, Out= 8.14 km)

WGCP.P CH 220 C3
Lat= 44 16 33.0, Lng= 85 42 48.0
2.1 kW 311.2 M HAAT, 659 M COR
Prot.= 60 dBu, Intef.= 40 dBu

WHDI.C CH 220 C2 BPED20100407AAI
Lat= 45 14 19.0, Lng= 87 05 27.0
13.0 kW 145 M HAAT, 328 M COR
Prot.= 60 dBu, Intef.= 40 dBu




Exhibit 18.2 - Supplemental §73.509 Contour Protection Studies Toward WHDI.C - Sister Bay, WI

07-20-2011

Terrain Data: NED 03 SEC

FMOver Analysis

WGCP.P

WHDI-C BPED20100407AAI

Channel = 220C3
Max ERP = 2.1 kW
RCAMSL = 659 M
N. Lat. 44 16 33.0
W. Lng. 85 42 48.0
Protected
60 dBu

Channel = 220C2
Max ERP = 13 kW
RCAMSL = 328 M
N. Lat. 45 14 19.0
W. Lng. 87 05 27.0
Interfering
40 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)	IX (km)
271.0	002.1000	0383.5	041.3	147.2	013.0000	0145.2	126.0	36.30	
272.0	002.1000	0381.6	041.2	147.0	013.0000	0145.3	125.4	36.40	
273.0	002.1000	0380.5	041.1	146.8	013.0000	0145.4	124.9	36.51	
274.0	002.1000	0379.8	041.1	146.6	013.0000	0145.5	124.3	36.62	
275.0	002.1000	0379.6	041.1	146.4	013.0000	0145.6	123.8	36.72	
276.0	002.1000	0379.6	041.1	146.2	013.0000	0145.7	123.2	36.83	
277.0	002.1000	0381.3	041.2	146.0	013.0000	0145.8	122.6	36.95	
278.0	002.1000	0380.9	041.1	145.8	013.0000	0145.8	122.1	37.05	
279.0	002.1000	0382.4	041.2	145.6	013.0000	0145.9	121.5	37.16	
280.0	002.1000	0380.6	041.1	145.3	013.0000	0146.0	121.0	37.25	
281.0	002.1000	0377.6	041.0	145.0	013.0000	0146.1	120.6	37.33	
282.0	002.1000	0377.8	041.0	144.8	013.0000	0146.2	120.1	37.42	
283.0	002.1000	0378.9	041.1	144.6	013.0000	0146.3	119.6	37.52	
284.0	002.1000	0378.1	041.0	144.3	013.0000	0146.4	119.1	37.61	
285.0	002.1000	0379.3	041.1	144.1	013.0000	0146.5	118.6	37.71	
286.0	002.1000	0378.1	041.0	143.8	013.0000	0146.6	118.2	37.79	
287.0	002.1000	0375.7	040.9	143.5	013.0000	0146.7	117.9	37.86	
288.0	002.1000	0374.8	040.9	143.2	013.0000	0146.8	117.5	37.93	
289.0	002.1000	0374.1	040.8	142.9	013.0000	0146.9	117.1	38.01	
290.0	002.1000	0373.8	040.8	142.6	013.0000	0147.0	116.7	38.08	
291.0	002.1000	0373.7	040.8	142.3	013.0000	0147.1	116.3	38.16	
292.0	002.1000	0372.0	040.7	142.0	013.0000	0147.2	116.0	38.22	
293.0	002.1000	0372.4	040.8	141.7	013.0000	0147.2	115.6	38.29	
294.0	002.1000	0371.8	040.7	141.4	013.0000	0147.3	115.3	38.35	
295.0	002.1000	0374.4	040.9	141.1	013.0000	0147.4	114.9	38.44	
296.0	002.1000	0372.5	040.8	140.7	013.0000	0147.6	114.6	38.49	
297.0	002.1000	0371.0	040.7	140.4	013.0000	0147.7	114.4	38.54	
298.0	002.1000	0368.9	040.6	140.0	013.0000	0147.7	114.2	38.58	
299.0	002.1000	0368.2	040.6	139.7	013.0000	0147.8	114.0	38.62	
300.0	002.1000	0372.2	040.7	139.4	013.0000	0147.9	113.6	38.71	
301.0	002.1000	0374.4	040.9	139.1	013.0000	0148.0	113.2	38.78	
302.0	002.1000	0375.8	040.9	138.8	013.0000	0148.1	112.9	38.83	
303.0	002.1000	0376.3	040.9	138.4	013.0000	0148.2	112.7	38.88	
304.0	002.1000	0377.7	041.0	138.1	013.0000	0148.2	112.5	38.93	
305.0	002.1000	0377.5	041.0	137.7	013.0000	0148.3	112.3	38.97	

Munn-Reese, Inc.

Broadcast Engineering Consultants

Coldwater, MI 49036

Exhibit 18.2 - Supplemental §73.509 Contour Protection Studies Toward WHDI.C - Sister Bay, WI

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
306.0	002.1000	0377.2	041.0	137.4	013.0000	0148.4	112.2	39.00
307.0	002.1000	0377.2	041.0	137.0	013.0000	0148.4	112.0	39.03
308.0	002.1000	0376.7	041.0	136.6	013.0000	0148.5	111.9	39.05
309.0	002.1000	0376.3	040.9	136.3	013.0000	0148.5	111.8	39.07
310.0	002.1000	0377.7	041.0	135.9	013.0000	0148.6	111.7	39.10
311.0	002.1000	0379.6	041.1	135.5	013.0000	0148.7	111.5	39.14
312.0	002.1000	0377.4	041.0	135.2	013.0000	0148.7	111.5	39.13
313.0	002.1000	0375.5	040.9	134.8	013.0000	0148.8	111.6	39.12
314.0	002.1000	0374.0	040.8	134.4	013.0000	0148.8	111.6	39.12
315.0	002.1000	0370.9	040.7	134.1	013.0000	0148.9	111.8	39.09
316.0	002.1000	0369.7	040.6	133.7	013.0000	0149.0	111.9	39.08
317.0	002.1000	0367.5	040.5	133.4	013.0000	0149.0	112.0	39.05
318.0	002.1000	0366.7	040.5	133.0	013.0000	0149.0	112.1	39.04
319.0	002.1000	0366.9	040.5	132.6	013.0000	0149.0	112.1	39.03
320.0	002.1000	0368.0	040.6	132.3	013.0000	0149.0	112.1	39.02
321.0	002.1000	0367.9	040.5	131.9	013.0000	0149.0	112.2	39.00
322.0	002.1000	0368.3	040.6	131.6	013.0000	0149.1	112.3	38.99
323.0	002.1000	0365.8	040.4	131.2	013.0000	0149.2	112.6	38.94
324.0	002.1000	0363.7	040.3	130.9	013.0000	0149.3	112.8	38.90
325.0	002.1000	0365.5	040.4	130.5	013.0000	0149.3	112.9	38.88
326.0	002.1000	0365.1	040.4	130.2	013.0000	0149.4	113.1	38.85
327.0	002.1000	0364.4	040.4	129.8	013.0000	0149.4	113.3	38.80
328.0	002.1000	0364.9	040.4	129.5	013.0000	0149.4	113.5	38.77
329.0	002.1000	0364.5	040.4	129.1	013.0000	0149.5	113.7	38.72
330.0	002.1000	0364.5	040.4	128.8	013.0000	0149.6	114.0	38.68
331.0	002.1000	0362.8	040.3	128.5	013.0000	0149.6	114.3	38.62
332.0	002.1000	0363.1	040.3	128.2	013.0000	0149.7	114.6	38.57
333.0	002.1000	0365.9	040.5	127.8	013.0000	0149.8	114.7	38.54
334.0	002.1000	0363.0	040.3	127.5	013.0000	0149.8	115.2	38.46
335.0	002.1000	0359.2	040.1	127.3	013.0000	0149.9	115.6	38.37
336.0	002.1000	0358.8	040.1	127.0	013.0000	0149.9	116.0	38.31
337.0	002.1000	0357.9	040.1	126.7	013.0000	0150.0	116.4	38.24
338.0	002.1000	0356.4	040.0	126.4	013.0000	0150.0	116.8	38.16
339.0	002.1000	0355.0	039.9	126.1	013.0000	0150.1	117.2	38.08
340.0	002.1000	0354.0	039.9	125.8	013.0000	0150.1	117.6	38.01
341.0	002.1000	0352.7	039.8	125.6	013.0000	0150.2	118.1	37.92
342.0	002.1000	0349.4	039.6	125.3	013.0000	0150.2	118.6	37.82
343.0	002.1000	0347.7	039.5	125.1	013.0000	0150.3	119.1	37.73
344.0	002.1000	0344.2	039.4	124.9	013.0000	0150.3	119.6	37.63
345.0	002.1000	0341.2	039.2	124.7	013.0000	0150.3	120.2	37.52
346.0	002.1000	0341.2	039.2	124.4	013.0000	0150.3	120.6	37.44
347.0	002.1000	0342.4	039.3	124.2	013.0000	0150.4	121.0	37.37
348.0	002.1000	0343.3	039.3	123.9	013.0000	0150.4	121.5	37.29
349.0	002.1000	0342.3	039.3	123.7	013.0000	0150.4	122.0	37.19
350.0	002.1000	0336.0	038.9	123.6	013.0000	0150.5	122.7	37.06
351.0	002.1000	0333.2	038.8	123.4	013.0000	0150.5	123.3	36.95
352.0	002.1000	0331.9	038.7	123.2	013.0000	0150.5	123.9	36.85
353.0	002.1000	0329.6	038.6	123.1	013.0000	0150.5	124.4	36.74

Munn-Reese, Inc.

Broadcast Engineering Consultants
Coldwater, MI 49036

Exhibit 18.2 - Supplemental §73.509 Contour Protection Studies Toward WHDI.C - Sister Bay, WI

07-20-2011

Terrain Data: NED 03 SEC

FMOver Analysis

WHDI-C BPED20100407AAI

WGCP.P

Channel = 220C2

Max ERP = 13 kW

RCAMSL = 328 M

N. Lat. 45 14 19.0

W. Lng. 87 05 27.0

Protected

60 dBu

Channel = 220C3

Max ERP = 2.1 kW

RCAMSL = 659 M

N. Lat. 44 16 33.0

W. Lng. 85 42 48.0

Interfering

40 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)	IX (km)
089.0	013.0000	0148.1	040.2	327.8	002.1000	0364.7	127.8	33.75	
090.0	013.0000	0148.4	040.2	327.6	002.1000	0364.6	127.2	33.89	
091.0	013.0000	0148.6	040.3	327.5	002.1000	0364.8	126.6	34.05	
092.0	013.0000	0148.7	040.3	327.3	002.1000	0364.9	126.0	34.20	
093.0	013.0000	0148.9	040.3	327.1	002.1000	0364.6	125.4	34.33	
094.0	013.0000	0148.9	040.3	326.9	002.1000	0364.2	124.8	34.46	
095.0	013.0000	0148.9	040.3	326.7	002.1000	0364.0	124.3	34.59	
096.0	013.0000	0149.1	040.3	326.5	002.1000	0364.3	123.7	34.73	
097.0	013.0000	0149.2	040.3	326.3	002.1000	0364.6	123.2	34.88	
098.0	013.0000	0149.5	040.4	326.1	002.1000	0365.0	122.6	35.03	
099.0	013.0000	0149.5	040.4	325.9	002.1000	0365.2	122.1	35.17	
100.0	013.0000	0149.6	040.4	325.6	002.1000	0365.4	121.6	35.30	
101.0	013.0000	0149.8	040.4	325.4	002.1000	0365.5	121.1	35.44	
102.0	013.0000	0150.0	040.4	325.2	002.1000	0365.5	120.6	35.56	
103.0	013.0000	0150.1	040.4	324.9	002.1000	0365.5	120.1	35.68	
104.0	013.0000	0150.3	040.5	324.7	002.1000	0365.2	119.6	35.79	
105.0	013.0000	0150.3	040.5	324.4	002.1000	0364.4	119.2	35.88	
106.0	013.0000	0150.4	040.5	324.2	002.1000	0363.7	118.7	35.96	
107.0	013.0000	0150.6	040.5	323.9	002.1000	0363.8	118.3	36.07	
108.0	013.0000	0150.8	040.5	323.6	002.1000	0364.3	117.9	36.21	
109.0	013.0000	0150.8	040.5	323.3	002.1000	0364.9	117.5	36.33	
110.0	013.0000	0150.9	040.5	323.0	002.1000	0365.6	117.1	36.46	
111.0	013.0000	0150.9	040.5	322.8	002.1000	0366.3	116.7	36.58	
112.0	013.0000	0151.1	040.6	322.5	002.1000	0367.3	116.3	36.71	
113.0	013.0000	0151.1	040.6	322.2	002.1000	0368.1	116.0	36.83	
114.0	013.0000	0151.1	040.6	321.8	002.1000	0368.3	115.6	36.93	
115.0	013.0000	0151.1	040.6	321.5	002.1000	0368.4	115.3	37.01	
116.0	013.0000	0150.9	040.5	321.2	002.1000	0368.3	115.0	37.08	
117.0	013.0000	0150.7	040.5	320.9	002.1000	0367.6	114.8	37.12	
118.0	013.0000	0150.7	040.5	320.6	002.1000	0367.4	114.5	37.18	
119.0	013.0000	0150.7	040.5	320.2	002.1000	0368.0	114.2	37.27	
120.0	013.0000	0150.7	040.5	319.9	002.1000	0368.0	114.0	37.33	
121.0	013.0000	0150.6	040.5	319.6	002.1000	0367.5	113.8	37.37	

Munn-Reese, Inc.

Broadcast Engineering Consultants

Coldwater, MI 49036

Exhibit 18.2 - Supplemental §73.509 Contour Protection Studies Toward WHDI.C - Sister Bay, WI

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
122.0	013.0000	0150.5	040.5	319.2	002.1000	0367.0	113.6	37.40
123.0	013.0000	0150.5	040.5	318.9	002.1000	0366.8	113.4	37.44
124.0	013.0000	0150.4	040.5	318.5	002.1000	0367.2	113.2	37.50
125.0	013.0000	0150.3	040.5	318.2	002.1000	0367.2	113.1	37.54
126.0	013.0000	0150.1	040.4	317.8	002.1000	0366.4	113.0	37.54
127.0	013.0000	0149.9	040.4	317.5	002.1000	0366.5	112.8	37.57
128.0	013.0000	0149.8	040.4	317.1	002.1000	0367.1	112.8	37.62
129.0	013.0000	0149.5	040.4	316.8	002.1000	0367.9	112.7	37.67
130.0	013.0000	0149.4	040.3	316.4	002.1000	0368.6	112.6	37.71
131.0	013.0000	0149.2	040.3	316.0	002.1000	0369.5	112.6	37.76
132.0	013.0000	0149.0	040.3	315.7	002.1000	0370.3	112.6	37.79
133.0	013.0000	0149.0	040.3	315.3	002.1000	0370.7	112.5	37.81
134.0	013.0000	0148.9	040.3	315.0	002.1000	0370.9	112.5	37.82
135.0	013.0000	0148.8	040.3	314.6	002.1000	0371.7	112.5	37.84
136.0	013.0000	0148.6	040.2	314.3	002.1000	0373.3	112.6	37.89
137.0	013.0000	0148.4	040.2	313.9	002.1000	0374.2	112.6	37.91
138.0	013.0000	0148.2	040.2	313.6	002.1000	0374.7	112.7	37.91
139.0	013.0000	0148.0	040.2	313.2	002.1000	0375.1	112.8	37.89
140.0	013.0000	0147.8	040.1	312.9	002.1000	0376.0	112.9	37.89
141.0	013.0000	0147.5	040.1	312.5	002.1000	0377.0	113.1	37.89
142.0	013.0000	0147.1	040.1	312.2	002.1000	0377.4	113.2	37.86
143.0	013.0000	0146.9	040.0	311.8	002.1000	0377.6	113.4	37.83
144.0	013.0000	0146.5	040.0	311.5	002.1000	0378.0	113.6	37.79
145.0	013.0000	0146.1	039.9	311.1	002.1000	0379.0	113.8	37.77
146.0	013.0000	0145.8	039.9	310.8	002.1000	0379.9	114.0	37.74
147.0	013.0000	0145.3	039.8	310.5	002.1000	0379.4	114.3	37.66
148.0	013.0000	0145.1	039.8	310.2	002.1000	0378.2	114.5	37.56
149.0	013.0000	0145.0	039.8	309.8	002.1000	0377.4	114.7	37.47
150.0	013.0000	0145.2	039.8	309.5	002.1000	0376.7	115.0	37.40
151.0	013.0000	0145.3	039.8	309.2	002.1000	0376.3	115.2	37.32
152.0	013.0000	0145.2	039.8	308.9	002.1000	0376.3	115.5	37.25
153.0	013.0000	0145.2	039.8	308.6	002.1000	0376.2	115.8	37.17
154.0	013.0000	0145.2	039.8	308.3	002.1000	0376.4	116.1	37.10
155.0	013.0000	0145.0	039.8	308.0	002.1000	0376.7	116.4	37.03
156.0	013.0000	0144.6	039.8	307.7	002.1000	0376.9	116.8	36.94
157.0	013.0000	0144.0	039.7	307.4	002.1000	0377.1	117.2	36.84
158.0	013.0000	0143.1	039.6	307.1	002.1000	0377.3	117.6	36.73
159.0	013.0000	0142.5	039.5	306.9	002.1000	0377.1	118.0	36.62
160.0	013.0000	0142.3	039.5	306.6	002.1000	0377.4	118.5	36.52
161.0	013.0000	0142.0	039.4	306.3	002.1000	0377.6	118.9	36.42
162.0	013.0000	0142.0	039.4	306.1	002.1000	0377.2	119.3	36.31
163.0	013.0000	0142.3	039.5	305.8	002.1000	0377.1	119.7	36.21
164.0	013.0000	0143.1	039.6	305.5	002.1000	0377.1	120.0	36.11
165.0	013.0000	0144.3	039.7	305.2	002.1000	0377.2	120.3	36.03
166.0	013.0000	0145.3	039.8	304.9	002.1000	0377.6	120.7	35.95
167.0	013.0000	0145.9	039.9	304.7	002.1000	0377.9	121.1	35.86
168.0	013.0000	0146.0	039.9	304.4	002.1000	0378.0	121.6	35.74

Munn-Reese, Inc.

Broadcast Engineering Consultants

Coldwater, MI 49036