

EXHIBIT 13

Waiver Request of Section 74.1204

K211EN Las Cruces, NM Channel 212 and 34 Watts ERP

Calvary Chapel of Twin Falls, Inc.

12/2015

The proposed site is contained entirely inside the service contour of second-adjacent FM Station KRWG Las Cruces, NM

KRWG

The proposed site is contained entirely inside the service contour of second-adjacent FM Station KRWG 214C1, 100kW, Las Cruces, NM. The level of least arriving protected F(50,50) signal at the proposed transmitter site is 76.6-dBu. Using the U/D method for calculating proposed interference, the contour is 116.6-dBu (free-space contour method employed). The interfering signal would, in the worst case at the maximum radial, would extend 62 meters, or 202 feet, from base of the tower. This structure is located in an unpopulated area on Dona Anas, where there are several towers. The only structure at the tower site is an equipment enclosure. Attached is a Google Earth aerial view of the tower site showing there is no population located within 500 feet. There are no residences, businesses or major roadways located within the interference contour and Calvary Chapel of Twin Falls, Inc. respectfully requests a waiver of the FM translator contour overlap regulations with respect to second-adjacent channel KRWG Las Cruces, NM.

Calvary Chapel of Twin Falls, Inc.

Las Cruces K211EN Minor Mod of CP 212
 Calvary Chapel Of Twin Falls, Inc.
 CH# 212D - 90.3 MHz, Pwr= 0.034 kW, HAAT= 148.7 M, COR= 1466 M
 Average Protected F(50-50)= 9.63 km
 Omni-directional




DISPLAY DATES
 DATA 12-14-15
 SEARCH 12-16-15

REFERENCE
 32 24 15.0 N.
 106 45 47.0 W.

CH CITY	CALL	TYPE STATE	ANT	AZI <--	DIST FILE #	LAT LNG	PWR(kW) HAAT(M)	INT(km) COR(M)	PRO(km) LICENSEE	*IN* (Overlap in km)	*OUT*
212D	K211EN Las Cruces	CP	_C_ NM	0.0 0.0	0.00 BPFT20130228AMZ	32 24 15.0 106 45 47.0	0.007 149	18.8 1466	5.7 Calvary Chapel Of Twin Fal	-27.2*	-33.9*
214C1	KRWG Las Cruces	LIC	_CX NM	231.1 50.9	25.61 BLED20141218ADY	32 15 33.0 106 58 30.0	100.000 103	6.7 1432	56.3 Regents Of New Mexico Stat	5.9	-31.1*
211D	K211EN Las Cruces	LIC	_C_ NM	0.0 0.0	0.00 BLFT20030303AAC	32 24 15.0 106 45 47.0	0.006 149	7.7 1466	5.5 Calvary Chapel Of Twin Fal	-16.1*	-17.3*
209A	KMBN Las Cruces	LIC	_C_ NM	224.8 44.7	19.73 BLED19991223ACA	32 16 41.0 106 54 39.0	0.500 52	1.6 1353	18.7 The Moody Bible Institute	5.4	0.6
06 D	K06QK-D Radium Springs	CP	___N NM	325.4 145.2	76.22 BNPDVL20090917ACZ	32 58 04.0 107 13 37.0	3.000 1014	2.8 2340	53.0	55.8R	20.4M
212D	K212EO El Paso	LIC	_C_ TX	159.4 339.6	72.31 BLFT20001220ACS	31 47 42.0 106 29 38.0	0.005 153	17.4 1405	4.2 Calvary Chapel Of Twin Fal	44.2	29.4
210C3	KYCM Alamogordo	LIC	_CX NM	59.8 240.3	94.70 BLED20061005ACQ	32 49 47.0 105 53 13.0	0.800 497	2.0 2381	55.1 Your Christian Companion N	84.1	39.2
211B	AL9928 Praxedis Guerrero	AL	____ CH	147.9 328.3	135.25	31 22 18.0 106 00 19.0	50.000 150	82.9 1296	65.0	41.6	49.2
212D	K212BB Alamogordo	CP	_C_ NM	51.6 232.0	97.28 BPFT20140425ACP	32 56 42.2 105 56 45.4	0.092	42.1 1439	12.7 Family Life Broadcasting S	46.2	55.8
06 D	K06QI-D Orogrande	CP	D_N NM	60.3 240.8	96.01 BNPDVL20090825BLT	32 49 45.0 105 52 14.0	0.300 1086	3.5 2433	40.6	44.1R	51.9M

Terrain database is FCC NGDC 30 Sec , R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM
 In & Out distances between contours are shown at closest points. Reference zone= West Zone, Co to 3rd adjacent.
 All separation margins (if shown) include rounding.
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, _= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)
 "*"affixed to 'IN' or 'OUT' values = site inside restricted contour.
 Reference station has protected zone issue: Mexico

Legend

-  1146 ft
-  500.96 feet @ 62.4 degrees
-  Line Measure

500.96 feet @ 62.4 degrees

1146 ft

Google earth

© 2015 Google

700 ft

N