



United States of America
FEDERAL COMMUNICATIONS COMMISSION
AM BROADCAST STATION CONSTRUCTION PERMIT

Authorizing Official:

Official Mailing Address:

 SORENSEN PACIFIC BROADCASTING, INC.
 962 PALE SAN VITORES ROAD
 SUITE 116
 TUMON GU 96913

Son Nguyen
 Son Nguyen
 Supervisory Engineer
 Audio Division
 Media Bureau

Facility Id: 60853

Call Sign: KGUM

Permit File Number: BP-20190429ABB

Grant Date: **JUN 26 2019**

This permit expires 3:00 a.m.
 local time, 36 months after the
 grant date specified above.

Correct the coordinates, site elevation and electrical height of an existing facility.

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:
 Local Standard Time (Non-Advanced)

Jan.	5:00 AM	4:30 PM	Jul.	4:15 AM	5:15 PM
Feb.	5:00 AM	4:45 PM	Aug.	4:30 AM	5:00 PM
Mar.	4:45 AM	4:45 PM	Sep.	4:30 AM	4:45 PM
Apr.	4:30 AM	4:45 PM	Oct.	4:30 AM	4:15 PM
May	4:15 AM	5:00 PM	Nov.	4:45 AM	4:15 PM
Jun.	4:15 AM	5:00 PM	Dec.	5:00 AM	4:15 PM

Callsign: KGUM

Permit No.: BP-20190429ABB

Name of Permittee: SORENSEN PACIFIC BROADCASTING, INC.

Station Location: AGANA, GU

Frequency (kHz): 567

Station Class: B

Antenna Coordinates:

Day

Latitude: N 13 Deg 23 Min 28 Sec

Longitude: E 144 Deg 45 Min 42 Sec

Night

Latitude: N 13 Deg 23 Min 28 Sec

Longitude: E 144 Deg 45 Min 42 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 10.0 Night: 10.0

Antenna Mode: Day: ND Night: ND

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Antenna Registration Number(s):

Day:

Tower No.	ASRN	Overall Height (m)
1	1008505	

Night:

Tower No.	ASRN	Overall Height (m)
1	1008505	

Non-Directional Antenna: Day

Radiator Height: 131 meters; 89.2 deg

Theoretical Efficiency: 305.2 mV/m/kw at 1km

Non-Directional Antenna: Night

Radiator Height: 131 meters; 89.2 deg

Theoretical Efficiency: 305.2 mV/m/kw at 1km

Special operating conditions or restrictions:

- 1 Permittee shall install a type accepted transmitter, or submit application (FCC Form 301) along with data prescribed in Section 73.1660(b) should non-type accepted transmitter be proposed.

- 2 A license application (FCC Form 302) to cover this construction permit must be filed with the Commission pursuant to Section 73.3536 of the Rules before the permit expires.

- 3 Licensee shall be responsible for satisfying all reasonable complaints of blanketing interference within the 1 V/m contour as required by Section 73.88 of the Commission's rules.

- 4 Ground system consists of 120 equally spaced, buried, copper radials between 80.8 m and 219.5 m in length. the radials are terminatd athe edge of the pier and bonded to a cobby strap surrounding the peir, beyond the pier the radials extend into the Ylig River where they are bonded and submerged in the river.

- 5 Vertical, guyed, shunt-excited steel radiator of uniform cross section 133 m (90.6 degrees) in height (134 m overall) with a RPU amtenna side mounted near the top, utilizing a folded unipole feel.

*** END OF AUTHORIZATION ***