

WKZD - Priceville, AL / BL-19860902AG
Freq: 1310 kHz / Class: D
N Lat: 34-32-32 N / W Lng: 086-54-14 W
Power: 1 kW / RMS: 305.8 mV/m @1km
Towers: 1
Augs: 0
Licensed Facility - Dashed Lines

WKZD - Priceville, AL - Corrected
Freq: 1310 kHz / Class: D
N Lat: 34-32-24.50 N / W Lng: 086-54-15.30 W
Power: 1 kW / RMS: 305.8 mV/m @1km
Towers: 1
Augs: 0
Corrected Facility - Solid Lines

2.0 mV/m
0.5 mV/m

DAYTIME WIDE AREA SERVICE CONTOURS

GRAHAM BROCK, INC.
BROADCAST TECHNICAL CONSULTANTS




EXHIBIT #1A
MINOR CHANGE APPLICATION
TO CORRECT COORDINATES
ABERCROMBIE BROADCASTING COMPANY
WKZD AM RADIO STATION
1310 kHz - 0.033/1.0 kW - ND
PRICEVILLE, ALABAMA
September 2010

Scale 1:650,000
0 9.0 18.0 27 km

WKZD - Priceville, AL / BL-19860902AG
Freq: 1310 kHz / Class: D
N Lat: 34-32-32 N / W Lng: 086-54-14 W
Power: 1 kW / RMS: 305.8 mV/m @1km
Towers: 1
Augs: 0
Licensed Facility - Dashed Lines

WKZD - Priceville, AL - Corrected
Freq: 1310 kHz / Class: D
N Lat: 34-32-24.50 N / W Lng: 086-54-15.30 W
Power: 1 kW / RMS: 305.8 mV/m @1km
Towers: 1
Augs: 0
Corrected Facility - Solid Lines

5.0 mV/m

DAYTIME CITY GRADE SERVICE CONTOURS

GRAHAM BROCK, INC.
BROADCAST TECHNICAL CONSULTANTS




EXHIBIT #1B
MINOR CHANGE APPLICATION
TO CORRECT COORDINATES
ABERCROMBIE BROADCASTING COMPANY
WKZD AM RADIO STATION
1310 kHz - 0.033/1.0 kW - ND
PRICEVILLE, ALABAMA
September 2010

Scale 1:250,000
0 3.0 6.0 9 km

WKZD - Priceville, AL / BL-19860902AG
Freq: 1310 kHz / Class: D
Latitude: 34-32-32 N / Longitude: 086-54-14 W
Power: 1 kW / RMS: 305.8 mV/m @1km
Towers: 1
Augs: 0
Licensed Facility - Dashed Lines

WKZD - Priceville, AL - Corrected
Freq: 1310 kHz / Class: D
Latitude: 34-32-24.50 N / Longitude: 086-54-15.30 W
Power: 1 kW / RMS: 305.8 mV/m @1km
Towers: 1
Augs: 0
Corrected Facility - Solid Lines

1000 mV/m

1000 mV/m BLANKETING CONTOURS

GRAHAM BROCK, INC.
BROADCAST TECHNICAL CONSULTANTS

EXHIBIT #1C
MINOR CHANGE APPLICATION
TO CORRECT COORDINATES
ABERCROMBIE BROADCASTING COMPANY
WKZD AM RADIO STATION
1310 kHz - 0.033/1.0 kW - ND
PRICEVILLE, ALABAMA
September 2010

WITHIN THE CORRECTED COORDINATES 1000 mV/m CONTOUR:
0 Persons - 2000 Census

Scale 1:25,000
0 0.33 0.67 1.0 km

MINOR CHANGE APPLICATION
TO CORRECT COORDINATES
ABERCROMBIE BROADCASTING COMPANY
WKZD AM RADIO STATION
1310 kHz - 0.033/1.0 kW - ND2
PRICEVILLE, ALABAMA
September 2010

EXHIBIT #1D

Corrected Coordinate Contour Tabulation

North Latitude: 34° 32' 24.5"
West Longitude: 86° 54' 15.3"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :			
		Contour levels in mV/m.			
		1000.000	5.000	2.000	.500
0.0	305.80	0.28	13.86	21.26	39.14
5.0	305.80	0.28	13.86	21.26	39.14
10.0	305.80	0.28	13.86	21.26	39.14
15.0	305.80	0.28	13.86	21.26	39.14
20.0	305.80	0.28	13.86	21.26	39.14
25.0	305.80	0.28	13.86	21.26	39.14
30.0	305.80	0.28	13.86	21.26	39.14
35.0	305.80	0.28	13.86	21.26	39.14
40.0	305.80	0.28	13.86	21.26	39.14
45.0	305.80	0.28	13.86	21.26	39.14
50.0	305.80	0.28	13.86	20.30	33.66
55.0	305.80	0.28	13.09	18.33	31.68
60.0	305.80	0.28	12.16	17.39	30.75
65.0	305.80	0.28	11.60	16.84	30.20
70.0	305.80	0.28	11.24	16.48	29.84
75.0	305.80	0.28	10.99	16.23	29.59
80.0	305.80	0.28	10.81	16.05	29.41
85.0	305.80	0.28	10.68	15.91	29.27
90.0	305.80	0.28	10.58	15.81	29.17
95.0	305.80	0.28	10.50	15.73	29.09
100.0	305.80	0.28	10.44	15.67	29.03
105.0	305.80	0.28	10.39	15.63	28.98
110.0	305.80	0.28	10.35	15.59	28.95
115.0	305.80	0.28	10.33	15.56	28.92
120.0	305.80	0.28	10.31	15.55	28.90
125.0	305.80	0.28	10.30	15.53	28.89
130.0	305.80	0.28	10.29	15.53	28.89
135.0	305.80	0.28	10.30	15.53	28.89
140.0	305.80	0.28	10.31	15.54	28.90
145.0	305.80	0.28	10.32	15.56	28.92
150.0	305.80	0.28	10.35	15.58	28.94
155.0	305.80	0.28	10.38	15.62	28.98
160.0	305.80	0.28	10.42	15.66	29.02
165.0	305.80	0.28	10.48	15.72	29.08
170.0	305.80	0.28	10.56	15.79	29.15
175.0	305.80	0.28	10.65	15.89	29.25

Ground Conductivity: FCC M-3

MINOR CHANGE APPLICATION
TO CORRECT COORDINATES
ABERCROMBIE BROADCASTING COMPANY
WKZD AM RADIO STATION
1310 kHz - 0.033/1.0 kW - ND2
PRICEVILLE, ALABAMA
September 2010

EXHIBIT #1D (continued)

Corrected Coordinate Contour Tabulation

North Latitude: 34° 32' 24.5"
West Longitude: 86° 54' 15.3"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :			
		Contour levels in mV/m.			
		1000.000	5.000	2.000	.500
180.0	305.80	0.28	10.78	16.02	29.38
185.0	305.80	0.28	10.95	16.19	29.54
190.0	305.80	0.28	11.18	16.42	29.78
195.0	305.80	0.28	11.51	16.75	30.11
200.0	305.80	0.28	12.02	17.25	30.61
205.0	305.80	0.28	12.84	18.08	31.44
210.0	305.80	0.28	13.86	19.63	32.98
215.0	305.80	0.28	13.86	21.26	39.14
220.0	305.80	0.28	13.86	21.26	39.14
225.0	305.80	0.28	13.86	21.26	39.14
230.0	305.80	0.28	13.86	21.26	39.14
235.0	305.80	0.28	13.86	21.26	39.14
240.0	305.80	0.28	13.86	21.26	39.14
245.0	305.80	0.28	13.86	21.26	39.14
250.0	305.80	0.28	13.86	21.26	39.14
255.0	305.80	0.28	13.86	21.26	39.14
260.0	305.80	0.28	13.86	21.26	39.14
265.0	305.80	0.28	13.86	21.26	39.14
270.0	305.80	0.28	13.86	21.26	39.14
275.0	305.80	0.28	13.86	21.26	39.14
280.0	305.80	0.28	13.86	21.26	39.14
285.0	305.80	0.28	13.86	21.26	39.14
290.0	305.80	0.28	13.86	21.26	39.14
295.0	305.80	0.28	13.86	21.26	39.14
300.0	305.80	0.28	13.86	21.26	39.14
305.0	305.80	0.28	13.86	21.26	39.14
310.0	305.80	0.28	13.86	21.26	39.14
315.0	305.80	0.28	13.86	21.26	39.14
320.0	305.80	0.28	13.86	21.26	39.14
325.0	305.80	0.28	13.86	21.26	39.14
330.0	305.80	0.28	13.86	21.26	39.14
335.0	305.80	0.28	13.86	21.26	39.14
340.0	305.80	0.28	13.86	21.26	39.14
345.0	305.80	0.28	13.86	21.26	39.14
350.0	305.80	0.28	13.86	21.26	39.14
355.0	305.80	0.28	13.86	21.26	39.14

Ground Conductivity: FCC M-3

MINOR CHANGE APPLICATION
TO CORRECT COORDINATES
ABERCROMBIE BROADCASTING COMPANY
WKZD AM RADIO STATION
1310 kHz - 0.033/1.0 kW - ND2
PRICEVILLE, ALABAMA
September 2010

EXHIBIT #1E

Licensed Coordinate Contour Tabulation

North Latitude: 34° 32' 32"
West Longitude: 86° 54' 14"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :			
		Contour levels in mV/m.			
		1000.000	5.000	2.000	.500
0.0	305.80	0.28	13.86	21.26	39.14
5.0	305.80	0.28	13.86	21.26	39.14
10.0	305.80	0.28	13.86	21.26	39.14
15.0	305.80	0.28	13.86	21.26	39.14
20.0	305.80	0.28	13.86	21.26	39.14
25.0	305.80	0.28	13.86	21.26	39.14
30.0	305.80	0.28	13.86	21.26	39.14
35.0	305.80	0.28	13.86	21.26	39.14
40.0	305.80	0.28	13.86	21.26	39.14
45.0	305.80	0.28	13.86	21.26	39.14
50.0	305.80	0.28	13.86	20.60	33.96
55.0	305.80	0.28	13.27	18.51	31.86
60.0	305.80	0.28	12.30	17.53	30.89
65.0	305.80	0.28	11.72	16.95	30.31
70.0	305.80	0.28	11.34	16.57	29.93
75.0	305.80	0.28	11.07	16.31	29.67
80.0	305.80	0.28	10.88	16.12	29.48
85.0	305.80	0.28	10.74	15.98	29.34
90.0	305.80	0.28	10.63	15.87	29.23
95.0	305.80	0.28	10.55	15.79	29.15
100.0	305.80	0.28	10.49	15.72	29.08
105.0	305.80	0.28	10.44	15.67	29.03
110.0	305.80	0.28	10.40	15.64	29.00
115.0	305.80	0.28	10.37	15.61	28.97
120.0	305.80	0.28	10.35	15.59	28.95
125.0	305.80	0.28	10.34	15.58	28.94
130.0	305.80	0.28	10.34	15.57	28.93
135.0	305.80	0.28	10.34	15.58	28.94
140.0	305.80	0.28	10.35	15.59	28.95
145.0	305.80	0.28	10.37	15.60	28.96
150.0	305.80	0.28	10.39	15.63	28.99
155.0	305.80	0.28	10.43	15.67	29.02
160.0	305.80	0.28	10.48	15.71	29.07
165.0	305.80	0.28	10.54	15.77	29.13
170.0	305.80	0.28	10.61	15.85	29.21
175.0	305.80	0.28	10.72	15.95	29.31

Ground Conductivity: FCC M-3

MINOR CHANGE APPLICATION
TO CORRECT COORDINATES
ABERCROMBIE BROADCASTING COMPANY
WKZD AM RADIO STATION
1310 kHz - 0.033/1.0 kW - ND2
PRICEVILLE, ALABAMA
September 2010

EXHIBIT #1E (continued)

Licensed Coordinate Contour Tabulation

North Latitude: 34° 32' 32"
West Longitude: 86° 54' 14"

Azimuth	Radiation (mV/m at one km)	Distances to Contours in Kilometers :			
		Contour levels in mV/m.			
		1000.000	5.000	2.000	.500
180.0	305.80	0.28	10.85	16.09	29.45
185.0	305.80	0.28	11.03	16.26	29.62
190.0	305.80	0.28	11.27	16.51	29.87
195.0	305.80	0.28	11.62	16.86	30.22
200.0	305.80	0.28	12.15	17.39	30.75
205.0	305.80	0.28	13.01	18.25	31.61
210.0	305.80	0.28	13.86	19.86	33.22
215.0	305.80	0.28	13.86	21.26	39.14
220.0	305.80	0.28	13.86	21.26	39.14
225.0	305.80	0.28	13.86	21.26	39.14
230.0	305.80	0.28	13.86	21.26	39.14
235.0	305.80	0.28	13.86	21.26	39.14
240.0	305.80	0.28	13.86	21.26	39.14
245.0	305.80	0.28	13.86	21.26	39.14
250.0	305.80	0.28	13.86	21.26	39.14
255.0	305.80	0.28	13.86	21.26	39.14
260.0	305.80	0.28	13.86	21.26	39.14
265.0	305.80	0.28	13.86	21.26	39.14
270.0	305.80	0.28	13.86	21.26	39.14
275.0	305.80	0.28	13.86	21.26	39.14
280.0	305.80	0.28	13.86	21.26	39.14
285.0	305.80	0.28	13.86	21.26	39.14
290.0	305.80	0.28	13.86	21.26	39.14
295.0	305.80	0.28	13.86	21.26	39.14
300.0	305.80	0.28	13.86	21.26	39.14
305.0	305.80	0.28	13.86	21.26	39.14
310.0	305.80	0.28	13.86	21.26	39.14
315.0	305.80	0.28	13.86	21.26	39.14
320.0	305.80	0.28	13.86	21.26	39.14
325.0	305.80	0.28	13.86	21.26	39.14
330.0	305.80	0.28	13.86	21.26	39.14
335.0	305.80	0.28	13.86	21.26	39.14
340.0	305.80	0.28	13.86	21.26	39.14
345.0	305.80	0.28	13.86	21.26	39.14
350.0	305.80	0.28	13.86	21.26	39.14
355.0	305.80	0.28	13.86	21.26	39.14


Ground Conductivity: FCC M-3

MINOR CHANGE APPLICATION
TO CORRECT COORDINATES
ABERCROMBIE BROADCASTING COMPANY
WKZD AM RADIO STATION
1310 kHz - 0.033/1.0 kW - ND2
PRICEVILLE, ALABAMA
September 2010

EXHIBIT #1F

ID Stations Study at 34 32 24.5 N, 86 54 15.3 W, Search Distance = 16 km

Call	Service	City	State	Chan.	Power	Coordinates		Dist-km	Azimuth	File	Number
AM -----											
WKZD	D	PRICEVILLE	AL	1310	0001.000kW	343232N	865414W	000.2	006.7	BL19860902AG	AM
WKZD-N	N	PRICEVILLE	AL	1310	0000.033kW	343232N	865414W	000.2	006.7	BL19860902AG	AM
WYAM	D	HARTSELLE	AL	890	0002.500kW	343400N	865446W	003.0	345.0	BL19990519DD	AM
WEKI	U	DECATUR	AL	1490	0001.000kW	343514N	865913W	009.2	304.6	BL	AM
WWTM	U	DECATUR	AL	1400	0001.000kW	343644N	865928W	011.3	315.2	BL	AM
WHOS-N	N	DECATUR	AL	800	0000.215kW	343555N	870024W	011.4	304.7	BL	AM
WHOS	D	DECATUR	AL	800	0001.000kW	343555N	870024W	011.4	304.7	BL	AM
FM -----											
W287AD	X	Priceville	AL	287D	0000.250kW	343232N	865414W	000.2	006.7	BLFT20080926ADD	FM
W269CG	X	Priceville	AL	269D	0000.010kW	343043N	865055W	006.0	121.7	BLFT20100624AET	FM
W269CG	X	Priceville	AL	269D	0000.010kW	343043N	865055W	006.0	121.7	BMPFT20080728ADR	FM
W247BI	X	Cullman	AL	247D	0000.100kW	342919N	865720W	007.4	219.3	BPFT20090420ACJ	FM
W232BX	X	Decatur	AL	232D	0000.250kW	343445N	865855W	008.3	301.3	BLFT20091001ACV	FM
W232BX	X	Decatur	AL	234D	0000.250kW	343645N	865908W	011.0	317.2	BPFT20091118ACV	FM
W247BI	X	Cullman	AL	247D	0000.250kW	342531N	865340W	012.8	176.0	BLFT20090212ADY	FM
TV -----											
WYAM-L	G	Priceville	AL	51 D	0015.000kW	343400N	865446W	003.0	345.0	BLDTL20100323AER	TV
WMJN-L	X	Somerville	AL	29ZT	0012.000kW	343043N	865055W	006.0	121.7	BLTTL20040126AGA	TV
WMJN-L	G	Somerville	AL	29 T	0010.000kW	343043N	865055W	006.0	121.7	BDFCDTL20061102A	TV
ALAL30	A	Huntsville-de	AL	54Z2	0000.000kW	343612N	865842W	009.8	315.9		TV



North Latitude 34-32-24.5 Site Elev 176.78 m (580.0 ft) AMSL
West Longitude 86-54-15.3
(Sketch not drawn to scale)

VERTICAL PLAN SKETCH

SITE ELEVATION - 177 m (580 ft) AMSL
TOP OF STRUCTURE - 58 m (191 ft) AGL
235 m (771 ft) AMSL
AM Radiator - 57 m (188 ft)

FIGURES ROUNDED TO NEAREST METER (FOOT).

EXHIBIT #1G
MINOR CHANGE APPLICATION
TO CORRECT COORDINATES
ABERCROMBIE BROADCASTING COMPANY
WKZD AM RADIO STATION
1310 kHz - 0.033/1.0 kW - ND2
PRICEVILLE, ALABAMA
September 2010

GRAHAM BROCK, INC.
BROADCAST TECHNICAL CONSULTANTS