



Proposal Number

C-06035

Exhibit 1

Date

9-Sep-13

Call Letters

KAME

Channel

20

Location

Reno, NV

Customer

Sinclair

Antenna Type

TFU-8DSB-C-VP-R**AZIMUTH PATTERN**

Gain

2.09**(3.20 dB)**


Frequency

509.00 MHz

Calculated / Measured

Calculated

Drawing #

DSB-C-HPOL

This document contains proprietary and confidential information of Dielectric Communications and SPX Corporation. It is to be used solely for the purpose for which it is provided. No disclosure, reproduction, or use of this document or any part of it may be made without the written permission of Dielectric Communications or SPX Corporation.



Proposal Number

C-06035

Exhibit 2

Date

9-Sep-13

Call Letters

KAME

Channel

20

Location

Reno, NV

Customer

Sinclair

Antenna Type

TFU-8DSB-C-VP-R**TABULATION OF AZIMUTH PATTERN**Azimuth Pattern Drawing #: **DSB-C-HPOL**

| Angle | Field | Angle | Field | Angle | Field | Angle | Field | Angle | Field | Angle | Field | Angle | Field | Angle | Field |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 0 | 0.527 | 45 | 0.415 | 90 | 0.590 | 135 | 0.900 | 180 | 1.000 | 225 | 0.882 | 270 | 0.547 | 315 | 0.393 |
| 1 | 0.526 | 46 | 0.412 | 91 | 0.598 | 136 | 0.905 | 181 | 0.999 | 226 | 0.877 | 271 | 0.540 | 316 | 0.396 |
| 2 | 0.526 | 47 | 0.409 | 92 | 0.606 | 137 | 0.910 | 182 | 0.998 | 227 | 0.872 | 272 | 0.532 | 317 | 0.399 |
| 3 | 0.525 | 48 | 0.406 | 93 | 0.614 | 138 | 0.915 | 183 | 0.997 | 228 | 0.867 | 273 | 0.525 | 318 | 0.402 |
| 4 | 0.525 | 49 | 0.403 | 94 | 0.622 | 139 | 0.919 | 184 | 0.996 | 229 | 0.862 | 274 | 0.518 | 319 | 0.405 |
| 5 | 0.525 | 50 | 0.400 | 95 | 0.631 | 140 | 0.924 | 185 | 0.995 | 230 | 0.857 | 275 | 0.511 | 320 | 0.408 |
| 6 | 0.524 | 51 | 0.400 | 96 | 0.639 | 141 | 0.927 | 186 | 0.994 | 231 | 0.850 | 276 | 0.503 | 321 | 0.412 |
| 7 | 0.524 | 52 | 0.400 | 97 | 0.647 | 142 | 0.931 | 187 | 0.993 | 232 | 0.844 | 277 | 0.496 | 322 | 0.416 |
| 8 | 0.523 | 53 | 0.399 | 98 | 0.655 | 143 | 0.934 | 188 | 0.992 | 233 | 0.837 | 278 | 0.489 | 323 | 0.420 |
| 9 | 0.522 | 54 | 0.399 | 99 | 0.663 | 144 | 0.938 | 189 | 0.991 | 234 | 0.831 | 279 | 0.481 | 324 | 0.424 |
| 10 | 0.522 | 55 | 0.399 | 100 | 0.671 | 145 | 0.941 | 190 | 0.990 | 235 | 0.825 | 280 | 0.474 | 325 | 0.428 |
| 11 | 0.520 | 56 | 0.399 | 101 | 0.679 | 146 | 0.944 | 191 | 0.988 | 236 | 0.818 | 281 | 0.468 | 326 | 0.433 |
| 12 | 0.518 | 57 | 0.399 | 102 | 0.686 | 147 | 0.948 | 192 | 0.987 | 237 | 0.812 | 282 | 0.462 | 327 | 0.437 |
| 13 | 0.515 | 58 | 0.398 | 103 | 0.694 | 148 | 0.951 | 193 | 0.985 | 238 | 0.805 | 283 | 0.456 | 328 | 0.441 |
| 14 | 0.513 | 59 | 0.398 | 104 | 0.702 | 149 | 0.955 | 194 | 0.983 | 239 | 0.799 | 284 | 0.450 | 329 | 0.445 |
| 15 | 0.511 | 60 | 0.398 | 105 | 0.710 | 150 | 0.958 | 195 | 0.982 | 240 | 0.792 | 285 | 0.444 | 330 | 0.449 |
| 16 | 0.509 | 61 | 0.402 | 106 | 0.717 | 151 | 0.960 | 196 | 0.980 | 241 | 0.784 | 286 | 0.438 | 331 | 0.453 |
| 17 | 0.507 | 62 | 0.406 | 107 | 0.725 | 152 | 0.962 | 197 | 0.978 | 242 | 0.776 | 287 | 0.432 | 332 | 0.457 |
| 18 | 0.504 | 63 | 0.411 | 108 | 0.733 | 153 | 0.965 | 198 | 0.976 | 243 | 0.768 | 288 | 0.426 | 333 | 0.460 |
| 19 | 0.502 | 64 | 0.415 | 109 | 0.740 | 154 | 0.967 | 199 | 0.975 | 244 | 0.760 | 289 | 0.420 | 334 | 0.464 |
| 20 | 0.500 | 65 | 0.419 | 110 | 0.748 | 155 | 0.969 | 200 | 0.973 | 245 | 0.752 | 290 | 0.414 | 335 | 0.468 |
| 21 | 0.497 | 66 | 0.423 | 111 | 0.755 | 156 | 0.971 | 201 | 0.970 | 246 | 0.745 | 291 | 0.410 | 336 | 0.472 |
| 22 | 0.493 | 67 | 0.427 | 112 | 0.762 | 157 | 0.973 | 202 | 0.968 | 247 | 0.737 | 292 | 0.407 | 337 | 0.476 |
| 23 | 0.490 | 68 | 0.432 | 113 | 0.769 | 158 | 0.976 | 203 | 0.965 | 248 | 0.729 | 293 | 0.403 | 338 | 0.479 |
| 24 | 0.487 | 69 | 0.436 | 114 | 0.776 | 159 | 0.978 | 204 | 0.962 | 249 | 0.721 | 294 | 0.400 | 339 | 0.483 |
| 25 | 0.484 | 70 | 0.440 | 115 | 0.783 | 160 | 0.980 | 205 | 0.960 | 250 | 0.713 | 295 | 0.396 | 340 | 0.487 |
| 26 | 0.480 | 71 | 0.447 | 116 | 0.790 | 161 | 0.981 | 206 | 0.957 | 251 | 0.705 | 296 | 0.392 | 341 | 0.490 |
| 27 | 0.477 | 72 | 0.454 | 117 | 0.797 | 162 | 0.983 | 207 | 0.954 | 252 | 0.696 | 297 | 0.389 | 342 | 0.493 |
| 28 | 0.474 | 73 | 0.461 | 118 | 0.804 | 163 | 0.984 | 208 | 0.951 | 253 | 0.688 | 298 | 0.385 | 343 | 0.495 |
| 29 | 0.470 | 74 | 0.468 | 119 | 0.811 | 164 | 0.986 | 209 | 0.949 | 254 | 0.679 | 299 | 0.382 | 344 | 0.498 |
| 30 | 0.467 | 75 | 0.475 | 120 | 0.818 | 165 | 0.987 | 210 | 0.946 | 255 | 0.670 | 300 | 0.378 | 345 | 0.501 |
| 31 | 0.463 | 76 | 0.482 | 121 | 0.824 | 166 | 0.988 | 211 | 0.942 | 256 | 0.662 | 301 | 0.378 | 346 | 0.504 |
| 32 | 0.460 | 77 | 0.489 | 122 | 0.830 | 167 | 0.990 | 212 | 0.938 | 257 | 0.654 | 302 | 0.378 | 347 | 0.507 |
| 33 | 0.456 | 78 | 0.496 | 123 | 0.836 | 168 | 0.991 | 213 | 0.934 | 258 | 0.645 | 303 | 0.378 | 348 | 0.509 |
| 34 | 0.452 | 79 | 0.503 | 124 | 0.842 | 169 | 0.993 | 214 | 0.930 | 259 | 0.637 | 304 | 0.378 | 349 | 0.512 |
| 35 | 0.449 | 80 | 0.510 | 125 | 0.848 | 170 | 0.994 | 215 | 0.927 | 260 | 0.628 | 305 | 0.378 | 350 | 0.515 |
| 36 | 0.445 | 81 | 0.518 | 126 | 0.853 | 171 | 0.995 | 216 | 0.923 | 261 | 0.620 | 306 | 0.378 | 351 | 0.516 |
| 37 | 0.441 | 82 | 0.526 | 127 | 0.859 | 172 | 0.995 | 217 | 0.919 | 262 | 0.612 | 307 | 0.378 | 352 | 0.517 |
| 38 | 0.437 | 83 | 0.534 | 128 | 0.865 | 173 | 0.996 | 218 | 0.915 | 263 | 0.604 | 308 | 0.378 | 353 | 0.519 |
| 39 | 0.434 | 84 | 0.542 | 129 | 0.871 | 174 | 0.996 | 219 | 0.911 | 264 | 0.596 | 309 | 0.378 | 354 | 0.520 |
| 40 | 0.430 | 85 | 0.550 | 130 | 0.877 | 175 | 0.997 | 220 | 0.907 | 265 | 0.587 | 310 | 0.378 | 355 | 0.521 |
| 41 | 0.427 | 86 | 0.558 | 131 | 0.882 | 176 | 0.998 | 221 | 0.902 | 266 | 0.579 | 311 | 0.381 | 356 | 0.522 |
| 42 | 0.424 | 87 | 0.566 | 132 | 0.886 | 177 | 0.998 | 222 | 0.897 | 267 | 0.571 | 312 | 0.384 | 357 | 0.523 |
| 43 | 0.421 | 88 | 0.574 | 133 | 0.891 | 178 | 0.999 | 223 | 0.892 | 268 | 0.563 | 313 | 0.387 | 358 | 0.525 |
| 44 | 0.418 | 89 | 0.582 | 134 | 0.896 | 179 | 0.999 | 224 | 0.887 | 269 | 0.555 | 314 | 0.390 | 359 | 0.526 |

This document contains proprietary and confidential information of Dielectric Communications and SPX Corporation. It is to be used solely for the purpose for which it is provided. No disclosure, reproduction, or use of this document or any part of it may be made without the written permission of Dielectric Communications or SPX Corporation.




| | | |
|-----------------|------------------------|-------------------|
| Proposal Number | C-06035 | Exhibit 3 |
| Date | 9-Sep-13 | |
| Call Letters | KAME | Channel 20 |
| Location | Reno, NV | |
| Customer | Sinclair | |
| Antenna Type | TFU-8DSB-C-VP-R | |

AZIMUTH PATTERN/VERTICAL POLARIZATION

Gain **2.50** **(3.98 dB)**
Calculated / Measured **Calculated**

Frequency **509.00 MHz**
Drawing # **DSB-C-VPOL**



This document contains proprietary and confidential information of Dielectric Communications and SPX Corporation. It is to be used solely for the purpose for which it is provided. No disclosure, reproduction, or use of this document or any part of it may be made without the written permission of Dielectric Communications or SPX Corporation.



Proposal Number

C-06035**Exhibit 4**

Date

9-Sep-13

Call Letters

KAME

Channel

20

Location

Reno, NV

Customer

Sinclair

Antenna Type

TFU-8DSB-C-VP-R**TABULATION OF AZIMUTH PATTERN/VERTICAL POLARIZATION**Azimuth Pattern Drawing #: **DSB-C-VPOL**

| Angle | Field | Angle | Field | Angle | Field | Angle | Field | Angle | Field | Angle | Field | Angle | Field | Angle | Field |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 0 | 0.187 | 45 | 0.228 | 90 | 0.526 | 135 | 0.850 | 180 | 0.992 | 225 | 0.850 | 270 | 0.526 | 315 | 0.228 |
| 1 | 0.187 | 46 | 0.232 | 91 | 0.534 | 136 | 0.856 | 181 | 0.991 | 226 | 0.844 | 271 | 0.518 | 316 | 0.224 |
| 2 | 0.187 | 47 | 0.236 | 92 | 0.542 | 137 | 0.862 | 182 | 0.991 | 227 | 0.838 | 272 | 0.510 | 317 | 0.220 |
| 3 | 0.187 | 48 | 0.241 | 93 | 0.550 | 138 | 0.867 | 183 | 0.991 | 228 | 0.832 | 273 | 0.503 | 318 | 0.216 |
| 4 | 0.187 | 49 | 0.245 | 94 | 0.557 | 139 | 0.873 | 184 | 0.990 | 229 | 0.826 | 274 | 0.495 | 319 | 0.213 |
| 5 | 0.186 | 50 | 0.250 | 95 | 0.565 | 140 | 0.878 | 185 | 0.990 | 230 | 0.820 | 275 | 0.487 | 320 | 0.210 |
| 6 | 0.186 | 51 | 0.255 | 96 | 0.573 | 141 | 0.883 | 186 | 0.989 | 231 | 0.813 | 276 | 0.479 | 321 | 0.207 |
| 7 | 0.186 | 52 | 0.260 | 97 | 0.581 | 142 | 0.889 | 187 | 0.988 | 232 | 0.807 | 277 | 0.472 | 322 | 0.204 |
| 8 | 0.186 | 53 | 0.266 | 98 | 0.589 | 143 | 0.894 | 188 | 0.987 | 233 | 0.800 | 278 | 0.464 | 323 | 0.201 |
| 9 | 0.186 | 54 | 0.271 | 99 | 0.596 | 144 | 0.899 | 189 | 0.985 | 234 | 0.794 | 279 | 0.456 | 324 | 0.199 |
| 10 | 0.185 | 55 | 0.277 | 100 | 0.604 | 145 | 0.904 | 190 | 0.984 | 235 | 0.787 | 280 | 0.449 | 325 | 0.197 |
| 11 | 0.185 | 56 | 0.282 | 101 | 0.612 | 146 | 0.908 | 191 | 0.983 | 236 | 0.781 | 281 | 0.441 | 326 | 0.195 |
| 12 | 0.185 | 57 | 0.288 | 102 | 0.620 | 147 | 0.913 | 192 | 0.981 | 237 | 0.774 | 282 | 0.433 | 327 | 0.193 |
| 13 | 0.184 | 58 | 0.294 | 103 | 0.627 | 148 | 0.918 | 193 | 0.979 | 238 | 0.767 | 283 | 0.426 | 328 | 0.191 |
| 14 | 0.184 | 59 | 0.300 | 104 | 0.635 | 149 | 0.922 | 194 | 0.977 | 239 | 0.760 | 284 | 0.418 | 329 | 0.190 |
| 15 | 0.184 | 60 | 0.307 | 105 | 0.643 | 150 | 0.926 | 195 | 0.975 | 240 | 0.753 | 285 | 0.411 | 330 | 0.189 |
| 16 | 0.184 | 61 | 0.313 | 106 | 0.650 | 151 | 0.930 | 196 | 0.973 | 241 | 0.746 | 286 | 0.404 | 331 | 0.188 |
| 17 | 0.184 | 62 | 0.320 | 107 | 0.658 | 152 | 0.934 | 197 | 0.970 | 242 | 0.739 | 287 | 0.396 | 332 | 0.187 |
| 18 | 0.183 | 63 | 0.326 | 108 | 0.665 | 153 | 0.938 | 198 | 0.968 | 243 | 0.732 | 288 | 0.389 | 333 | 0.186 |
| 19 | 0.183 | 64 | 0.333 | 109 | 0.673 | 154 | 0.942 | 199 | 0.965 | 244 | 0.725 | 289 | 0.382 | 334 | 0.185 |
| 20 | 0.183 | 65 | 0.339 | 110 | 0.680 | 155 | 0.946 | 200 | 0.962 | 245 | 0.717 | 290 | 0.374 | 335 | 0.185 |
| 21 | 0.183 | 66 | 0.346 | 111 | 0.688 | 156 | 0.949 | 201 | 0.959 | 246 | 0.710 | 291 | 0.367 | 336 | 0.184 |
| 22 | 0.184 | 67 | 0.353 | 112 | 0.695 | 157 | 0.953 | 202 | 0.956 | 247 | 0.703 | 292 | 0.360 | 337 | 0.184 |
| 23 | 0.184 | 68 | 0.360 | 113 | 0.703 | 158 | 0.956 | 203 | 0.953 | 248 | 0.695 | 293 | 0.353 | 338 | 0.184 |
| 24 | 0.184 | 69 | 0.367 | 114 | 0.710 | 159 | 0.959 | 204 | 0.949 | 249 | 0.688 | 294 | 0.346 | 339 | 0.183 |
| 25 | 0.185 | 70 | 0.374 | 115 | 0.717 | 160 | 0.962 | 205 | 0.946 | 250 | 0.680 | 295 | 0.339 | 340 | 0.183 |
| 26 | 0.185 | 71 | 0.382 | 116 | 0.725 | 161 | 0.965 | 206 | 0.942 | 251 | 0.673 | 296 | 0.333 | 341 | 0.183 |
| 27 | 0.186 | 72 | 0.389 | 117 | 0.732 | 162 | 0.968 | 207 | 0.938 | 252 | 0.665 | 297 | 0.326 | 342 | 0.183 |
| 28 | 0.187 | 73 | 0.396 | 118 | 0.739 | 163 | 0.970 | 208 | 0.934 | 253 | 0.658 | 298 | 0.320 | 343 | 0.184 |
| 29 | 0.188 | 74 | 0.404 | 119 | 0.746 | 164 | 0.973 | 209 | 0.930 | 254 | 0.650 | 299 | 0.313 | 344 | 0.184 |
| 30 | 0.189 | 75 | 0.411 | 120 | 0.753 | 165 | 0.975 | 210 | 0.926 | 255 | 0.643 | 300 | 0.307 | 345 | 0.184 |
| 31 | 0.190 | 76 | 0.418 | 121 | 0.760 | 166 | 0.977 | 211 | 0.922 | 256 | 0.635 | 301 | 0.300 | 346 | 0.184 |
| 32 | 0.191 | 77 | 0.426 | 122 | 0.767 | 167 | 0.979 | 212 | 0.918 | 257 | 0.627 | 302 | 0.294 | 347 | 0.184 |
| 33 | 0.193 | 78 | 0.433 | 123 | 0.774 | 168 | 0.981 | 213 | 0.913 | 258 | 0.620 | 303 | 0.288 | 348 | 0.185 |
| 34 | 0.195 | 79 | 0.441 | 124 | 0.781 | 169 | 0.983 | 214 | 0.908 | 259 | 0.612 | 304 | 0.282 | 349 | 0.185 |
| 35 | 0.197 | 80 | 0.449 | 125 | 0.787 | 170 | 0.984 | 215 | 0.904 | 260 | 0.604 | 305 | 0.277 | 350 | 0.185 |
| 36 | 0.199 | 81 | 0.456 | 126 | 0.794 | 171 | 0.985 | 216 | 0.899 | 261 | 0.596 | 306 | 0.271 | 351 | 0.186 |
| 37 | 0.201 | 82 | 0.464 | 127 | 0.800 | 172 | 0.987 | 217 | 0.894 | 262 | 0.589 | 307 | 0.266 | 352 | 0.186 |
| 38 | 0.204 | 83 | 0.472 | 128 | 0.807 | 173 | 0.988 | 218 | 0.889 | 263 | 0.581 | 308 | 0.260 | 353 | 0.186 |
| 39 | 0.207 | 84 | 0.479 | 129 | 0.813 | 174 | 0.989 | 219 | 0.883 | 264 | 0.573 | 309 | 0.255 | 354 | 0.186 |
| 40 | 0.210 | 85 | 0.487 | 130 | 0.820 | 175 | 0.990 | 220 | 0.878 | 265 | 0.565 | 310 | 0.250 | 355 | 0.186 |
| 41 | 0.213 | 86 | 0.495 | 131 | 0.826 | 176 | 0.990 | 221 | 0.873 | 266 | 0.557 | 311 | 0.245 | 356 | 0.187 |
| 42 | 0.216 | 87 | 0.503 | 132 | 0.832 | 177 | 0.991 | 222 | 0.867 | 267 | 0.550 | 312 | 0.241 | 357 | 0.187 |
| 43 | 0.220 | 88 | 0.510 | 133 | 0.838 | 178 | 0.991 | 223 | 0.862 | 268 | 0.542 | 313 | 0.236 | 358 | 0.187 |
| 44 | 0.224 | 89 | 0.518 | 134 | 0.844 | 179 | 0.991 | 224 | 0.856 | 269 | 0.534 | 314 | 0.232 | 359 | 0.187 |


This document contains proprietary and confidential information of Dielectric Communications and SPX Corporation. It is to be used solely for the purpose for which it is provided. No disclosure, reproduction, or use of this document or any part of it may be made without the written permission of Dielectric Communications or SPX Corporation.



| | | |
|-----------------|------------------------|-------------------|
| Proposal Number | C-06035 | Exhibit 5 |
| Date | 9-Sep-13 | |
| Call Letters | KAME | Channel 20 |
| Location | Reno, NV | |
| Customer | Sinclair | |
| Antenna Type | TFU-8DSB-C-VP-R | |

ELEVATION PATTERN

| | | | |
|------------------------|-------------------------|-----------|-------------------|
| RMS Gain at Main Lobe | 8.00 (9.03 dB) | Beam Tilt | 1.00 deg |
| RMS Gain at Horizontal | 7.50 (8.75 dB) | Frequency | 509.00 MHz |
| Calculated / Measured | Calculated | Drawing # | 08L080100 |






| | | |
|-----------------|------------------------|-------------------|
| Proposal Number | C-06035 | Exhibit 6 |
| Date | 9-Sep-13 | |
| Call Letters | KAME | Channel 20 |
| Location | Reno, NV | |
| Customer | Sinclair | |
| Antenna Type | TFU-8DSB-C-VP-R | |

ELEVATION PATTERN

| | | | |
|------------------------|-------------------------|-----------|---------------------|
| RMS Gain at Main Lobe | 8.00 (9.03 dB) | Beam Tilt | 1.00 deg |
| RMS Gain at Horizontal | 7.50 (8.75 dB) | Frequency | 509.00 MHz |
| Calculated / Measured | Calculated | Drawing # | 08L080100-90 |



This document contains proprietary and confidential information of Dielectric Communications and SPX Corporation. It is to be used solely for the purpose for which it is provided. No disclosure, reproduction, or use of this document or any part of it may be made without the written permission of Dielectric Communications or SPX Corporation.



Proposal Number C-06035 Exhibit 7
 Date **9-Sep-13**
 Call Letters **KAME** Channel **20**
 Location **Reno, NV**
 Customer **Sinclair**
 Antenna Type **TFU-8DSB-C-VP-R**

TABULATION OF ELEVATION PATTERN

Elevation Pattern Drawing #: **08L080100-90**

| Angle | Field | Angle | Field | Angle | Field | Angle | Field | Angle | Field | Angle | Field |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| -10.0 | 0.374 | 2.4 | 0.931 | 10.6 | 0.189 | 30.5 | 0.053 | 51.0 | 0.034 | 71.5 | 0.143 |
| -9.5 | 0.384 | 2.6 | 0.911 | 10.8 | 0.191 | 31.0 | 0.060 | 51.5 | 0.038 | 72.0 | 0.135 |
| -9.0 | 0.383 | 2.8 | 0.889 | 11.0 | 0.191 | 31.5 | 0.067 | 52.0 | 0.043 | 72.5 | 0.127 |
| -8.5 | 0.371 | 3.0 | 0.865 | 11.5 | 0.187 | 32.0 | 0.073 | 52.5 | 0.048 | 73.0 | 0.119 |
| -8.0 | 0.346 | 3.2 | 0.839 | 12.0 | 0.176 | 32.5 | 0.076 | 53.0 | 0.054 | 73.5 | 0.111 |
| -7.5 | 0.308 | 3.4 | 0.811 | 12.5 | 0.160 | 33.0 | 0.077 | 53.5 | 0.061 | 74.0 | 0.104 |
| -7.0 | 0.258 | 3.6 | 0.781 | 13.0 | 0.141 | 33.5 | 0.077 | 54.0 | 0.070 | 74.5 | 0.096 |
| -6.5 | 0.197 | 3.8 | 0.750 | 13.5 | 0.122 | 34.0 | 0.075 | 54.5 | 0.079 | 75.0 | 0.089 |
| -6.0 | 0.130 | 4.0 | 0.717 | 14.0 | 0.105 | 34.5 | 0.073 | 55.0 | 0.090 | 75.5 | 0.082 |
| -5.5 | 0.081 | 4.2 | 0.683 | 14.5 | 0.094 | 35.0 | 0.072 | 55.5 | 0.101 | 76.0 | 0.076 |
| -5.0 | 0.114 | 4.4 | 0.648 | 15.0 | 0.089 | 35.5 | 0.072 | 56.0 | 0.112 | 76.5 | 0.070 |
| -4.5 | 0.201 | 4.6 | 0.613 | 15.5 | 0.091 | 36.0 | 0.075 | 56.5 | 0.124 | 77.0 | 0.064 |
| -4.0 | 0.303 | 4.8 | 0.576 | 16.0 | 0.095 | 36.5 | 0.080 | 57.0 | 0.136 | 77.5 | 0.058 |
| -3.5 | 0.408 | 5.0 | 0.539 | 16.5 | 0.100 | 37.0 | 0.087 | 57.5 | 0.148 | 78.0 | 0.053 |
| -3.0 | 0.513 | 5.2 | 0.502 | 17.0 | 0.102 | 37.5 | 0.096 | 58.0 | 0.160 | 78.5 | 0.048 |
| -2.8 | 0.555 | 5.4 | 0.465 | 17.5 | 0.100 | 38.0 | 0.105 | 58.5 | 0.171 | 79.0 | 0.043 |
| -2.6 | 0.595 | 5.6 | 0.428 | 18.0 | 0.094 | 38.5 | 0.114 | 59.0 | 0.181 | 79.5 | 0.039 |
| -2.4 | 0.634 | 5.8 | 0.392 | 18.5 | 0.084 | 39.0 | 0.122 | 59.5 | 0.191 | 80.0 | 0.035 |
| -2.2 | 0.672 | 6.0 | 0.355 | 19.0 | 0.070 | 39.5 | 0.129 | 60.0 | 0.199 | 80.5 | 0.031 |
| -2.0 | 0.709 | 6.2 | 0.320 | 19.5 | 0.054 | 40.0 | 0.134 | 60.5 | 0.207 | 81.0 | 0.028 |
| -1.8 | 0.744 | 6.4 | 0.286 | 20.0 | 0.036 | 40.5 | 0.137 | 61.0 | 0.214 | 81.5 | 0.025 |
| -1.6 | 0.778 | 6.6 | 0.253 | 20.5 | 0.022 | 41.0 | 0.138 | 61.5 | 0.219 | 82.0 | 0.022 |
| -1.4 | 0.809 | 6.8 | 0.221 | 21.0 | 0.026 | 41.5 | 0.137 | 62.0 | 0.224 | 82.5 | 0.019 |
| -1.2 | 0.839 | 7.0 | 0.192 | 21.5 | 0.044 | 42.0 | 0.133 | 62.5 | 0.227 | 83.0 | 0.017 |
| -1.0 | 0.866 | 7.2 | 0.165 | 22.0 | 0.063 | 42.5 | 0.128 | 63.0 | 0.229 | 83.5 | 0.014 |
| -0.8 | 0.891 | 7.4 | 0.141 | 22.5 | 0.082 | 43.0 | 0.120 | 63.5 | 0.230 | 84.0 | 0.012 |
| -0.6 | 0.914 | 7.6 | 0.122 | 23.0 | 0.098 | 43.5 | 0.111 | 64.0 | 0.230 | 84.5 | 0.011 |
| -0.4 | 0.934 | 7.8 | 0.107 | 23.5 | 0.110 | 44.0 | 0.101 | 64.5 | 0.229 | 85.0 | 0.009 |
| -0.2 | 0.952 | 8.0 | 0.099 | 24.0 | 0.119 | 44.5 | 0.090 | 65.0 | 0.227 | 85.5 | 0.007 |
| 0.0 | 0.967 | 8.2 | 0.098 | 24.5 | 0.124 | 45.0 | 0.077 | 65.5 | 0.223 | 86.0 | 0.006 |
| 0.2 | 0.979 | 8.4 | 0.103 | 25.0 | 0.125 | 45.5 | 0.065 | 66.0 | 0.220 | 86.5 | 0.005 |
| 0.4 | 0.988 | 8.6 | 0.111 | 25.5 | 0.122 | 46.0 | 0.052 | 66.5 | 0.215 | 87.0 | 0.004 |
| 0.6 | 0.995 | 8.8 | 0.121 | 26.0 | 0.116 | 46.5 | 0.040 | 67.0 | 0.209 | 87.5 | 0.003 |
| 0.8 | 0.999 | 9.0 | 0.132 | 26.5 | 0.106 | 47.0 | 0.028 | 67.5 | 0.203 | 88.0 | 0.002 |
| 1.0 | 1.000 | 9.2 | 0.143 | 27.0 | 0.094 | 47.5 | 0.017 | 68.0 | 0.197 | 88.5 | 0.001 |
| 1.2 | 0.998 | 9.4 | 0.154 | 27.5 | 0.081 | 48.0 | 0.007 | 68.5 | 0.190 | 89.0 | 0.001 |
| 1.4 | 0.994 | 9.6 | 0.163 | 28.0 | 0.067 | 48.5 | 0.004 | 69.0 | 0.183 | 89.5 | 0.000 |
| 1.6 | 0.987 | 9.8 | 0.167 | 28.5 | 0.054 | 49.0 | 0.012 | 69.5 | 0.175 | 90.0 | 0.000 |
| 1.8 | 0.977 | 10.0 | 0.175 | 29.0 | 0.045 | 49.5 | 0.018 | 70.0 | 0.167 | | |
| 2.0 | 0.964 | 10.2 | 0.181 | 29.5 | 0.042 | 50.0 | 0.024 | 70.5 | 0.159 | | |
| 2.2 | 0.949 | 10.4 | 0.186 | 30.0 | 0.046 | 50.5 | 0.029 | 71.0 | 0.151 | | |

This document contains proprietary and confidential information of Dielectric Communications and SPX Corporation. It is to be used solely for the purpose for which it is provided. No disclosure, reproduction, or use of this document or any part of it may be made without the written permission of Dielectric Communications or SPX Corporation.