

FMOver Analysis
WYOO - WJAQ License

Terrain Data: USGS 03 SEC

WYOO

Channel = 266C3
Max ERP = 4.5 kW
RCAMSL = 125.6 m
N. Lat. 30 12 13.15
W. Lng. 85 36 57.54
Protected
60 dBu

WJAQ BMLH19941123KG

(^ Max Class Parameters)

Channel = 265A
Max ERP = 6 kW
RCAMSL = 133 m
N. Lat. 30 47 01.60
W. Lng. 85 15 17.70
Interfering
54 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)	IX (km)
328.0	004.5000	0120.5	028.8	231.3	006.0000	0090.4	063.9	45.94	
329.0	004.5000	0120.3	028.8	231.2	006.0000	0090.5	063.4	46.10	
330.0	004.5000	0120.2	028.8	231.2	006.0000	0090.6	062.9	46.26	
331.0	004.5000	0120.1	028.8	231.1	006.0000	0090.7	062.4	46.43	
332.0	004.5000	0120.0	028.8	231.0	006.0000	0090.8	061.9	46.59	
333.0	004.5000	0120.0	028.8	230.9	006.0000	0090.9	061.5	46.76	
334.0	004.5000	0119.9	028.8	230.8	006.0000	0091.0	061.0	46.93	
335.0	004.5000	0119.8	028.7	230.6	006.0000	0091.1	060.5	47.10	
336.0	004.5000	0119.7	028.7	230.5	006.0000	0091.3	060.0	47.28	
337.0	004.5000	0119.6	028.7	230.4	006.0000	0091.4	059.5	47.45	
338.0	004.5000	0119.5	028.7	230.2	006.0000	0091.6	059.0	47.63	
339.0	004.5000	0119.5	028.7	230.1	006.0000	0091.8	058.6	47.81	
340.0	004.5000	0119.4	028.7	229.9	006.0000	0092.0	058.1	47.99	
341.0	004.5000	0119.3	028.7	229.7	006.0000	0092.2	057.6	48.17	
342.0	004.5000	0119.2	028.7	229.5	006.0000	0092.4	057.2	48.36	
343.0	004.5000	0119.1	028.7	229.3	006.0000	0092.7	056.7	48.54	
344.0	004.5000	0119.1	028.7	229.1	006.0000	0092.9	056.3	48.73	
345.0	004.5000	0119.1	028.7	228.9	006.0000	0093.1	055.8	48.91	
346.0	004.5000	0119.0	028.7	228.6	006.0000	0093.3	055.4	49.08	
347.0	004.5000	0118.9	028.7	228.4	006.0000	0093.5	054.9	49.26	
348.0	004.5000	0118.9	028.7	228.1	006.0000	0093.8	054.5	49.44	
349.0	004.5000	0118.9	028.7	227.8	006.0000	0094.0	054.1	49.62	
350.0	004.5000	0118.9	028.7	227.6	006.0000	0094.2	053.6	49.79	
351.0	004.5000	0119.0	028.7	227.3	006.0000	0094.3	053.2	49.96	
352.0	004.5000	0119.0	028.7	227.0	006.0000	0094.4	052.8	50.12	
353.0	004.5000	0119.1	028.7	226.6	006.0000	0094.5	052.4	50.28	
354.0	004.5000	0119.1	028.7	226.3	006.0000	0094.5	052.0	50.44	
355.0	004.5000	0119.2	028.7	226.0	006.0000	0094.6	051.6	50.59	
356.0	004.5000	0119.3	028.7	225.6	006.0000	0094.6	051.2	50.74	
357.0	004.5000	0119.4	028.7	225.3	006.0000	0094.7	050.8	50.89	
358.0	004.5000	0119.4	028.7	224.9	006.0000	0094.8	050.4	51.04	
359.0	004.5000	0119.5	028.7	224.5	006.0000	0094.9	050.1	51.18	
000.0	004.5000	0119.7	028.7	224.1	006.0000	0095.0	049.7	51.33	
001.0	004.5000	0120.0	028.8	223.7	006.0000	0095.1	049.3	51.47	
002.0	004.5000	0120.3	028.8	223.3	006.0000	0095.0	049.0	51.60	
003.0	004.5000	0120.6	028.8	222.9	006.0000	0095.0	048.6	51.72	
004.0	004.5000	0121.1	028.9	222.4	006.0000	0095.0	048.3	51.86	
005.0	004.5000	0121.5	028.9	222.0	006.0000	0094.9	047.9	51.98	
006.0	004.5000	0122.0	029.0	221.5	006.0000	0094.9	047.6	52.10	
007.0	004.5000	0122.5	029.0	221.1	006.0000	0094.9	047.3	52.22	

008.0	004.5000	0122.9	029.0	220.6	006.0000	0094.7	047.0	52.32
009.0	004.5000	0123.3	029.1	220.1	006.0000	0094.5	046.7	52.41
010.0	004.5000	0123.6	029.1	219.5	006.0000	0094.3	046.4	52.50
011.0	004.5000	0123.8	029.1	219.0	006.0000	0094.2	046.1	52.59
012.0	004.5000	0123.9	029.1	218.4	006.0000	0094.1	045.9	52.68
013.0	004.5000	0123.8	029.1	217.9	006.0000	0094.0	045.7	52.75
014.0	004.5000	0123.8	029.1	217.3	006.0000	0094.1	045.4	52.84
015.0	004.5000	0123.7	029.1	216.7	006.0000	0094.0	045.3	52.90
016.0	004.5000	0123.6	029.1	216.1	006.0000	0093.8	045.1	52.95
017.0	004.5000	0123.6	029.1	215.5	006.0000	0093.6	044.9	53.00
018.0	004.5000	0123.4	029.1	214.8	006.0000	0093.5	044.8	53.05
019.0	004.5000	0123.0	029.1	214.2	006.0000	0093.7	044.7	53.10
020.0	004.5000	0122.6	029.0	213.6	006.0000	0093.9	044.6	53.15
021.0	004.5000	0122.0	029.0	212.9	006.0000	0094.1	044.5	53.19
022.0	004.5000	0121.5	028.9	212.3	006.0000	0094.4	044.5	53.23
023.0	004.5000	0121.0	028.9	211.6	006.0000	0094.6	044.4	53.27
024.0	004.5000	0120.6	028.8	211.0	006.0000	0094.8	044.4	53.30
025.0	004.5000	0120.2	028.8	210.3	006.0000	0094.8	044.4	53.30
026.0	004.5000	0119.9	028.8	209.7	006.0000	0094.6	044.4	53.30
027.0	004.5000	0119.5	028.7	209.0	006.0000	0094.5	044.4	53.28
028.0	004.5000	0119.1	028.7	208.4	006.0000	0094.7	044.4	53.28
029.0	004.5000	0118.6	028.6	207.7	006.0000	0095.0	044.5	53.29
030.0	004.5000	0118.2	028.6	207.1	006.0000	0095.6	044.5	53.31
031.0	004.5000	0118.1	028.6	206.5	006.0000	0096.3	044.6	53.35
032.0	004.5000	0117.7	028.5	205.8	006.0000	0097.0	044.7	53.38
033.0	004.5000	0117.4	028.5	205.2	006.0000	0097.3	044.8	53.37
034.0	004.5000	0117.1	028.5	204.6	006.0000	0097.5	044.9	53.35
035.0	004.5000	0116.9	028.5	204.0	006.0000	0097.6	045.0	53.32
036.0	004.5000	0117.0	028.5	203.3	006.0000	0098.1	045.1	53.32
037.0	004.5000	0116.9	028.5	202.7	006.0000	0098.6	045.2	53.31
038.0	004.5000	0116.5	028.4	202.1	006.0000	0098.8	045.4	53.27
039.0	004.5000	0116.2	028.4	201.6	006.0000	0099.0	045.5	53.21
040.0	004.5000	0115.7	028.3	201.0	006.0000	0099.2	045.7	53.14
041.0	004.5000	0115.1	028.3	200.4	006.0000	0099.3	046.0	53.07
042.0	004.5000	0114.3	028.2	199.9	006.0000	0099.1	046.2	52.95
043.0	004.5000	0113.6	028.1	199.4	006.0000	0098.7	046.5	52.83
044.0	004.5000	0113.2	028.1	198.9	006.0000	0098.5	046.7	52.71
045.0	004.5000	0112.9	028.0	198.3	006.0000	0098.2	047.0	52.60
046.0	004.5000	0112.6	028.0	197.8	006.0000	0097.9	047.2	52.48
047.0	004.5000	0112.4	028.0	197.3	006.0000	0097.9	047.5	52.38
048.0	004.5000	0112.1	028.0	196.8	006.0000	0098.0	047.7	52.29
049.0	004.5000	0112.0	027.9	196.4	006.0000	0098.1	048.0	52.20
050.0	004.5000	0112.0	027.9	195.9	006.0000	0098.3	048.3	52.12
051.0	004.5000	0112.0	027.9	195.4	006.0000	0098.2	048.6	52.00
052.0	004.5000	0111.7	027.9	195.0	006.0000	0098.0	048.9	51.87
053.0	004.5000	0111.4	027.9	194.5	006.0000	0097.8	049.2	51.74
054.0	004.5000	0111.1	027.8	194.1	006.0000	0097.6	049.5	51.60
055.0	004.5000	0111.0	027.8	193.7	006.0000	0097.3	049.9	51.45
056.0	004.5000	0110.9	027.8	193.3	006.0000	0097.1	050.2	51.31
057.0	004.5000	0111.0	027.8	192.9	006.0000	0097.0	050.5	51.18
058.0	004.5000	0111.2	027.9	192.5	006.0000	0097.0	050.8	51.06
059.0	004.5000	0111.3	027.9	192.1	006.0000	0096.7	051.2	50.91
060.0	004.5000	0111.3	027.9	191.7	006.0000	0096.4	051.5	50.75
061.0	004.5000	0111.2	027.9	191.4	006.0000	0096.1	051.9	50.59
062.0	004.5000	0111.2	027.8	191.1	006.0000	0095.9	052.3	50.43
063.0	004.5000	0111.0	027.8	190.8	006.0000	0095.6	052.7	50.26
064.0	004.5000	0110.9	027.8	190.5	006.0000	0095.5	053.1	50.10
065.0	004.5000	0111.0	027.8	190.1	006.0000	0095.5	053.5	49.96
066.0	004.5000	0111.0	027.8	189.8	006.0000	0095.8	053.9	49.83
067.0	004.5000	0111.1	027.8	189.6	006.0000	0096.1	054.3	49.70

068.0	004.5000	0111.1	027.8	189.3	006.0000	0096.4	054.7	49.57
069.0	004.5000	0111.4	027.9	189.0	006.0000	0096.6	055.1	49.43
070.0	004.5000	0111.4	027.9	188.8	006.0000	0096.7	055.5	49.28
071.0	004.5000	0111.4	027.9	188.5	006.0000	0096.7	055.9	49.12
072.0	004.5000	0111.5	027.9	188.3	006.0000	0096.9	056.3	48.97
073.0	004.5000	0111.5	027.9	188.1	006.0000	0097.1	056.8	48.83
074.0	004.5000	0111.6	027.9	187.9	006.0000	0097.3	057.2	48.68
075.0	004.5000	0111.5	027.9	187.7	006.0000	0097.5	057.7	48.53
076.0	004.5000	0111.1	027.8	187.6	006.0000	0097.6	058.1	48.37
077.0	004.5000	0111.0	027.8	187.4	006.0000	0097.6	058.6	48.21
078.0	004.5000	0111.3	027.9	187.2	006.0000	0097.6	059.0	48.05
079.0	004.5000	0111.2	027.9	187.1	006.0000	0097.7	059.5	47.89
080.0	004.5000	0111.2	027.8	186.9	006.0000	0097.8	060.0	47.73
081.0	004.5000	0111.2	027.8	186.8	006.0000	0097.8	060.4	47.57
082.0	004.5000	0111.1	027.8	186.7	006.0000	0097.9	060.9	47.41
083.0	004.5000	0111.2	027.8	186.6	006.0000	0098.0	061.4	47.26
084.0	004.5000	0111.1	027.8	186.5	006.0000	0098.1	061.8	47.11
085.0	004.5000	0111.1	027.8	186.4	006.0000	0098.2	062.3	46.96
086.0	004.5000	0111.1	027.8	186.3	006.0000	0098.3	062.8	46.81
087.0	004.5000	0110.9	027.8	186.3	006.0000	0098.4	063.3	46.66

At all locations on the protected WYOO 60 dBu, WJAQ (License) deliver less than 54 dBu interfering.

Bromo Communications, Inc.

FMOver Analysis WJAQ License – WYOO

Terrain Data: USGS 03 SEC

WJAQ BMLH19941123KG
(^ Max Class Parameters)
Channel = 265A
Max ERP = 6 kW
RCAMSL = 133 m
N. Lat. 30 47 01.60
W. Lng. 85 15 17.70
Protected
60 dBu

WYOO
Channel = 266C3
Max ERP = 4.5 kW
RCAMSL = 125.6 m
N. Lat. 30 12 13.15
W. Lng. 85 36 57.54
Interfering
54 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)	IX (km)
148.0	006.0000	0104.7	028.9	051.2	004.5000	0112.0	064.0	45.99	
149.0	006.0000	0104.1	028.8	051.1	004.5000	0112.0	063.5	46.15	
150.0	006.0000	0103.8	028.8	051.0	004.5000	0112.0	063.0	46.32	
151.0	006.0000	0104.0	028.8	050.9	004.5000	0112.0	062.5	46.49	
152.0	006.0000	0104.4	028.9	050.9	004.5000	0112.0	062.0	46.66	
153.0	006.0000	0104.6	028.9	050.8	004.5000	0112.0	061.5	46.83	
154.0	006.0000	0105.2	029.0	050.8	004.5000	0112.0	061.0	47.01	
155.0	006.0000	0106.1	029.1	050.8	004.5000	0112.0	060.5	47.19	
156.0	006.0000	0106.4	029.1	050.7	004.5000	0112.0	060.0	47.37	
157.0	006.0000	0106.2	029.1	050.6	004.5000	0112.0	059.5	47.55	
158.0	006.0000	0105.8	029.1	050.4	004.5000	0112.0	059.0	47.72	
159.0	006.0000	0105.5	029.0	050.2	004.5000	0112.0	058.6	47.89	
160.0	006.0000	0105.0	029.0	050.0	004.5000	0112.1	058.1	48.06	
161.0	006.0000	0104.5	028.9	049.7	004.5000	0112.0	057.7	48.23	
162.0	006.0000	0103.9	028.8	049.5	004.5000	0112.0	057.2	48.39	
163.0	006.0000	0103.5	028.8	049.2	004.5000	0112.0	056.8	48.56	
164.0	006.0000	0102.9	028.7	048.9	004.5000	0112.0	056.3	48.72	
165.0	006.0000	0102.4	028.6	048.7	004.5000	0112.0	055.9	48.88	
166.0	006.0000	0101.8	028.5	048.4	004.5000	0112.0	055.5	49.04	
167.0	006.0000	0101.9	028.5	048.1	004.5000	0112.1	055.1	49.22	
168.0	006.0000	0102.5	028.6	047.9	004.5000	0112.2	054.6	49.41	
169.0	006.0000	0103.2	028.7	047.8	004.5000	0112.2	054.1	49.60	
170.0	006.0000	0102.8	028.7	047.4	004.5000	0112.3	053.7	49.76	
171.0	006.0000	0102.2	028.6	047.1	004.5000	0112.4	053.3	49.91	
172.0	006.0000	0101.2	028.4	046.6	004.5000	0112.5	053.0	50.05	
173.0	006.0000	0100.1	028.3	046.2	004.5000	0112.6	052.7	50.18	
174.0	006.0000	0099.0	028.2	045.8	004.5000	0112.7	052.4	50.30	
175.0	006.0000	0098.1	028.0	045.3	004.5000	0112.8	052.1	50.43	
176.0	006.0000	0096.9	027.9	044.8	004.5000	0113.0	051.8	50.55	
177.0	006.0000	0097.1	027.9	044.5	004.5000	0113.0	051.4	50.70	
178.0	006.0000	0097.5	028.0	044.2	004.5000	0113.1	051.0	50.86	
179.0	006.0000	0097.7	028.0	043.8	004.5000	0113.2	050.6	51.01	
180.0	006.0000	0098.4	028.1	043.5	004.5000	0113.3	050.2	51.17	
181.0	006.0000	0100.1	028.3	043.2	004.5000	0113.4	049.7	51.38	
182.0	006.0000	0099.4	028.2	042.7	004.5000	0113.7	049.5	51.50	
183.0	006.0000	0097.8	028.0	042.1	004.5000	0114.2	049.3	51.58	
184.0	006.0000	0098.3	028.1	041.7	004.5000	0114.6	049.0	51.75	
185.0	006.0000	0099.2	028.2	041.4	004.5000	0114.8	048.6	51.92	

186.0	006.0000	0098.8	028.1	040.9	004.5000	0115.2	048.3	52.03
187.0	006.0000	0097.7	028.0	040.3	004.5000	0115.5	048.2	52.11
188.0	006.0000	0097.2	027.9	039.8	004.5000	0115.8	048.0	52.21
189.0	006.0000	0096.6	027.8	039.2	004.5000	0116.1	047.8	52.30
190.0	006.0000	0095.6	027.7	038.6	004.5000	0116.3	047.6	52.36
191.0	006.0000	0095.8	027.7	038.1	004.5000	0116.5	047.4	52.47
192.0	006.0000	0096.6	027.8	037.7	004.5000	0116.7	047.1	52.60
193.0	006.0000	0097.1	027.9	037.2	004.5000	0116.9	046.8	52.72
194.0	006.0000	0097.5	028.0	036.6	004.5000	0116.9	046.6	52.83
195.0	006.0000	0098.0	028.0	036.1	004.5000	0117.0	046.3	52.93
196.0	006.0000	0098.3	028.1	035.6	004.5000	0116.9	046.1	53.00
197.0	006.0000	0097.9	028.0	035.0	004.5000	0116.9	046.0	53.05
198.0	006.0000	0098.0	028.0	034.4	004.5000	0117.0	045.8	53.12
199.0	006.0000	0098.5	028.1	033.8	004.5000	0117.1	045.6	53.21
200.0	006.0000	0099.1	028.2	033.2	004.5000	0117.3	045.4	53.30
201.0	006.0000	0099.2	028.2	032.6	004.5000	0117.5	045.3	53.36
202.0	006.0000	0098.8	028.1	032.0	004.5000	0117.7	045.3	53.39
203.0	006.0000	0098.4	028.1	031.4	004.5000	0117.9	045.2	53.41
204.0	006.0000	0097.6	028.0	030.8	004.5000	0118.1	045.3	53.41
205.0	006.0000	0097.4	027.9	030.1	004.5000	0118.2	045.2	53.42
206.0	006.0000	0096.9	027.9	029.5	004.5000	0118.4	045.3	53.42
207.0	006.0000	0095.7	027.7	028.9	004.5000	0118.6	045.4	53.38
208.0	006.0000	0094.9	027.6	028.3	004.5000	0118.9	045.5	53.36
209.0	006.0000	0094.5	027.6	027.7	004.5000	0119.2	045.6	53.36
210.0	006.0000	0094.7	027.6	027.1	004.5000	0119.5	045.5	53.38
211.0	006.0000	0094.8	027.6	026.5	004.5000	0119.7	045.6	53.39
212.0	006.0000	0094.5	027.5	025.9	004.5000	0119.9	045.6	53.36
213.0	006.0000	0094.0	027.5	025.3	004.5000	0120.1	045.8	53.33
214.0	006.0000	0093.8	027.4	024.7	004.5000	0120.2	045.9	53.29
215.0	006.0000	0093.5	027.4	024.1	004.5000	0120.5	046.0	53.26
216.0	006.0000	0093.7	027.4	023.5	004.5000	0120.8	046.0	53.25
217.0	006.0000	0094.1	027.5	022.9	004.5000	0121.0	046.1	53.24
218.0	006.0000	0094.0	027.5	022.4	004.5000	0121.3	046.2	53.20
219.0	006.0000	0094.2	027.5	021.8	004.5000	0121.6	046.3	53.18
220.0	006.0000	0094.4	027.5	021.2	004.5000	0121.9	046.5	53.15
221.0	006.0000	0094.9	027.6	020.6	004.5000	0122.2	046.6	53.13
222.0	006.0000	0094.9	027.6	020.1	004.5000	0122.6	046.7	53.08
223.0	006.0000	0095.0	027.6	019.5	004.5000	0122.8	046.9	53.02
224.0	006.0000	0095.0	027.6	019.0	004.5000	0123.0	047.1	52.96
225.0	006.0000	0094.8	027.6	018.5	004.5000	0123.3	047.3	52.88
226.0	006.0000	0094.6	027.6	018.0	004.5000	0123.4	047.6	52.79
227.0	006.0000	0094.4	027.5	017.5	004.5000	0123.5	047.8	52.70
228.0	006.0000	0093.9	027.5	017.0	004.5000	0123.6	048.1	52.59
229.0	006.0000	0093.0	027.3	016.6	004.5000	0123.6	048.5	52.45
230.0	006.0000	0091.9	027.2	016.3	004.5000	0123.6	048.9	52.30
231.0	006.0000	0090.8	027.0	015.9	004.5000	0123.6	049.2	52.15
232.0	006.0000	0089.8	026.9	015.6	004.5000	0123.7	049.6	52.00
233.0	006.0000	0089.5	026.8	015.2	004.5000	0123.7	049.9	51.88
234.0	006.0000	0089.7	026.9	014.7	004.5000	0123.8	050.2	51.78
235.0	006.0000	0090.6	027.0	014.2	004.5000	0123.8	050.4	51.70
236.0	006.0000	0091.2	027.1	013.8	004.5000	0123.8	050.7	51.61
237.0	006.0000	0091.7	027.2	013.3	004.5000	0123.8	050.9	51.50
238.0	006.0000	0092.1	027.2	012.9	004.5000	0123.9	051.2	51.39
239.0	006.0000	0092.6	027.3	012.5	004.5000	0123.9	051.5	51.28
240.0	006.0000	0092.9	027.3	012.1	004.5000	0123.9	051.8	51.16
241.0	006.0000	0092.9	027.3	011.7	004.5000	0123.9	052.2	51.01
242.0	006.0000	0092.1	027.2	011.5	004.5000	0123.8	052.6	50.85
243.0	006.0000	0091.3	027.1	011.3	004.5000	0123.8	053.1	50.67
244.0	006.0000	0090.8	027.0	011.0	004.5000	0123.8	053.5	50.51
245.0	006.0000	0090.8	027.0	010.7	004.5000	0123.7	053.8	50.36

246.0	006.0000	0091.1	027.1	010.4	004.5000	0123.6	054.2	50.21
247.0	006.0000	0091.6	027.1	010.0	004.5000	0123.6	054.6	50.08
248.0	006.0000	0092.3	027.2	009.7	004.5000	0123.5	054.9	49.94
249.0	006.0000	0092.3	027.2	009.4	004.5000	0123.4	055.3	49.78
250.0	006.0000	0091.8	027.2	009.2	004.5000	0123.4	055.7	49.60
251.0	006.0000	0091.4	027.1	009.1	004.5000	0123.3	056.2	49.43
252.0	006.0000	0091.7	027.2	008.8	004.5000	0123.2	056.6	49.27
253.0	006.0000	0092.0	027.2	008.6	004.5000	0123.1	057.0	49.12
254.0	006.0000	0092.4	027.3	008.3	004.5000	0123.0	057.4	48.96
255.0	006.0000	0092.1	027.2	008.1	004.5000	0122.9	057.8	48.78
256.0	006.0000	0091.6	027.1	008.0	004.5000	0122.9	058.3	48.61
257.0	006.0000	0091.2	027.1	007.9	004.5000	0122.8	058.8	48.43
258.0	006.0000	0091.0	027.1	007.8	004.5000	0122.8	059.2	48.27
259.0	006.0000	0090.7	027.0	007.7	004.5000	0122.8	059.7	48.10
260.0	006.0000	0090.3	027.0	007.6	004.5000	0122.8	060.1	47.93
261.0	006.0000	0089.8	026.9	007.5	004.5000	0122.7	060.6	47.76
262.0	006.0000	0089.4	026.8	007.4	004.5000	0122.7	061.1	47.59
263.0	006.0000	0088.8	026.7	007.4	004.5000	0122.7	061.5	47.43
264.0	006.0000	0088.0	026.6	007.4	004.5000	0122.7	062.0	47.26
265.0	006.0000	0087.3	026.5	007.4	004.5000	0122.7	062.5	47.10
266.0	006.0000	0086.9	026.5	007.3	004.5000	0122.7	063.0	46.94
267.0	006.0000	0086.8	026.5	007.3	004.5000	0122.6	063.4	46.79

At all locations on the WJAQ Licensed 60 dBu, WYOO delivers less than 54 dBu interfering.

Bromo Communications, Inc.