

SPACING NARRATIVE

This narrative exhibit is submitted to demonstrate that the instant proposal fully complies with the interference criteria set forth in Section 74.1204 of the Commission's rules.

Attached as exhibits are a spacing study and maps demonstrating clearly that there is no prohibited overlap between this proposal and any other FM services. The attached FM spacing study demonstrates that this proposal would be fully spaced even as a full power Class A FM station to all but five other FM facilities. The attached maps demonstrate that there is no prohibited contour overlap between these five facilities and the instant proposed FM translator facilities. As demonstrated in these maps no prohibited overlap with these stations is predicted.

The five facilities that have been included on the attached maps are: WBSX, 97.9, Hazleton, PA, NY (54 dBu contour to proposed 34 dBu interference contour); WENY-FM, 97.7, Big Flats, NY (60 dBu contours to prop. 54 dBu int. contour); WPXY-FM, 97.9, Rochester, NY (54 dBu contour to prop. 34 dBu int. contour); WHWK, 98.1, Binghamton, NY (54 dBu contour to prop. 48 dBu int. contour); and WVRT, 97.7, Mill Hall, PA (60 dBu contour to prop. 54 dBu int. contour). A map with a blown up scale has been included to better show the spacing between the proposed and WENY-FM, Big Flats, NY. A scale of kilometers has been included on the maps. These maps were drawn to scale using the rfSoftware series of computer programs.

By: Kevin Fitzgerald, Technical Consultant