

[Exhibit 13]

## **Non-Interference Compliance**

Regarding Facility id 83195

Channel 261

### **Description of Exhibit 13 Contents**

This exhibit demonstrates that the proposed facility complies with contour overlap and interference protection provisions in all of the applicable rule sections and that this application for a construction permit is in full compliance with 47 C.F.R. § 74.1204.

**Let it be noted that should any actual real world interference occur, the applicant acknowledges that it will promptly suspend operation of this translator in accordance with 47 C.F.R. § 74.1203.**

Page 2 of this exhibit is an explanation of the method used to demonstrate compliance with contour overlap and interference provisions based on 47 C.F.R. § 74.1204(d), which states:

*[A]n application otherwise precluded by this section will be accepted if it can be demonstrated that no actual interference will occur due to intervening terrain, lack of population or such other factors as may be applicable.*

Page 3 contains a tabulation of the vertical radiation pattern of the proposed antenna and the minimum ground clearance of the interfering contour based on this pattern.

Page 4 includes a tabulation of the vertical radiation pattern for the proposed antenna provided by the antenna manufacturer.

Page 5 of this exhibit contains the tabulated data from the interference analysis, which shows all stations whose protected contours come within 50 km of the 34 dBμ F(50,10) contour of the proposed translator. These tabulated values were calculated using data from the FCC's CDBS files and 30 arc second terrain data. The column labeled "Adj" shows the number of channels difference between the entry and the proposed translator. The column labeled "Dist" shows the distance in km. The column labeled "Overlap" shows the area of contour overlap in square kilometers.

Page 6 of this exhibit is a portion of a USGS 1:24,000 scale 7.5 minute quadrangle at full scale with the calculated area of interference overlaid. The sheet includes the quadrangle name and measurement scale at the bottom-left corner (note: "Mt" refers to meters). The area of interference was calculated using the free space equation and 120 radials.

Page 7 of this exhibit is an aerial photo of the vicinity surrounding the proposed translator's tower site.

## Compliance with 47 C.F.R. § 74.1204(d)

All authorized second and third adjacent stations with which the proposed translator has contour overlap are tabulated below. Column four show the station's signal level at the proposed translator's tower site, and column five gives the minimum value within the entire standard interfering contour of the proposed translator (100 dBμ for most classes, 94 for class B, 97 for class B1). The minimum second or third adjacent F(50,50) contour within the proposed translator's standard interfering contour was used to calculate the proposed translator's actual "worst-case" interfering contour.

<b>Application_id</b>	<b>File Number</b>	<b>Callsign</b>	<b>Contour at Tower</b>	<b>Min. Contour</b>
1239753	BLH20080324AAX	KATT-FM	121.8	110.8
1430053	BLH20110601AJB	KNAH	69.5	69.5
Minimum F(50,50) Contour of Adjacent Station within Proposed Translator's Standard Interfering Contour				<b>69.5</b>

FCC 02-244 at Section II.A.5 states that "when demonstrating that 'no actual interference will occur due to . . . other factors,' pursuant to Section 74.1204(d), an applicant may use the undesired-to-desired signal ratio method." The undesired-to-desired ratio for second and third adjacent stations required by § 74.1204(a) is 40 dB. Since the minimum protected contour strength within the proposed translator's standard interference contour is **69.5 dBμ**, this makes the proposed translator's worst-case interfering contour **109.5 dBμ**. By the free-space equation, this contour is calculated to extend a maximum of **233.8 m** from the transmit antenna.

The maximum horizontal plane of the interfering contour was calculated for 120 radials and plotted on the pertinent portion of a USGS quadrangle (page 6 of this exhibit). However, the field strength of the proposed translator's antenna varies with angle of depression from horizontal. The antenna relative fields are tabulated on the following page at 5 degree increments, starting at 5 degrees below horizontal. Antenna relative field strength data was provided and certified by the manufacturer of the proposed antenna. Using a free-space calculation that neglects any loss due to reflection, the vertical ground clearance of the proposed translator's interference contour has been tabulated. As shown on the following page, the area of interference clears the tower ground level (TGL) by **256.2 m** at the lowest point.

**Note: The tallest building within the zone of predicted interference is less than 20ft (6.1m) in height. This proposal provides 256.2m (840.6ft) ground clearance so in accordance with 47 C.F.R. § 74.1204(d) and the clarification provided by the FCC in the decision *Re: Living Way Ministries* (FCC 02-244), a lack of population has been demonstrated within the area of interference and this application is therefore in full compliance with 47 C.F.R. § 74.1204.**

**Antenna Manufacturer:** NIC  
**Antenna Model:** BKG77 @ 330°  
**CORAGL:** 360 m  
**Maximum ERP:** 0.099 kW  
**Interfering Contour:** 109.5 dBμ  
**Max Int. Contour Distance:** 233.8 m  
**Min Ground Clearance:** 256.2 m

Depression Angle Below Horizontal	Antenna Relative Field	ERP (watts)	Distance to Interfering Contour from Antenna (m)	Horizontal Distance of Interfering Contour from Tower (m)	Vertical Clearance of Interfering Contour above TGL (m)
5	.999	98.8	233.6	232.7	339.6
10	.982	95.5	229.6	226.1	320.1
15	.954	90.1	223.0	215.4	302.3
20	.918	83.4	214.6	201.7	286.6
25	.871	75.1	203.6	184.5	273.9
30	.818	66.2	191.2	165.6	264.4
35	.758	56.9	177.2	145.2	258.4
40	.691	47.3	161.5	123.8	256.2
45	.616	37.6	144.0	101.8	258.2
50	.538	28.7	125.8	80.8	263.6
55	.465	21.4	108.7	62.4	270.9
60	.391	15.1	91.4	45.7	280.8
65	.313	9.7	73.2	30.9	293.7
70	.239	5.7	55.9	19.1	307.5
75	.176	3.1	41.1	10.6	320.3
80	.128	1.6	29.9	5.2	330.5
85	.103	1.1	24.1	2.1	336.0
90	.105	1.1	24.5	0.0	335.5
Minimum Clearance above TGL:					<b>256.2 m</b>



BKO77

<b>Vertical</b>	-66	0.297	54	0.479	174	0.468
<b>Values</b>	-63	0.345	57	0.436	177	0.479
-180	0.487	-60	0.391	60	0.391	
-177	0.478	-57	0.436	63	0.345	
-174	0.467	-54	0.479	66	0.297	
-171	0.460	-51	0.523	69	0.253	
-168	0.454	-48	0.568	72	0.211	
-165	0.447	-45	0.616	75	0.176	
-162	0.439	-42	0.661	78	0.145	
-159	0.429	-39	0.706	81	0.120	
-156	0.419	-36	0.745	84	0.105	
-153	0.402	-33	0.783	87	0.100	
-150	0.385	-30	0.818	90	0.105	
-147	0.369	-27	0.852	93	0.118	
-144	0.359	-24	0.881	96	0.134	
-141	0.350	-21	0.910	99	0.151	
-138	0.338	-18	0.934	102	0.168	
-135	0.326	-15	0.954	105	0.185	
-132	0.314	-12	0.972	108	0.202	
-129	0.303	-9	0.987	111	0.219	
-126	0.290	-6	0.999	114	0.236	
-123	0.278	-3	0.999	117	0.252	
-120	0.265	0	1.000	120	0.265	
-117	0.251	3	0.999	123	0.278	
-114	0.236	6	0.999	126	0.290	
-111	0.218	9	0.987	129	0.304	
-108	0.202	12	0.972	132	0.314	
-105	0.185	15	0.954	135	0.327	
-102	0.168	18	0.934	138	0.338	
-99	0.151	21	0.910	141	0.350	
-96	0.134	24	0.881	144	0.360	
-93	0.118	27	0.852	147	0.370	
-90	0.105	30	0.818	150	0.386	
-87	0.100	33	0.783	153	0.403	
-84	0.105	36	0.745	156	0.420	
-81	0.120	39	0.706	159	0.430	
-78	0.145	42	0.661	162	0.440	
-75	0.176	45	0.616	165	0.448	
-72	0.211	48	0.568	168	0.455	
-69	0.253	51	0.523	171	0.461	

Better than SWR

## Adjacent Channel Study For Station K261DP, Facility\_id: 83195

### Co-channel through third adjacent:

App_id	Fac_id	File_Number	Call	Licensee	Class	City	State	Status	ERP	RCAMSL	Char	Adj	Dist	Overlap
1239753	8797	BLH-20080324AAX	KATT-FM	RADIO LICENSE HOLDING CBC, I	C1	OKLAHOMA CITY	OK	LIC	29	820	263	2	1	0.43
1430053	37123	BLH-20110601AJB	KNAH	CHAMPLIN BROADCASTING, INC	C2	MUSTANG	OK	LIC	47	552	259	2	34.2	0.43
1804501	142416	BMLFT-20190510AAC	K261CR	SOUTH CENTRAL OKLAHOMA CH	D	CHICKASHA	OK	LIC	0.115	479	261	0	68.4	0
1742407	141939	BLFT-20161019ABB	K260CV	COMMUNITY BROADCASTING, IN	D	STILLWATER	OK	LIC	0.25	361	260	1	75.3	0
1651456	194113	BLL-20140922ABD	KVBN-LP	VICTORY BIBLE CHURCH, INC.	L1	ENID	OK	LIC	0	406	260	1	100.5	0
588270	9941	BLH-20011128AAA	KYKC	THE CHICKASAW NATION	C2	BYNG	OK	LIC	50	449	261	0	103.3	0
1803492	122163	BLFT-20190419AAA	K262CW	WRIGHT BROADCASTING SYSTE	D	WEATHERFORD	OK	LIC	0.25	616	262	1	112.5	0
1438903	141886	BLFT-20110808AAV	K262BW	SOUTH CENTAL OKLAHOMA CHF	D	DUNCAN	OK	LIC	0.25	442	262	1	120.9	0
87689	68331	BLH-19860425KD	KXBL	GRIFFIN LICENSING, L.L.C.	C1	HENRYETTA	OK	LIC	100	531	258	3	126.7	0
1086211	91938	BLFT-20050920ACW	K264AJ	EDUCATIONAL MEDIA FOUNDAT	D	LAWTON	OK	LIC	0.115	475	264	3	128.5	0
1241618	35485	BLH-20080326AHG	KPNC	TEAM RADIO, L.L.C.	C3	PONCA CITY	OK	LIC	25	396	264	3	140.2	0
1379298	72712	BLH-20100624AMS	KBZQ	WILLIAM R. FRITSCH, JR.	C3	LAWTON	OK	LIC	25	470	258	3	145.1	0
586036	36005	BLH-20010807AAB	KYFM	KCD ENTERPRISES, INC.	C2	BARTLESVILLE	OK	LIC	25	477	261	0	165.8	0



