


FM Model

The FM Model calculator determines the potential exposure from radiofrequency (RF) electromagnetic fields produced by FM broadcast station antennas at ground level. The FM Model software was originally developed by the FCC in 1997 as a standalone executable program and this improved version provides more precise predictions and runs via a JavaScript enabled web browser. The FM Model is originally based on measured data [published in 1985 by the EPA](#) (<http://nepis.epa.gov/Exe/ZyNET.exe/2000ED2W.TXT?ZyActionD=ZyDocument&Client=EPA&Index=1981+Thru+1985&Docs=&Query=&Time=&EndTime=&SearchMethod=1&TocRestrict=n&Toc=&TocEntry=&QField=&QFieldYear=&QFieldMonth=&QFieldDay=&IntQFieldOp=0&ExtQFieldOp=0&XmlQuery=&File=D%3A\zyfiles\Index%20Data\81thru85\Txt\00000003\2000ED2W.txt&User=ANONYMOUS&Password=anonymous&SortMethod=h|-&MaximumDocuments=1&FuzzyDegree=0&ImageQuality=r75g8/r75g8/x150y150g16/i425&Display=p|f&DefSeekPage=x&SearchBack=ZyActionL&Back=ZyActionS&BackDesc=Results%20page&MaximumPages=1&ZyEntry=1&SeekPage=x&ZyPURL>). [▼ Show More....](#)





[View Tabular Results +](#)

Channel Selection	Channel 202 (88.3 MHz) ▾		
Antenna Type +	EPA Type 1: Ring-and-Stub or "Other" ▾		
Height (m)	<input type="text" value="184"/>	Distance (m)	<input type="text" value="100"/>
ERP-H (W)	<input type="text" value="0"/>	ERP-V (W)	<input type="text" value="40000"/>



Num of Elements	<input type="text" value="8"/>	Element Spacing (λ)	<input type="text" value=".875"/>
Num of Points	<input type="text" value="500"/>	Apply	

Bureau/Office:

[Engineering & Technology \(https://www.fcc.gov/engineering-technology\)](https://www.fcc.gov/engineering-technology)

Updated:

Friday, June 8, 2018

