

10-22-2021

Terrain Data: GLOBE 30 Sec

FMOver Analysis

NEW!

WLJS-FM BLED20021209AAG

Channel = 219A  
 Max ERP = 4.5 kW  
 RCAMSL = 230 m  
 N. Lat. 33 34 51.30  
 W. Lng. 86 08 36.60  
 Protected  
 60 dBu

Channel = 220A  
 Max ERP = 0.61 kW  
 RCAMSL = 572 m  
 N. Lat. 33 50 12.30  
 W. Lng. 85 43 58.80  
 Interfering  
 54 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)	IX (km)
353.0	001.6965	0062.3	016.6	253.4	000.2815	0390.1	041.7	53.39	
354.0	001.6254	0061.2	016.2	252.9	000.2744	0390.1	041.5	53.37	
355.0	001.5506	0060.7	016.0	252.4	000.2683	0390.0	041.3	53.36	
356.0	001.4826	0061.5	015.9	252.2	000.2654	0389.9	041.0	53.42	
357.0	001.4112	0063.1	015.9	252.1	000.2640	0389.9	040.8	53.51	
358.0	001.3464	0064.8	015.9	252.0	000.2626	0389.8	040.5	53.60	
359.0	001.2784	0066.2	015.8	251.8	000.2603	0389.8	040.2	53.67	
000.0	001.2168	0067.1	015.7	251.5	000.2568	0389.6	040.0	53.70	
001.0	001.1659	0068.0	015.6	251.3	000.2539	0389.5	039.8	53.76	
002.0	001.1205	0069.0	015.6	251.1	000.2512	0389.4	039.5	53.81	
003.0	001.0716	0067.2	015.2	250.4	000.2429	0388.9	039.4	53.70	
004.0	001.0239	0065.0	014.8	249.7	000.2362	0388.3	039.4	53.59	
005.0	000.9772	0063.3	014.4	249.1	000.2334	0387.8	039.3	53.56	
006.0	000.9357	0063.6	014.3	248.8	000.2319	0387.5	039.1	53.60	
007.0	000.8911	0063.6	014.1	248.4	000.2301	0387.2	039.0	53.62	
008.0	000.8476	0063.3	013.9	248.0	000.2281	0386.9	038.9	53.62	
009.0	000.8090	0063.3	013.8	247.6	000.2264	0386.6	038.7	53.64	
010.0	000.7676	0064.4	013.7	247.3	000.2251	0386.5	038.6	53.69	
011.0	000.7345	0065.9	013.7	247.1	000.2242	0386.4	038.4	53.75	
012.0	000.7057	0066.7	013.6	246.8	000.2230	0386.3	038.2	53.80	
013.0	000.6740	0067.8	013.6	246.5	000.2218	0386.2	038.1	53.85	
014.0	000.6464	0068.9	013.5	246.3	000.2206	0386.2	037.9	53.90	
015.0	000.6161	0069.4	013.4	245.9	000.2190	0386.2	037.8	53.92	
016.0	000.5897	0069.3	013.3	245.5	000.2173	0386.3	037.7	53.93	
017.0	000.5639	0068.9	013.1	245.1	000.2153	0386.4	037.6	53.91	
018.0	000.5356	0068.0	012.9	244.6	000.2131	0386.4	037.6	53.87	
019.0	000.5111	0066.8	012.6	244.1	000.2110	0386.4	037.6	53.83	
020.0	000.4841	0065.9	012.4	243.6	000.2089	0386.5	037.7	53.78	
021.0	000.4724	0065.4	012.3	243.3	000.2073	0386.4	037.6	53.77	
022.0	000.4608	0065.0	012.2	242.9	000.2058	0386.2	037.5	53.76	
023.0	000.4522	0064.5	012.1	242.6	000.2043	0386.0	037.5	53.76	
024.0	000.4409	0064.3	012.0	242.2	000.2029	0385.7	037.4	53.75	
025.0	000.4297	0064.5	012.0	241.9	000.2016	0385.3	037.3	53.75	
026.0	000.4186	0065.0	011.9	241.6	000.2003	0385.0	037.2	53.75	
027.0	000.4077	0065.3	011.9	241.3	000.1990	0384.6	037.1	53.75	
028.0	000.3996	0065.3	011.8	241.0	000.1977	0384.1	037.1	53.74	

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
029.0	000.3890	0065.0	011.7	240.7	000.1962	0383.6	037.0	53.70
030.0	000.3784	0064.5	011.6	240.3	000.1947	0383.0	037.0	53.66
031.0	000.3996	0063.7	011.7	240.1	000.1938	0382.7	036.9	53.71
032.0	000.4186	0062.6	011.7	239.9	000.1934	0382.3	036.7	53.75
033.0	000.4409	0061.3	011.8	239.6	000.1934	0381.8	036.6	53.80
034.0	000.4608	0060.3	011.8	239.3	000.1934	0381.3	036.5	53.84
035.0	000.4841	0059.5	011.9	239.1	000.1934	0380.8	036.3	53.90
036.0	000.5080	0058.8	012.0	238.8	000.1934	0380.3	036.2	53.95
037.0	000.5294	0057.6	012.0	238.5	000.1934	0379.6	036.1	53.97
038.0	000.5544	0055.4	011.9	238.2	000.1934	0378.8	036.1	53.95
039.0	000.5767	0052.3	011.7	237.8	000.1934	0377.8	036.2	53.86
040.0	000.6028	0049.6	011.5	237.4	000.1934	0376.7	036.4	53.77
041.0	000.6328	0047.7	011.4	237.0	000.1934	0375.8	036.4	53.73
042.0	000.6670	0046.2	011.3	236.7	000.1934	0374.9	036.4	53.71
043.0	000.6986	0044.3	011.2	236.3	000.1934	0373.9	036.5	53.65
044.0	000.7345	0042.3	011.1	236.0	000.1934	0373.1	036.5	53.59
045.0	000.7676	0040.8	011.0	235.7	000.1934	0372.2	036.6	53.55
046.0	000.8014	0039.8	011.0	235.4	000.1934	0371.4	036.6	53.53
047.0	000.8398	0039.9	011.1	235.1	000.1934	0370.8	036.4	53.59
048.0	000.8752	0040.6	011.3	234.9	000.1934	0370.2	036.2	53.68
049.0	000.9153	0041.3	011.5	234.6	000.1934	0369.7	036.0	53.77
050.0	000.9522	0041.1	011.6	234.3	000.1934	0369.1	035.9	53.80
051.0	000.9772	0040.4	011.6	233.9	000.1934	0368.6	035.9	53.79
052.0	001.0068	0040.1	011.6	233.6	000.1934	0368.0	035.8	53.80
053.0	001.0325	0040.2	011.7	233.3	000.1934	0367.5	035.7	53.82
054.0	001.0585	0040.4	011.8	233.0	000.1934	0367.1	035.6	53.86
055.0	001.0893	0040.7	011.9	232.6	000.1934	0366.8	035.5	53.90
056.0	001.1160	0040.9	012.0	232.3	000.1934	0366.4	035.4	53.93
057.0	001.1431	0041.0	012.1	231.9	000.1934	0366.2	035.4	53.96
058.0	001.1704	0040.8	012.2	231.6	000.1934	0365.9	035.3	53.95
059.0	001.2028	0039.6	012.1	231.3	000.1934	0365.7	035.5	53.89
060.0	001.2309	0037.9	011.9	231.0	000.1934	0365.5	035.7	53.78
061.0	001.2928	0035.8	011.7	230.7	000.1934	0365.4	035.9	53.68
062.0	001.3514	0034.0	011.5	230.4	000.1934	0365.2	036.1	53.59
063.0	001.4162	0032.9	011.5	230.1	000.1934	0365.0	036.2	53.55
064.0	001.4775	0032.1	011.5	229.8	000.1946	0364.9	036.2	53.55
065.0	001.5506	0031.4	011.5	229.5	000.1969	0364.9	036.3	53.58
066.0	001.4775	0030.3	011.2	229.3	000.1982	0364.9	036.6	53.45
067.0	001.4162	0029.8	011.1	229.1	000.1997	0364.8	036.8	53.39
068.0	001.3514	0029.8	010.9	228.9	000.2013	0364.8	037.0	53.34
069.0	001.2928	0030.2	010.8	228.7	000.2030	0364.8	037.1	53.31
070.0	001.2309	0030.8	010.8	228.4	000.2048	0364.8	037.2	53.30
071.0	001.1796	0031.8	010.8	228.1	000.2069	0364.9	037.3	53.33
072.0	001.1340	0033.7	011.0	227.8	000.2097	0364.9	037.2	53.43
073.0	001.0849	0036.4	011.3	227.3	000.2131	0365.0	037.0	53.58
074.0	001.0368	0038.9	011.5	226.9	000.2165	0365.1	036.9	53.70
075.0	000.9940	0040.5	011.6	226.5	000.2192	0365.1	036.9	53.76
076.0	000.9481	0041.5	011.7	226.2	000.2214	0365.2	037.0	53.76
077.0	000.9032	0042.5	011.7	225.9	000.2234	0365.3	037.1	53.76
078.0	000.8594	0044.1	011.7	225.6	000.2260	0365.3	037.1	53.79
079.0	000.8205	0046.0	011.9	225.2	000.2289	0365.3	037.1	53.84

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
080.0	000.7788	0048.1	012.0	224.9	000.2318	0365.4	037.1	53.89
081.0	000.7638	0049.6	012.1	224.5	000.2348	0365.4	037.2	53.94
082.0	000.7491	0050.4	012.2	224.2	000.2372	0365.5	037.3	53.95
083.0	000.7381	0051.0	012.2	223.9	000.2394	0365.6	037.4	53.93
084.0	000.7236	0051.0	012.1	223.7	000.2409	0365.7	037.6	53.88
085.0	000.7092	0051.4	012.1	223.5	000.2428	0365.8	037.7	53.85
086.0	000.6950	0052.1	012.1	223.2	000.2449	0365.8	037.8	53.83
087.0	000.6809	0052.8	012.2	223.0	000.2470	0365.8	038.0	53.81
088.0	000.6705	0053.0	012.1	222.8	000.2486	0365.9	038.1	53.76
089.0	000.6567	0053.0	012.1	222.6	000.2499	0365.9	038.3	53.70
090.0	000.6430	0053.0	012.0	222.4	000.2511	0365.9	038.5	53.64
091.0	000.6362	0053.7	012.1	222.2	000.2531	0365.9	038.6	53.61
092.0	000.6294	0055.3	012.2	221.8	000.2562	0365.8	038.7	53.63
093.0	000.6227	0056.6	012.3	221.5	000.2587	0365.7	038.8	53.63
094.0	000.6161	0057.7	012.4	221.2	000.2611	0365.5	038.9	53.61
095.0	000.6094	0058.4	012.4	221.0	000.2631	0365.3	039.1	53.56
096.0	000.6061	0059.2	012.5	220.7	000.2652	0365.0	039.2	53.53
097.0	000.5995	0059.9	012.5	220.5	000.2670	0364.8	039.4	53.48
098.0	000.5930	0060.7	012.6	220.3	000.2689	0364.5	039.6	53.43
099.0	000.5864	0060.9	012.5	220.2	000.2700	0364.3	039.8	53.36
100.0	000.5800	0061.0	012.5	220.0	000.2711	0364.2	040.0	53.28
101.0	000.6028	0061.2	012.7	219.7	000.2713	0363.8	040.1	53.21
102.0	000.6261	0061.8	012.8	219.4	000.2713	0363.3	040.2	53.15
103.0	000.6532	0063.3	013.1	218.9	000.2712	0362.6	040.3	53.09
104.0	000.6774	0064.6	013.3	218.4	000.2711	0362.0	040.4	53.02
105.0	000.7021	0065.8	013.5	218.0	000.2711	0361.5	040.5	52.95
106.0	000.7272	0066.4	013.7	217.7	000.2710	0361.0	040.7	52.87
107.0	000.7528	0066.7	013.8	217.4	000.2710	0360.6	040.9	52.78
108.0	000.7825	0066.8	014.0	217.1	000.2709	0360.1	041.0	52.69
109.0	000.8090	0066.4	014.1	216.9	000.2709	0359.8	041.2	52.59
110.0	000.8359	0065.6	014.1	216.7	000.2708	0359.5	041.5	52.48
111.0	000.8633	0064.8	014.1	216.6	000.2708	0359.3	041.7	52.38
112.0	000.8911	0064.4	014.2	216.4	000.2708	0359.0	041.9	52.27

10-22-2021

Terrain Data: GLOBE 30 Sec

FMOver Analysis

WLJS-FM BLED20021209AAG

NEW!

Channel = 220A

Max ERP = 0.61 kW

RCAMSL = 572 m

N. Lat. 33 50 12.30

W. Lng. 85 43 58.80

Protected

60 dBu

Channel = 219A

Max ERP = 4.5 kW

RCAMSL = 230 m

N. Lat. 33 34 51.30

W. Lng. 86 08 36.60

Interfering

54 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)	IX (km)
173.0	000.0504	0222.1	012.9	068.4	001.3299	0029.9	042.5	39.00	
174.0	000.0528	0215.4	012.9	068.2	001.3380	0029.9	042.3	39.09	
175.0	000.0553	0210.1	012.9	068.1	001.3439	0029.9	042.1	39.17	
176.0	000.0578	0201.6	012.8	067.9	001.3586	0029.8	041.9	39.27	
177.0	000.0604	0194.2	012.7	067.7	001.3723	0029.8	041.8	39.37	
178.0	000.0630	0186.6	012.6	067.4	001.3873	0029.8	041.6	39.47	
179.0	000.0657	0187.8	012.7	067.5	001.3805	0029.8	041.3	39.53	
180.0	000.0685	0199.0	013.2	068.0	001.3488	0029.8	040.9	39.54	
181.0	000.0720	0210.2	013.7	068.6	001.3166	0030.0	040.5	39.57	
182.0	000.0757	0221.9	014.3	069.2	001.2824	0030.3	040.1	39.64	
183.0	000.0794	0233.7	014.8	069.8	001.2459	0030.6	039.6	39.73	
184.0	000.0832	0246.7	015.4	070.4	001.2104	0031.1	039.2	39.86	
185.0	000.0872	0258.8	016.0	071.1	001.1773	0031.9	038.7	40.06	
186.0	000.0912	0267.2	016.5	071.6	001.1543	0032.7	038.2	40.30	
187.0	000.0953	0273.3	016.9	071.9	001.1372	0033.5	037.8	40.56	
188.0	000.0995	0278.1	017.3	072.2	001.1225	0034.3	037.4	40.80	
189.0	000.1037	0284.7	017.7	072.6	001.1045	0035.3	036.9	41.10	
190.0	000.1081	0293.9	018.2	073.1	001.0816	0036.6	036.4	41.46	
191.0	000.1138	0302.3	018.7	073.6	001.0582	0037.9	035.9	41.83	
192.0	000.1196	0309.5	019.2	074.0	001.0384	0038.9	035.4	42.13	
193.0	000.1256	0315.2	019.6	074.3	001.0239	0039.5	034.9	42.38	
194.0	000.1317	0319.9	019.9	074.6	001.0124	0039.9	034.4	42.60	
195.0	000.1379	0324.7	020.3	074.8	001.0017	0040.2	033.9	42.82	
196.0	000.1443	0329.3	020.7	075.0	000.9917	0040.5	033.4	43.03	
197.0	000.1509	0333.5	021.0	075.2	000.9830	0040.7	032.9	43.23	
198.0	000.1575	0336.6	021.3	075.4	000.9772	0040.9	032.4	43.43	
199.0	000.1644	0338.5	021.6	075.4	000.9747	0040.9	032.0	43.62	
200.0	000.1713	0340.0	021.9	075.4	000.9743	0040.9	031.5	43.82	
201.0	000.1802	0341.1	022.2	075.5	000.9719	0041.0	031.0	44.04	
202.0	000.1893	0341.9	022.5	075.5	000.9714	0041.0	030.6	44.27	
203.0	000.1985	0342.0	022.7	075.4	000.9735	0041.0	030.1	44.51	
204.0	000.2080	0341.7	023.0	075.3	000.9779	0040.8	029.6	44.75	
205.0	000.2178	0341.8	023.2	075.2	000.9829	0040.7	029.1	45.00	

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
206.0	000.2277	0342.6	023.5	075.1	000.9877	0040.6	028.6	45.27
207.0	000.2379	0343.8	023.8	075.0	000.9927	0040.5	028.1	45.55
208.0	000.2483	0345.3	024.1	074.9	000.9984	0040.3	027.6	45.84
209.0	000.2589	0346.8	024.4	074.7	001.0053	0040.1	027.1	46.14
210.0	000.2698	0348.1	024.7	074.5	001.0142	0039.8	026.6	46.43
211.0	000.2699	0349.0	024.7	073.9	001.0413	0038.7	026.3	46.51
212.0	000.2701	0349.8	024.7	073.3	001.0727	0037.1	026.0	46.48
213.0	000.2702	0351.3	024.8	072.6	001.1044	0035.3	025.7	46.40
214.0	000.2704	0353.5	024.9	072.0	001.1360	0033.6	025.3	46.36
215.0	000.2706	0356.0	025.0	071.3	001.1664	0032.2	025.0	46.37
216.0	000.2707	0358.2	025.0	070.6	001.2013	0031.3	024.7	46.49
217.0	000.2709	0360.0	025.1	069.8	001.2425	0030.7	024.4	46.69
218.0	000.2711	0361.5	025.1	069.0	001.2929	0030.2	024.1	46.94
219.0	000.2712	0362.8	025.2	068.1	001.3426	0029.9	023.8	47.24
220.0	000.2714	0364.1	025.2	067.3	001.3986	0029.8	023.6	47.59
221.0	000.2630	0365.3	025.1	066.1	001.4685	0030.2	023.5	47.90
222.0	000.2547	0365.9	024.9	065.0	001.5504	0031.4	023.5	48.43
223.0	000.2466	0365.8	024.7	063.8	001.4679	0032.2	023.5	48.39
224.0	000.2386	0365.6	024.5	062.7	001.3961	0033.2	023.6	48.37
225.0	000.2307	0365.4	024.3	061.6	001.3252	0034.7	023.6	48.47
226.0	000.2230	0365.3	024.1	060.4	001.2579	0037.0	023.7	48.70
227.0	000.2154	0365.1	023.9	059.3	001.2123	0039.1	023.8	48.94
228.0	000.2079	0364.9	023.7	058.3	001.1789	0040.6	023.9	49.06
229.0	000.2006	0364.8	023.5	057.2	001.1489	0041.0	024.1	48.96
230.0	000.1934	0365.0	023.3	056.2	001.1212	0041.0	024.2	48.73
231.0	000.1934	0365.6	023.3	055.2	001.0956	0040.7	024.2	48.62
232.0	000.1934	0366.2	023.3	054.3	001.0670	0040.5	024.1	48.48
233.0	000.1934	0367.2	023.3	053.3	001.0406	0040.3	024.1	48.36
234.0	000.1934	0368.7	023.4	052.3	001.0155	0040.1	024.1	48.24
235.0	000.1934	0370.5	023.4	051.4	000.9878	0040.2	024.0	48.17
236.0	000.1934	0373.1	023.5	050.4	000.9615	0040.8	024.0	48.21
237.0	000.1934	0375.8	023.6	049.4	000.9290	0041.2	023.9	48.18
238.0	000.1934	0378.4	023.7	048.4	000.8899	0040.9	023.9	47.93
239.0	000.1934	0380.6	023.7	047.4	000.8527	0040.1	023.9	47.57
240.0	000.1934	0382.5	023.8	046.4	000.8155	0039.7	024.0	47.26
241.0	000.1976	0384.1	024.0	045.3	000.7778	0040.4	023.9	47.25
242.0	000.2018	0385.4	024.1	044.2	000.7420	0041.9	023.9	47.40
243.0	000.2061	0386.3	024.3	043.2	000.7041	0044.0	023.9	47.61
244.0	000.2105	0386.5	024.4	042.1	000.6699	0046.0	023.9	47.79
245.0	000.2149	0386.4	024.5	041.0	000.6341	0047.7	024.0	47.83
246.0	000.2193	0386.2	024.6	040.0	000.6026	0049.6	024.0	47.93
247.0	000.2238	0386.3	024.8	038.9	000.5754	0052.5	024.1	48.18
248.0	000.2283	0386.9	024.9	037.9	000.5515	0055.7	024.2	48.45
249.0	000.2329	0387.7	025.0	036.8	000.5257	0057.9	024.3	48.50
250.0	000.2375	0388.5	025.2	035.8	000.5027	0058.9	024.4	48.37
251.0	000.2499	0389.3	025.5	034.5	000.4718	0059.9	024.4	48.24
252.0	000.2627	0389.8	025.8	033.2	000.4443	0061.1	024.4	48.12
253.0	000.2757	0390.1	026.2	031.9	000.4165	0062.7	024.5	48.01
254.0	000.2891	0389.9	026.5	030.6	000.3917	0064.0	024.6	47.85
255.0	000.3028	0389.6	026.7	029.4	000.3848	0064.9	024.7	47.79
256.0	000.3168	0389.0	027.0	028.2	000.3977	0065.3	024.8	47.88

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
257.0	000.3311	0388.4	027.3	027.0	000.4078	0065.3	025.0	47.86
258.0	000.3457	0387.9	027.6	025.8	000.4206	0064.9	025.2	47.81
259.0	000.3606	0387.4	027.8	024.7	000.4333	0064.4	025.4	47.72
260.0	000.3759	0386.7	028.1	023.6	000.4457	0064.4	025.7	47.66
261.0	000.3956	0385.7	028.4	022.4	000.4574	0064.8	025.9	47.66
262.0	000.4158	0385.1	028.7	021.2	000.4699	0065.3	026.2	47.66
263.0	000.4365	0384.6	029.1	020.1	000.4832	0065.9	026.5	47.66
264.0	000.4577	0384.4	029.4	019.0	000.5122	0066.8	026.8	47.83
265.0	000.4794	0384.3	029.7	017.9	000.5393	0068.1	027.1	47.99
266.0	000.5016	0384.3	030.0	016.8	000.5687	0069.0	027.5	48.10
267.0	000.5243	0383.9	030.4	015.8	000.5941	0069.4	027.9	48.10
268.0	000.5475	0382.5	030.6	015.0	000.6170	0069.4	028.3	48.01
269.0	000.5712	0381.0	030.9	014.2	000.6416	0069.0	028.7	47.86
270.0	000.5954	0379.5	031.2	013.4	000.6632	0068.3	029.2	47.65
271.0	000.5969	0378.4	031.1	013.2	000.6686	0068.0	029.7	47.36
272.0	000.5983	0377.1	031.1	013.0	000.6728	0067.8	030.3	47.07
273.0	000.5998	0375.7	031.1	012.9	000.6766	0067.7	030.8	46.80
274.0	000.6012	0374.4	031.0	012.8	000.6799	0067.6	031.3	46.54
275.0	000.6027	0372.9	031.0	012.7	000.6822	0067.5	031.9	46.29
276.0	000.6042	0371.6	031.0	012.7	000.6843	0067.4	032.4	46.05
277.0	000.6056	0370.7	030.9	012.6	000.6864	0067.3	033.0	45.81
278.0	000.6071	0370.0	030.9	012.5	000.6886	0067.3	033.5	45.58
279.0	000.6085	0370.8	031.0	012.4	000.6935	0067.1	034.0	45.36
280.0	000.6100	0372.3	031.1	012.2	000.6993	0066.9	034.6	45.14
281.0	000.6100	0374.5	031.1	012.0	000.7049	0066.7	035.1	44.92
282.0	000.6100	0375.4	031.2	012.0	000.7069	0066.7	035.7	44.70
283.0	000.6100	0374.3	031.1	012.0	000.7047	0066.7	036.2	44.46
284.0	000.6100	0372.3	031.1	012.2	000.7000	0066.9	036.7	44.23
285.0	000.6100	0370.0	031.0	012.3	000.6945	0067.1	037.3	43.99
286.0	000.6100	0368.8	030.9	012.5	000.6908	0067.2	037.8	43.76
287.0	000.6100	0367.6	030.9	012.6	000.6867	0067.3	038.3	43.54
288.0	000.6100	0365.7	030.8	012.8	000.6811	0067.5	038.9	43.31
289.0	000.6100	0363.6	030.7	013.0	000.6745	0067.8	039.4	43.09
290.0	000.6100	0361.3	030.6	013.2	000.6682	0068.0	039.9	42.87
291.0	000.6100	0360.1	030.5	013.4	000.6636	0068.2	040.4	42.66
292.0	000.6100	0360.0	030.5	013.5	000.6606	0068.4	041.0	42.45