

10-23-2021

Terrain Data: GLOBE 30 Sec

FMOver Analysis

NEW!

WLGQ 0000108807

Channel = 218A  
 Max ERP = 5.28 kW  
 RCAMSL = 429.0863 m  
 N. Lat. 33 23 17.40  
 W. Lng. 85 15 24.40  
 Protected  
 60 dBu

Channel = 218C3  
 Max ERP = 6.3 kW  
 RCAMSL = 384 m  
 N. Lat. 34 04 29.30  
 W. Lng. 86 01 10.90  
 Interfering  
 40 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)	IX (km)
257.0	000.4784	0091.5	014.4	144.4	001.1391	0199.7	097.6	33.66	
258.0	000.4564	0092.0	014.3	144.3	001.1424	0199.8	097.5	33.73	
259.0	000.4349	0092.9	014.2	144.2	001.1454	0199.9	097.3	33.79	
260.0	000.4169	0094.3	014.2	144.1	001.1476	0199.9	097.1	33.86	
261.0	000.3964	0095.3	014.1	144.0	001.1507	0200.0	096.9	33.93	
262.0	000.3792	0097.2	014.1	143.9	001.1527	0200.0	096.7	34.00	
263.0	000.3624	0099.5	014.1	143.9	001.1543	0200.1	096.4	34.07	
264.0	000.3460	0101.7	014.1	143.8	001.1563	0200.1	096.2	34.14	
265.0	000.3300	0103.6	014.0	143.7	001.1588	0200.1	096.0	34.21	
266.0	000.3169	0104.9	014.0	143.6	001.1615	0200.2	095.9	34.28	
267.0	000.3016	0106.8	013.9	143.5	001.1642	0200.2	095.7	34.34	
268.0	000.2891	0109.0	013.9	143.4	001.1665	0200.3	095.5	34.41	
269.0	000.2745	0111.1	013.9	143.3	001.1693	0200.3	095.3	34.47	
270.0	000.2626	0113.2	013.8	143.2	001.1719	0200.4	095.1	34.54	
271.0	000.2556	0115.1	013.9	143.1	001.1740	0200.4	094.9	34.61	
272.0	000.2486	0116.9	013.9	143.0	001.1763	0200.5	094.7	34.68	
273.0	000.2418	0118.7	013.9	143.0	001.1786	0200.5	094.5	34.75	
274.0	000.2351	0119.7	013.8	142.8	001.1818	0200.6	094.4	34.81	
275.0	000.2262	0120.5	013.7	142.7	001.1854	0200.7	094.3	34.86	
276.0	000.2197	0121.6	013.7	142.6	001.1886	0200.7	094.1	34.92	
277.0	000.2133	0122.3	013.6	142.5	001.1920	0200.8	094.0	34.97	
278.0	000.2070	0123.0	013.6	142.3	001.1955	0200.9	093.9	35.02	
279.0	000.2008	0123.5	013.5	142.2	001.1993	0201.0	093.8	35.07	
280.0	000.1946	0123.7	013.4	142.0	001.2031	0201.1	093.7	35.12	
281.0	000.1946	0124.0	013.4	141.9	001.2058	0201.1	093.5	35.18	
282.0	000.1946	0123.8	013.4	141.8	001.2089	0201.2	093.4	35.24	
283.0	000.1946	0123.7	013.4	141.7	001.2119	0201.3	093.2	35.29	
284.0	000.1946	0123.7	013.4	141.6	001.2149	0201.3	093.1	35.35	
285.0	000.1946	0123.3	013.4	141.5	001.2182	0201.4	092.9	35.40	
286.0	000.1946	0123.0	013.4	141.4	001.2216	0201.5	092.8	35.45	
287.0	000.1946	0122.6	013.3	141.2	001.2250	0201.5	092.7	35.51	
288.0	000.1946	0122.6	013.3	141.1	001.2282	0201.6	092.6	35.56	
289.0	000.1946	0122.5	013.3	141.0	001.2315	0201.7	092.4	35.61	
290.0	000.1946	0122.1	013.3	140.9	001.2351	0201.8	092.3	35.66	
291.0	000.2008	0121.7	013.4	140.8	001.2378	0201.8	092.1	35.73	
292.0	000.2070	0121.4	013.5	140.7	001.2405	0201.9	091.9	35.80	

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
293.0	000.2133	0121.5	013.6	140.6	001.2432	0202.0	091.7	35.87
294.0	000.2197	0121.3	013.7	140.5	001.2461	0202.0	091.6	35.94
295.0	000.2262	0120.8	013.8	140.3	001.2492	0202.1	091.4	36.01
296.0	000.2328	0120.7	013.9	140.2	001.2523	0202.1	091.2	36.08
297.0	000.2395	0120.7	014.0	140.1	001.2554	0202.2	091.0	36.15
298.0	000.2463	0121.0	014.1	140.0	001.2585	0202.2	090.8	36.23
299.0	000.2532	0121.3	014.2	139.9	001.2657	0202.3	090.6	36.31
300.0	000.2602	0121.9	014.3	139.8	001.2734	0202.3	090.4	36.41
301.0	000.2697	0122.7	014.5	139.7	001.2807	0202.4	090.1	36.51
302.0	000.2817	0123.2	014.7	139.6	001.2881	0202.4	089.9	36.62
303.0	000.2916	0123.0	014.8	139.4	001.2968	0202.5	089.7	36.71
304.0	000.3041	0122.3	014.9	139.3	001.3059	0202.5	089.5	36.80
305.0	000.3144	0122.1	015.1	139.1	001.3152	0202.5	089.3	36.89
306.0	000.3247	0123.2	015.3	139.0	001.3241	0202.6	089.0	37.01
307.0	000.3380	0124.8	015.6	138.9	001.3327	0202.6	088.7	37.14
308.0	000.3487	0125.7	015.8	138.7	001.3425	0202.6	088.4	37.25
309.0	000.3624	0125.8	015.9	138.6	001.3529	0202.7	088.2	37.36
310.0	000.3736	0125.2	016.0	138.4	001.3642	0202.7	088.1	37.44
311.0	000.3935	0124.5	016.2	138.2	001.3753	0202.8	087.8	37.55
312.0	000.4140	0123.7	016.4	138.1	001.3868	0202.8	087.6	37.65
313.0	000.4349	0123.0	016.6	137.9	001.3987	0202.8	087.4	37.75
314.0	000.4564	0122.6	016.8	137.7	001.4110	0202.9	087.2	37.86
315.0	000.4784	0122.4	017.0	137.5	001.4237	0202.9	087.0	37.98
316.0	000.4976	0122.0	017.2	137.3	001.4370	0202.9	086.8	38.07
317.0	000.5206	0120.9	017.3	137.1	001.4507	0202.9	086.6	38.16
318.0	000.5441	0119.5	017.4	136.9	001.4646	0202.9	086.5	38.23
319.0	000.5680	0118.2	017.5	136.7	001.4789	0202.9	086.4	38.31
320.0	000.5925	0116.9	017.6	136.5	001.4933	0203.0	086.4	38.38
321.0	000.6248	0115.9	017.8	136.3	001.5084	0203.0	086.2	38.47
322.0	000.6542	0115.3	018.0	136.1	001.5237	0203.0	086.1	38.56
323.0	000.6881	0114.9	018.2	135.9	001.5397	0203.0	085.9	38.66
324.0	000.7189	0114.5	018.3	135.7	001.5559	0203.1	085.7	38.75
325.0	000.7544	0113.8	018.5	135.4	001.5726	0203.2	085.6	38.84
326.0	000.7908	0112.9	018.7	135.2	001.5894	0203.4	085.5	38.93
327.0	000.8238	0112.3	018.8	135.0	001.6064	0203.5	085.4	39.00
328.0	000.8618	0111.9	019.0	134.7	001.6243	0203.7	085.3	39.10
329.0	000.8962	0111.8	019.2	134.5	001.6424	0204.0	085.2	39.19
330.0	000.9358	0111.8	019.4	134.2	001.6614	0204.3	085.1	39.29
331.0	000.9808	0111.7	019.6	134.0	001.6809	0204.6	085.0	39.39
332.0	001.0269	0111.4	019.8	133.7	001.7006	0205.0	084.9	39.48
333.0	001.0787	0110.7	020.0	133.4	001.7203	0205.3	084.8	39.56
334.0	001.1270	0109.6	020.1	133.2	001.7392	0205.7	084.8	39.62
335.0	001.1763	0108.2	020.2	132.9	001.7577	0206.0	084.9	39.66
336.0	001.2267	0106.6	020.3	132.7	001.7758	0206.4	085.0	39.70
337.0	001.2781	0105.2	020.3	132.5	001.7939	0206.7	085.1	39.73
338.0	001.3359	0103.8	020.4	132.2	001.8126	0207.1	085.1	39.76
339.0	001.3895	0102.6	020.5	132.0	001.8312	0207.4	085.2	39.79
340.0	001.4442	0102.2	020.6	131.7	001.8516	0207.7	085.2	39.84
341.0	001.4776	0102.4	020.8	131.5	001.8719	0208.0	085.3	39.88
342.0	001.5113	0102.8	020.9	131.2	001.8929	0208.2	085.3	39.93
343.0	001.5454	0102.5	021.0	131.0	001.9119	0208.3	085.5	39.94

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
344.0	001.5798	0101.4	021.0	130.8	001.9285	0208.4	085.7	39.92
345.0	001.6147	0100.3	021.0	130.6	001.9446	0208.5	085.9	39.89
346.0	001.6440	0100.0	021.1	130.3	001.9627	0208.6	086.0	39.88
347.0	001.6795	0100.5	021.2	130.1	001.9839	0208.6	086.1	39.90
348.0	001.7155	0100.8	021.4	129.8	002.0088	0208.6	086.2	39.92
349.0	001.7518	0100.9	021.5	129.6	002.0337	0208.5	086.4	39.93
350.0	001.7885	0100.2	021.5	129.4	002.0555	0208.4	086.6	39.90
351.0	001.8693	0099.5	021.7	129.1	002.0820	0208.3	086.7	39.91
352.0	001.9518	0098.1	021.7	128.9	002.1052	0208.2	086.9	39.89
353.0	002.0427	0095.9	021.7	128.7	002.1239	0208.1	087.2	39.84
354.0	002.1290	0094.1	021.7	128.5	002.1429	0208.0	087.4	39.79
355.0	002.2171	0093.2	021.8	128.3	002.1668	0207.8	087.6	39.77
356.0	002.3069	0093.2	022.0	128.1	002.1959	0207.7	087.8	39.78
357.0	002.3986	0093.8	022.3	127.8	002.2288	0207.4	087.9	39.81
358.0	002.4993	0094.5	022.6	127.4	002.2631	0207.2	088.0	39.83
359.0	002.5946	0095.2	022.9	127.1	002.2969	0206.9	088.1	39.84
000.0	002.6917	0095.9	023.2	126.8	002.3306	0206.6	088.3	39.85
001.0	002.7906	0096.6	023.4	126.5	002.3646	0206.3	088.4	39.85
002.0	002.8991	0098.9	023.9	126.1	002.4106	0205.8	088.5	39.90
003.0	003.0018	0101.8	024.4	125.7	002.4602	0205.3	088.6	39.95
004.0	003.1143	0104.1	024.9	125.3	002.5062	0204.9	088.7	39.97
005.0	003.2206	0105.8	025.3	124.9	002.5479	0204.5	088.9	39.97
006.0	003.3371	0106.8	025.6	124.6	002.5848	0204.2	089.1	39.95
007.0	003.4471	0108.0	025.9	124.3	002.6223	0203.9	089.3	39.93
008.0	003.5676	0109.4	026.2	124.0	002.6615	0203.6	089.6	39.91
009.0	003.6902	0110.7	026.6	123.6	002.7008	0203.4	089.8	39.88
010.0	003.8058	0112.4	026.9	123.3	002.7404	0203.2	090.1	39.85
011.0	003.9781	0113.9	027.4	123.0	002.7850	0203.0	090.4	39.83
012.0	004.1729	0114.1	027.7	122.7	002.8217	0202.9	090.7	39.78
013.0	004.3628	0113.5	027.9	122.4	002.8509	0202.9	091.1	39.71
014.0	004.5667	0112.0	028.0	122.2	002.8721	0202.8	091.5	39.61
015.0	004.7853	0110.1	028.1	122.1	002.8898	0202.8	092.0	39.50
016.0	005.0090	0108.0	028.2	122.0	002.9041	0202.8	092.4	39.38

10-23-2021

Terrain Data: GLOBE 30 Sec

FMOver Analysis

WLGQ 0000108807

NEW!

Channel = 218C3

Max ERP = 6.3 kW

RCAMSL = 384 m

N. Lat. 34 04 29.30

W. Lng. 86 01 10.90

Protected

60 dBu

Channel = 218A

Max ERP = 5.28 kW

RCAMSL = 429.0863 m

N. Lat. 33 23 17.40

W. Lng. 85 15 24.40

Interfering

40 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)	IX (km)
077.0	006.3000	0145.0	033.9	336.1	001.2334	0106.4	091.8	32.01	
078.0	006.3000	0146.8	034.1	336.2	001.2360	0106.4	091.2	32.18	
079.0	006.3000	0147.4	034.2	336.1	001.2338	0106.4	090.6	32.34	
080.0	006.3000	0148.3	034.3	336.1	001.2326	0106.5	090.0	32.50	
081.0	006.3000	0151.5	034.7	336.2	001.2390	0106.3	089.3	32.70	
082.0	006.3000	0154.7	035.0	336.4	001.2449	0106.1	088.7	32.90	
083.0	006.3000	0157.7	035.4	336.5	001.2501	0106.0	088.0	33.10	
084.0	006.3000	0160.8	035.7	336.5	001.2545	0105.8	087.3	33.30	
085.0	006.3000	0163.0	035.9	336.6	001.2554	0105.8	086.6	33.49	
086.0	006.3000	0165.2	036.2	336.6	001.2559	0105.8	085.9	33.68	
087.0	006.3000	0167.9	036.4	336.6	001.2577	0105.7	085.2	33.88	
088.0	006.3000	0169.9	036.6	336.6	001.2562	0105.8	084.6	34.06	
089.0	006.3000	0171.1	036.8	336.5	001.2513	0105.9	083.9	34.23	
090.0	006.3000	0172.1	036.9	336.4	001.2455	0106.1	083.3	34.39	
091.0	006.3000	0173.1	037.0	336.2	001.2392	0106.3	082.7	34.56	
092.0	006.3000	0174.2	037.1	336.1	001.2327	0106.5	082.1	34.72	
093.0	006.3000	0175.5	037.2	336.0	001.2263	0106.7	081.4	34.89	
094.0	006.3000	0176.9	037.3	335.9	001.2195	0106.9	080.8	35.05	
095.0	006.3000	0178.2	037.4	335.7	001.2116	0107.1	080.2	35.21	
096.0	006.3000	0180.1	037.6	335.6	001.2050	0107.3	079.5	35.38	
097.0	006.3000	0182.0	037.8	335.4	001.1976	0107.5	078.9	35.55	
098.0	006.3000	0183.6	037.9	335.2	001.1887	0107.8	078.2	35.71	
099.0	006.3000	0185.0	038.0	335.0	001.1786	0108.1	077.6	35.87	
100.0	006.3000	0185.5	038.1	334.8	001.1657	0108.5	077.1	36.00	
101.0	006.3000	0185.6	038.1	334.5	001.1516	0108.9	076.5	36.13	
102.0	006.3000	0186.5	038.1	334.2	001.1387	0109.3	075.9	36.26	
103.0	006.3000	0187.8	038.3	334.0	001.1264	0109.6	075.4	36.40	
104.0	006.3000	0188.8	038.3	333.7	001.1125	0110.0	074.8	36.53	
105.0	006.3000	0189.8	038.4	333.4	001.0984	0110.3	074.2	36.66	
106.0	006.0283	0190.9	038.1	332.9	001.0738	0110.8	073.9	36.67	
107.0	005.7626	0192.2	037.9	332.4	001.0474	0111.2	073.6	36.67	
108.0	005.5029	0193.7	037.6	331.9	001.0218	0111.5	073.4	36.66	
109.0	005.2492	0194.9	037.3	331.4	000.9974	0111.6	073.1	36.63	

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
110.0	005.0015	0195.6	037.0	330.8	000.9720	0111.7	073.0	36.58
111.0	004.7981	0195.9	036.7	330.3	000.9474	0111.8	072.8	36.52
112.0	004.5990	0196.1	036.4	329.7	000.9241	0111.8	072.7	36.45
113.0	004.4041	0196.3	036.0	329.1	000.9020	0111.8	072.5	36.38
114.0	004.2134	0196.6	035.7	328.6	000.8820	0111.8	072.5	36.31
115.0	004.0270	0197.4	035.4	328.0	000.8634	0111.9	072.4	36.25
116.0	003.8447	0198.4	035.1	327.5	000.8432	0112.1	072.3	36.17
117.0	003.6667	0199.7	034.8	327.0	000.8232	0112.3	072.2	36.10
118.0	003.4929	0200.8	034.5	326.4	000.8055	0112.6	072.2	36.03
119.0	003.3233	0201.8	034.2	325.9	000.7874	0113.0	072.2	35.95
120.0	003.1580	0202.5	033.8	325.4	000.7674	0113.5	072.3	35.85
121.0	003.0291	0202.7	033.5	324.8	000.7485	0113.9	072.3	35.74
122.0	002.9028	0202.8	033.2	324.3	000.7297	0114.3	072.4	35.63
123.0	002.7793	0203.0	032.9	323.8	000.7123	0114.6	072.5	35.51
124.0	002.6585	0203.6	032.5	323.3	000.6966	0114.8	072.6	35.39
125.0	002.5403	0204.5	032.3	322.8	000.6807	0115.0	072.7	35.27
126.0	002.4248	0205.7	032.0	322.3	000.6642	0115.2	072.8	35.14
127.0	002.3121	0206.7	031.7	321.8	000.6488	0115.4	073.0	35.01
128.0	002.2020	0207.6	031.4	321.3	000.6348	0115.7	073.1	34.88
129.0	002.0945	0208.3	031.1	320.9	000.6206	0116.0	073.3	34.74
130.0	001.9898	0208.6	030.7	320.4	000.6056	0116.5	073.6	34.58
131.0	001.9092	0208.3	030.4	320.0	000.5915	0116.9	073.8	34.44
132.0	001.8303	0207.4	030.0	319.5	000.5806	0117.5	074.1	34.29
133.0	001.7530	0205.9	029.6	319.1	000.5700	0118.1	074.4	34.14
134.0	001.6774	0204.5	029.2	318.7	000.5599	0118.6	074.8	33.99
135.0	001.6035	0203.5	028.8	318.3	000.5502	0119.2	075.1	33.84
136.0	001.5312	0203.0	028.5	317.9	000.5409	0119.7	075.5	33.69
137.0	001.4606	0202.9	028.2	317.5	000.5320	0120.3	075.8	33.56
138.0	001.3917	0202.8	027.9	317.1	000.5235	0120.7	076.1	33.42
139.0	001.3244	0202.6	027.5	316.8	000.5153	0121.2	076.4	33.27
140.0	001.2588	0202.2	027.2	316.4	000.5074	0121.6	076.8	33.11
141.0	001.2314	0201.7	027.0	316.1	000.4996	0121.9	077.0	33.00
142.0	001.2042	0201.1	026.8	315.8	000.4928	0122.2	077.2	32.89
143.0	001.1774	0200.5	026.7	315.4	000.4865	0122.3	077.5	32.77
144.0	001.1508	0200.0	026.5	315.1	000.4804	0122.4	077.7	32.65
145.0	001.1246	0199.4	026.3	314.8	000.4738	0122.5	077.9	32.52
146.0	001.0987	0198.6	026.1	314.5	000.4671	0122.5	078.2	32.38
147.0	001.0730	0197.6	026.0	314.2	000.4607	0122.5	078.5	32.23
148.0	001.0477	0196.6	025.8	313.9	000.4545	0122.6	078.8	32.09
149.0	001.0227	0195.5	025.5	313.6	000.4486	0122.7	079.1	31.95
150.0	000.9979	0194.5	025.3	313.4	000.4428	0122.8	079.4	31.80
151.0	000.9765	0193.8	025.2	313.1	000.4371	0122.9	079.7	31.67
152.0	000.9553	0193.7	025.1	312.8	000.4315	0123.1	080.0	31.54
153.0	000.9343	0194.4	025.0	312.6	000.4257	0123.3	080.2	31.42
154.0	000.9136	0195.6	024.9	312.3	000.4200	0123.4	080.4	31.31
155.0	000.8930	0196.6	024.8	312.0	000.4145	0123.6	080.7	31.20
156.0	000.8728	0197.3	024.8	311.8	000.4092	0123.9	080.9	31.08
157.0	000.8527	0197.7	024.6	311.5	000.4042	0124.1	081.2	30.95
158.0	000.8329	0197.3	024.5	311.3	000.3997	0124.3	081.5	30.81
159.0	000.8133	0196.7	024.3	311.1	000.3954	0124.4	081.9	30.68
160.0	000.7940	0196.2	024.2	310.9	000.3913	0124.6	082.2	30.54

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
161.0	000.7616	0196.1	023.9	310.7	000.3878	0124.7	082.6	30.39
162.0	000.7300	0196.3	023.7	310.5	000.3845	0124.9	083.0	30.24
163.0	000.6990	0196.8	023.5	310.4	000.3813	0125.0	083.4	30.09
164.0	000.6687	0197.5	023.3	310.2	000.3781	0125.1	083.8	29.94
165.0	000.6391	0198.8	023.1	310.1	000.3750	0125.2	084.2	29.80
166.0	000.6101	0200.1	023.0	309.9	000.3727	0125.3	084.6	29.67
167.0	000.5818	0200.0	022.7	309.8	000.3714	0125.3	085.0	29.53
168.0	000.5542	0198.2	022.4	309.7	000.3707	0125.4	085.5	29.38
169.0	000.5273	0196.3	022.0	309.7	000.3701	0125.4	086.1	29.22
170.0	000.5010	0195.4	021.7	309.6	000.3694	0125.4	086.5	29.08
171.0	000.4806	0196.5	021.6	309.5	000.3681	0125.5	086.9	28.96
172.0	000.4606	0197.6	021.4	309.4	000.3669	0125.6	087.3	28.84
173.0	000.4411	0198.3	021.2	309.3	000.3658	0125.6	087.7	28.72
174.0	000.4220	0199.0	021.0	309.2	000.3649	0125.7	088.1	28.60
175.0	000.4033	0199.5	020.8	309.1	000.3641	0125.7	088.5	28.48
176.0	000.3850	0200.3	020.6	309.1	000.3633	0125.8	088.8	28.36
177.0	000.3671	0201.0	020.4	309.0	000.3627	0125.8	089.3	28.24
178.0	000.3497	0201.3	020.2	309.0	000.3621	0125.8	089.7	28.12
179.0	000.3327	0201.2	020.0	309.0	000.3618	0125.8	090.1	27.99
180.0	000.3161	0201.1	019.7	308.9	000.3616	0125.8	090.5	27.87
181.0	000.3094	0201.8	019.6	308.8	000.3603	0125.8	090.8	27.77
182.0	000.3027	0203.5	019.6	308.7	000.3587	0125.9	091.1	27.67
183.0	000.2961	0205.2	019.6	308.6	000.3572	0125.9	091.4	27.57
184.0	000.2896	0205.6	019.5	308.5	000.3562	0125.9	091.8	27.47
185.0	000.2831	0205.2	019.4	308.5	000.3555	0125.9	092.1	27.36
186.0	000.2768	0204.6	019.2	308.5	000.3549	0125.9	092.5	27.26
187.0	000.2705	0205.5	019.2	308.4	000.3539	0125.9	092.8	27.16
188.0	000.2642	0206.4	019.1	308.3	000.3530	0125.9	093.1	27.06
189.0	000.2581	0207.3	019.0	308.3	000.3522	0125.9	093.4	26.96
190.0	000.2520	0207.9	018.9	308.2	000.3515	0125.8	093.8	26.86
191.0	000.2465	0207.8	018.8	308.2	000.3510	0125.8	094.1	26.76
192.0	000.2410	0207.8	018.7	308.1	000.3506	0125.8	094.4	26.66
193.0	000.2356	0207.6	018.6	308.1	000.3504	0125.8	094.8	26.57
194.0	000.2303	0207.7	018.5	308.1	000.3501	0125.8	095.1	26.47
195.0	000.2250	0207.7	018.4	308.1	000.3499	0125.8	095.5	26.38
196.0	000.2198	0207.6	018.3	308.1	000.3497	0125.8	095.8	26.29