

10-31-2021

Terrain Data: GLOBE 30 Sec

FMOver Analysis

NEW!

WAXU BLED20010124AAC

Channel = 219C2

Max ERP = 50 kW

RCAMSL = 190.8 m

N. Lat. 31 37 08.40

W. Lng. 85 39 11.40

Protected

60 dBu

Channel = 216A

Max ERP = 1.1 kW

RCAMSL = 196 m

N. Lat. 31 47 22.50

W. Lng. 85 58 57.80

Interfering

100 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)	IX (km)
241.0	006.3012	0066.5	023.7	161.0	001.1000	0068.8	032.2	48.36	
242.0	006.0901	0069.0	023.9	161.5	001.1000	0068.6	031.9	48.50	
243.0	005.8824	0071.3	024.1	161.9	001.1000	0068.5	031.5	48.68	
244.0	005.6785	0073.6	024.2	162.3	001.1000	0068.5	031.1	48.87	
245.0	005.4781	0076.0	024.4	162.7	001.1000	0068.5	030.7	49.07	
246.0	005.3138	0078.4	024.6	163.1	001.1000	0068.6	030.3	49.29	
247.0	005.1200	0080.7	024.7	163.4	001.1000	0068.8	029.9	49.53	
248.0	004.9298	0082.5	024.7	163.6	001.1000	0068.9	029.4	49.78	
249.0	004.7432	0084.1	024.7	163.7	001.1000	0068.9	029.0	50.03	
250.0	004.5602	0085.3	024.7	163.7	001.1000	0068.9	028.6	50.28	
251.0	004.5602	0086.4	024.8	164.0	001.1000	0069.1	028.2	50.55	
252.0	004.5602	0087.3	025.0	164.3	001.1000	0069.2	027.7	50.83	
253.0	004.5602	0088.1	025.1	164.6	001.1000	0069.2	027.3	51.10	
254.0	004.5602	0088.7	025.1	164.8	001.1000	0069.2	026.9	51.38	
255.0	004.5602	0089.1	025.2	164.9	001.1000	0069.1	026.4	51.67	
256.0	004.5602	0089.4	025.2	165.0	001.1000	0069.1	026.0	51.97	
257.0	004.5602	0089.6	025.3	165.0	001.1000	0069.1	025.5	52.27	
258.0	004.5602	0089.5	025.3	165.0	001.1000	0069.1	025.1	52.58	
259.0	004.5602	0089.4	025.2	164.9	001.1000	0069.2	024.7	52.89	
260.0	004.5602	0089.3	025.2	164.8	001.1000	0069.2	024.2	53.21	
261.0	004.8050	0088.9	025.5	165.2	001.1000	0069.1	023.8	53.54	
262.0	005.0562	0088.3	025.7	165.6	001.1000	0069.1	023.3	53.88	
263.0	005.3138	0087.8	025.9	166.0	001.1000	0068.9	022.8	54.23	
264.0	005.5778	0087.2	026.1	166.4	001.1000	0068.8	022.4	54.57	
265.0	005.8140	0087.1	026.3	166.8	001.1000	0068.6	021.9	54.92	
266.0	006.0901	0086.8	026.5	167.2	001.1000	0068.3	021.4	55.27	
267.0	006.3724	0086.4	026.8	167.6	001.1000	0068.1	020.9	55.65	
268.0	006.6613	0086.3	027.0	168.1	001.1000	0068.0	020.4	56.04	
269.0	006.9564	0086.1	027.3	168.5	001.1000	0067.9	019.9	56.45	
270.0	007.2581	0086.0	027.5	168.9	001.1000	0068.0	019.4	56.88	
271.0	007.6441	0085.7	027.8	169.5	001.1000	0068.3	018.8	57.35	
272.0	008.0400	0084.7	027.9	169.7	001.1000	0068.4	018.3	57.80	
273.0	008.4050	0083.9	028.1	169.8	001.1000	0068.6	017.8	58.25	
274.0	008.8200	0083.2	028.3	170.1	001.1000	0068.8	017.3	58.72	
275.0	009.2450	0082.4	028.5	170.2	001.1000	0069.0	016.8	59.20	
276.0	009.6800	0081.7	028.6	170.4	001.1000	0069.2	016.2	59.68	

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
277.0	010.1250	0081.1	028.8	170.6	001.1000	0069.3	015.7	60.16
278.0	010.5340	0080.6	029.0	170.6	001.1000	0069.4	015.2	60.64
279.0	010.9981	0080.4	029.3	171.0	001.1000	0069.9	014.6	61.09
280.0	011.5200	0080.6	029.6	171.7	001.1000	0070.8	014.0	61.92
281.0	012.0540	0080.9	030.0	172.4	001.1000	0071.8	013.4	62.83
282.0	012.6505	0081.0	030.3	173.2	001.1000	0073.2	012.8	63.86
283.0	013.2098	0080.9	030.6	173.7	001.1000	0074.2	012.2	64.84
284.0	013.8338	0080.4	030.9	173.9	001.1000	0074.8	011.6	65.81
285.0	014.5260	0079.5	031.0	173.8	001.1000	0074.5	011.0	66.70
286.0	015.1800	0078.7	031.2	173.6	001.1000	0074.0	010.5	67.60
287.0	015.9048	0078.2	031.5	173.7	001.1000	0074.4	009.9	68.68
288.0	016.6465	0078.1	031.8	174.2	001.1000	0075.3	009.2	69.93
289.0	017.4641	0078.2	032.2	175.1	001.1000	0077.6	008.6	71.42
290.0	018.2408	0078.2	032.5	175.7	001.1000	0079.1	007.9	72.86
291.0	018.7884	0078.2	032.8	175.5	001.1000	0078.6	007.3	74.20
292.0	019.3442	0078.1	033.0	175.0	001.1000	0077.3	006.7	75.62
293.0	019.9080	0078.1	033.2	174.4	001.1000	0075.9	006.1	77.20
294.0	020.4800	0078.2	033.5	173.7	001.1000	0074.3	005.4	79.00
295.0	020.9952	0078.4	033.7	172.5	001.1000	0071.9	004.8	80.79
296.0	021.5825	0078.5	033.9	170.9	001.1000	0069.7	004.2	82.88
297.0	022.1778	0078.6	034.2	168.4	001.1000	0067.9	003.6	85.37
298.0	022.7813	0078.7	034.4	164.7	001.1000	0069.2	003.0	88.59
299.0	023.3928	0078.7	034.6	158.4	001.1000	0072.4	002.4	92.70
300.0	024.0125	0078.5	034.8	147.5	001.1000	0079.1	001.9	96.90
301.0	024.0125	0078.2	034.7	129.1	001.1000	0066.1	001.8	97.15
302.0	024.0125	0078.2	034.7	109.8	001.1000	0061.3	001.8	96.49
303.0	024.0125	0078.5	034.8	092.1	001.1000	0049.5	002.0	93.46
304.0	025.1340	0079.0	035.2	070.3	001.1000	0044.9	002.1	91.97
305.0	026.3538	0079.4	035.7	052.4	001.1000	0051.0	002.4	90.28
306.0	027.6024	0079.7	036.1	040.7	001.1000	0059.4	002.9	87.73
307.0	028.8800	0080.0	036.5	033.2	001.1000	0070.2	003.6	85.68
308.0	030.2642	0080.3	037.0	028.1	001.1000	0067.5	004.3	82.38
309.0	031.6808	0080.4	037.4	025.0	001.1000	0068.3	005.0	79.85
310.0	033.1298	0080.5	037.7	023.0	001.1000	0069.5	005.7	77.55
311.0	034.6945	0080.8	038.2	021.1	001.1000	0068.4	006.5	75.11
312.0	036.2101	0081.4	038.6	019.4	001.1000	0066.6	007.3	72.82
313.0	037.8450	0082.1	039.1	018.1	001.1000	0066.1	008.1	71.00
314.0	039.4272	0082.5	039.5	017.6	001.1000	0066.1	008.9	69.52
315.0	041.1325	0082.8	039.9	017.3	001.1000	0066.1	009.7	68.07
316.0	042.8738	0083.3	040.4	017.0	001.1000	0066.1	010.5	66.64
317.0	044.5568	0083.9	040.8	016.8	001.1000	0066.1	011.3	65.27
318.0	046.3684	0084.6	041.3	016.7	001.1000	0066.1	012.2	63.94
319.0	048.1181	0084.9	041.6	017.0	001.1000	0066.1	013.0	62.76
320.0	050.0000	0084.8	041.9	017.6	001.1000	0066.1	013.7	61.70
321.0	050.0000	0084.3	041.8	019.5	001.1000	0066.6	014.3	61.04
322.0	050.0000	0084.2	041.8	021.1	001.1000	0068.3	014.9	60.52
323.0	050.0000	0085.0	042.0	022.0	001.1000	0069.2	015.6	60.20
324.0	050.0000	0086.5	042.3	022.4	001.1000	0069.5	016.4	59.55
325.0	050.0000	0087.9	042.5	022.9	001.1000	0069.5	017.2	58.89
326.0	050.0000	0088.5	042.6	023.9	001.1000	0069.2	017.9	58.25
327.0	050.0000	0088.0	042.5	025.4	001.1000	0067.9	018.5	57.62

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
328.0	050.0000	0086.4	042.2	027.4	001.1000	0067.3	019.0	57.13
329.0	050.0000	0084.5	041.9	029.5	001.1000	0068.5	019.4	56.91
330.0	050.0000	0082.7	041.5	031.4	001.1000	0069.5	019.9	56.65
331.0	050.0000	0081.3	041.2	033.1	001.1000	0070.2	020.4	56.32
332.0	050.0000	0080.5	041.1	034.4	001.1000	0070.4	020.9	55.89
333.0	050.0000	0080.4	041.0	035.3	001.1000	0069.9	021.6	55.33
334.0	049.0050	0080.6	040.9	036.5	001.1000	0068.4	022.1	54.70
335.0	046.7545	0080.5	040.5	038.2	001.1000	0064.5	022.6	53.86
336.0	044.6512	0080.1	040.1	040.0	001.1000	0060.5	023.0	53.03
337.0	042.6888	0079.7	039.6	041.7	001.1000	0058.0	023.5	52.35
338.0	040.7704	0079.7	039.2	043.3	001.1000	0055.6	023.9	51.64
339.0	038.8962	0080.1	038.9	044.6	001.1000	0053.9	024.4	51.00
340.0	037.1522	0080.4	038.6	045.9	001.1000	0053.2	024.9	50.54
341.0	035.4482	0080.2	038.2	047.4	001.1000	0052.8	025.4	50.14
342.0	033.8665	0079.2	037.6	049.1	001.1000	0051.8	025.7	49.71
343.0	032.3208	0077.9	037.0	051.0	001.1000	0051.0	026.1	49.32
344.0	030.8898	0076.7	036.4	052.7	001.1000	0051.1	026.5	49.10
345.0	029.4912	0076.2	035.9	054.2	001.1000	0051.9	026.9	48.97
346.0	028.2000	0075.7	035.5	055.5	001.1000	0051.9	027.3	48.70
347.0	026.9378	0074.9	034.9	057.0	001.1000	0050.2	027.7	48.15
348.0	025.7045	0073.6	034.3	058.7	001.1000	0048.0	028.1	47.53
349.0	024.5700	0072.2	033.6	060.3	001.1000	0047.1	028.4	47.17
350.0	023.4613	0071.5	033.1	061.7	001.1000	0046.6	028.8	46.85
351.0	022.3781	0070.8	032.6	063.0	001.1000	0045.3	029.2	46.37
352.0	021.3858	0070.1	032.1	064.3	001.1000	0043.5	029.6	45.81
353.0	020.4160	0069.2	031.5	065.6	001.1000	0042.7	029.9	45.46
354.0	019.4688	0068.3	031.0	066.9	001.1000	0043.5	030.3	45.44
355.0	018.6050	0067.4	030.5	068.1	001.1000	0044.4	030.7	45.44
356.0	017.7608	0066.6	030.0	069.3	001.1000	0044.7	031.0	45.32
357.0	016.9945	0066.4	029.6	070.1	001.1000	0044.8	031.4	45.16
358.0	016.1881	0065.8	029.2	071.2	001.1000	0045.3	031.8	45.08
359.0	015.5124	0065.2	028.8	072.1	001.1000	0046.0	032.2	45.06
000.0	014.7968	0064.1	028.3	073.2	001.1000	0046.9	032.5	45.09

10-31-2021

Terrain Data: GLOBE 30 Sec

FMOver Analysis

WAXU BLED20010124AAC

NEW!

Channel = 216A

Max ERP = 1.1 kW

RCAMSL = 196 m

N. Lat. 31 47 22.50

W. Lng. 85 58 57.80

Protected

60 dBu

Channel = 219C2

Max ERP = 50 kW

RCAMSL = 190.8 m

N. Lat. 31 37 08.40

W. Lng. 85 39 11.40

Interfering

100 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)	IX (km)
061.0	001.1000	0046.9	012.8	321.7	050.0000	0084.1	032.1	66.74	
062.0	001.1000	0046.4	012.8	321.5	050.0000	0084.1	031.9	66.84	
063.0	001.1000	0045.3	012.6	321.2	050.0000	0084.2	031.7	66.94	
064.0	001.1000	0043.8	012.4	320.7	050.0000	0084.4	031.5	67.04	
065.0	001.1000	0042.9	012.3	320.4	050.0000	0084.6	031.4	67.15	
066.0	001.1000	0042.8	012.3	320.2	050.0000	0084.6	031.2	67.25	
067.0	001.1000	0043.5	012.4	320.3	050.0000	0084.6	030.9	67.37	
068.0	001.1000	0044.3	012.5	320.4	050.0000	0084.6	030.7	67.49	
069.0	001.1000	0044.7	012.5	320.4	050.0000	0084.6	030.5	67.61	
070.0	001.1000	0044.8	012.5	320.3	050.0000	0084.6	030.3	67.73	
071.0	001.1000	0045.2	012.6	320.2	050.0000	0084.6	030.0	67.86	
072.0	001.1000	0045.9	012.7	320.2	050.0000	0084.6	029.8	67.99	
073.0	001.1000	0046.7	012.8	320.3	050.0000	0084.6	029.5	68.13	
074.0	001.1000	0047.2	012.9	320.2	050.0000	0084.6	029.3	68.26	
075.0	001.1000	0047.2	012.9	320.0	050.0000	0084.7	029.1	68.39	
076.0	001.1000	0047.1	012.9	319.8	049.6582	0084.8	028.9	68.48	
077.0	001.1000	0046.8	012.8	319.5	049.1350	0084.9	028.7	68.55	
078.0	001.1000	0046.6	012.8	319.3	048.6709	0084.9	028.5	68.63	
079.0	001.1000	0046.2	012.8	319.0	048.0885	0084.9	028.4	68.67	
080.0	001.1000	0046.1	012.7	318.7	047.6013	0084.8	028.2	68.73	
081.0	001.1000	0046.6	012.8	318.6	047.4036	0084.8	028.0	68.85	
082.0	001.1000	0047.3	012.9	318.5	047.2422	0084.8	027.7	68.98	
083.0	001.1000	0047.8	013.0	318.4	047.0011	0084.7	027.5	69.09	
084.0	001.1000	0047.9	013.0	318.1	046.5717	0084.6	027.3	69.16	
085.0	001.1000	0048.2	013.0	317.9	046.1691	0084.5	027.1	69.25	
086.0	001.1000	0048.5	013.1	317.7	045.7802	0084.4	026.9	69.34	
087.0	001.1000	0049.0	013.1	317.5	045.4146	0084.3	026.7	69.43	
088.0	001.1000	0049.2	013.2	317.2	044.9154	0084.1	026.5	69.49	
089.0	001.1000	0049.0	013.1	316.8	044.2809	0083.8	026.3	69.50	
090.0	001.1000	0048.9	013.1	316.5	043.6501	0083.6	026.2	69.52	
091.0	001.1000	0048.8	013.1	316.1	043.0353	0083.4	026.0	69.54	
092.0	001.1000	0049.4	013.2	315.8	042.6093	0083.2	025.8	69.62	
093.0	001.1000	0050.1	013.3	315.6	042.2180	0083.1	025.6	69.72	

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
094.0	001.1000	0050.9	013.4	315.4	041.8123	0083.0	025.3	69.83
095.0	001.1000	0051.8	013.5	315.2	041.4049	0082.9	025.1	69.94
096.0	001.1000	0052.9	013.6	314.9	041.0331	0082.8	024.8	70.08
097.0	001.1000	0053.9	013.8	314.7	040.6221	0082.7	024.6	70.21
098.0	001.1000	0054.8	013.9	314.4	040.0977	0082.6	024.4	70.31
099.0	001.1000	0055.7	014.0	314.1	039.5725	0082.5	024.1	70.41
100.0	001.1000	0056.5	014.1	313.7	038.9962	0082.4	023.9	70.49
101.0	001.1000	0057.4	014.2	313.4	038.4277	0082.3	023.7	70.57
102.0	001.1000	0057.5	014.2	312.9	037.6351	0082.0	023.5	70.56
103.0	001.1000	0057.0	014.2	312.3	036.6661	0081.6	023.5	70.46
104.0	001.1000	0056.7	014.1	311.7	035.7770	0081.2	023.4	70.37
105.0	001.1000	0057.3	014.2	311.2	035.0662	0080.9	023.2	70.38
106.0	001.1000	0058.8	014.4	310.9	034.4970	0080.7	022.9	70.49
107.0	001.1000	0060.3	014.5	310.5	033.8411	0080.6	022.7	70.57
108.0	001.1000	0061.4	014.7	310.0	033.1067	0080.5	022.5	70.63
109.0	001.1000	0061.7	014.7	309.4	032.2552	0080.4	022.4	70.60
110.0	001.1000	0061.3	014.6	308.7	031.3120	0080.4	022.3	70.50
111.0	001.1000	0060.7	014.6	308.1	030.3657	0080.3	022.3	70.37
112.0	001.1000	0060.5	014.6	307.4	029.4638	0080.1	022.2	70.26
113.0	001.1000	0060.8	014.6	306.8	028.6410	0079.9	022.1	70.19
114.0	001.1000	0061.7	014.7	306.2	027.8837	0079.8	022.0	70.17
115.0	001.1000	0062.7	014.8	305.6	027.1200	0079.6	021.8	70.15
116.0	001.1000	0063.3	014.9	305.0	026.3235	0079.4	021.7	70.08
117.0	001.1000	0063.8	014.9	304.3	025.5149	0079.1	021.6	69.99
118.0	001.1000	0064.2	014.9	303.6	024.7275	0078.8	021.6	69.86
119.0	001.1000	0064.5	015.0	303.0	024.0125	0078.4	021.5	69.74
120.0	001.1000	0064.7	015.0	302.3	024.0125	0078.2	021.5	69.75
121.0	001.1000	0064.7	015.0	301.6	024.0125	0078.2	021.5	69.75
122.0	001.1000	0064.5	015.0	300.9	024.0125	0078.3	021.5	69.73
123.0	001.1000	0064.5	015.0	300.2	024.0125	0078.5	021.5	69.76
124.0	001.1000	0064.8	015.0	299.5	023.6817	0078.7	021.5	69.73
125.0	001.1000	0065.1	015.1	298.8	023.2475	0078.7	021.5	69.66
126.0	001.1000	0065.3	015.1	298.1	022.8194	0078.7	021.5	69.56
127.0	001.1000	0065.3	015.1	297.4	022.3993	0078.6	021.5	69.45
128.0	001.1000	0065.5	015.1	296.7	021.9811	0078.6	021.6	69.34
129.0	001.1000	0066.0	015.2	296.0	021.5545	0078.5	021.6	69.24
130.0	001.1000	0066.8	015.2	295.2	021.1178	0078.4	021.5	69.16
131.0	001.1000	0067.8	015.4	294.4	020.7102	0078.3	021.5	69.09
132.0	001.1000	0068.5	015.4	293.7	020.3056	0078.2	021.5	68.99
133.0	001.1000	0069.1	015.5	293.0	019.8890	0078.1	021.5	68.87
134.0	001.1000	0069.8	015.6	292.2	019.4632	0078.1	021.6	68.76
135.0	001.1000	0070.8	015.7	291.4	019.0158	0078.2	021.6	68.68
136.0	001.1000	0072.1	015.9	290.6	018.5585	0078.2	021.5	68.59
137.0	001.1000	0073.0	016.0	289.8	018.0755	0078.2	021.6	68.46
138.0	001.1000	0073.6	016.0	289.1	017.5027	0078.2	021.6	68.26
139.0	001.1000	0074.1	016.1	288.3	016.9075	0078.1	021.7	68.03
140.0	001.1000	0074.8	016.2	287.6	016.3278	0078.1	021.8	67.81
141.0	001.1000	0075.5	016.3	286.8	015.7736	0078.3	021.9	67.63
142.0	001.1000	0076.3	016.4	286.1	015.2366	0078.6	022.0	67.45
143.0	001.1000	0076.9	016.4	285.4	014.7626	0079.1	022.1	67.28
144.0	001.1000	0077.6	016.5	284.6	014.2805	0079.9	022.2	67.13

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
145.0	001.1000	0078.3	016.6	283.9	013.7928	0080.5	022.3	66.95
146.0	001.1000	0079.0	016.7	283.2	013.3589	0080.8	022.4	66.75
147.0	001.1000	0079.3	016.7	282.6	013.0093	0081.0	022.6	66.52
148.0	001.1000	0078.7	016.7	282.2	012.7844	0081.0	022.9	66.26
149.0	001.1000	0077.6	016.5	282.0	012.6447	0081.0	023.2	65.98
150.0	001.1000	0076.4	016.4	281.8	012.5230	0081.0	023.5	65.70
151.0	001.1000	0075.4	016.3	281.6	012.3822	0081.0	023.8	65.44
152.0	001.1000	0074.7	016.2	281.3	012.2210	0080.9	024.1	65.17
153.0	001.1000	0074.0	016.1	281.0	012.0691	0080.9	024.3	64.91
154.0	001.1000	0073.7	016.0	280.7	011.8954	0080.8	024.6	64.66
155.0	001.1000	0073.8	016.1	280.3	011.6757	0080.7	024.8	64.41
156.0	001.1000	0074.1	016.1	279.9	011.4419	0080.6	025.0	64.17
157.0	001.1000	0074.0	016.1	279.5	011.2712	0080.5	025.2	63.92
158.0	001.1000	0073.1	016.0	279.4	011.2155	0080.5	025.5	63.69
159.0	001.1000	0071.4	015.8	279.5	011.2460	0080.5	025.9	63.47
160.0	001.1000	0069.9	015.6	279.5	011.2727	0080.5	026.2	63.26
161.0	001.1000	0068.8	015.5	279.5	011.2501	0080.5	026.5	63.05
162.0	001.1000	0068.5	015.4	279.3	011.1460	0080.5	026.8	62.84
163.0	001.1000	0068.6	015.4	279.0	011.0036	0080.4	027.0	62.62
164.0	001.1000	0069.1	015.5	278.7	010.8421	0080.4	027.2	62.42
165.0	001.1000	0069.1	015.5	278.4	010.7269	0080.5	027.5	62.22
166.0	001.1000	0069.0	015.5	278.2	010.6448	0080.5	027.7	62.03
167.0	001.1000	0068.4	015.4	278.1	010.6022	0080.5	028.0	61.85
168.0	001.1000	0068.0	015.4	278.1	010.5585	0080.6	028.3	61.67
169.0	001.1000	0068.0	015.4	277.9	010.4789	0080.6	028.5	61.49
170.0	001.1000	0068.7	015.5	277.6	010.3512	0080.7	028.8	61.31
171.0	001.1000	0069.9	015.6	277.1	010.1805	0081.0	029.0	61.14
172.0	001.1000	0071.1	015.7	276.7	009.9946	0081.3	029.2	60.96
173.0	001.1000	0072.8	015.9	276.2	009.7714	0081.6	029.4	60.77
174.0	001.1000	0074.9	016.2	275.6	009.5022	0082.0	029.6	60.57
175.0	001.1000	0077.4	016.5	274.9	009.2168	0082.5	029.9	60.36
176.0	001.1000	0079.7	016.8	274.3	008.9541	0082.9	030.1	60.16
177.0	001.1000	0081.8	017.0	273.8	008.7253	0083.3	030.4	59.95
178.0	001.1000	0083.2	017.2	273.4	008.5715	0083.6	030.6	59.75
179.0	001.1000	0083.8	017.3	273.2	008.5004	0083.8	030.9	59.58
180.0	001.1000	0084.0	017.3	273.2	008.4672	0083.8	031.2	59.42