

11-07-2021

Terrain Data: GLOBE 30 Sec

FMOver Analysis

NEW!

WLWJ BLED20011010AAC

Channel = 202A

Max ERP = 0.92 kW

RCAMSL = 232 m

N. Lat. 39 44 07.30

W. Lng. 89 31 01.10

Protected

60 dBu

Channel = 201A

Max ERP = 6 kW

RCAMSL = 273 m

N. Lat. 40 00 05.20

W. Lng. 89 41 49.40

Interfering

54 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)	IX (km)
273.0	000.9200	0054.8	013.3	175.8	000.2050	0094.5	029.0	45.61	
274.0	000.9200	0054.6	013.3	175.7	000.2047	0094.6	028.7	45.74	
275.0	000.9200	0054.4	013.3	175.6	000.2045	0094.6	028.5	45.88	
276.0	000.9200	0054.4	013.3	175.5	000.2043	0094.7	028.3	46.02	
277.0	000.9200	0054.4	013.3	175.4	000.2041	0094.7	028.1	46.16	
278.0	000.9200	0054.4	013.3	175.3	000.2039	0094.8	027.8	46.30	
279.0	000.9200	0054.5	013.3	175.3	000.2037	0094.8	027.6	46.44	
280.0	000.9200	0054.7	013.3	175.2	000.2035	0094.9	027.4	46.59	
281.0	000.9200	0054.8	013.3	175.1	000.2033	0094.9	027.2	46.74	
282.0	000.9200	0054.9	013.3	175.0	000.2031	0095.0	026.9	46.89	
283.0	000.9200	0055.0	013.3	174.8	000.2031	0095.0	026.7	47.04	
284.0	000.9200	0055.0	013.3	174.7	000.2031	0095.1	026.5	47.20	
285.0	000.9200	0055.1	013.3	174.5	000.2031	0095.2	026.3	47.35	
286.0	000.9200	0055.2	013.3	174.4	000.2031	0095.3	026.0	47.51	
287.0	000.9200	0055.3	013.4	174.2	000.2031	0095.3	025.8	47.66	
288.0	000.9200	0055.4	013.4	174.0	000.2031	0095.3	025.6	47.81	
289.0	000.9200	0055.5	013.4	173.8	000.2028	0095.2	025.4	47.95	
290.0	000.9200	0055.7	013.4	173.7	000.2024	0095.2	025.2	48.09	
291.0	000.9200	0056.1	013.5	173.5	000.2020	0095.1	024.9	48.23	
292.0	000.9200	0056.4	013.5	173.3	000.2016	0095.1	024.7	48.38	
293.0	000.9127	0056.8	013.5	173.1	000.2011	0095.0	024.5	48.51	
294.0	000.8710	0057.0	013.4	172.6	000.2000	0095.0	024.4	48.59	
295.0	000.8320	0057.2	013.3	172.0	000.1987	0094.9	024.2	48.64	
296.0	000.7940	0057.2	013.1	171.4	000.1987	0095.1	024.1	48.74	
297.0	000.7585	0057.4	013.0	170.9	000.1985	0095.4	024.0	48.85	
298.0	000.7238	0057.7	012.9	170.3	000.1973	0095.7	023.9	48.94	
299.0	000.6916	0058.1	012.8	169.8	000.1970	0096.0	023.8	49.04	
300.0	000.6600	0058.5	012.7	169.3	000.1981	0096.3	023.7	49.18	
301.0	000.6307	0058.7	012.6	168.7	000.1994	0096.8	023.6	49.31	
302.0	000.6021	0058.5	012.4	168.1	000.2008	0097.3	023.5	49.43	
303.0	000.5756	0058.2	012.3	167.4	000.2022	0097.6	023.5	49.53	
304.0	000.6021	0058.1	012.4	167.3	000.2026	0097.7	023.2	49.71	
305.0	000.6307	0058.1	012.5	167.1	000.2029	0097.7	023.0	49.91	
306.0	000.6616	0058.2	012.7	166.9	000.2033	0097.8	022.7	50.12	
307.0	000.6916	0058.3	012.8	166.7	000.2037	0097.8	022.5	50.32	
308.0	000.7255	0058.4	013.0	166.5	000.2041	0097.8	022.2	50.53	

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
309.0	000.7585	0058.6	013.1	166.3	000.2046	0097.8	022.0	50.74
310.0	000.7940	0058.9	013.3	166.1	000.2051	0097.7	021.7	50.96
311.0	000.8320	0059.2	013.5	165.9	000.2056	0097.6	021.4	51.18
312.0	000.8710	0059.3	013.6	165.6	000.2062	0097.5	021.1	51.39
313.0	000.9127	0059.3	013.8	165.3	000.2069	0097.4	020.9	51.59
314.0	000.9200	0059.4	013.8	164.8	000.2086	0097.3	020.7	51.74
315.0	000.9200	0059.6	013.8	164.2	000.2110	0097.2	020.6	51.89
316.0	000.9200	0059.6	013.8	163.6	000.2129	0097.2	020.5	52.03
317.0	000.9200	0059.5	013.8	163.0	000.2143	0097.3	020.4	52.14
318.0	000.9200	0059.6	013.8	162.4	000.2157	0097.3	020.3	52.26
319.0	000.9200	0059.9	013.9	161.8	000.2170	0097.2	020.1	52.38
320.0	000.9200	0060.4	013.9	161.2	000.2184	0096.9	020.0	52.48
321.0	000.9200	0060.5	013.9	160.6	000.2198	0096.5	019.9	52.55
322.0	000.9200	0060.5	013.9	159.9	000.2217	0096.1	019.8	52.61
323.0	000.9200	0060.4	013.9	159.2	000.2264	0095.8	019.8	52.73
324.0	000.9200	0060.3	013.9	158.6	000.2313	0095.7	019.7	52.85
325.0	000.9200	0060.3	013.9	157.9	000.2361	0095.5	019.6	52.97
326.0	000.9200	0060.3	013.9	157.2	000.2411	0095.1	019.6	53.07
327.0	000.9200	0060.3	013.9	156.5	000.2462	0094.6	019.5	53.15
328.0	000.9200	0060.3	013.9	155.8	000.2508	0094.2	019.5	53.21
329.0	000.9200	0060.4	013.9	155.1	000.2543	0093.7	019.5	53.26
330.0	000.9200	0060.6	013.9	154.4	000.2594	0093.3	019.4	53.33
331.0	000.8981	0060.8	013.9	153.6	000.2648	0092.8	019.5	53.35
332.0	000.8764	0061.2	013.8	152.9	000.2702	0092.5	019.5	53.37
333.0	000.8532	0061.3	013.8	152.2	000.2757	0092.4	019.6	53.38
334.0	000.8320	0061.2	013.7	151.5	000.2810	0092.4	019.7	53.39
335.0	000.8112	0061.1	013.6	150.9	000.2863	0092.5	019.8	53.39
336.0	000.7906	0061.3	013.5	150.2	000.2915	0092.5	019.9	53.40
337.0	000.7702	0061.6	013.4	149.5	000.2943	0092.5	020.0	53.38
338.0	000.7485	0062.2	013.4	148.9	000.2960	0092.5	020.0	53.34
339.0	000.7287	0062.9	013.4	148.2	000.2977	0092.4	020.1	53.31
340.0	000.7092	0063.6	013.4	147.6	000.2995	0092.4	020.2	53.28
341.0	000.7238	0064.3	013.5	146.9	000.3014	0092.4	020.1	53.37
342.0	000.7386	0065.2	013.6	146.1	000.3035	0092.5	020.0	53.48
343.0	000.7535	0066.1	013.8	145.3	000.3056	0092.7	019.9	53.59
344.0	000.7686	0067.2	014.0	144.5	000.3078	0092.9	019.8	53.70
345.0	000.7838	0068.1	014.1	143.7	000.3100	0093.2	019.8	53.81
346.0	000.7974	0068.6	014.2	142.9	000.3122	0093.4	019.8	53.87
347.0	000.8129	0068.6	014.3	142.2	000.3142	0093.6	019.8	53.89
348.0	000.8286	0067.9	014.3	141.5	000.3160	0093.8	019.9	53.84
349.0	000.8443	0066.7	014.2	140.9	000.3176	0093.9	020.1	53.75
350.0	000.8603	0065.5	014.2	140.4	000.3191	0094.0	020.2	53.65
351.0	000.8656	0064.5	014.1	139.9	000.3202	0094.1	020.4	53.52
352.0	000.8728	0063.9	014.1	139.4	000.3202	0094.1	020.6	53.40
353.0	000.8782	0063.8	014.1	138.8	000.3208	0094.2	020.7	53.31
354.0	000.8836	0063.8	014.1	138.2	000.3224	0094.2	020.8	53.24
355.0	000.8908	0063.7	014.1	137.6	000.3240	0094.3	021.0	53.17
356.0	000.8962	0063.4	014.1	137.1	000.3255	0094.4	021.1	53.07
357.0	000.9017	0062.9	014.1	136.6	000.3257	0094.4	021.3	52.94
358.0	000.9072	0062.4	014.1	136.2	000.3257	0094.5	021.5	52.80
359.0	000.9145	0062.0	014.1	135.7	000.3265	0094.5	021.7	52.67

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
000.0	000.9200	0061.6	014.0	135.3	000.3277	0094.5	021.9	52.55
001.0	000.9200	0061.2	014.0	134.9	000.3285	0094.6	022.1	52.41
002.0	000.9200	0060.9	014.0	134.6	000.3285	0094.6	022.3	52.26
003.0	000.9200	0060.9	014.0	134.1	000.3285	0094.6	022.4	52.13
004.0	000.9200	0061.0	014.0	133.7	000.3294	0094.6	022.6	52.00
005.0	000.9200	0061.0	014.0	133.3	000.3304	0094.7	022.8	51.88
006.0	000.9200	0060.9	014.0	133.0	000.3313	0094.7	023.0	51.75
007.0	000.9200	0060.6	013.9	132.7	000.3313	0094.8	023.2	51.59
008.0	000.9200	0060.3	013.9	132.4	000.3313	0094.8	023.4	51.43
009.0	000.9200	0059.9	013.9	132.1	000.3313	0094.8	023.7	51.27
010.0	000.9200	0059.4	013.8	131.9	000.3316	0094.8	023.9	51.10
011.0	000.9200	0059.0	013.8	131.7	000.3322	0094.8	024.1	50.95
012.0	000.9200	0058.9	013.8	131.5	000.3329	0094.8	024.3	50.80
013.0	000.9200	0058.8	013.8	131.2	000.3336	0094.8	024.5	50.66
014.0	000.9200	0058.8	013.8	130.9	000.3342	0094.8	024.7	50.51
015.0	000.9200	0058.7	013.7	130.7	000.3342	0094.8	025.0	50.36
016.0	000.9200	0058.6	013.7	130.5	000.3342	0094.7	025.2	50.20
017.0	000.9200	0058.4	013.7	130.3	000.3342	0094.7	025.4	50.04
018.0	000.9200	0058.2	013.7	130.2	000.3342	0094.7	025.6	49.88
019.0	000.9200	0058.0	013.7	130.0	000.3342	0094.6	025.9	49.72
020.0	000.9200	0057.8	013.6	129.9	000.3360	0094.6	026.1	49.58
021.0	000.9200	0057.6	013.6	129.7	000.3379	0094.6	026.3	49.45
022.0	000.9200	0057.6	013.6	129.6	000.3401	0094.5	026.6	49.32
023.0	000.9200	0057.7	013.6	129.4	000.3426	0094.5	026.8	49.20
024.0	000.9200	0057.8	013.6	129.2	000.3449	0094.4	027.0	49.08
025.0	000.9200	0057.8	013.6	129.1	000.3468	0094.4	027.2	48.95
026.0	000.9200	0057.6	013.6	129.0	000.3478	0094.4	027.5	48.81
027.0	000.9200	0057.2	013.6	129.0	000.3483	0094.4	027.7	48.66
028.0	000.9200	0056.9	013.5	129.0	000.3484	0094.4	028.0	48.51
029.0	000.9200	0056.5	013.5	129.0	000.3486	0094.4	028.2	48.37
030.0	000.9200	0056.3	013.5	129.0	000.3490	0094.4	028.4	48.23
031.0	000.9200	0056.3	013.5	128.9	000.3498	0094.3	028.7	48.09
032.0	000.9200	0056.6	013.5	128.8	000.3512	0094.3	028.9	47.97

11-07-2021

Terrain Data: GLOBE 30 Sec

FMOver Analysis

WLWJ BLED20011010AAC

NEW!

Channel = 201A

Max ERP = 6 kW

RCAMSL = 273 m

N. Lat. 40 00 05.20

W. Lng. 89 41 49.40

Protected

60 dBu

Channel = 202A

Max ERP = 0.92 kW

RCAMSL = 232 m

N. Lat. 39 44 07.30

W. Lng. 89 31 01.10

Interfering

54 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)	IX (km)
092.0	000.4604	0097.4	014.8	358.9	000.9138	0062.0	029.1	48.34	
093.0	000.4571	0097.4	014.8	358.8	000.9131	0062.1	028.8	48.49	
094.0	000.4505	0096.5	014.6	358.5	000.9110	0062.2	028.6	48.63	
095.0	000.4439	0095.4	014.5	358.2	000.9084	0062.3	028.3	48.78	
096.0	000.4374	0094.4	014.4	357.8	000.9062	0062.5	028.1	48.94	
097.0	000.4309	0093.6	014.2	357.5	000.9045	0062.7	027.9	49.09	
098.0	000.4277	0093.0	014.2	357.3	000.9032	0062.8	027.6	49.24	
099.0	000.4213	0092.6	014.1	357.0	000.9017	0062.9	027.4	49.39	
100.0	000.4150	0092.4	014.0	356.7	000.9003	0063.1	027.2	49.54	
101.0	000.4150	0092.3	014.0	356.6	000.8995	0063.1	026.9	49.70	
102.0	000.4150	0092.1	014.0	356.4	000.8986	0063.2	026.7	49.86	
103.0	000.4150	0092.0	014.0	356.3	000.8977	0063.3	026.5	50.02	
104.0	000.4150	0091.9	014.0	356.1	000.8967	0063.4	026.3	50.18	
105.0	000.4150	0091.9	014.0	355.9	000.8958	0063.4	026.0	50.34	
106.0	000.4150	0092.1	014.0	355.8	000.8950	0063.5	025.8	50.50	
107.0	000.4150	0092.3	014.0	355.6	000.8941	0063.5	025.6	50.66	
108.0	000.4150	0092.4	014.0	355.4	000.8931	0063.6	025.3	50.82	
109.0	000.4150	0092.5	014.0	355.2	000.8919	0063.7	025.1	50.99	
110.0	000.4150	0092.5	014.0	355.0	000.8907	0063.7	024.9	51.15	
111.0	000.4213	0092.6	014.1	354.9	000.8898	0063.7	024.6	51.32	
112.0	000.4277	0092.6	014.1	354.7	000.8888	0063.8	024.4	51.50	
113.0	000.4309	0092.7	014.2	354.5	000.8873	0063.8	024.1	51.66	
114.0	000.4374	0092.7	014.2	354.3	000.8861	0063.8	023.9	51.84	
115.0	000.4439	0092.7	014.3	354.2	000.8847	0063.8	023.7	52.01	
116.0	000.4505	0092.7	014.3	353.9	000.8833	0063.8	023.4	52.19	
117.0	000.4571	0092.7	014.4	353.7	000.8820	0063.8	023.2	52.36	
118.0	000.4604	0092.6	014.4	353.4	000.8804	0063.8	023.0	52.52	
119.0	000.4670	0092.6	014.5	353.1	000.8790	0063.8	022.7	52.69	
120.0	000.4738	0092.7	014.5	352.9	000.8776	0063.8	022.5	52.87	
121.0	000.4571	0093.0	014.4	352.3	000.8743	0063.8	022.4	52.96	
122.0	000.4439	0093.3	014.3	351.7	000.8706	0064.0	022.2	53.07	
123.0	000.4277	0093.5	014.2	351.0	000.8659	0064.5	022.1	53.19	
124.0	000.4150	0093.5	014.1	350.4	000.8625	0065.1	022.0	53.33	

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
125.0	000.3994	0093.5	014.0	349.7	000.8555	0065.9	021.9	53.45
126.0	000.3871	0093.5	013.9	349.1	000.8452	0066.7	021.8	53.58
127.0	000.3720	0093.7	013.7	348.4	000.8344	0067.5	021.8	53.68
128.0	000.3602	0094.1	013.6	347.7	000.8245	0068.1	021.7	53.77
129.0	000.3485	0094.4	013.6	347.1	000.8146	0068.5	021.6	53.83
130.0	000.3342	0094.6	013.4	346.4	000.8038	0068.7	021.5	53.82
131.0	000.3342	0094.8	013.4	345.9	000.7963	0068.6	021.4	53.89
132.0	000.3313	0094.8	013.4	345.4	000.7887	0068.3	021.3	53.90
133.0	000.3313	0094.7	013.4	344.8	000.7810	0067.9	021.2	53.91
134.0	000.3285	0094.6	013.4	344.2	000.7720	0067.4	021.1	53.87
135.0	000.3285	0094.6	013.4	343.7	000.7635	0066.8	021.0	53.84
136.0	000.3257	0094.5	013.3	343.1	000.7544	0066.2	020.9	53.77
137.0	000.3257	0094.4	013.3	342.5	000.7457	0065.6	020.8	53.73
138.0	000.3229	0094.3	013.3	341.8	000.7364	0065.0	020.7	53.66
139.0	000.3202	0094.2	013.3	341.2	000.7271	0064.5	020.7	53.58
140.0	000.3202	0094.1	013.3	340.6	000.7182	0064.0	020.6	53.53
141.0	000.3174	0093.9	013.2	340.0	000.7097	0063.6	020.5	53.46
142.0	000.3146	0093.7	013.2	339.3	000.7224	0063.1	020.5	53.50
143.0	000.3119	0093.4	013.1	338.7	000.7353	0062.6	020.5	53.53
144.0	000.3092	0093.1	013.1	338.0	000.7482	0062.2	020.5	53.56
145.0	000.3065	0092.8	013.0	337.4	000.7623	0061.8	020.5	53.59
146.0	000.3037	0092.5	013.0	336.7	000.7760	0061.5	020.5	53.63
147.0	000.3011	0092.4	012.9	336.1	000.7890	0061.3	020.5	53.68
148.0	000.2984	0092.4	012.9	335.4	000.8021	0061.2	020.5	53.74
149.0	000.2957	0092.5	012.9	334.8	000.8152	0061.1	020.5	53.81
150.0	000.2930	0092.5	012.9	334.2	000.8284	0061.2	020.5	53.88
151.0	000.2851	0092.5	012.8	333.5	000.8418	0061.2	020.6	53.90
152.0	000.2774	0092.4	012.7	332.9	000.8552	0061.3	020.6	53.90
153.0	000.2697	0092.5	012.6	332.3	000.8694	0061.2	020.7	53.91
154.0	000.2621	0093.0	012.6	331.7	000.8829	0061.1	020.8	53.91
155.0	000.2546	0093.7	012.5	331.1	000.8958	0060.9	020.8	53.90
156.0	000.2497	0094.3	012.5	330.5	000.9088	0060.7	020.9	53.91
157.0	000.2424	0095.0	012.5	329.9	000.9200	0060.6	020.9	53.89
158.0	000.2352	0095.5	012.4	329.4	000.9200	0060.5	021.0	53.81
159.0	000.2281	0095.8	012.3	328.8	000.9200	0060.4	021.1	53.71
160.0	000.2212	0096.1	012.3	328.3	000.9200	0060.3	021.2	53.61
161.0	000.2189	0096.7	012.3	327.7	000.9200	0060.3	021.3	53.58
162.0	000.2166	0097.2	012.3	327.2	000.9200	0060.3	021.3	53.53
163.0	000.2143	0097.3	012.2	326.6	000.9200	0060.3	021.4	53.47
164.0	000.2121	0097.2	012.2	326.1	000.9200	0060.3	021.5	53.39
165.0	000.2076	0097.4	012.1	325.6	000.9200	0060.3	021.6	53.30
166.0	000.2054	0097.6	012.1	325.1	000.9200	0060.3	021.7	53.22
167.0	000.2031	0097.8	012.1	324.6	000.9200	0060.3	021.8	53.14
168.0	000.2009	0097.3	012.0	324.2	000.9200	0060.2	022.0	53.03
169.0	000.1987	0096.5	012.0	323.8	000.9200	0060.3	022.1	52.91
170.0	000.1966	0095.9	011.9	323.4	000.9200	0060.3	022.3	52.79
171.0	000.1987	0095.3	011.9	322.9	000.9200	0060.4	022.4	52.73
172.0	000.1987	0094.9	011.9	322.5	000.9200	0060.4	022.5	52.64
173.0	000.2009	0095.0	011.9	322.0	000.9200	0060.5	022.6	52.59
174.0	000.2031	0095.3	012.0	321.4	000.9200	0060.5	022.6	52.54
175.0	000.2031	0094.9	011.9	321.0	000.9200	0060.5	022.8	52.44

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
176.0	000.2054	0094.4	011.9	320.6	000.9200	0060.5	022.9	52.34
177.0	000.2076	0093.9	011.9	320.2	000.9200	0060.4	023.0	52.24
178.0	000.2098	0093.7	012.0	319.8	000.9200	0060.3	023.1	52.13
179.0	000.2098	0093.5	011.9	319.4	000.9200	0060.1	023.3	52.00
180.0	000.2121	0093.3	012.0	318.9	000.9200	0059.9	023.4	51.89
181.0	000.2189	0093.1	012.0	318.4	000.9200	0059.7	023.5	51.80
182.0	000.2281	0092.9	012.1	317.9	000.9200	0059.5	023.5	51.72
183.0	000.2352	0092.9	012.2	317.4	000.9200	0059.5	023.6	51.65
184.0	000.2448	0092.9	012.3	316.8	000.9200	0059.5	023.7	51.60
185.0	000.2546	0092.7	012.5	316.3	000.9200	0059.6	023.8	51.54
186.0	000.2621	0092.3	012.5	315.8	000.9200	0059.7	023.9	51.46
187.0	000.2722	0092.2	012.6	315.3	000.9200	0059.6	024.0	51.38
188.0	000.2799	0092.7	012.7	314.7	000.9200	0059.5	024.1	51.29
189.0	000.2904	0093.9	012.9	314.1	000.9200	0059.4	024.2	51.22
190.0	000.2984	0094.9	013.1	313.5	000.9160	0059.3	024.3	51.11
191.0	000.3146	0095.5	013.3	312.7	000.9020	0059.3	024.4	50.98
192.0	000.3285	0096.2	013.5	312.1	000.8744	0059.3	024.5	50.78
193.0	000.3456	0096.9	013.7	311.4	000.8461	0059.3	024.6	50.56
194.0	000.3602	0096.9	013.9	310.8	000.8246	0059.2	024.7	50.33
195.0	000.3750	0096.6	014.0	310.3	000.8061	0059.0	024.9	50.09
196.0	000.3932	0096.5	014.1	309.8	000.7853	0058.8	025.1	49.84
197.0	000.4119	0096.5	014.3	309.2	000.7645	0058.6	025.2	49.58
198.0	000.4277	0096.7	014.5	308.6	000.7466	0058.5	025.4	49.33
199.0	000.4472	0096.9	014.6	308.1	000.7276	0058.4	025.6	49.08
200.0	000.4637	0097.1	014.8	307.5	000.7100	0058.3	025.8	48.83
201.0	000.4873	0097.5	015.0	306.9	000.6884	0058.3	025.9	48.56
202.0	000.5116	0098.0	015.3	306.2	000.6686	0058.2	026.1	48.30
203.0	000.5364	0098.2	015.5	305.7	000.6508	0058.1	026.4	48.03
204.0	000.5618	0098.2	015.7	305.1	000.6333	0058.1	026.6	47.75
205.0	000.5878	0098.7	015.9	304.5	000.6149	0058.1	026.8	47.47
206.0	000.6182	0099.7	016.3	303.7	000.5936	0058.1	027.0	47.17
207.0	000.6455	0100.2	016.5	303.1	000.5774	0058.2	027.3	46.90
208.0	000.6734	0100.0	016.7	302.6	000.5850	0058.3	027.6	46.80
209.0	000.7018	0099.3	016.8	302.3	000.5928	0058.4	027.8	46.70
210.0	000.7308	0098.7	017.0	302.1	000.6007	0058.5	028.1	46.59
211.0	000.7690	0098.5	017.2	301.6	000.6141	0058.6	028.4	46.53