

# T Z SAWYER TECHNICAL CONSULTANTS

2130 HUTCHISON GROVE COURT, SUITE 100  
FALLS CHURCH, VIRGINIA 22043  
TELEPHONE (703) 848-2130 / (202) 642-2130

## DIGITAL LPTV FACILITY MINOR CHANGE APPLICATION

K10RS

FCC FACILITY ID: 182854

ASPEN, COLORADO

JANUARY 2023

### ENGINEERING NARRATIVE

#### Minor Change Application:

K10RS, seeks to modify its existing CONSTRUCTION permit (LMS: 0000116673) to specific a new transmission site and antenna system parameters. The proposed antenna is a SCALA CL-713, a directional horizontally polarized yagi antenna. A full-service filter mask is to be employed. The facility requested is not contingent upon a grant or channel move of any other known facility at the time of filing.

Maximum Effective Radiated Power (ERP) is 0.45 kilowatts (main lobe directional antenna), horizontal polarization only.

#### Modification Compliance:

Pursuant to 47 CFR §74.787(b) the instant application is considered a “minor” change because;

- There is no change in transmitting antenna location such that the protected service contour resulting from the change does not overlap some portion of the protected service contour of the authorized facilities of the existing station CONSTRUCTION PERMIT as illustrated in Figure 1, Present & Proposed Service Contours.
- There is no change in transmitting antenna location greater than 30 miles (48km) from the reference coordinates of the existing station construction permit antenna location, as noted below:

CALCULATED DISTANCE BETWEEN EXISTING LICENSE AND PROPOSED SITES

SITE	LAT (NAD83)	LON (NAD83)	(KM)	(MI)
CURRENT/EXISTING	39-13-33.00 N	106-50-09.20 W	5.748	3.571
PROPOSED CP MOD	39-10-53.87 N	106-48-04.50 W		

#### FCC Tower Registration (ASR) - FAA Notification:

The proposed antenna mounting structure is 10.7 meter in overall height (AGL). This is an existing building with a chimney mounted pole that extends approximately 7-feet above the 28-foot AGL chimney and is used for communication purposes (primarily, amateur radio service) and does not require an FCC ASR number or FAA notification. No changes in the supporting structure is required that would require notification to the FAA or a FCC ASR number . The antenna is pole mounted on this permanent structure at 10.7 meters (35 feet) above ground level.

An exhibit has been prepared in which the proposed site has been marked on a large scale topographic map and includes an angled overhead view using satellite imagery from Google Earth.

Antenna Elevations:

The ground elevation at the site is 2462.8 meters above mean sea level (AMSL). The center of radiation of the proposed antenna is 10.7 meters above ground level (AGL). Thus, the center of radiation is 2473.5 meters above mean sea level (AMSL), as tabulated below:

ALL ELEVATIONS IN METERS	
GROUND ELEVATION	2462.8
SUPPORTING STRUCTURE OVERALL HEIGHT AGL	10.7
ANTENNA HEIGHT AGL	10.7
ANTENNA RCAMSL	2473.5


FCC TVStudy Results:

The results of a interference study of the proposal using the FCC TVStudy program (Version 2.2.5), shows that no prohibitive interference will occur from the proposal. A copy of the summary report has been included in this application. The applicant accepts any incoming interference that is predicted to exist to the proposed facility by any authorized or pending, primary or secondary TV station at the time this application is submitted.

Environmental Evaluation Statement:


The environmental evaluation statement concerning this proposal has been included in this application and can be found as a separate file upload within the application. A grant of this proposal would NOT be an action which would have a significant environmental effect as demonstrated in the environmental evaluation statement.


January 18, 2023



Timothy Z. Sawyer, Consulting Engineer

T Z Sawyer Technical Consultants  
2130 Hutchison Grove Court, Suite 100  
Falls Church, VA 22043  
Tel.: (703) 848-2130  
e-mail: tzsawyer@tzsawyer.com





**PROPOSED SITE**  
 NAD 83  
 39-10-53.87 N LAT  
 106-48-04.50 W LON  
 SITE ELEVATION 2462.8 M

**T Z SAWYER TECHNICAL CONSULTANTS**

Tel.: (703) 848-2130  
www.tzsawyer.com

**TOPOGRAPHIC SITE MAP**

K10RS  
ASPEN, COLORADO

**FIGURE 2**

FALL CHURCH, VIRGINIA 22043-2555

SIZE  
A

CAGE NO  
N/A

DWG NO  
20230118K10RS.2A


REV  
NONE

(c) 2023, ALL RIGHTS RESERVED

SCALE  
N/A

JANUARY 2023

SHEET



<b>DETERMINATION Results</b>	
Structure does not require registration. The structure meets the 6.10-meter (20-foot) Rule criteria.	
<b>Your Specifications</b>	
<b>NAD83 Coordinates</b>	
Latitude	39-10-53.8 north
Longitude	106-48-04.5 west
<b>Measurements (Meters)</b>	
Overall Structure Height (AGL)	10.7
Support Structure Height (AGL)	10.7
Site Elevation (AMSL)	2462.8
<b>Structure Type</b>	
BPIPE - Building with Pipe	


<b>T Z SAWYER TECHNICAL CONSULTANTS</b> Tel.: (703) 848-2130 www.tzsawyer.com	<b>PHOTOGRAPH OF EXISTING TOWER SITE AND TOWER AIR SLOPE RESULTS</b>			
	K10RS ASPEN, CO			<b>FIGURE 2</b>
FALL CHURCH, VIRGINIA 22043-2555	SIZE A	CAGE NO N/A	DWG NO 20230118K10RS.2B	REV NONE
(c) 2023, ALL RIGHTS RESERVED	SCALE N/A	JANUARY 2023		SHEET

# SCA CL-713 HORZ PATTERN

Pre-Rotation Antenna Pattern...

Azimuth (deg)	Relative Field
0.0	1.0
10.0	0.945
20.0	0.805
30.0	0.598
40.0	0.352
50.0	0.03
60.0	0.01
70.0	0.01
80.0	0.01
90.0	0.01
100.0	0.01
110.0	0.01
120.0	0.01
130.0	0.01
140.0	0.02
150.0	0.025
160.0	0.03
170.0	0.03
180.0	0.03
190.0	0.03
200.0	0.03
210.0	0.025
220.0	0.02
230.0	0.01
240.0	0.01
250.0	0.01
260.0	0.01
270.0	0.01
280.0	0.01
290.0	0.01
300.0	0.01
310.0	0.03
320.0	0.352
330.0	0.598
340.0	0.805
350.0	0.945

Rotation Angle = 310



PATTERN PLOTTED AS ROTATED  
310 DEG TRUE.

FIGURE 3 K10RS, ASPEN, CO

**FIGURE 4 FCC TVSTUDY SUMMARY REPORT**

Study cell size: 1.00 km

Profile point spacing: 1.00 km

Proposal: K10RS-D D10 LD CP ASPEN, CO  
 File number: K10RS APP CP MOD  
 Facility ID: 182854  
 Station data: User record  
 Record ID: 655  
 Country: U.S.

Build options:  
 Protect pre-transition records not on baseline channel

Stations potentially affected by proposal:

IX	Call	Chan	Svc	Status	City, State	File Number	Distance
No	KUSA	D9	DT	LIC	DENVER, CO	BLANK0000129226	147.8 km
No	KKCO	D9	LD	LIC	GRAND JUNCTION, CO	BLCDDT20121025ABH	81.8
No	K09TH-D	D9	LD	LIC	GUNNISON, CO	BLDTV20091021ABR	73.2
No	K09PJ-D	D9	LD	LIC	OURAY, CO	BLDTV20101013ADN	149.8
No	K09WB-D	D9	LD	LIC	POWDERHORN, CO	BLDTV20110913AAY	102.4
No	K09YO-D	D9	LD	LIC	THOMASVILLE, CO	BLDTV20100709AIA	21.6
No	K09DY-D	D9	LD	LIC	WESTCLIFFE, CO	BLDTV20120615ACG	170.8
No	K10PM-D	D10	LD	LIC	BRECKENRIDGE, CO	BLDTV20101015AAN	77.1
No	KWHS-LD	D10	LD	LIC	COLORADO SPRINGS, CO	BLANK0000081492	174.6
No	KHDT-LD	D10	LD	LIC	DENVER, CO	BLANK0000162625	147.5
No	K10MZ-D	D10	LD	LIC	DOLORES, CO	BLDTV20110329ADA	242.7
No	K10NY-D	D10	LD	LIC	ISMAY CANYON, CO	BLDTV20110808ACQ	270.4
No	K10RB-D	D10	LD	LIC	MESA, CO	BLDTV20141217ABI	121.6
No	KRMZ	D10	DT	LIC	STEAMBOAT SPRINGS, CO	BLCDDT20060711ABO	142.4
No	K10PR-D	D10	LD	LIC	THOMASVILLE, CO	BLDTV20100709AHY	21.6
No	DKRYD-LP	N10-	TX	APP	VAIL, CO	BLTVL20080311ADN	58.8
No	K10AD-D	D10	LD	CP	VALLECITO, CO	BLANK0000062938	233.9
No	K10AD-D	D10	LD	LIC	VALLECITO, CO	BLDTV20120608AAN	213.0
No	K10MA-D	D10	LD	LIC	WAUNITA HOT SPRINGS, CO	BLDTV20101216ACS	74.3
No	K10OD-D	D10	LD	LIC	WEBER CANYON, CO	BLDTV20110329ACS	247.0
No	KBSL-DT	D10	DT	LIC	GOODLAND, KS	BLCDDT20130318ADJ	452.1
No	K10CG-D	D10	LD	LIC	AZTEC, NM	BLDTV20090527ABW	305.9
No	KCHF	D10	DT	LIC	SANTA FE, NM	BLANK0000004531	378.8
No	KCHF	D10	DT	APP	SANTA FE, NM	BLANK0000159381	442.0
No	K42AD-D	D10	LD	LIC	BLANDING/MONTICELLO, UT	BLANK0000059864	275.3
No	K10RL-D	D10	LD	LIC	EAST PRICE, UT	BLANK0000093945	347.9
No	K10RN-D	D10	LD	LIC	HELPER, UT	BLANK0000093754	351.4
No	DK20NG-D	N10	TX	APP	MONTEZUMA CRK/ANETH, UT	BLTTV20080404ACO	304.7
No	K10RO-D	D10	LD	LIC	ROOSEVELT, ETC., UT	BLANK0000095199	313.5
No	K10FQ-D	N10	TX	LIC	BIG LARAMIE, ETC., WY	BLTTV3978	255.2
No	K10FQ-D	D10	LD	LIC	BIG LARAMIE, ETC., WY	BLANK0000143326	255.2
No	K11PS-D	D11	LD	LIC	COLLBRAN, CO	BLDTV20141217ABJ	100.5
No	K11XJ-D	D11z	LD	LIC	COLORADO SPRINGS, CO	BLANK0000121881	175.8
No	K11AT-D	D11	LD	LIC	GUNNISON, CO	BLDTV20090820ACK	73.2
No	K11TJ-D	D11	LD	LIC	SARGENTS, CO	BLDTV20101221ABN	94.1
No	K11LM-D	D11	LD	LIC	THOMASVILLE, CO	BLDTV20100920AAU	21.6
No	KQCK	D11	DT	LIC	CHEYENNE, WY	BLANK0000191318	204.2
No	KQCK	D11	DT	CP	CHEYENNE, WY	BLANK0000194070	204.2
No	K13ML-D	N13	TX	LIC	HOTCHKISS, ETC., CO	BLTTV4039	87.3
No	K13ML-D	N13	TX	CP	HOTCHKISS, ETC., CO	BPTTV20130103ABC	87.1

No non-directional AM stations found within 0.8 km  
 No directional AM stations found within 3.2 km

Record parameters as studied:

Channel: D10  
 Mask: Full Service  
 Latitude: 39 10 53.87 N (NAD83)  
 Longitude: 106 48 4.50 W  
 Height AMSL: 2473.5 m  
 HAAT: 0.0 m  
 Peak ERP: 0.450 kW  
 Antenna: SCA CL-713 310.0 deg  
 Elev Patrn: Generic

48.0 dBu contour:  
 Azimuth ERP HAAT Distance

0.0 deg	0.000 kW	-549.8 m	3.4 km
45.0	0.000	-668.0	2.0
90.0	0.000	-931.6	2.8
135.0	0.000	-787.1	3.4
180.0	0.000	-626.2	2.0
225.0	0.000	-690.9	2.0
270.0	0.056	-498.1	11.6
315.0	0.434	81.8	29.7

Database HAAT does not agree with computed HAAT  
Database HAAT: 0 m Computed HAAT: -584 m

Distance to Canadian border: 1091.3 km

Distance to Mexican border: 822.3 km

Conditions at FCC monitoring station: Grand Island NE  
Bearing: 72.1 degrees Distance: 737.8 km

Proposal is not within the West Virginia quiet zone area

Conditions at Table Mountain receiving zone:  
Bearing: 51.8 degrees Distance: 170.4 km  
ERP: 0.000045 kW Field strength: -103.9 dBu, 0.0 mV/m

Study cell size: 1.00 km

Profile point spacing: 1.00 km

Maximum new IX to full-service and Class A: 0.50%  
Maximum new IX to LPTV: 2.00%

Proposal causes no interference to K10RS APP CP MOD CP

No IX check failures found.

# T Z SAWYER TECHNICAL CONSULTANTS

2130 HUTCHISON GROVE COURT, SUITE 100  
FALLS CHURCH, VIRGINIA 22043  
TELEPHONE (703) 848-2130 / (202) 642-2130

K10RS

LPTV CHANNEL 10 OPERATION

FACILITY ID: 182854

ASPEN, COLORADO

JANUARY 2023

## ENVIRONMENTAL EVALUATION STATEMENT

A grant of this proposal would NOT be an action which would have a significant environmental effect as demonstrated in this environmental evaluation statement. Any changes in equipment, or construction, if necessary will not trigger any event with regards to Section 106 of the National Historical Preservation Act (NHPA).

The proposal does not meet any of the criteria specified in Section 1.1307 of the FCC Rules. More specifically, the proposed facilities are not known to fall within any of the categories enumerated in Sections 1.1307(a)(1)-(7) and will not involve the use of high intensity white lights. Furthermore, operation of the proposed facility will not involve the exposure of workers or the general public to levels of radio frequency electromagnetic fields exceeding guidelines adopted by the Federal Communications Commission. (The current FCC guidelines are based upon criteria contained in the National Council of Radiation Protection and Measurements (NCRP) Report No.86 (1986) and ANSI/IEEE C95.1-1992.)


CALCULATED POWER DENSITY AT 2 METERS AGL (0.5 ANTENNA RELATIVE FIELD VALUE) ERP MAX (H ONLY)

CR AGL 10.7 M ERP MAX 0.45 KW	MPE ( $\mu\text{W}/\text{CM}^2$ )	CALCULATED VALUE ( $\mu\text{W}/\text{CM}^2$ )	% OF MPE	PASS/FAIL
CONTROLLED AREA	1000	49.6433	4.96%	PASS
PUBLIC AREA	200		24.82%	PASS

The general public will not be exposed to RF levels attributable to the proposal in excess of the FCC's guidelines. RF exposure warning signs are posted at the site. The applicant will coordinate exposure procedures with any co-located facilities and will reduce power or cease operation as necessary to protect persons having access to the site, tower, or antenna from RF electromagnetic field exposure in excess of FCC guidelines.

January 18, 2023

T Z Sawyer Technical Consultants  
2130 Hutchison Grove Court, Suite 100  
Falls Church, Virginia 22043  
Telephone: (703) 848-2130  
e Mail to: tzsawyer@tzsawyer.com



Timothy Z. Sawyer, Consulting Engineer