

Grace Baptist Church Interference Area Crestline, Ohio

The proposed LPFM station will broadcast on channel 285, which is within the 97 kilometers, second-adjacent minimum distance separation of station WYHT on channel 287. The WYHT interfering contour at the LPFM tower site is 77.5 dBμ F(50,50). Using the ratio of 100:1 (LPFM to WYHT) on the second-adjacent channel, the population within the proposed LPFM 117.5 dBμ contour respectively is zero. Applying the antenna manufacturer's vertical radiation pattern the area of interference can be more accurately calculated geometrically, rather than just by using the free space equation alone. This particular antenna is a two bay Nicom BKG77. It was determined from the manufacturer's vertical plan that at 55 degrees below horizontal the interference area would reach down 27.0 meters and extend 18.9 meters horizontally. We have proposed the antenna radiation center will be 35 meters above ground with an Effective Radiated Power of 100 watts. There are no occupied structures or roadways within the interference area of the station. Therefore, the application is in compliance with §73.807(e)(1) *Waiver of the second-adjacent channel separations.*

Figure 1
Minimum Ground Clearance

Depression Angle Below Horizontal	Antenna Relative Field	ERP (Watts)	Distance to interfering Contour from Antenna (m)	Horizontal Distance of Interfering contour from tower (m)	Vertical Clearance of Interfering contour above TGL (m)
5	0.967	93.5	90	89.7	24.2
10	0.871	75.9	81	79.8	17.9
15	0.711	50.6	67	64.7	14.7
20	0.518	26.8	48	45.1	15.6
25	0.310	9.6	29	26.3	19.7
30	0.112	1.3	11	9.5	26.5
35	0.062	0.4	6	4.9	28.6
40	0.209	4.4	20	15.3	19.1
45	0.288	8.3	27	19.1	12.9
50	0.336	11.3	31	19.9	8.3
55	0.349	12.2	33	18.9	5.0
60	0.331	11.0	31	15.5	5.2
65	0.295	8.7	28	11.8	6.6
70	0.246	6.1	23	7.9	10.4
75	0.197	3.9	18	4.7	14.6
80	0.151	2.3	14	2.4	18.2
85	0.122	1.5	11	1.0	21.0
90	0.117	1.4	11	0.0	21.0
Minimum Clearance above TGL:					5.0 m


Grace Baptist Church Figure 2 Page 1

TX station: BKG77/2 GENERIC

Site name: 3/4 WAVE SEPARATION

Frequency: 98.10 MHz

Vertical diagram



Grace Baptist Church

Figure 2 Page 2

TX station: BKG77/2 GENERIC

Site name: 3/4 WAVE SEPARATION

Frequency: 98.10 MHz

Vertical diagram at an azimuth of 0° degrees

Dep (°)	Er (%)	ERP (W)	Dep (°)	Er (%)	ERP (W)	Dep (°)	Er (%)	ERP (W)
0.0	100.0	914.2	30.0	11.2	11.5	60.0	33.1	100.1
0.5	100.0	913.3	30.5	9.3	7.9	60.5	32.8	98.4
1.0	99.8	911.3	31.0	7.5	5.1	61.0	32.5	96.7
1.5	99.7	908.1	31.5	5.6	2.9	61.5	32.2	94.8
2.0	99.4	903.9	32.0	3.8	1.3	62.0	31.9	92.8
2.5	99.1	898.4	32.5	2.1	0.4	62.5	31.5	90.8
3.0	98.8	891.9	33.0	0.3	0.0	63.0	31.1	88.7
3.5	98.4	884.3	33.5	1.4	0.2	63.5	30.8	86.5
4.0	97.9	875.7	34.0	3.0	0.8	64.0	30.4	84.2
4.5	97.3	865.9	34.5	4.6	2.0	64.5	29.9	81.9
5.0	96.7	855.2	35.0	6.2	3.5	65.0	29.5	79.5
5.5	96.0	842.7	35.5	7.8	5.5	65.5	29.1	77.2
6.0	95.2	829.2	36.0	9.3	7.9	66.0	28.6	74.8
6.5	94.4	814.9	36.5	10.7	10.5	66.5	28.2	72.5
7.0	93.5	799.7	37.0	12.1	13.5	67.0	27.7	70.0
7.5	92.6	783.6	37.5	13.5	16.7	67.5	27.2	67.6
8.0	91.6	766.9	38.0	14.9	20.2	68.0	26.7	65.1
8.5	90.5	749.4	38.5	16.1	23.8	68.5	26.2	62.7
9.0	89.4	731.2	39.0	17.4	27.7	69.0	25.7	60.2
9.5	88.3	712.5	39.5	18.6	31.6	69.5	25.1	57.8
10.0	87.1	693.1	40.0	19.8	35.7	70.0	24.6	55.3
10.5	85.7	670.8	40.5	20.9	39.8	70.5	24.1	53.3
11.0	84.2	648.2	41.0	21.9	43.9	71.0	23.7	51.2
11.5	82.7	625.3	41.5	22.9	48.1	71.5	23.2	49.2
12.0	81.2	602.3	42.0	23.9	52.2	72.0	22.7	47.2
12.5	79.6	579.0	42.5	24.8	56.4	72.5	22.2	45.2
13.0	78.0	555.7	43.0	25.7	60.4	73.0	21.7	43.2
13.5	76.3	532.4	43.5	26.5	64.4	73.5	21.2	41.3
14.0	74.6	509.1	44.0	27.3	68.3	74.0	20.7	39.3
14.5	72.9	485.8	44.5	28.1	72.1	74.5	20.2	37.4
15.0	71.1	462.7	45.0	28.8	75.8	75.0	19.7	35.5
15.5	69.3	439.1	45.5	29.5	79.3	75.5	19.3	33.9
16.0	67.4	415.8	46.0	30.1	82.7	76.0	18.8	32.4
16.5	65.6	392.9	46.5	30.7	85.9	76.5	18.4	30.8
17.0	63.6	370.3	47.0	31.2	88.9	77.0	17.9	29.3
17.5	61.7	348.1	47.5	31.7	91.8	77.5	17.4	27.8
18.0	59.8	326.5	48.0	32.1	94.4	78.0	17.0	26.4
18.5	57.8	305.3	48.5	32.6	96.9	78.5	16.5	24.9
19.0	55.8	284.7	49.0	32.9	99.2	79.0	16.0	23.5
19.5	53.8	264.7	49.5	33.3	101.2	79.5	15.6	22.1
20.0	51.8	245.3	50.0	33.6	103.1	80.0	15.1	20.8
20.5	49.7	226.1	50.5	33.9	104.8	80.5	14.8	20.0
21.0	47.6	207.5	51.0	34.1	106.3	81.0	14.5	19.3
21.5	45.6	189.8	51.5	34.3	107.6	81.5	14.3	18.6
22.0	43.5	172.8	52.0	34.5	108.7	82.0	14.0	17.8
22.5	41.4	156.7	52.5	34.6	109.6	82.5	13.7	17.1
23.0	39.3	141.3	53.0	34.7	110.3	83.0	13.4	16.4
23.5	37.2	126.8	53.5	34.8	110.8	83.5	13.1	15.7
24.0	35.2	113.0	54.0	34.9	111.1	84.0	12.8	15.0
24.5	33.1	100.1	54.5	34.9	111.2	84.5	12.5	14.4
25.0	31.0	88.1	55.0	34.9	111.1	85.0	12.2	13.7
25.5	29.0	76.8	55.5	34.8	110.7	85.5	12.2	13.6
26.0	26.9	66.3	56.0	34.7	110.2	86.0	12.1	13.4
26.5	24.9	56.7	56.5	34.6	109.4	86.5	12.1	13.3
27.0	22.9	47.9	57.0	34.5	108.5	87.0	12.0	13.2
27.5	20.9	39.9	57.5	34.3	107.5	87.5	11.9	13.0
28.0	18.9	32.7	58.0	34.1	106.3	88.0	11.9	12.9
28.5	17.0	26.3	58.5	33.9	104.9	88.5	11.8	12.8
29.0	15.0	20.6	59.0	33.6	103.5	89.0	11.7	12.6
29.5	13.1	15.7	59.5	33.4	101.8	89.5	11.7	12.5

Figure 3
Aerial Photo of the 18.9 meter Vicinity Surrounding the Proposed Tower Site

