

1800 M STREET, NW
SUITE 800N
WASHINGTON, DC 20036
TEL 202.783.4141
www.wbklaw.com

David Oxenford
(202) 383-3337
doxenford@wbklaw.com

December 21, 2023

VIA OVERNIGHT EXPRESS

Marlene H. Dortch
Secretary
Federal Communications Commission
45 L Street, NE
Washington, DC 20554

Attn: Barbara Kreisman, Chief, Video Division, Media Bureau

Re: WVOA-LD, Westvale, NY
Facility ID No. 14319
Notification of ATSC 3.0 Transition and Commencement of FM6 Operations
Pursuant to STA (LMS File Number 000023125)

Dear Ms. Dortch:

Metro TV, Inc. (“Metro”) hereby submits this notification of the commencement of ATSC 3.0 and FM6 operations required by the above-referenced STA and by the FCC’s decision to include WVOA-LD among the channel 6 LPTV stations permitted to offer the FM6 service.¹ The attached Technical Statement from Metro’s President states that ATSC 3.0 operations commenced on December 15, 2023, and the FM6 operations commenced on December 18, 2023. The technical details of those operations, as required by the STA and FM6 R&O, are contained in the attached Technical Statement.

Should there be any questions concerning this matter, please contact the undersigned.

Respectfully submitted,

By: /s/ David Oxenford
David Oxenford

Attachment

¹Amendment of Parts 73 and 74 of the Commission’s Rules to Establish Rules for Digital Low Power Television and Television Translator Stations, MB Docket No. 03-185, Fifth Report and Order, FCC 23-58, para. 28 (rel. July 20, 2023) (“FM6 R&O”)

WILKINSON) BARKER) KNAUER) LLP

Marlene H. Dortch, Secretary
Page 2

cc (Via Email): Barbara Kreisman, Chief, Video Division, Media Bureau, Barbara.Kreisman@fcc.gov
Shaun Maher, Attorney-Advisor, Video Division, Media Bureau, Shaun.Maher@fcc.gov

LICENSEE TECHNICAL STATEMENT

Metro TV, Inc.
December, 2023

Metro TV, Inc., licensee of WVOA-LD, Westvale, NY has commenced operation of both ATSC 3.0 and FM6. ATSC 3.0 operation commenced on 12/15/2023, and FM6 operations on 12/18/2023.

The FM 6 operational parameters are as follows:

RCAMSL:	222.5 m.
RCAG:	108.2 m.
HAAT:	50.7 m.
Antenna Type:	Non-Directional
Antenna Make and Model:	PSI (Propagation Systems, Inc.): PSIVHFL-4B
TPO:	2.08 kW = 3.18 dBk
Transmitter Combiner Loss: Com-Tech @ 87.75MHz:	- (0.48 dB)
Transmission Line Loss: RFS 7/8" - LCF78-50JA	125.9 m. = - (1.34 dB)
Four-Port Coaxial Power Divider (loss) :	- (0.10 dB)
Branch Feeders: 12 ft. LDF4 - 1/2" cable (loss) :	- (0.08 dB)
Antenna Power Gain - 4-bay circular (full-wave spacing):	2.1 = 3.22 dB
ERP Total:	4.40 dBk
Effective Radiated Power:	4.40 dBk = 2.75 kW


Transmission System Description

The transmission system consists of a Syes America LLC - 2.4 kW ATSC 3.0 Hybrid TV/FM transmitter which includes a Com-Tech custom mask filter/combiner. The television

and FM transmitters are housed in one cabinet with the mask filter and combiner in an adjacent cabinet. Internal connections between the various sections of the mask filter and combiner are accomplished by means of rigid coax.

The power output readings of the television and FM transmitters are independently measured and displayed before the combiner, and precision RF sample ports are provided for the output of each transmitter as well as an RF sample port after all filtering for precision monitoring of the quality and performance of the combined signals.

The information contained within this statement is true and accurate to the best of my knowledge.



Craig Fox, President
Metro TV, Inc.

December 20, 2023