


Any directional antenna rotation has already been applied  
to the plotted pattern and relative field values.

[Close Window](#)

[FM Query](#) [FCC](#) [TV Query](#)

## Relative Field Values

[FCC](#) > [Media Bureau](#) > [MB-CDBS](#) > [CDBS Public Access](#) > [Antenna Search](#)
[Help](#) [site map](#)

Antenna Make		Model				Service		Antenna Id			
DIE		TFU-24DSB-J (C)				DT		1000671			
Antenna relative field values:											
0°	0.855	10°	0.702	20°	0.549	30°	0.414	40°	0.3	50°	0.218
60°	0.126	70°	0.082	80°	0.103	90°	0.164	100°	0.219	110°	0.253
120°	0.266	130°	0.259	140°	0.244	150°	0.224	160°	0.195	170°	0.156
180°	0.111	190°	0.066	200°	0.039	210°	0.039	220°	0.08	230°	0.148
240°	0.198	250°	0.203	260°	0.206	270°	0.268	280°	0.41	290°	0.572
300°	0.726	310°	0.843	320°	0.917	330°	0.974	340°	0.998	350°	0.957
Additional Azimuths:											
206°	0.035	338°	1								

[Relative Field Polar Plot](#)
[FCC Home](#) | [Search](#) | [Updates](#) | [E-Filing](#) | [Initiatives](#) | [For Consumers](#) | [Find People](#)

Please send comments via standard mail to the Federal Communications Commission, Consumer and Governmental Affairs Bureau, 445 12th Street, S.W., Washington, D.C., 20554. Questions can also be answered by calling the FCC's National Call Center, toll free, at 1-888-Call FCC (1-888-225-5322).

Federal Communications Commission  
445 12th Street SW  
Washington, DC 20554  
[More FCC Contact Information...](#)


Phone: 1-888-CALL-FCC (1-888-225-5322)  
TTY: 1-888-TELL-FCC (1-888-835-5322)  
Fax: 1-866-418-0232  
E-mail: [fccinfo@fcc.gov](mailto:fccinfo@fcc.gov)

- [Privacy Policy](#)  
- [Website Policies & Notices](#)  
- [Required Browser Plug-ins](#)  
- [Freedom of Information Act](#)

Call: KRXI  
City: Reno, NV  
Antenna: TFU-24DSB-J(C)

### ELEVATION PATTERN

RMS Gain at Main Lobe	23.50 ( 13.71 dB )	Beam Tilt	1.50 deg
RMS Gain at Horizontal	3.20 ( 5.05 dB )	Frequency	653.00 MHz
Calculated / Measured	Calculated	Drawing #	24B235150-90



Call: KRXI  
City: Reno, NV  
Antenna: TFU-24DSB-J(C)

### ELEVATION PATTERN

RMS Gain at Main Lobe	23.50 (13.71 dB)	Beam Tilt	1.50 deg
RMS Gain at Horizontal	3.20 (5.05 dB)	Frequency	653.00 MHz
Calculated / Measured	Calculated	Drawing #	24B235150

