



NATIONAL RADIO ASTRONOMY OBSERVATORY

POST OFFICE BOX 2
GREEN BANK, WV 24944-0002
NRQZ OFFICE TELEPHONE (304) 456-2107
HTTP://WWW.GB.NRAO.EDU/

FAX (304) 456-2276
NRQZ@NRAO.EDU

August 31, 2018
Page 1 of 2
NRQZ ID: 11040_12JUL2017

Gray Television Licensee, LLC
c/o Joseph M. Davis, P.E.
Chesapeake RF Consultants LLC
207 Old Dominion Road
Yorktown, VA 23692

Application Reason/Purpose	Prior coordination notification
File Number	Shall be provided by applicant
Applicant Name	Addressee
Call Sign	WHSV-TV-DRT3
Site Name or Loc	Little North Mountain – Channel 15
Nearest City/State	Harrisonburg, VA
N Latitude	38 36 29.3
W Longitude	78 54 08.7
Ground Elevation (m) / AGL (m)	655.3 / 35
Freq. Band (MHz)	476 – 482
Emission Designator	DTV
System Configuration	See attached "Final Engineering"
Previous NRAO Coordination No.	NRQZ ID None Listed
Current NRAO Coordination No.	NRQZ ID 11040_17JUL2017

Dear Applicant:

The National Radio Quiet Zone (NRQZ) has evaluated these facilities to determine the interference impact on our highly sensitive radio astronomy operations.

Special Condition:

The National Radio Astronomy Observatory (NRAO), Green Bank, WV, objects unless the Applicant's license is restricted to an Effective Radiated Power (ERP) of 4.6 Watts at Azimuth 256.9 degrees True North.

To meet this Special Condition, the Applicant shall:

1. Use the final engineering submitted by Joseph Davis, Chesapeake RF Consultants, indicating that all facilities meet the ERP restriction.
2. Arrange for the requested site inspection to verify the implementation of this Special Condition.
3. Post a copy of this document and associated attachments at the Transmit facility.
4. Provide a Construction Notification as defined by the FCC for your specific radio service.

Reference Copy / Approved with Special Conditions



NATIONAL RADIO ASTRONOMY OBSERVATORY

POST OFFICE BOX 2
GREEN BANK, WV 24944-0002
NRQZ OFFICE TELEPHONE (304) 456-2107
HTTP://WWW.GB.NRAO.EDU/

FAX (304) 456-2276
NRQZ@NRAO.EDU

August 31, 2018
Page 2 of 2
NRQZ ID: 11040_12JUL2017

Regulatory

The NRQZ Office requests that:

1. The FCC places the Special Condition on the Station License.
2. This Letter of Concurrence be attached to the FCC application.
3. The applicant provides the NRQZ Office with notice of its official filing with the FCC per section 47CFR1.924 (a) (2).

The National Radio Astronomy Observatory (NRAO) site located at Green Bank, Pocahontas County, WV, has no objection to this frequency assignment provided the special conditions are met.

The Sugar Grove Research Station, the former Naval Radio Research Observatory (NRRO), located at Sugar Grove, Pendleton County, WV has no objections to this frequency assignment.

This letter constitutes coordination of assignment in the National Radio Quiet Zone as required by the FCC Rules and Regulations 47CFR1.924.

If I may be of assistance, please feel free to contact me.

Sincerest regards,

Paulette W. Woody
NRQZ Office Administrator
PWW:pww

file: 11040 WHSV-TV-DRT3 Channel 15.docx

Attachments: Final Engineering

This concurrence remains valid provided the data contained within is consistent with the applicant's filing at the Commission. Any discrepancy in system parameters, such as geographical coordinates (Latitude, Longitude, AMSL), antenna height above ground level (AGL), antenna gains or directivity (orientation), channel (operating frequency or frequency bands), emission type, and power requires re-coordination. If the Commission has questions regarding the validity of this or any concurrence, please direct inquiries to nrqz@nrao.edu or 304-456-2107.

Reference Copy / Approved with Special Conditions

NRQZ# 11040 REV1
<http://www.ngdc.noaa.gov/geomag-web/#declination>

7/9/2018 DATE

Magnetic Declination Correction 9.65 ° West
 9° 39' W ± 0° 21' changing by 0° 1' W per year


Location: WHSV-TV-DRT3 Latitude: 38 36 29.3 (ddmmss.s)
Little North Mtn Longitude: 78 54 08.7 (ddmmss.s)
 Ground Elev.: 655.3 Meters 2149.9 Ft
 Antenna Ht.: 35 Meters 114.8 Ft
 Frequency: 476-482 MHz **Channel 15**

NRAO AERP (watts) 4.6 watts at 256.9 ° True (Φd)
Scatter watts at 256.9 ° True
 watts at 256.9 ° True

Sector Name or Indicator 1
 a. Antenna Type Kathrein UTVC-01/X(08)
 b. Maximum Antenna Gain 13 dBd
 c. Antenna Azimuth (° True or "omni") 122 °T
 Antenna Azimuth (Mag) 131.7 °Mag
 d. Az to GBT on Antenna Pattern 256.9 °
 e. Antenna Gain to GBT (b - | f |) -25.38 dB
 f. Antenna Gain to GBT Below Maximum -38.38 dB
 g. Mechanical Downtilt (Φbt) 0 °
 h. Loss to GBT Due to Mechanical Downtilt 0 dB
 i. Transmitter Output Power 875 watts
 j. System Losses: Combiner/Duplexer 0 dB
 Lightning Arrestor 0 dB
 Main Line -0.66 dB
 RF Filter (combiner) 0 dB
 Misc. connectors, etc. 0 dB
 j. System Loss (0.66) dB
 k. Power to Antenna (ix j) 751.64 watts
 l. Main Beam Power (k x b) 14997.13 watts
 m. ERPd to GBT (l x (f + h)) or (l x (e - (h + j))) 2.18 watts

Antenna azimuth patterns supplied
are already rotated to the desired orientation

Power at output of duplexer 875.00
875.00



Enter 1st Obstacle Information provided by NRQZ office

13.59 km to 1st Obstacle Θd = Angle to 1st Obstacle
2264.76 TX AMSL (ft) A = Distance to 1st Obstacle in Feet 44587
3486.07 AMSL 1st Obstacle B = Ant Ht AMSL minus Ht of 1st Obs -1221.30622
 Θd = arctan(B/A) = -1.57 °

A -Θd value indicates that the first obstacle is above the horizon
 A +Θd value indicates that the first obstacle is below the horizon

Effective mechanical downtilt adjustment:
 Effective Elevation = Θd - Φbt cos(Φd - Φbt) = 0.0 0.0 0.0
 Effective Elevation Adjustment = 0.0 ° 0.0 ° 0.0 °

Definitions:
 Φd = Azimuth to GBT
 Φbt = Azimuth of mechanical beam tilt (verticle)
 Θd = Elevation to 1st obstacle (negative above horizon)
 Θbt = Elevation of antenna mechanical beam tilt (neg. above horizon)

Note: No adjustments for electrical beam tilt are required because
 the pattern data already accounts for this

Effective azimuth on horizontal pattern = Φd - Antenna Azimuth (True) {If AZ<0, then add 360}
 Effective elevation on vertical pattern = Θd - Φbt cos(Φd - Φbt) {IF ELEV<0, then add 360}

Antenna Gain = HPAT(Eff AZ) + VPAT(Eff ELEV) + Max Gain