



Proposal Number	Revision		
Date	06 Sep 2002		
Call Letters	WGTQ	Channel	8
Location	Sault Ste. Marie, MI		
Customer			
Antenna Type	THB-C2-6H/12HD-1		


AZIMUTH PATTERN

RMS Gain at Main Lobe
Calculated / Measured

1.85 (2.67 dB)
Calculated

Frequency
Drawing #

183 MHz
THB-C2-8






Proposal Number	Revision		
Date	06 Sep 2002		
Call Letters	WGTQ	Channel	8
Location	Sault Ste. Marie, MI		
Customer			
Antenna Type	THB-C2-6H/12HD-1		

ELEVATION PATTERN

RMS Gain at Main Lobe	12.1 (10.83 dB)	Beam Tilt	0.50 Degrees
RMS Gain at Horizontal	11.7 (10.68 dB)	Frequency	183.00 MHz
Calculated / Measured	Calculated	Drawing #	06H121050





Proposal Number	Revision	
Date	06 Sep 2002	
Call Letters	WGTQ	Channel 8
Location	Sault Ste. Marie, MI	
Customer		
Antenna Type	THB-C2-6H/12HD-1	

ELEVATION PATTERN

RMS Gain at Main Lobe	12.1 (10.83 dB)	Beam Tilt	0.50 Degrees
RMS Gain at Horizontal	11.7 (10.68 dB)	Frequency	183.00 MHz
Calculated / Measured	Calculated	Drawing #	06H121050-90

