



Clearance to WFSQ
219 A - 1.5 KW Non-D - 82.6 M AMSL
Panama City, FL

Bromo Communications, Inc.

February 2021

FMOver Analysis WFFL – WFSQ

02-18-2021

Terrain Data: GLOBE 30 Sec

WFFL

WFSQ BLED20030912ABG

Channel = 219A
Max ERP = 1.5 kW
RCAMSL = 82.6 m
N. Lat. 30 11 00.50
W. Lng. 85 46 33.00
Protected
60 dBu

Channel = 218C1
Max ERP = 86 kW
RCAMSL = 250 m
N. Lat. 30 21 31.70
W. Lng. 84 36 37.70
Interfering
54 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)	IX (km)
020.0	001.5000	0080.5	018.4	269.1	086.0000	0226.3	105.8	51.00	
021.0	001.5000	0080.5	018.4	269.0	086.0000	0226.3	105.5	51.08	
022.0	001.5000	0080.3	018.3	268.9	086.0000	0226.3	105.2	51.16	
023.0	001.5000	0080.1	018.3	268.8	086.0000	0226.3	104.9	51.24	
024.0	001.5000	0080.0	018.3	268.7	086.0000	0226.3	104.6	51.32	
025.0	001.5000	0079.9	018.3	268.7	086.0000	0226.4	104.3	51.39	
026.0	001.5000	0079.9	018.3	268.6	086.0000	0226.4	104.1	51.47	
027.0	001.5000	0079.9	018.3	268.5	086.0000	0226.4	103.8	51.55	
028.0	001.5000	0079.9	018.3	268.4	086.0000	0226.4	103.5	51.63	
029.0	001.5000	0079.9	018.3	268.3	086.0000	0226.4	103.2	51.71	
030.0	001.5000	0079.9	018.3	268.2	086.0000	0226.5	103.0	51.79	
031.0	001.5000	0079.9	018.3	268.1	086.0000	0226.5	102.7	51.86	
032.0	001.5000	0079.9	018.3	268.0	086.0000	0226.5	102.4	51.94	
033.0	001.5000	0079.9	018.3	267.9	086.0000	0226.6	102.2	52.02	
034.0	001.5000	0080.0	018.3	267.8	086.0000	0226.6	101.9	52.10	
035.0	001.5000	0080.0	018.3	267.7	086.0000	0226.7	101.6	52.17	
036.0	001.5000	0080.0	018.3	267.6	086.0000	0226.7	101.4	52.25	
037.0	001.5000	0080.0	018.3	267.5	086.0000	0226.8	101.1	52.32	
038.0	001.5000	0080.1	018.3	267.4	086.0000	0226.8	100.9	52.39	
039.0	001.5000	0080.2	018.3	267.3	086.0000	0226.9	100.6	52.47	
040.0	001.5000	0080.3	018.3	267.1	086.0000	0226.9	100.4	52.54	
041.0	001.5000	0080.3	018.3	267.0	086.0000	0226.9	100.2	52.61	
042.0	001.5000	0080.3	018.3	266.9	086.0000	0226.9	099.9	52.68	
043.0	001.5000	0080.4	018.3	266.8	086.0000	0226.9	099.7	52.74	
044.0	001.5000	0080.5	018.4	266.6	086.0000	0227.0	099.5	52.81	
045.0	001.5000	0080.7	018.4	266.5	086.0000	0227.0	099.3	52.88	
046.0	001.5000	0081.0	018.4	266.4	086.0000	0227.0	099.0	52.95	
047.0	001.5000	0081.3	018.5	266.2	086.0000	0227.0	098.8	53.02	
048.0	001.5000	0081.6	018.5	266.1	086.0000	0227.0	098.6	53.09	
049.0	001.5000	0081.7	018.5	266.0	086.0000	0227.0	098.4	53.15	
050.0	001.5000	0081.8	018.5	265.8	086.0000	0226.9	098.2	53.21	
051.0	001.5000	0082.0	018.5	265.7	086.0000	0226.9	098.0	53.27	
052.0	001.5000	0082.1	018.6	265.5	086.0000	0226.9	097.8	53.33	
053.0	001.5000	0082.2	018.6	265.3	086.0000	0226.9	097.6	53.38	
054.0	001.5000	0082.2	018.6	265.2	086.0000	0226.9	097.4	53.43	
055.0	001.5000	0082.2	018.6	265.0	086.0000	0226.9	097.3	53.48	
056.0	001.5000	0082.1	018.6	264.8	086.0000	0226.8	097.1	53.53	
057.0	001.5000	0082.0	018.5	264.7	086.0000	0226.8	097.0	53.57	
058.0	001.5000	0081.9	018.5	264.5	086.0000	0226.8	096.8	53.61	
059.0	001.5000	0081.8	018.5	264.3	086.0000	0226.8	096.7	53.65	

060.0	001.5000	0081.7	018.5	264.1	086.0000	0226.7	096.6	53.68
061.0	001.5000	0081.6	018.5	264.0	086.0000	0226.7	096.5	53.71
062.0	001.5000	0081.4	018.5	263.8	086.0000	0226.6	096.4	53.74
063.0	001.5000	0081.3	018.5	263.6	086.0000	0226.6	096.3	53.77
064.0	001.5000	0081.1	018.4	263.4	086.0000	0226.5	096.2	53.80
065.0	001.5000	0081.0	018.4	263.2	086.0000	0226.5	096.1	53.82
066.0	001.5000	0080.9	018.4	263.0	086.0000	0226.4	096.0	53.84
067.0	001.5000	0080.7	018.4	262.9	086.0000	0226.4	095.9	53.87
068.0	001.5000	0080.6	018.4	262.7	086.0000	0226.4	095.9	53.89
069.0	001.5000	0080.5	018.4	262.5	086.0000	0226.3	095.8	53.90
070.0	001.5000	0080.3	018.3	262.3	086.0000	0226.3	095.8	53.92
071.0	001.5000	0080.1	018.3	262.1	086.0000	0226.3	095.7	53.93
072.0	001.5000	0079.7	018.3	261.9	086.0000	0226.3	095.7	53.93
073.0	001.5000	0079.3	018.2	261.7	086.0000	0226.3	095.7	53.93
074.0	001.5000	0078.8	018.1	261.5	086.0000	0226.3	095.7	53.92
075.0	001.5000	0078.4	018.1	261.3	086.0000	0226.3	095.8	53.92
076.0	001.5000	0078.1	018.1	261.1	086.0000	0226.3	095.8	53.91
077.0	001.5000	0077.7	018.0	260.9	086.0000	0226.2	095.8	53.91
078.0	001.5000	0077.5	018.0	260.8	086.0000	0226.2	095.8	53.90
079.0	001.5000	0077.2	018.0	260.6	086.0000	0226.2	095.8	53.89
080.0	001.5000	0077.1	017.9	260.4	086.0000	0226.1	095.8	53.89
081.0	001.5000	0076.9	017.9	260.2	086.0000	0226.1	095.9	53.88
082.0	001.5000	0076.8	017.9	260.0	086.0000	0226.1	095.9	53.87
083.0	001.5000	0076.6	017.9	259.8	086.0000	0226.1	095.9	53.86
084.0	001.5000	0076.4	017.8	259.6	086.0000	0226.1	096.0	53.84
085.0	001.5000	0076.2	017.8	259.5	086.0000	0226.1	096.0	53.83
086.0	001.5000	0076.0	017.8	259.3	086.0000	0226.1	096.1	53.81
087.0	001.5000	0075.8	017.8	259.1	086.0000	0226.1	096.2	53.79
088.0	001.5000	0075.7	017.8	258.9	086.0000	0226.1	096.2	53.77
089.0	001.5000	0075.7	017.8	258.7	086.0000	0226.1	096.3	53.75
090.0	001.5000	0075.8	017.8	258.5	086.0000	0226.1	096.3	53.74
091.0	001.5000	0075.8	017.8	258.4	086.0000	0226.1	096.4	53.72
092.0	001.5000	0075.8	017.8	258.2	086.0000	0226.1	096.5	53.70
093.0	001.5000	0075.8	017.8	258.0	086.0000	0226.1	096.5	53.67
094.0	001.5000	0075.7	017.8	257.8	086.0000	0226.1	096.6	53.64
095.0	001.5000	0075.7	017.8	257.7	086.0000	0226.1	096.7	53.61
096.0	001.5000	0075.7	017.8	257.5	086.0000	0226.1	096.8	53.59
097.0	001.5000	0075.8	017.8	257.3	086.0000	0226.2	096.9	53.56
098.0	001.5000	0075.9	017.8	257.1	086.0000	0226.2	097.0	53.53
099.0	001.5000	0076.1	017.8	257.0	086.0000	0226.2	097.1	53.50
100.0	001.5000	0076.4	017.9	256.8	086.0000	0226.3	097.2	53.48
101.0	001.5000	0076.8	017.9	256.6	086.0000	0226.3	097.3	53.45
102.0	001.5000	0077.2	017.9	256.4	086.0000	0226.3	097.4	53.43
103.0	001.5000	0077.7	018.0	256.2	086.0000	0226.4	097.5	53.40
104.0	001.5000	0078.3	018.1	256.0	086.0000	0226.4	097.5	53.38
105.0	001.5000	0078.9	018.2	255.9	086.0000	0226.5	097.6	53.36
106.0	001.5000	0079.6	018.2	255.7	086.0000	0226.5	097.7	53.33
107.0	001.5000	0080.3	018.3	255.5	086.0000	0226.6	097.8	53.30
108.0	001.5000	0080.9	018.4	255.3	086.0000	0226.7	097.9	53.27
109.0	001.5000	0081.4	018.5	255.1	086.0000	0226.7	098.0	53.24
110.0	001.5000	0081.9	018.5	255.0	086.0000	0226.8	098.2	53.20
111.0	001.5000	0082.2	018.6	254.8	086.0000	0226.8	098.3	53.15
112.0	001.5000	0082.3	018.6	254.6	086.0000	0226.9	098.5	53.10
113.0	001.5000	0082.4	018.6	254.5	086.0000	0226.9	098.7	53.04
114.0	001.5000	0082.4	018.6	254.3	086.0000	0226.9	098.9	52.98
115.0	001.5000	0082.3	018.6	254.2	086.0000	0226.9	099.2	52.91
116.0	001.5000	0082.1	018.6	254.1	086.0000	0226.9	099.4	52.84
117.0	001.5000	0081.9	018.5	253.9	086.0000	0227.0	099.6	52.77
118.0	001.5000	0081.6	018.5	253.8	086.0000	0227.0	099.9	52.70
119.0	001.5000	0081.3	018.5	253.7	086.0000	0227.0	100.1	52.62

120.0	001.5000	0081.1	018.4	253.6	086.0000	0226.9	100.4	52.55
121.0	001.5000	0080.9	018.4	253.5	086.0000	0226.9	100.6	52.47
122.0	001.5000	0080.7	018.4	253.4	086.0000	0226.9	100.9	52.40
123.0	001.5000	0080.4	018.3	253.3	086.0000	0226.9	101.2	52.32
124.0	001.5000	0080.0	018.3	253.2	086.0000	0226.9	101.4	52.24
125.0	001.5000	0079.8	018.3	253.1	086.0000	0226.9	101.7	52.16
126.0	001.5000	0079.6	018.2	253.0	086.0000	0226.9	102.0	52.08
127.0	001.5000	0079.6	018.2	252.9	086.0000	0226.8	102.2	52.01
128.0	001.5000	0079.8	018.3	252.8	086.0000	0226.8	102.5	51.94
129.0	001.5000	0080.1	018.3	252.6	086.0000	0226.8	102.7	51.86
130.0	001.5000	0080.5	018.4	252.5	086.0000	0226.8	103.0	51.79
131.0	001.5000	0080.8	018.4	252.4	086.0000	0226.7	103.2	51.72
132.0	001.5000	0081.0	018.4	252.3	086.0000	0226.7	103.5	51.65
133.0	001.5000	0081.1	018.4	252.2	086.0000	0226.7	103.8	51.57
134.0	001.5000	0081.2	018.4	252.1	086.0000	0226.7	104.0	51.49
135.0	001.5000	0081.2	018.4	252.1	086.0000	0226.6	104.3	51.41
136.0	001.5000	0081.2	018.4	252.0	086.0000	0226.6	104.6	51.33
137.0	001.5000	0081.2	018.4	251.9	086.0000	0226.6	104.9	51.25
138.0	001.5000	0081.1	018.4	251.8	086.0000	0226.6	105.2	51.16
139.0	001.5000	0081.1	018.4	251.8	086.0000	0226.6	105.5	51.08

At all points on the WFFL protected 60 dBu contour WFSQ delivers less than 54 dBu interfering.

Bromo Communications, Inc.

FMOver Analysis WFSQ - WFFL

2-18-2021
WFSQ BLED20030912ABG

Terrain Data: GLOBE 30 Sec
WFFL

Channel = 218C1
Max ERP = 86 kW
RCAMSL = 250 m
N. Lat. 30 21 31.70
W. Lng. 84 36 37.70
Protected
60 dBu

Channel = 219A
Max ERP = 1.5 kW
RCAMSL = 82.6 m
N. Lat. 30 11 00.50
W. Lng. 85 46 33.00
Interfering
54 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)	IX (km)
200.0	086.0000	0217.1	063.9	114.0	001.5000	0082.4	099.2	30.06	
201.0	086.0000	0217.6	064.0	114.0	001.5000	0082.4	098.1	30.30	
202.0	086.0000	0218.3	064.1	114.1	001.5000	0082.4	097.0	30.56	
203.0	086.0000	0219.1	064.1	114.2	001.5000	0082.4	095.9	30.82	
204.0	086.0000	0219.9	064.2	114.2	001.5000	0082.4	094.7	31.08	
205.0	086.0000	0220.6	064.3	114.3	001.5000	0082.3	093.6	31.36	
206.0	086.0000	0221.4	064.3	114.3	001.5000	0082.3	092.5	31.63	
207.0	086.0000	0222.2	064.4	114.3	001.5000	0082.3	091.4	31.92	
208.0	086.0000	0222.9	064.5	114.4	001.5000	0082.3	090.2	32.21	
209.0	086.0000	0223.5	064.5	114.3	001.5000	0082.3	089.1	32.50	
210.0	086.0000	0224.0	064.6	114.3	001.5000	0082.3	088.0	32.80	
211.0	086.0000	0224.4	064.6	114.3	001.5000	0082.4	086.9	33.09	
212.0	086.0000	0224.6	064.6	114.2	001.5000	0082.4	085.7	33.39	
213.0	086.0000	0224.7	064.6	114.1	001.5000	0082.4	084.6	33.69	
214.0	086.0000	0224.9	064.6	114.0	001.5000	0082.4	083.5	33.99	
215.0	086.0000	0225.1	064.7	113.9	001.5000	0082.4	082.4	34.29	
216.0	086.0000	0225.1	064.7	113.7	001.5000	0082.4	081.3	34.59	
217.0	086.0000	0225.0	064.7	113.5	001.5000	0082.4	080.2	34.89	
218.0	086.0000	0225.0	064.7	113.3	001.5000	0082.4	079.1	35.18	
219.0	086.0000	0225.2	064.7	113.1	001.5000	0082.4	078.0	35.48	
220.0	086.0000	0225.5	064.7	112.9	001.5000	0082.4	076.9	35.77	
221.0	086.0000	0225.7	064.7	112.7	001.5000	0082.4	075.8	36.07	
222.0	086.0000	0225.9	064.7	112.4	001.5000	0082.4	074.7	36.36	
223.0	086.0000	0226.0	064.8	112.2	001.5000	0082.3	073.7	36.65	
224.0	086.0000	0226.2	064.8	111.9	001.5000	0082.3	072.6	36.94	
225.0	086.0000	0226.2	064.8	111.5	001.5000	0082.3	071.5	37.23	
226.0	086.0000	0226.2	064.8	111.1	001.5000	0082.2	070.5	37.51	
227.0	086.0000	0226.2	064.8	110.8	001.5000	0082.1	069.5	37.79	
228.0	086.0000	0226.3	064.8	110.3	001.5000	0082.0	068.5	38.07	
229.0	086.0000	0226.6	064.8	109.9	001.5000	0081.8	067.5	38.35	
230.0	086.0000	0227.0	064.8	109.5	001.5000	0081.7	066.5	38.62	
231.0	086.0000	0227.6	064.9	109.0	001.5000	0081.5	065.5	38.89	
232.0	086.0000	0228.2	064.9	108.5	001.5000	0081.2	064.5	39.16	
233.0	086.0000	0228.8	065.0	108.0	001.5000	0080.9	063.5	39.42	
234.0	086.0000	0229.4	065.0	107.4	001.5000	0080.6	062.5	39.69	
235.0	086.0000	0229.7	065.1	106.8	001.5000	0080.2	061.6	39.95	
236.0	086.0000	0229.9	065.1	106.2	001.5000	0079.7	060.7	40.20	
237.0	086.0000	0229.9	065.1	105.5	001.5000	0079.2	059.8	40.45	
238.0	086.0000	0229.8	065.1	104.7	001.5000	0078.8	059.0	40.69	
239.0	086.0000	0229.7	065.1	104.0	001.5000	0078.3	058.2	40.92	
240.0	086.0000	0229.6	065.1	103.2	001.5000	0077.8	057.4	41.15	

241.0	086.0000	0229.5	065.1	102.3	001.5000	0077.3	056.6	41.38
242.0	086.0000	0229.3	065.0	101.4	001.5000	0076.9	055.9	41.60
243.0	086.0000	0229.1	065.0	100.5	001.5000	0076.6	055.2	41.81
244.0	086.0000	0228.8	065.0	099.5	001.5000	0076.3	054.5	42.01
245.0	086.0000	0228.3	065.0	098.5	001.5000	0076.0	053.9	42.21
246.0	086.0000	0227.7	064.9	097.5	001.5000	0075.9	053.3	42.39
247.0	086.0000	0227.1	064.8	096.4	001.5000	0075.7	052.8	42.57
248.0	086.0000	0226.6	064.8	095.3	001.5000	0075.7	052.3	42.74
249.0	086.0000	0226.3	064.8	094.2	001.5000	0075.7	051.8	42.91
250.0	086.0000	0226.2	064.8	093.0	001.5000	0075.8	051.3	43.08
251.0	086.0000	0226.4	064.8	091.9	001.5000	0075.8	050.9	43.24
252.0	086.0000	0226.6	064.8	090.7	001.5000	0075.8	050.5	43.38
253.0	086.0000	0226.9	064.8	089.5	001.5000	0075.7	050.1	43.50
254.0	086.0000	0226.9	064.8	088.2	001.5000	0075.7	049.8	43.61
255.0	086.0000	0226.8	064.8	086.9	001.5000	0075.9	049.5	43.71
256.0	086.0000	0226.5	064.8	085.6	001.5000	0076.1	049.3	43.80
257.0	086.0000	0226.2	064.8	084.3	001.5000	0076.3	049.2	43.88
258.0	086.0000	0226.1	064.8	083.0	001.5000	0076.6	049.1	43.94
259.0	086.0000	0226.1	064.8	081.7	001.5000	0076.8	049.0	44.00
260.0	086.0000	0226.1	064.8	080.4	001.5000	0077.0	048.9	44.03
261.0	086.0000	0226.2	064.8	079.0	001.5000	0077.2	048.9	44.05
262.0	086.0000	0226.3	064.8	077.7	001.5000	0077.6	049.0	44.07
263.0	086.0000	0226.4	064.8	076.4	001.5000	0077.9	049.0	44.07
264.0	086.0000	0226.7	064.8	075.1	001.5000	0078.4	049.2	44.07
265.0	086.0000	0226.9	064.8	073.8	001.5000	0078.9	049.3	44.07
266.0	086.0000	0227.0	064.8	072.5	001.5000	0079.5	049.5	44.04
267.0	086.0000	0226.9	064.8	071.2	001.5000	0080.0	049.8	43.99
268.0	086.0000	0226.5	064.8	070.0	001.5000	0080.3	050.2	43.90
269.0	086.0000	0226.3	064.8	068.8	001.5000	0080.5	050.5	43.78
270.0	086.0000	0226.0	064.8	067.6	001.5000	0080.7	051.0	43.65
271.0	086.0000	0225.8	064.7	066.4	001.5000	0080.8	051.4	43.50
272.0	086.0000	0225.4	064.7	065.3	001.5000	0080.9	051.9	43.33
273.0	086.0000	0225.0	064.7	064.2	001.5000	0081.1	052.5	43.15
274.0	086.0000	0224.7	064.6	063.2	001.5000	0081.2	053.0	42.96
275.0	086.0000	0224.3	064.6	062.2	001.5000	0081.4	053.7	42.75
276.0	086.0000	0224.2	064.6	061.2	001.5000	0081.5	054.3	42.54
277.0	086.0000	0223.9	064.6	060.2	001.5000	0081.7	054.9	42.32
278.0	086.0000	0223.6	064.5	059.3	001.5000	0081.8	055.6	42.08
279.0	086.0000	0223.2	064.5	058.4	001.5000	0081.9	056.4	41.82
280.0	086.0000	0222.6	064.4	057.6	001.5000	0081.9	057.2	41.56
281.0	086.0000	0222.0	064.4	056.8	001.5000	0082.0	058.0	41.29
282.0	086.0000	0221.4	064.3	056.1	001.5000	0082.1	058.8	41.01
283.0	086.0000	0221.1	064.3	055.3	001.5000	0082.1	059.6	40.74
284.0	086.0000	0221.1	064.3	054.6	001.5000	0082.2	060.4	40.47
285.0	086.0000	0221.1	064.3	053.9	001.5000	0082.2	061.3	40.20
286.0	086.0000	0221.0	064.3	053.3	001.5000	0082.2	062.2	39.92
287.0	086.0000	0220.9	064.3	052.7	001.5000	0082.2	063.1	39.64
288.0	086.0000	0220.8	064.3	052.1	001.5000	0082.1	064.0	39.37
289.0	086.0000	0220.8	064.3	051.5	001.5000	0082.1	064.9	39.09
290.0	086.0000	0220.6	064.3	051.0	001.5000	0082.0	065.9	38.81
291.0	086.0000	0220.4	064.2	050.5	001.5000	0081.9	066.8	38.53
292.0	086.0000	0220.0	064.2	050.1	001.5000	0081.9	067.8	38.25
293.0	086.0000	0219.6	064.2	049.7	001.5000	0081.8	068.8	37.96
294.0	086.0000	0219.1	064.1	049.3	001.5000	0081.8	069.8	37.67
295.0	086.0000	0218.6	064.1	048.9	001.5000	0081.7	070.9	37.38
296.0	086.0000	0218.2	064.0	048.6	001.5000	0081.7	071.9	37.09
297.0	086.0000	0217.8	064.0	048.3	001.5000	0081.6	073.0	36.80
298.0	086.0000	0217.5	064.0	048.0	001.5000	0081.6	074.0	36.51
299.0	086.0000	0217.1	063.9	047.7	001.5000	0081.5	075.1	36.22
300.0	086.0000	0216.8	063.9	047.5	001.5000	0081.5	076.1	35.93

301.0	086.0000	0216.3	063.9	047.3	001.5000	0081.4	077.2	35.63
302.0	086.0000	0215.8	063.8	047.1	001.5000	0081.3	078.3	35.34
303.0	086.0000	0215.1	063.8	046.9	001.5000	0081.3	079.4	35.04
304.0	086.0000	0214.4	063.7	046.8	001.5000	0081.3	080.5	34.75
305.0	086.0000	0213.7	063.6	046.6	001.5000	0081.2	081.6	34.45
306.0	086.0000	0213.1	063.6	046.5	001.5000	0081.2	082.7	34.16
307.0	086.0000	0212.7	063.5	046.4	001.5000	0081.1	083.8	33.86
308.0	086.0000	0212.5	063.5	046.3	001.5000	0081.1	084.9	33.57
309.0	086.0000	0212.5	063.5	046.2	001.5000	0081.1	085.9	33.27
310.0	086.0000	0212.6	063.5	046.1	001.5000	0081.0	087.0	32.98
311.0	086.0000	0212.5	063.5	046.0	001.5000	0081.0	088.1	32.69
312.0	086.0000	0212.3	063.5	045.9	001.5000	0081.0	089.3	32.40
313.0	086.0000	0212.3	063.5	045.9	001.5000	0081.0	090.4	32.12
314.0	086.0000	0212.3	063.5	045.9	001.5000	0081.0	091.5	31.83
315.0	086.0000	0212.3	063.5	045.8	001.5000	0081.0	092.6	31.55
316.0	086.0000	0212.0	063.5	045.8	001.5000	0081.0	093.7	31.28
317.0	086.0000	0211.6	063.4	045.9	001.5000	0081.0	094.8	31.01
318.0	086.0000	0211.3	063.4	045.9	001.5000	0081.0	095.9	30.75
319.0	086.0000	0211.2	063.4	045.9	001.5000	0081.0	097.0	30.50

At all points on the WFSQ protected 60 dBu WFFL delivers less than 54 dBu interfering.

Bromo Communications, Inc.