


EPA Type 1: Ring-stub or any unknown, 8 Bays, Spac= 0.8, H=100 kW, V=100 kW, 63 M AG



HORZ. DISTANCE FROM FM RADIATOR VS POWER DENSITY (Microwatt/Square cm)
 Dist(Meters) PD (H) PD (V) Total(uW/cm2) Percent Max.(1000)

Dist(Meters)	PD (H)	PD (V)	Total(uW/cm2)	Percent Max.(1000)
0	7.39	31.50	38.88	3.9
1	7.51	31.69	39.19	3.9
2	7.58	31.67	39.25	3.9
3	7.60	31.45	39.05	3.9
4	7.57	31.01	38.58	3.9
5	7.47	30.34	37.81	3.8
6	7.35	29.79	37.15	3.7
7	7.18	29.15	36.33	3.6
8	6.94	28.21	35.15	3.5
9	6.62	26.95	33.57	3.4
10	6.22	25.38	31.61	3.2
11	5.75	23.41	29.17	2.9
12	5.21	20.91	26.12	2.6
13	4.62	18.26	22.87	2.3
14	3.98	15.52	19.50	2.0
15	3.32	12.78	16.10	1.6
16	2.66	10.10	12.77	1.3
17	2.02	7.58	9.60	1.0
18	1.44	5.30	6.74	0.7
19	0.92	3.37	4.30	0.4
20	0.52	1.86	2.38	0.2
21	0.23	0.83	1.07	0.1
22	0.09	0.33	0.43	0.0
23	0.11	0.38	0.48	0.0
24	0.28	0.96	1.24	0.1
25	0.60	2.05	2.65	0.3

Dist(Meters)	PD (H)	PD (V)	Total(uW/cm2)	Percent Max.
26	1.05	3.60	4.64	0.5
27	1.61	5.50	7.11	0.7
28	2.25	7.64	9.89	1.0
29	2.93	9.85	12.78	1.3
30	3.62	11.95	15.58	1.6
31	4.27	13.86	18.13	1.8
32	4.84	15.44	20.28	2.0
33	5.29	16.60	21.89	2.2
34	5.60	17.27	22.87	2.3
35	5.73	17.41	23.15	2.3
36	5.66	17.13	22.78	2.3
37	5.40	16.36	21.76	2.2
38	5.00	15.13	20.13	2.0
39	4.47	13.53	17.99	1.8
40	3.85	11.65	15.50	1.5
41	3.18	9.61	12.79	1.3
42	2.49	7.55	10.04	1.0
43	1.84	5.55	7.39	0.7
44	1.25	3.73	4.98	0.5
45	0.76	2.23	2.99	0.3
46	0.38	1.10	1.48	0.1
47	0.13	0.37	0.50	0.1
48	0.02	0.05	0.07	0.0
49	0.04	0.12	0.16	0.0
50	0.19	0.53	0.72	0.1
51	0.44	1.22	1.66	0.2
52	0.78	2.12	2.91	0.3
53	1.19	3.16	4.34	0.4
54	1.62	4.25	5.87	0.6
55	2.06	5.31	7.37	0.7
56	2.47	6.29	8.76	0.9
57	2.84	7.13	9.96	1.0
58	3.13	7.77	10.90	1.1
59	3.35	8.20	11.55	1.2
60	3.48	8.39	11.87	1.2
61	3.51	8.36	11.87	1.2
62	3.46	8.06	11.52	1.2
63	3.33	7.57	10.90	1.1
64	3.12	6.93	10.05	1.0
65	2.84	6.18	9.02	0.9
66	2.51	5.35	7.86	0.8
67	2.16	4.49	6.64	0.7
68	1.78	3.63	5.42	0.5
69	1.41	2.82	4.23	0.4
70	1.06	2.08	3.14	0.3
71	0.75	1.44	2.18	0.2
72	0.48	0.90	1.38	0.1
73	0.27	0.50	0.77	0.1
74	0.12	0.22	0.34	0.0
75	0.03	0.07	0.10	0.0
76	0.02	0.03	0.05	0.0
77	0.06	0.12	0.18	0.0

Dist (Meters)	PD (H)	PD (V)	Total (uW/cm2)	Percent Max.
78	0.17	0.32	0.49	0.0
79	0.32	0.62	0.94	0.1
80	0.52	1.00	1.52	0.2
81	0.75	1.46	2.21	0.2
82	1.01	1.96	2.97	0.3
83	1.28	2.49	3.77	0.4
84	1.55	3.04	4.59	0.5
85	1.82	3.57	5.39	0.5
86	2.07	4.08	6.15	0.6
87	2.29	4.55	6.85	0.7
88	2.49	4.92	7.40	0.7
89	2.64	5.21	7.85	0.8
90	2.76	5.42	8.18	0.8
91	2.83	5.56	8.39	0.8
92	2.87	5.62	8.49	0.8
93	2.87	5.60	8.46	0.8
94	2.83	5.50	8.33	0.8
95	2.75	5.34	8.09	0.8
96	2.64	5.12	7.76	0.8
97	2.51	4.84	7.35	0.7
98	2.35	4.53	6.88	0.7
99	2.17	4.18	6.35	0.6
100	1.98	3.80	5.78	0.6